

**Table A-11 2001 Beach Water Monitoring
Semi-Volatile Organics (µg/L) (page 1 of 2)**

locator: collectdate:	ITEDWARDSPT 16-Jan-01			ITEDWARDSPT 26-Feb-01			ITCARKEEKP 16-Jan-01			ITCARKEEKP 26-Feb-01			ITMEADOWBP 1/16/01			ITMEADOWBP 26-Feb-01		
	MDL	Value	Qual	MDL	Value	Qual	MDL	Value	Qual	MDL	Value	Qual	MDL	Value	Qual	MDL	Value	Qual
1,2,4-Trichlorobenzene	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005	0.009	<RDL	0.005		<MDL
1,2-Dichlorobenzene	0.024		<MDL	0.026		<MDL	0.026		<MDL	0.026		<MDL	0.024		<MDL	0.026		<MDL
1,3-Dichlorobenzene	0.024		<MDL	0.026		<MDL	0.026		<MDL	0.026		<MDL	0.024		<MDL	0.026		<MDL
1,4-Dichlorobenzene	0.024		<MDL	0.026		<MDL	0.026		<MDL	0.026		<MDL	0.024		<MDL	0.026		<MDL
2,4,5-Trichlorophenol	0.059		<MDL	0.064		<MDL	0.064		<MDL	0.064		<MDL	0.06		<MDL	0.064		<MDL
2,4,6-Trichlorophenol	0.024		<MDL	0.026		<MDL	0.026		<MDL	0.026		<MDL	0.024		<MDL	0.026		<MDL
2,4-Dichlorophenol	0.047		<MDL	0.052		<MDL	0.052		<MDL	0.051		<MDL	0.048		<MDL	0.051		<MDL
2,4-Dimethylphenol	0.71		<MDL	0.77		<MDL	0.77		<MDL	0.77		<MDL	0.71		<MDL	0.77		<MDL
2,4-Dinitrophenol	0.47		<MDL	0.52		<MDL	0.52		<MDL	0.51		<MDL	0.48		<MDL	0.51		<MDL
2,4-Dinitrotoluene	0.024		<MDL	0.026		<MDL	0.026		<MDL	0.026		<MDL	0.024		<MDL	0.026		<MDL
2,6-Dinitrotoluene	0.024		<MDL	0.026		<MDL	0.026		<MDL	0.026		<MDL	0.024		<MDL	0.026		<MDL
2-Chloronaphthalene	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
2-Chlorophenol	0.047		<MDL	0.052		<MDL	0.052		<MDL	0.051		<MDL	0.048		<MDL	0.051		<MDL
2-Methylphenol	0.12		<MDL	0.13		<MDL	0.13		<MDL	0.13		<MDL	0.12		<MDL	0.13		<MDL
2-Nitroaniline	0.047		<MDL	0.052		<MDL	0.052		<MDL	0.051		<MDL	0.048		<MDL	0.051		<MDL
2-Nitrophenol	0.024		<MDL	0.026		<MDL	0.026		<MDL	0.026		<MDL	0.024		<MDL	0.026		<MDL
3,3'-Dichlorobenzidine	0.35		<MDL	0.39		<MDL	0.39		<MDL	0.38		<MDL	0.36		<MDL	0.38		<MDL
3-Nitroaniline	0.24		<MDL	0.26		<MDL	0.26		<MDL	0.26		<MDL	0.24		<MDL	0.26		<MDL
4,6-Dinitro-O-Cresol	0.47		<MDL	0.52		<MDL	0.52		<MDL	0.51		<MDL	0.48		<MDL	0.51		<MDL
4-Bromophenyl Phenyl Ether	0.012		<MDL	0.013		<MDL	0.013		<MDL	0.013		<MDL	0.012		<MDL	0.013		<MDL
4-Chloro-3-Methylphenol	0.12		<MDL	0.13		<MDL	0.13		<MDL	0.13		<MDL	0.12		<MDL	0.13		<MDL
4-Chloroaniline	0.12		<MDL	0.13		<MDL	0.13		<MDL	0.13		<MDL	0.12		<MDL	0.13		<MDL
4-Chlorophenyl Phenyl Ether	0.012		<MDL	0.013		<MDL	0.013		<MDL	0.013		<MDL	0.012		<MDL	0.013		<MDL
4-Methylphenol	0.12		<MDL	0.13		<MDL	0.13		<MDL	0.13		<MDL	0.12		<MDL	0.13		<MDL
4-Nitroaniline	0.24		<MDL	0.26		<MDL	0.26		<MDL	0.26		<MDL	0.24		<MDL	0.26		<MDL
4-Nitrophenol	0.24		<MDL	0.26		<MDL	0.26		<MDL	0.26		<MDL	0.24		<MDL	0.26		<MDL
Acenaphthene	0.005	0.006	<RDL	0.005		<MDL	0.005		<MDL	0.005	0.006	<RDL	0.005	0.01	<RDL	0.005	0.008	<RDL
Acenaphthylene	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Anthracene	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Benzo(A)Anthracene	0.012		<MDL	0.013		<MDL	0.013		<MDL	0.013		<MDL	0.012		<MDL	0.013		<MDL
Benzo(A)Pyrene	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Benzo(B)Fluoranthene	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Benzo(G,H,I)Perylene	0.024		<MDL	0.026		<MDL	0.026		<MDL	0.026		<MDL	0.024		<MDL	0.026		<MDL
Benzo(K)Fluoranthene	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Benzyl Butyl Phthalate	0.005	0.014	B,L	0.005	0.02	B	0.005	0.028	B,L	0.005	0.015	B	0.005	0.034	B,L	0.005	0.015	B

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

L Matrix spike or SRM recovery above acceptable range. High biased data, analyte concentration may be lower than the reported value

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination

**Table A-11 2001 Beach Water Monitoring
Semi-Volatile Organics (µg/L) (page 2 of 2)**

locator: collectdate:	ITEDWARDSPT			ITEDWARDSPT			ITCARKEEKP			ITCARKEEKP			ITMEADOWBP			ITMEADOWBP		
	16-Jan-01			26-Feb-01			16-Jan-01			26-Feb-01			1/16/01			26-Feb-01		
	MDL	VALUE	QUAL	MDL	VALUE	QUAL	MDL	VALUE	QUAL	MDL	VALUE	QUAL	MDL	VALUE	QUAL	MDL	VALUE	QUAL
Bis(2-Chloroethoxy)Methane	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Bis(2-Chloroethyl)Ether	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Bis(2-Chloroisopropyl)Ether	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Bis(2-Ethylhexyl)Phthalate	0.005	2.09		0.005	0.799	B	0.005	1.38	B	0.005	0.416	B	0.005	11.5		0.005	0.244	B
caffeine	0.005	0.009	<RDL	0.005		<MDL	0.005	0.011	<RDL	0.005		<MDL	0.005	0.009	<RDL	0.005		<MDL
Carbazole	0.012		<MDL	0.013		<MDL	0.013		<MDL	0.013		<MDL	0.012		<MDL	0.013		<MDL
Chrysene	0.012		<MDL	0.013		<MDL	0.013		<MDL	0.013		<MDL	0.012		<MDL	0.035		<MDL
Dibenzo(A,H)Anthracene	0.024		<MDL	0.026		<MDL	0.026		<MDL	0.026		<MDL	0.024		<MDL	0.026		<MDL
Dibenzofuran	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Diethyl Phthalate	0.005	0.018	B	0.005	0.023	B	0.005	0.017	B	0.005	0.025	B	0.005	0.015	B	0.005	0.027	B
Dimethyl Phthalate	0.005	0.005	<RDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Di-N-Butyl Phthalate	0.005	0.026	B,L	0.005	0.02	B	0.005	0.057	B,L	0.005	0.038	B	0.005	0.047	B,L	0.005	0.025	B
Di-N-Octyl Phthalate	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Fluoranthene	0.005	0.006	<RDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Fluorene	0.005	0.023		0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Hexachlorobenzene	0.012		<MDL	0.013		<MDL	0.013		<MDL	0.013		<MDL	0.012		<MDL	0.013		<MDL
Hexachlorobutadiene	0.024		<MDL	0.026		<MDL	0.026		<MDL	0.026		<MDL	0.024		<MDL	0.026		<MDL
Hexachloroethane	0.012		<MDL	0.013		<MDL	0.013		<MDL	0.013		<MDL	0.012		<MDL	0.013		<MDL
Indeno(1,2,3-Cd)Pyrene	0.024		<MDL	0.026		<MDL	0.026		<MDL	0.026		<MDL	0.024		<MDL	0.026		<MDL
Isophorone	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
Napthalene	0.012	0.013	<RDL	0.013		<MDL	0.013		<MDL	0.013		<MDL	0.012		<MDL	0.013	0.014	<RDL
Nitrobenzene	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005		<MDL
N-Nitrosodimethylamine	0.012		<MDL	0.013		<MDL	0.013		<MDL	0.013		<MDL	0.012		<MDL	0.013		<MDL
N-Nitrosodi-N-Propylamine	0.047		<MDL	0.052		<MDL	0.052		<MDL	0.051		<MDL	0.048		<MDL	0.051		<MDL
N-Nitrosodiphenylamine	0.12		<MDL	0.13		<MDL	0.13		<MDL	0.13		<MDL	0.12		<MDL	0.13		<MDL
Pentachlorophenol	0.059		<MDL	0.064		<MDL	0.064		<MDL	0.064		<MDL	0.06		<MDL	0.064		<MDL
Phenanthrene	0.005	0.009	<RDL	0.005	0.007	<RDL	0.005	0.007	<RDL	0.005	0.007	<RDL	0.005	0.005	<RDL	0.005	0.006	<RDL
phenol	0.047		<MDL	0.052		<MDL	0.052		<MDL	0.051		<MDL	0.048		<MDL	0.051		<MDL
pyrene	0.005	0.006	<RDL	0.005		<MDL	0.005		<MDL	0.005		<MDL	0.005	0.013		0.005		<MDL

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

L Matrix spike or SRM recovery above acceptable range. High biased data, analyte concentration may be lower than the reported value

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination