Table A-9 2001 Beach Water Column Monitoring
Dissolved Metals (mg/L) (page 1 of 6)

		Antimony		Arsenic		Beryllium		Cadmium		Chromium	
Station	Date	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
ITBOEINGCR	21-Mar-01	<RDL	0.000058		0.00111	<MDL	0.000015		0.0000699	<RDL	0.00013
	26-Jun-01	B	0.0000558		0.00107	--	--		0.0000591	<RDL	0.0002
	19-Sep-01		0.000082		0.00113	<MDL	0.000015		0.0000644	<RDL	0.00011
	19-Dec-01		0.00007265		0.0011	--	--		0.0000621	<RDL	0.000096
ITBRACKETT	21-Mar-01		0.0000777		0.00105	<MDL	0.000015		0.0000694	<RDL	0.00012
	26-Jun-01	B	0.000102		0.00104	--	--		0.0000609	<RDL	0.00013
	19-Sep-01		0.000112		0.000924	<MDL	0.000015		0.0000618	<RDL	0.000097
	19-Dec-01		0.0000723		0.00117	--	--		0.0000626	<RDL	0.00011
ITCARKEEKP	16-Jan-01	<RDL	0.000059		0.00102	<MDL	0.000015		0.0000692	<RDL	0.000091
	26-Feb-01	RDL	0.000069		0.00124	<MDL	0.000015		0.0000715	<RDL	0.00011
	21-Mar-01	<RDL	0.000059		0.00119	<MDL	0.000015		0.0000721	<RDL	0.00011
	26-Jun-01	B	0.00008955		0.001013	--	--		0.00006305	<RDL	0.00013
	19-Sep-01		0.0000874		0.0011	<MDL	0.000015		0.0000641	<RDL	0.00011
	19-Dec-01		0.0000715		0.00106	--	--		0.0000572	<RDL	0.00011
ITEDWARDSPT	16-Jan-01	<RDL	0.000059		0.00104	<MDL	0.000015		0.0000656	<RDL	0.000089
	26-Feb-01	<RDL	0.000067		0.00111	<MDL	0.000015		0.0000713	<RDL	0.00011
	21-Mar-01	<RDL	0.00006		0.00108	<MDL	0.000015		0.0000681	<RDL	0.00014
	26-Jun-01	B	0.0000925		0.00105	--	--		0.000062	<RDL	0.00014
	19-Sep-01		0.0000847		0.00107	<MDL	0.000015		0.0000595	<RDL	0.0001
	19-Dec-01		0.0000772		0.00114	--	--		0.0000624	<RDL	0.00013
ITMEADOWBP	16-Jan-01	<RDL	0.000054		0.000981	<MDL	0.000015		0.0000681	<RDL	0.00012
	26-Feb-01		0.0000723		0.00112	<MDL	0.000015		0.0000732	<RDL	0.00012
	21-Mar-01	<RDL	0.000064		0.00108	<MDL	0.000015		0.0000679	<RDL	0.00013
	26-Jun-01	B	0.0000915		0.00104	--	--		0.0000629	<RDL	0.00013
	19-Sep-01		0.0000912		0.00113	<MDL	0.000015		0.000068	<RDL	0.00011
	19-Dec-01		0.0000685		0.00108	--	--		0.0000603	<RDL	0.0001
ITMUKILTSP	21-Mar-01	<RDL	0.000061		0.000881	<MDL	0.000015		0.0000522	<RDL	0.00013
	26-Jun-01	B	0.0001		0.000969	--	--		0.0000553	<RDL	0.00012
	19-Sep-01		0.0000973		0.00106	<MDL	0.000015		0.0000634	<RDL	0.00011
	19-Dec-01		0.0000693		0.00106	--	--		0.0000603	<RDL	0.00011
ITOCEANAVE	21-Mar-01	<RDL	0.0000615		0.00104	<MDL	0.000015		0.0000699	<RDL	0.00013
	26-Jun-01	B	0.00009		0.00105	--	--		0.0000642	<RDL	0.00013
	19-Sep-01		0.0000878		0.0009575	<MDL	0.000015		0.0000621	<RDL	0.00011
	19-Dec-01		0.0000702		0.00106	--	--		0.0000623	<RDL	0.000092
ITPICNICPT	21-Mar-01	<RDL	0.000067		0.000951	<MDL	0.000015		0.0000602	<RDL	0.00013
	26-Jun-01	B	0.0000859		0.00101	--	--		0.0000527	<RDL	0.00014
	19-Sep-01		0.0000904		0.00108	<MDL	0.000015		0.00006	<RDL	0.00011
	19-Dec-01		0.0000701		0.00101	--	--		0.0000544	<RDL	0.0001

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination

Table A-9 2001 Beach Water Column Monitoring
Dissolved Metals (mg/L) (page 2 of 6)

		Cobalt		Copper		Lead		Mercury		Nickel	
Station	Date	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
ITBOEINGCR	21-Mar-01	<RDL	0.000016		0.000397	<MDL	0.0000069	<RDL	0.00000029		0.000409
	26-Jun-01	<RDL	0.000019		0.000375	<MDL	0.000007	<RDL	0.00000016		0.000445
	19-Sep-01		0.0000225		0.00033	<MDL	0.000007	<RDL	0.0000001		0.0004
	19-Dec-01	--	--		0.0004345	<MDL	0.000007	<RDL	0.000000385		0.000508
ITBRACKETT	21-Mar-01	<RDL	0.000024		0.000422		0.0000444	<RDL	0.00000028		0.000415
	26-Jun-01	<RDL	0.000017		0.000408	<RDL	0.00001	<RDL	0.00000016		0.000392
	19-Sep-01		0.0000249		0.00035	<RDL	0.00002	<RDL	0.00000022		0.000365
	19-Dec-01	--	--		0.000407	<RDL	0.0000096	<RDL	0.00000027		0.000427
ITCARKEEKP	16-Jan-01	--	--		0.000285	<MDL	0.0000069	<MDL			0.000382
	26-Feb-01		0.0000278		0.000377	<MDL	0.0000069	<RDL	0.00000032		0.000471
	21-Mar-01		0.0000285		0.000389	<MDL	0.000007	<RDL	0.00000023		0.000452
	26-Jun-01	<RDL	0.0000185		0.0003915	<MDL	0.000007	<RDL	0.0000002		0.000423
	19-Sep-01		0.0000259		0.00035	<MDL	0.000007	<RDL	0.0000001		0.000369
	19-Dec-01	--	--		0.000554	<MDL	0.000007	<RDL	0.0000003		0.000401
ITEDWARDSPT	16-Jan-01	<RDL	0.000012		0.000294	<MDL	0.000007	<MDL			0.000386
	26-Feb-01	<RDL	0.000016		0.000375	<MDL	0.000007	<RDL	0.00000034		0.000417
	21-Mar-01	<RDL	0.000017		0.000611	<MDL	0.000007	<RDL	0.00000021		0.000406
	26-Jun-01	<RDL	0.000019		0.000385	<MDL	0.000007	<RDL	0.00000019		0.000397
	19-Sep-01		0.0000257		0.000383	<MDL	0.0000069	<RDL	0.00000017		0.000349
	19-Dec-01	--	--		0.0004	<MDL	0.0000069	<RDL	0.00000028		0.000427
ITMEADOWBP	16-Jan-01	<RDL	0.000016		0.000325	<MDL	0.0000069	<RDL	0.0000002		0.000426
	26-Feb-01	<RDL	0.000013	H	0.000338	<MDL	0.0000069		0.000000589		0.000496
	21-Mar-01	<RDL	0.000017		0.000394	<RDL	0.0000089	<RDL	0.00000021		0.000398
	26-Jun-01	<RDL	0.000018		0.000376	<MDL	0.000007	<RDL	0.0000002		0.000412
	19-Sep-01	<RDL	0.000019		0.00032	<MDL	0.000007	<RDL	0.00000012		0.000371
	19-Dec-01	--	--		0.000365	<MDL	0.0000069	<RDL	0.00000027		0.000425
ITMUKILTSP	21-Mar-01		0.0000437		0.000488	<MDL	0.000007	<RDL	0.00000035		0.000473
	26-Jun-01		0.0000364		0.00108	<MDL	0.000007	<RDL	0.00000029		0.000462
	19-Sep-01		0.0000305		0.000424	<MDL	0.000007	<RDL	0.00000011		0.000396
	19-Dec-01	--	--		0.000405	<RDL	0.0000087	<RDL	0.00000032		0.000494
ITOCEANAVE	21-Mar-01	<RDL	0.0000235		0.0004205	<MDL	0.00000695	<RDL	0.00000024		0.0004065
	26-Jun-01	<RDL	0.000018		0.00039	<MDL	0.000007	<RDL	0.00000022		0.0004
	19-Sep-01	<RDL	0.00002065		0.0003	<MDL	0.000007	<RDL	0.000000175		0.0003535
	19-Dec-01	--	--		0.000352	<MDL	0.000007	<RDL	0.00000035		0.000404
ITPICNICPT	21-Mar-01		0.0000307		0.000441	<MDL	0.0000069	<RDL	0.00000026		0.000414
	26-Jun-01		0.0000351		0.000425	<MDL	0.000007	<RDL	0.00000019		0.000444
	19-Sep-01		0.0000211		0.000307	<MDL	0.000007	<MDL			0.000355
	19-Dec-01	--	--		0.000412	<MDL	0.000007	<RDL	0.00000034		0.000496

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination

H Sample handling criteria were not met in some manner prior to analysis.

Table A-9 2001 Beach Water Column Monitoring
Dissolved Metals (mg/L) (page 3 of 6)

		Selenium		Silver		Thallium		Vanadium		Zinc	
Station	Date	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
ITBOEINGCR	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000094		0.00133	B	0.000836
	26-Jun-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000093		0.00137	<RDL,B	0.00063
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.00001		0.0014	B	0.000902
	19-Dec-01	<MDL	0.00015	<MDL	0.0000835	--	--	--	--	<RDL,B	0.000768
ITBRACKETT	21-Mar-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.00001		0.00137	B	0.00104
	26-Jun-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.00001		0.00143	<RDL,B	0.00064
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000096		0.00145	<RDL,B	0.00063
	19-Dec-01	<MDL	0.00015	<MDL	0.000083	--	--	--	--	B	0.00082
ITCARKEEKP	16-Jan-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000097		0.00132	<RDL	0.00059
	26-Feb-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.00001		0.00129	B	0.000759
	21-Mar-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000089		0.00135	B	0.00097
	26-Jun-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000011		0.001435	<RDL,B	0.000785
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000099		0.00137	<RDL,B	0.00059
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--	B	0.00132
ITEDWARDSPT	16-Jan-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000095		0.00126		0.000851
	26-Feb-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.00001		0.00133	B	0.00102
	21-Mar-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000096		0.00132	B	0.00209
	26-Jun-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000011		0.00145	<RDL,B	0.00059
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000099		0.00137	<RDL,B	0.00055
	19-Dec-01	<MDL	0.00015	<MDL	0.000083	--	--	--	--	B	0.000798
ITMEADOWBP	16-Jan-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000094		0.00131	<RDL	0.00059
	26-Feb-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.00001		0.00131	B	0.0013
	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000099		0.00132	B	0.000757
	26-Jun-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000011		0.00145	<RDL,B	0.00053
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000011		0.0014	<RDL,B	0.00053
	19-Dec-01	<MDL	0.00015	<MDL	0.000083	--	--	--	--	B	0.000784
ITMUKILTSP	21-Mar-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000072		0.000992	<RDL,B	0.00063
	26-Jun-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000095		0.00125	B	0.000801
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000095		0.00131	B	0.000914
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--	B	0.000806
ITOCEANAVE	21-Mar-01	<MDL	0.00015	<MDL	0.0000595	<RDL	0.00000995		0.001425	B	0.000769
	26-Jun-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000011		0.00143	<RDL,B	0.00061
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.00000985		0.001425	<RDL,B	0.00055
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--	<RDL,B	0.00073
ITPICNICPT	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000086		0.00115	B	0.000767
	26-Jun-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000093		0.00137	<RDL,B	0.00068
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000094		0.00134	<RDL,B	0.00063
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--	B	0.000842

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination

Table A-9 2001 Beach Water Column Monitoring
Dissolved Metals (mg/L) (page 4 of 6)

		Antimony		Arsenic		Beryllium		Cadmium		Chromium	
Station	**Date**	**Qual**	**Value**	**Qual**	**Value**	**Qual**	**Value**	**Qual**	**Value**	**Qual**	**Value**
JSVW04	21-Mar-01		0.0000697		0.00108	<MDL	0.000015		0.0000864	<RDL	0.00011
	26-Jun-01		0.000072		0.000749	--	--		0.0000506	<RDL	0.000093
	31-Jul-01		0.0000879		0.000956	<MDL	0.000015		0.0000572	<RDL	0.000078
	19-Sep-01		0.0000945		0.00111	<MDL	0.000015		0.0000657	<RDL	0.00011
	19-Dec-01		0.0000654		0.00113	--	--		0.0000628	<RDL	0.0001
KSHZ03	31-Jul-01		0.0000561		0.0012	<MDL	0.000015		0.0000499	<RDL	0.00018
KSJX02	21-Mar-01	<RDL	0.00006		0.00105	<MDL	0.000015		0.0000664	<RDL	0.00013
	19-Sep-01		0.0000825		0.00113	<MDL	0.000015		0.0000647	<RDL	0.00012
	19-Dec-01		0.0000645		0.000996	--	--		0.0000508	<RDL	0.000094
KSLU03	21-Mar-01	<RDL	0.000058		0.00109	<MDL	0.000015		0.0000733	<RDL	0.00013
	26-Jun-01		0.0000779		0.000834	--	--		0.0000596	<RDL	0.00016
	2-Aug-01		0.0000884		0.00108	<MDL	0.000015		0.0000644	<RDL	0.00011
	19-Sep-01		0.0000888		0.00106	<MDL	0.000015		0.0000587	<RDL	0.00012
	19-Dec-01		0.0000542		0.00087	--	--		0.0000368	<RDL	0.00011
KSQU01	21-Mar-01	<RDL	0.000068		0.000848	<MDL	0.000015		0.0000474	<RDL	0.000099
	26-Jun-01	B	0.0000861		0.000905	--	--		0.000043	<RDL	0.00012
	19-Sep-01		0.000103		0.000983	<MDL	0.000015		0.0000421	<RDL	0.000092
	19-Dec-01		0.0000612		0.000879	--	--		0.0000301	<RDL	0.00011
KSSN04	1-Aug-01		0.0000879		0.00105	<MDL	0.000015		0.0000609	<RDL	0.000077
KSSN05	1-Aug-01		0.0000918		0.00123	<MDL	0.000015		0.0000638	<RDL	0.000097
LSKR01	1-Aug-01		0.000104		0.00104	<MDL	0.000015		0.0000511	<RDL	0.000098
MTLD03	1-Aug-01		0.0001005		0.00107	<MDL	0.000015		0.0000625	<RDL	0.0001065

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination

Table A-9 2001 Beach Water Column Monitoring
Dissolved Metals (mg/L) (page 5 of 6)

		Cobalt		Copper		Lead		Mercury		Nickel	
Station	**Date**	**Qual**	**Value**	**Qual**	**Value**	**Qual**	**Value**	**Qual**	**Value**	**Qual**	**Value**
JSVW04	21-Mar-01	<RDL	0.000018		0.00053		0.0000487	<RDL	0.0000002		0.000415
	26-Jun-01	<RDL	0.000016		0.000324		0.0000511	<RDL	0.00000021		0.000319
	31-Jul-01		0.000032		0.000452	<RDL	0.000032	--	--		0.000318
	19-Sep-01		0.0000267		0.00035	<RDL	0.000013	<RDL	0.00000013		0.000379
	19-Dec-01	--	--		0.000418	<RDL	0.0000074	<RDL	0.00000031		0.000392
KSHZ03	31-Jul-01		0.000038		0.000453	<RDL	0.000014	--	--		0.000415
KSJX02	21-Mar-01		0.0000325		0.00042	<RDL	0.0000074	<RDL	0.00000019		0.00047
	19-Sep-01	<RDL	0.000018		0.000318	<MDL	0.000007	<RDL	0.00000011		0.000388
	19-Dec-01	--	--		0.000563	<MDL	0.0000069	<RDL	0.00000033		0.000394
KSLU03	21-Mar-01	<RDL	0.000016		0.000315	<MDL	0.000007		0.000000808		0.000393
	26-Jun-01		0.0000201		0.00182	<MDL	0.000007	<RDL	0.00000027		0.000462
	2-Aug-01		0.0000243		0.00131	<MDL	0.000007	--	--		0.000421
	19-Sep-01	<RDL	0.000019		0.00164	<MDL	0.000007	<RDL	0.0000003		0.000406
	19-Dec-01	--	--		0.00178	<MDL	0.000007	<RDL	0.00000026		0.000402
KSQU01	21-Mar-01	<RDL	0.000013		0.00148	<MDL	0.0000069		0.000000699		0.00042
	26-Jun-01	<RDL	0.000016		0.00176	<RDL	0.000016	<RDL	0.00000026		0.000431
	19-Sep-01	<RDL	0.000017		0.00192	<MDL	0.0000069	<RDL	0.00000013		0.000383
	19-Dec-01	--	--		0.000872	<MDL	0.0000069	<RDL	0.00000024		0.00045
KSSN04	1-Aug-01		0.0000566		0.000389	<RDL	0.000013	--	--		0.000412
KSSN05	1-Aug-01		0.0000846		0.000658	<RDL	0.0000084	--	--		0.000545
LSKR01	1-Aug-01		0.0000294		0.000398	<RDL	0.00001	--	--		0.000344
MTLD03	1-Aug-01		0.0000282		0.0003705	<RDL	0.0000115	--	--		0.0003745

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

Table A-9 2001 Beach Water Column Monitoring
Dissolved Metals (mg/L) (page 6 of 6)

		Selenium		Silver		Thallium		Vanadium		Zinc	
Station	**Date**	**Qual**	**Value**	**Qual**	**Value**	**Qual**	**Value**	**Qual**	**Value**	**Qual**	**Value**
JSVW04	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000098		0.00135	B	0.00159
	26-Jun-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000084		0.0011	<RDL,B	0.00066
	31-Jul-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000088			B	0.00147
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000011		0.00143	<RDL,B	0.00053
	19-Dec-01	<MDL	0.00015	<MDL	0.000083	--	--	--	--	B	0.00101
KSHZ03	31-Jul-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000077			B	0.00138
KSJX02	21-Mar-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000094		0.0014	B	0.000848
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.00001		0.00139	<RDL,B	0.00066
	19-Dec-01	<MDL	0.00015	<MDL	0.000083	--	--	--	--	B	0.001
KSLU03	21-Mar-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000095		0.00136	B	0.000847
	26-Jun-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000092		0.00137	B	0.00338
	2-Aug-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000009			B	0.00239
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000091		0.00126		0.00297
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--	B	0.00363
KSQU01	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000065		0.000904	B	0.00268
	26-Jun-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000074		0.00101	B	0.00246
	19-Sep-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000062		0.000885		0.00385
	19-Dec-01	<MDL	0.00015	<MDL	0.000083	--	--	--	--	B	0.00137
KSSN04	1-Aug-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000083	--	--	B	0.00101
KSSN05	1-Aug-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000089	--	--	B	0.00086
LSKR01	1-Aug-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000086	--	--	<RDL,B	0.00059
MTLD03	1-Aug-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000093	--	--	B	0.000905

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination