

The following purchase order is agency specific. For piggy-backing opportunities you must contact the buyer.



KingCounty

Finance and Business Operations Division
Procurement and Contracts Services Section
Department of Executive Services

CNK-ES-0340 206-263-9400 Ph
3rd Floor 206-296-7676 Fax
401 5th Avenue TTY Relay: 771
SEATTLE, WA 98104 www.kingcounty.gov

CONTRACTOR:
XYLEM DEWATERING SOLUTIONS INC
8445 S 218TH ST

KENT, WA 98031 United States
Fax: (253) 3955451

SHIP TO:
KC DNRP WTD WEST POINT TREATMENT
1400 UTAH ST W , WPM-NR-0100
SEATTLE, WA 98199

BILL TO:
KC DES FBOD ACCOUNTS PAYABLES
401 5TH AVE, CNK-ES-0320
SEATTLE, WA 98104

CONTRACT

CONTRACT NO. 5419137	REVISION 0	PAGE 1 of 1
CREATION DATE 09-MAR-2012	BUYER JANET SEBRING	
DATE OF REVISION	BUYER	

CONTRACTOR NO 7577	PAYMENT TERMS NET30DAYS	FREIGHT TERMS Paid	FOB DESTINATION	SHIP VIA UPS	CONFIRM TO Telephone: (253) 395-5450
-----------------------	----------------------------	-----------------------	--------------------	-----------------	---

DESCRIPTION

CONTRACT PURCHASE AGREEMENT

FURNISH ITT FLYGT PUMP EQUIPMENT, PARTS AND RELATED EQUIPMENT TO KING COUNTY PERSONNEL AS REQUESTED, DURING THE PERIOD MARCH 9, 2012 THROUGH MARCH 8, 2017, IN ACCORDANCE WITH ITB # 1012-12 JDH AND RESPONDING OFFER OF XYLEM DEWATERING SOLUTIONS, BOTH INCORPORATED BY REFERENCE AS IF FULLY SET FORTH HEREIN.

INDIVIDUAL STANDARD PURCHASE ORDERS WITH UNIQUE PURCHASE ORDER NUMBERS REFERENCING THIS CONTRACT PURCHASE AGREEMENT WILL BE ISSUED BY KING COUNTY TO AUTHORIZE THE PURCHASE AND PAYMENT OF GOODS AND SERVICES.

ALL INVOICES MUST REFERENCE THE INDIVIDUAL STANDARD PURCHASE ORDER NUMBER TO AVOID DELAY IN PAYMENTS.

ORIGINAL



King County

Department of Executive Services
Finance and Business Operations Division
Procurement and Contract Services Section
206-263-9400 TTY Relay: 711

Invitation to Bid

ADVERTISED DATE: JANUARY 5, 2012

Invitation to Bid (ITB) Title: Valves, Regulators, Actuators and Pumps

ITB Number: 1012-12-JDH

Due Date: January 26, 2012- 2:00 p.m.

Buyer: Janet Harjo, janet.harjo@kingcounty.gov, 206-263-9286

Alternate Buyer: Gina Keolker, gina.keolker@kingcounty.gov, 206-263-9387

Furnish valves and related items as requested by King County personnel in accordance with the attached instructions, requirements and specifications.

NO PRE-BID CONFERENCE

Sealed Bids are hereby solicited and will only be received by:
King County Procurement Services Section
Chinook Building, 3rd Floor
401 Fifth Avenue
Seattle, WA 98104
Office Hours: 8:00 a.m. – 5:00 p.m.
Monday - Friday

BIDDERS SHALL COMPLETE AND SIGN THE FORM BELOW.

We acknowledge that all Addenda have been examined as part of the Contract documents. The submittal is signed by an authorized representative of the Bidder accepting all terms and conditions contained in the bid and any addenda. We acknowledge that attaching our terms and conditions or modifying the ITB terms and conditions may result in our bid being rejected.

Company Name

Xylem Dewatering Solutions, Inc. DBA Godwin Pumps of America

Address

8445 South 218th Street

City/State /Postal Code

Kent, WA 98031

Signature

Print name and title

Steve Thompson, Branch Manager

Email

steve.thompson@xyleminc.com

Phone

253-395-5450

Fax

253-395-5451

SCS/DBE Certification Number

Upon request, this Invitation to Bid will be provided in alternative formats such as Braille, large print, audiocassette or computer disk for individuals with disabilities.

ITB # 1773-11 Attachment A Pricing Schedule

Category A: VALVES	Manufacturer	Name of Catalog, Price List, or Website	Effective Date	Includes Pages	Percent (%) Discount off Catalog Pricing	Prompt Pay Discount	Local Rep Name/ Phone Number/Email Address
1	Victaulic		__/__/__			% Days/Net Days	
2	DeZURIK		__/__/__			% Days/Net Days	
3	Asco (Emerson Industrial Automation)		__/__/__			% Days/Net Days	
4	Bosch Rexroth		__/__/__			% Days/Net Days	
5	Fisher		__/__/__			% Days/Net Days	
6	Asahi		__/__/__			% Days/Net Days	
7	Maxon		__/__/__			% Days/Net Days	
8	ITT Gould		__/__/__			% Days/Net Days	
9	Milliken & Keystone		__/__/__			% Days/Net Days	
10	ISCO & Flygt		__/__/__			% Days/Net Days	
11	Lined Valve Company		__/__/__			% Days/Net Days	
Category B: ACTUATORS	Manufacturer	Name of Catalog	Effective Date	Includes Pages	Percent (%) Discount off Catalog Pricing	Prompt Pay Discount	Local Rep Name/ Phone Number/Email Address
1	Bettis		__/__/__			% Days/Net Days	
2	Fisher		__/__/__			% Days/Net Days	
Category B: ACTUATORS Cont'd	Manufacturer	Name of Catalog	Effective Date	Includes Pages	Percent (%) Discount off Catalog Pricing	Prompt Pay Discount	Local Rep Name/ Phone Number/Email Address
3	EIM		__/__/__			% Days/Net Days	
4	Limitorque		__/__/__			% Days/Net Days	
5	Rotork Controls, Inc.		__/__/__			% Days/Net Days	
6	Auma		__/__/__			% Days/Net Days	
7	Bosch Rexroth		__/__/__			% Days/Net Days	
Category C: REGULATORS	Manufacturer	Name of Catalog	Effective Date	Includes Pages	Percent (%) Discount off Catalog Pricing	Prompt Pay Discount	Local Rep Name/ Phone Number/Email Address
1	Fisher		__/__/__			% Days/Net Days	
2	Cla-Val		__/__/__			% Days/Net Days	
3	Parker		__/__/__			% Days/Net Days	
4	Norgren		__/__/__			% Days/Net Days	
5	Hoke		__/__/__			% Days/Net Days	

Category D PUMPS	Manufacturer	Name of Catalog	Effective Date	Includes Pages	Percent (%) Discount Off Catalog Pricing	Prompt Pay Discount	Local Rep Name/ Phone Number/Email Address
1	ITT Gould		__/__/__			% Days/Net Days	
2	Aurora		__/__/__			% Days/Net Days	
Category D PUMPS Cont'd	Manufacturer	Name of Catalog	Effective Date	Includes Pages	Percent (%) Discount Off Catalog Pricing	Prompt Pay Discount	Local Rep Name/ Phone Number/Email Address
3	Bosch Rexroth		__/__/__			% Days/Net Days	
4	H & H		__/__/__			% Days/Net Days	
5	Ebara		__/__/__			% Days/Net Days	
6	Gorman Rupp		__/__/__			% Days/Net Days	
7	Armstrong		__/__/__			% Days/Net Days	
8	Bell & Gossett		__/__/__			% Days/Net Days	
9	ABS		__/__/__			% Days/Net Days	
10	ITT Flygt Corporation	Flygt Pump Pricing	1/26/2012	8	10%	% Days/Net Days	Collin Binder 206-396-6199
11	Jabsco		__/__/__			% Days/Net Days	collin.binder@xylem.com
12	Paco		__/__/__			% Days/Net Days	
13	Tuthill		__/__/__			% Days/Net Days	
14	Taco		__/__/__			% Days/Net Days	



CONTRACTOR DEWATERING PUMPS

Pump Model	Product Number	Discharge Connection	Phase	HP	Voltage	Stock in US	List Price	Internal Level Switch ⁹	External Level Switch ⁴	External Level Switch List Price
READY 4 ⁽⁵⁾	2004.212-0013	2" NPSM	1	0.6	115	Yes	\$690		14-407120	\$145
	2004.212-0015	2" NPSM	1	0.6	230		\$690		14-407126	\$150
	2004.212-0016	2" NPSM	1	0.6	115	Yes	\$805	Included		
	2004.212-0017	2" NPSM	1	0.6	230		\$805	Included		
READY 8 ⁽⁵⁾	2008.212-0011	2" NPSM	1	1.1	115	Yes	\$1,180		14-407120	\$145
	2008.212-0013	2" NPSM	1	1.1	230		\$1,180		14-407126	\$150
	2008.212-0012	2" NPSM	1	1.1	115	Yes	\$1,265	Included		
	2008.212-0014	2" NPSM	1	1.1	230		\$1,265	Included		
READY 8S	2008.281-0011	2" NPSM	1	1.1	115	Yes	\$1,495		14-407120	\$145
	2008.281-0013	2" NPSM	1	1.1	230		\$1,495		14-407126	\$150
	2008.281-0012	2" NPSM	1	1.1	115	Yes	\$1,580	Included		
	2008.281-0014	2" NPSM	1	1.1	230		\$1,580	Included		

NOTES:

1. The Item Code is 11-digit model number, version and 4 digit code without punctuation (example: 20042110001).
2. Items indicated as Yes in the Stock Column are available from stock.
3. Level Switch column indicates built-in component.
4. Piggy-back type external level switches is a wide angle mechanical switch with 50' of cable rated for 15 amps at 115 Volt and 230 Volt, 1 phase.
5. Ready 4 and 8 are only available in single phase, plug in version.
6. All pumps includes 50' cable with molded plug.



DEWATERING AND DRAINAGE PUMPS - 2600 Series

Components	Discharge			Single Phase		Three Phase				2011 List Price	
	Size	Impeller ⁽¹⁾	HP	115V	230V	200V	230V	460V	575V		
KS2610.171 ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			2610.171-xxxx ⁽³⁾							
KS Pump/Cable (Plug In)	2" Male NPT	MT 235	1.3	-0022	-0021					\$2,020	
KS Pump/Cable	2" Male NPT	MT 235	1.3	-0056	-0054					\$1,790	
KS Pump/Cable	2" Male NPT	MT 239	1.8	-0035	-0036					\$1,910	
KS Pump/Cable	2" Male NPT	MT 233	1.9			-0057	-0037	-0038	Consult Factory	\$1,910	
Manual Control Panel ⁽⁴⁾			1.3	5930422	5930423					\$692	
Manual Control Panel ⁽⁴⁾			1.8	5930426	5930425					\$692	
Manual Control Panel ⁽⁴⁾			1.9			5542003	5542003	5542002	5542001	\$580	
Pump & Manual Panel Package ⁽⁵⁾	2" Male NPT	MT 235	1.3	-0074	-0053					\$2,020	
Pump & Manual Panel Package ⁽⁵⁾	2" Male NPT	MT 239	1.8	-0032	-0033					\$2,160	
Pump & Manual Panel Package ⁽⁵⁾	2" Male NPT	MT 233	1.9			Consult Factory	-0034	-0040	Consult Factory	\$2,160	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			1.7	-180	-181					\$1,542	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			1.9				-195			\$1,542	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			1.9					-194		\$1,761	
BS2620.171 ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			2620.171-xxxx ⁽³⁾							
BS Pump/Cable	3" Male NPT	MT 228	3.5			Consult Factory	-0085	-0076	Consult Factory	\$3,455	
Manual Control Panel ⁽⁴⁾			3.5			5542005	5542004	5542003	5542002	\$477	
Pump & Panel Package ⁽⁵⁾	3" Male NPT	MT 228	3.5			Consult Factory	-0100	-0077	Consult Factory	\$3,780	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			3.5				-197	-196		\$1,761	
KS2620.171 ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			2620.171-xxxx ⁽³⁾							
KS Pump/Cable	3" Male NPT	MT 235	2.4		-0086					\$3,455	
KS Pump/Cable	3" Male NPT	MT 236	3.5			Consult Factory	-0088	-0064	Consult Factory	\$3,455	
Manual Control Panel ⁽⁴⁾			2.4		5930425					\$692	
Manual Control Panel ⁽⁴⁾			3.5			5542005	5542004	5542003	5542002	\$477	
Pump & Panel Package ⁽⁵⁾	3" Male NPT	MT 235	2.4		-0071					\$3,780	
Pump & Panel Package ⁽⁵⁾	3" Male NPT	MT 236	3.5			Consult Factory	-0087	-0074	Consult Factory	\$3,780	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			2.4		-182					\$1,542	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			3.5				-197	-196		\$1,761	
BS2630.180 ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			2630.180-xxxx ⁽³⁾							
BS Pump/Cable	4" Male NPT	MT 228	5.9			-0050	-0117	-0045		\$4,745	
BS Pump/Cable	3" Male NPT	HT 253	5.9				-0048	-0049		\$4,745	
Manual Control Panel ⁽⁴⁾			5.9			5542106	5542106	5542104	5542103	\$673	
Pump & Panel Package ⁽⁵⁾	4" Male NPT	MT 228	5.9			-0162	-0042	-0043		\$5,095	
Pump & Panel Package ⁽⁵⁾	3" Male NPT	HT 253	5.9			-0090	-0046	-0047		\$5,095	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			5.9				-201	-198		\$1,761	
KS2630.180 ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			2630.180-xxxx ⁽³⁾							
KS Pump/Cable	4" Male NPT	MT 236	5.9				-0040	-0041		\$4,745	
Manual Control Panel ⁽⁴⁾			5.9			5542106	5542106	5542104	5542103	\$673	
Pump & Panel Package ⁽⁵⁾	4" Male NPT	MT 236	5.9				-0174	-0039		\$5,095	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			5.9				-201	-198		\$1,761	
BS2640.180 ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			2640.180-xxxx ⁽³⁾							
BS Pump/Cable	3" Male NPT	HT 252	6.0		-0140					\$5,680	
BS Pump/Cable	4" Male NPT	MT 227	6.0		-0126					\$5,680	
BS Pump/Cable	3" Male NPT	HT 253	8.9			-0063	-0058	-0059	Consult Factory	\$5,680	
BS Pump/Cable	4" Male NPT	MT 228	8.9			Consult Factory	-0054	-0055	Consult Factory	\$5,680	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			6.0		-772					\$1,171	
Manual Control Panel ⁽⁴⁾			8.9			5542108	5542108	5542105	5542104	\$673	
Pump & Panel Package ⁽⁵⁾	3" Male NPT	HT 253	8.9			Consult Factory	-0056	-0057	Consult Factory	\$6,055	
Pump & Panel Package ⁽⁵⁾	4" Male NPT	MT 228	8.9			-0101	-0060	-0061	Consult Factory	\$6,055	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			8.9				-203			\$2,067	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			8.9					-200		\$1,761	

All prices EX WORKS Bridgeport, NJ. All prices listed in US Dollars. Subject to change without notice.
2011 Xylem Dewatering Solutions. All rights reserved. Duplication or electronic transmittal of this document strictly prohibited.



DEWATERING AND DRAINAGE PUMPS - 2600 Series

Components	Discharge Size	Impeller ⁽¹⁾	HP	Single Phase		Three Phase				List Price
				115V	230V	200V	230V	460V	575V	
KS2640.180 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2640.180-xxxx ⁽³⁾						
KS Pump/Cable	4" Male NPT	MT 236	8.9			Consult Factory	-0052	-0053	Consult Factory	\$5,680
Manual Control Panel ⁽⁴⁾			8.9			5542108	5542108	5542105	5542104	\$673
Pump & Panel Package ⁽⁵⁾	4" Male NPT	MT 236	8.9			Consult Factory	-0050	-0051	Consult Factory	\$6,055
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			8.9				-203			\$2,067
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			8.9					-200		\$1,761
BS2660.180 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2660.180-xxxx ⁽³⁾						
BS Pump/Cable	3" Male NPT	HT 253	15			-0049	-0048	-0047	-0050	\$8,330
BS Pump/Cable	4" Male NPT	MT 228	15				-0045	-0044		\$8,330
BS Pump/Cable	6" Male NPT	MT 228	15					-0152	-0105	\$8,330
BS Pump/Cable	3" Male NPT	ST 278	15				-0455	-0454		\$9,405
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			15			-654	-656			\$1,029
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			15					-577	-583	\$753
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			15				-205*			\$2,443
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			15					-202		\$2,067
KS2660.180 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2660.180-xxxx ⁽³⁾						
KS Pump/Cable	4" Male NPT	MT 236	15					-0259		\$8,330
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			15					-577		\$753
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			15				-205 ⁽⁶⁾			\$2,443
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			15					-202		\$2,067
BS2670.180 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2670.180-xxxx ⁽³⁾						
BS Pump/Cable	4" Male NPT	HT 253	27			Consult Factory	-0170	-0005	-0136	\$14,360
BS Pump/Cable	6" Male NPT	MT 228	27			Consult Factory	-0126	-0004	Consult Factory	\$14,360
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			27			Consult Factory	-657	-660	-610	\$1,029
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			27				-209 ⁽⁶⁾			\$2,951
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			27					-206 ⁽⁶⁾		\$2,925

NOTES:

- Impeller version designates the hydraulic performance characteristics of the pump.
 LT = High volume with flatter curves (lower head and higher capacity)
 MT = Standard with medium performance curves
 HT = High head with steeper curves (higher head and lower capacity)
- Model name BS2610.180 indicates the type of pump impeller, Model and version.
 1st digit = B is a closed impeller with strainer and adjustable lower wear plate.
 1st digit = K is an open impeller.
 2nd digit = S is a portable pump.
 3rd-6th digit = Model number
 7th-9th digit = Current Version
- The Item Code is 11-digit model number, version and 4 digit code without punctuation (example: 26101710022).
- The Item Code for manual control panel is the part number shown (example: 149100000654).
- Automatic Control Panel includes ENM10 Floats.
- This is a magnetic starter based control. Circuit breaker or disconnect are not included.
- All pumps supplied with 50 feet of cable as standard. Contact factory for additional cable length.
- Item Codes that are ***bold, italic and underlined*** are available from US stock.
- Longer lead-times may be required for non-stock items.
- Consult Factory for Product Item Code when not listed above.



SLUDGE PUMPS - 2600 Series

Components	Discharge Size	Impeller ⁽¹⁾	HP	Three Phase				List Price	
				200V	230V	460V	575V		
DS2620.280 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2620.280-xxxx ⁽³⁾					
DS Pump/Cable	3" Male NPT	MT 235	2.4	Consult Factory				\$4,490	
DS Pump/Cable	3" Male NPT	MT 236	3.5		Consult Factory	Consult Factory	Consult Factory	\$4,490	
Manual Control Panel ⁽⁴⁾			2.4	5930425				\$692	
Manual Control Panel ⁽⁴⁾			3.5		5542005	5542004	5542003	5542002	\$477
Pump & Panel Package ⁽⁵⁾	3" Male NPT	MT 235	2.4	-0071				\$4,815	
Pump & Panel Package ⁽⁵⁾	3" Male NPT	MT 236	3.5		Consult Factory	-0087	-0074	Consult Factory	\$4,815
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			2.4	-182				\$1,542	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			3.5			-197	-196	\$1,761	
DS2630.280 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2630.280-xxxx ⁽³⁾					
DS Pump/Cable	4" Male NPT	MT 428	6.0				Consult Factory	\$6,690	
Manual Control Panel ⁽⁴⁾			6.0			5542104		\$673	
Pump & Panel Package ⁽⁵⁾	4" Male NPT	MT 428	6.0			Consult Factory		\$7,040	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			6.0				Consult Factory	\$2,067	
DS2640.280 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2640.280-xxxx ⁽³⁾					
DS Pump/Cable	3" Male NPT	MT 228	8.9				Consult Factory	Consult Factory	\$7,385
DS Pump/Cable	3" Male NPT	HT 235	8.9				Consult Factory	Consult Factory	\$7,385
Manual Control Panel ⁽⁴⁾			8.9		5542108	5542108	5542105	5542104	\$673
Pump & Panel Package ⁽⁵⁾	3" Male NPT	HT 253	8.9		Consult Factory		Consult Factory	Consult Factory	\$7,760
Pump & Panel Package ⁽⁵⁾	4" Male NPT	MT 228	8.9		Consult Factory		Consult Factory	Consult Factory	\$7,760
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			8.9			-203		\$2,067	
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁶⁾			8.9				-200	\$1,761	

NOTES:

- Impeller version designates the hydraulic performance characteristics of the pump.
 LT = High volume with flatter curves (lower head and higher capacity)
 MT = Standard with medium performance curves
 HT = High head with steeper curves (higher head and lower capacity)
- Model name DS2610.280 indicates the type of pump impeller, Model and version.
 1st digit = D is a vortex type (recessed) impeller.
 2nd digit = S is a portable pump.
 3rd-6th digit = Model number
 7th-9th digit = Current Version
- The Item Code is 11-digit model number, version and 4 digit code without punctuation (example: 26101710022).
- The Item Code for manual control panel is the part number shown without the dashes (example: 5930425).
- Automatic Control Panel includes ENM10 Floats.
- This is a magnetic starter based control. Circuit breaker or disconnect are not included.
- All pumps supplied with 50 feet of cable as standard. Contact factory for additional cable length.
- Longer lead-times may be required for non-stock items.
- Consult Factory for Product Item Code when not listed above.



**DEWATERING AND DRAINAGE PUMPS - 2000 Series
ALUMINUM STATOR HOUSING**

Components	Discharge Size	Impeller ⁽¹⁾	HP	Single Phase		Three Phase			List Price	
				115V	230V	200V	230V	460V		575V
BS2071.010 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2071.010-xxxx ⁽³⁾						
BS Pump/Cable	3" NPSM	LT 212	6.0				-0490	-0489	Consult Factory	\$5,530
BS Pump/Cable	3" NPSM	LT 216	4.1		-0486					\$5,530
BS Pump/Cable	2" NPSM	MT 231	6.0				-0551	-0550	Consult Factory	\$5,530
BS Pump/Cable	2" NPSM	MT 236	4.1		-0488					\$5,530
BS Pump/Cable	3" NPSM	MT 236	4.1		-0503					\$5,530
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			4.1		-666					\$1,029
Manual Control Panel ⁽⁴⁾			6.0				5542106	5542104	5542104	\$673
Pump & Panel Package	2" NPSM	MT 231	6.0							\$6,110
Pump & Panel Package	3" NPSM	LT 212	6.0				-0547	-0546	Consult Factory	\$6,110
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁵⁾			4.2		-183					\$2,054
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁵⁾			6.0				-201	-198		\$1,761
BS2075.324 ⁽²⁾ Cast Iron Housing w/ 50 feet Power Cable				2075.324-xxxx ⁽³⁾						
BS Pump/Cable	3" NPSM	LT 212	6.0						Consult Factory	Consult Factory
BS Pump/Cable	3" NPSM	LT 216	4.1							Consult Factory
BS Pump/Cable	2" NPSM	MT 231	6.0						Consult Factory	Consult Factory
BS Pump/Cable	2" NPSM	MT 236	4.1							Consult Factory
BS Pump/Cable	3" NPSM	MT 236	4.1							Consult Factory
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			4.1							Consult Factory
Manual Control Panel ⁽⁴⁾			6.0							Consult Factory
Pump & Panel Package	2" NPSM	MT 231	6.0							\$6,110
Pump & Panel Package	3" NPSM	LT 212	6.0				-0547	-0546	Consult Factory	\$6,110
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁵⁾			4.2		-183					\$2,054
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁵⁾			6.0				-201	-198		\$1,761
BS2140.010 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2140.010-xxxx ⁽³⁾						
BS Pump/Cable	3" NPSM	HT 234	19				-0061	-0007	-0200	\$11,625
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			19				-659			\$1,029
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			19					-586	-577	\$753
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁵⁾			19				-207 ⁽⁶⁾	-204 ⁽⁶⁾		\$2,443

NOTES:

- Impeller version designates the hydraulic performance characteristics of the pump.
LT = High volume with flatter curves (lower head and higher capacity)
MT = Standard with medium performance curves
HT = High head with steeper curves (higher head and lower capacity)
- Model name BS2610.180 indicates the type of pump impeller, Model and version.
1st digit = B is a closed impeller with strainer and adjustable lower wear plate.
2nd digit = S is a portable pump.
3rd-6th digit = Model number
7th-9th digit = Current Version
- The Item Code is 11-digit model number, version and 4 digit code without punctuation (example: 26101710022).
- The Item Code for manual control panel is the part number shown (example: 149100000654 or 14530076).
- Automatic Control Panel includes ENM10 Floats.
- This is a magnetic starter based control. Circuit breaker or disconnect are not included.
- Package Item Codes include pump, 50 feet of cable and Manual Control Panel.
- All pumps supplied with 50 feet of cable as standard. Contact factory for additional cable length.
- Item Codes that are ***bold, italic and underlined*** are available from US stock.
- Longer lead-times may be required for non-stock items.
- Consult Factory for Product Item Code when not listed above.



**DEWATERING AND DRAINAGE PUMPS - 2000 Series
ALUMINUM STATOR HOUSING**

Components	Discharge Size	Impeller ⁽¹⁾	HP	Single Phase		Three Phase			List Price	
				115V	230V	200V	230V	460V		575V
<u>BS2201.011</u> ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			2201.010-xxxx ⁽³⁾						
BS Pump/Cable	4" Male NPSM	HT 244	58					<u>-0266</u>	Consult Factory	\$25,680
BS Pump/Cable	6" Female NPT	MT 232	58					<u>-0379</u>	Consult Factory	\$26,910
BS Pump/Cable	8" Female NPT	LT 412	50					<u>-0239</u>	Consult Factory	\$26,910
Manual Control Panel (14-910000xxx) ⁽⁴⁾			50/58					-657	-658	\$1,029
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁵⁾			50/58					-210 ⁽⁶⁾		\$3,264
<u>BS2250.011</u> ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			2250.011-xxxx ⁽³⁾						
BS Pump/Cable	6" NPT	HT 434	87					<u>-0175</u>	Consult Factory	\$33,360
BS Pump/Cable	10" NPT	MT 432	87					<u>-0176</u>	Consult Factory	\$33,360
Manual Control Panel (14-53xxxx) ⁽⁴⁾			87					-0074	Consult Factory	\$2,618
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁵⁾			88					-211 ⁽⁶⁾		\$3,789
<u>BS2290.010</u> ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			2290.010-xxxx ⁽³⁾						
BS Pump/Cable	6" Female NPT	HT 434	110					<u>-0004</u>	Consult Factory	\$35,820
BS Pump/Cable	8" Female NPT	HT 434	110					<u>-0015</u>	Consult Factory	\$35,820
BS Pump/Cable	10" Male NPT	MT 432	110					<u>-0002</u>	Consult Factory	\$35,820
Manual Control Panel (14-53xxxx) ⁽⁴⁾			110					-0076	Consult Factory	\$2,525
Automatic Control Panel (14-530xxx) with Floats (5828831) ⁽⁵⁾			110					-212 ⁽⁶⁾		\$4,109

NOTES:

- Impeller version designates the hydraulic performance characteristics of the pump.
LT = High volume with flatter curves (lower head and higher capacity)
MT = Standard with medium performance curves
HT = High head with steeper curves (higher head and lower capacity)
- Model name BS2610.180 indicates the type of pump impeller, Model and version.
1st digit = B is a closed impeller with strainer and adjustable lower wear plate.
2nd digit = S is a portable pump.
3rd-6th digit = Model number
7th-9th digit = Current Version
- The Item Code is 11-digit model number, version and 4 digit code without punctuation (example: 26101710022).
- The Item Code for manual control panel is the part number shown (example: 149100000654 or 14530076).
- Automatic Control Panel includes ENM10 Floats.
- This is a magnetic starter based control. Circuit breaker or disconnect are not included.
- Package Item Codes include pump, 50 feet of cable and Manual Control Panel.
- All pumps supplied with 50 feet of cable as standard. Contact factory for additional cable length.
- Item Codes that are **bold, italic and underlined** are available from US stock.
- Longer lead-times may be required for non-stock items.
- Consult Factory for Product Item Code when not listed above.



**DEWATERING AND DRAINAGE PUMPS - 2000 Series
CAST IRON STATOR HOUSING**

Components	Discharge Size	Impeller ⁽¹⁾	HP	Three Phase				List Price
				200V	230V	460V	575V	
BS2075.324 ⁽²⁾ Cast Iron Housing w/ 50 feet Power Cable				2075.324-xxxx ⁽³⁾				
BS Pump/Cable	4" NPSM	MT 232	5.4	Consult Factory	Consult Factory	-0310	Consult Factory	\$5,905
BS Pump/Cable	3" NPSM	HT 234	5.4	Consult Factory	Consult Factory	-0118		\$5,905
BS Pump/Cable	2" NPSM	ST 272	9.0	-0278	-0336	-0234	Consult Factory	\$7,540
Manual Control Panel ⁽⁴⁾			5.4	5542106	5542105	5542104	5542103	\$673
Manual Control Panel ⁽⁴⁾			9.0	Consult Factory	5542108	5542105	5542104	\$673
BS2201.320 ⁽²⁾ Cast Iron Housing w/ 50 feet Power Cable				2201.320-xxxx ⁽³⁾				
BS Pump/Cable	4" NPSM	HT 234	58			Consult Factory	Consult Factory	\$26,260
BS Pump/Cable	6" Hose	MT 232	58			Consult Factory	Consult Factory	\$31,650
BS Pump/Cable	8" Hose	MT 232	58			Consult Factory	Consult Factory	\$31,650
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			58			-657	-658	\$1,029
BS2400.402 ⁽²⁾ Cast Iron Housing w/ 50 feet Power Cable				2400.402-xxxx ⁽³⁾				
BS Pump/Cable	4" Class 250	HT 244	140			-0406		\$52,460
BS Pump/Cable	6" Class 125	MT 232	140			-0307		\$45,325
Manual Control Panel (14-53xxxx) ⁽⁴⁾			140			-0126		\$7,552

NOTES:

- Impeller version designates the hydraulic performance characteristics of the pump.
 MT = Standard with medium performance curves
 HT = High head with steeper curves (higher head and lower capacity)
 ST = Super high head performance curve
- Model name BS2610.180 indicates the type of pump impeller, Model and version.
 1st digit = B is a closed impeller with strainer and adjustable lower wear plate.
 2nd digit = S is a portable pump.
 3rd-6th digit = Model number
 7th-9th digit = Current Version
- The Item Code is 11-digit model number, version and 4 digit code without punctuation (example: 26101710022).
- The Item Code for manual control panel is the part number shown (example: 149100000654 or 14530076).
- Package Item Codes include pump, 50 feet of cable and Manual Control Panel.
- All pumps supplied with 50 feet of cable as standard. Contact factory for additional cable length.
- Item Codes that are ***bold, italic and underlined*** are available from US stock.
- Longer lead-times may be required for non-stock items.
- Consult Factory for Product Item Code when not listed above.



MSHAMINE CERTIFIED PUMPS 2600 Series

Components	Discharge Size	Impeller ⁽¹⁾	HP	Single Phase		Three Phase				List Price	
				115V	230V	200V	230V	460V	575V		
KS2610.082 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2610.082-xxxx ⁽³⁾							
KS Pump/Cable	2" Male NPT	MT 240	1.8	-0003	-0001					\$2,610	
KS Pump/Cable	2" Male NPT	MT 233	2					-0004	-0002	\$2,610	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			1.8	-773	-774					\$2,498	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			2					-679	-680	\$2,064	
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			1.8	-776	-778					\$5,036	
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			2					-293	-294	\$3,713	
BS2620.082 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2620.082-xxxx ⁽³⁾							
BS Pump/Cable	3" Male NPT	HT 228	3.5					-0004	-0005	\$3,840	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			2.4	-775						\$2,498	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			3.5							\$2,064	
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			3.5	-777						\$5,036	
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			3.5					-751	-753	\$3,713	
KS2620.082 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2620.082-xxxx ⁽³⁾							
KS Pump/Cable	3" Male NPT	MT 235	2.4	-0003						\$3,840	
KS Pump/Cable	3" Male NPT	MT 233	3.5					-0001	-0002	\$3,840	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			2.4	-775						\$2,498	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			3.5							\$2,064	
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			3.5	-777						\$5,036	
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			3.5					-751	-753	\$3,713	
BS2630.081 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2630.081-xxxx ⁽³⁾							
BS Pump/Cable	3" Male NPT	HT 253	6.2					-0004	-0005	\$5,840	
BS Pump/Cable	4" Male NPT	MT 228	6.2					-0002	-0003	\$5,840	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			6.2							\$2,064	
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			6.2					-768	-769	\$3,909	
KS2630.081 ⁽²⁾ Aluminum Housing w/ 50 feet of Power Cable				2630.081-xxxx ⁽³⁾							
KS Pump/Cable	4" Male NPT	MT 236	6.2					Consult Factory	Consult Factory	\$5,840	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			6.2							\$2,064	
BS2640.081 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2640.081-xxxx ⁽³⁾							
BS Pump/Cable	3" Male NPT	HT 253	8.9					-0003	-0004	\$6,435	
BS Pump/Cable	4" Male NPT	MT 228	8.9					-0001	-0002	\$6,435	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			8.9							\$2,064	
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			8.9					-558	-559	\$4,383	
KS2640.081 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2640.081-xxxx ⁽³⁾							
KS Pump/Cable	4" Male NPT	MT 236	8.9					Consult Factory	Consult Factory	\$6,435	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			8.9					-683	-684	\$2,064	
BS2660.081 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2660.081-xxxx ⁽³⁾							
BS Pump/Cable	3" Male NPT	HT 253	15					-0005	-0007	\$9,385	
BS Pump/Cable	4" Male NPT	HT 253	15					-0006	-0008	\$9,385	
BS Pump/Cable	4" Male NPT	MT 228	15					-0001	-0003	\$9,385	
BS Pump/Cable	6" Male NPT	MT 228	15					-0002	-0004	\$9,385	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			15					-754	-755	\$2,221	
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			15					-756	-757	\$4,643	
KS2660.081 ⁽²⁾ Aluminum Housing w/ 50 feet Power Cable				2660.081-xxxx ⁽³⁾							
KS Pump/Cable	4" Male NPT	MT 236	15					Consult Factory	Consult Factory	\$9,385	
KS Pump/Cable	6" Male NPT	MT 236	15					Consult Factory	Consult Factory	\$9,385	
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			15					-754	-755	\$2,221	

All prices EX WORKS Bridgeport, NJ. All prices listed in US Dollars. Subject to change without notice.
2011 Xylem Dewatering Solutions. All rights reserved. Duplication or electronic transmittal of this document strictly prohibited.

MSHAMINE CERTIFIED PUMPS - 2600 Series

Components	Discharge Size	Impeller ⁽¹⁾	HP	Three Phase				List Price
				200V	230V	460V	575V	
<u>BS2670.081</u> ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			<u>2670.081-xxxx</u> ⁽³⁾				
BS Pump/Cable	4" Male NPT	HT 253	27			-0004	-0001	\$18,975
BS Pump/Cable	6" Male NPT	MT 228	27			-0002	-0003	\$18,975
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			27			-760	-761	\$3,215
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			27			-762	-763	\$6,518

MSHAMINE CERTIFIED SLUDGE PUMPS - 2600 Series

Components	Discharge Size	Impeller ⁽¹⁾	HP	Three Phase				List Price
				200V	230V	460V	575V	
<u>DS2620.581</u> ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			<u>2620.581-xxxx</u> ⁽³⁾				
DS Pump/Cable	2" Male NPT	MT 235	2.4	Consult Factory				\$5,185
DS Pump/Cable	2" Male NPT	MT 236	3.5			Consult Factory	Consult Factory	\$5,185
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			2.4	-775				\$2,498
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			3.5			-750	-752	\$2,064
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			2.4	-777				\$5,036
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			3.5			-751	-753	\$3,713
<u>DS2640.581</u> ⁽²⁾	Aluminum Housing w/ 50 feet Power Cable			<u>2640.581-xxxx</u> ⁽³⁾				
DS Pump/Cable	3" Male NPT	MT 228	8.9			Consult Factory	Consult Factory	\$8,365
DS Pump/Cable	3" Male NPT	HT 235	8.9			Consult Factory	Consult Factory	\$8,365
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			8.9			-766	-767	\$2,064
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			8.9			-558	-559	\$4,383

NOTES:

- Impeller version designates the hydraulic performance characteristics of the pump.
MT = Standard with medium performance curves
HT = High head with steeper curves (higher head and lower capacity)
- Model name DS2620.581 indicates the type of pump impeller, Model and version.
1st digit = B is a closed impeller with strainer and adjustable lower wear plate.
1st digit = K is an open impeller.
1st digit = D is a vortex type (recessed) impeller.
2nd digit = S is a portable pump.
3rd-6th digit = Model number
7th-9th digit = Current Version
- The Item Code is 11-digit model number, version and 4 digit code without punctuation (example: 2620581xxxx).
- The Item Code for manual control panel is the part number shown (example: 149100000775).
- Automatic Control Panels include floats.
- Package Item Codes include pump, 50 feet of cable and Manual Control Panel.
- All pumps supplied with 50 feet of cable as standard. Contact factory for additional cable length.
- Item Codes that are ***bold, italic and underlined*** are available from US stock.
- Longer lead-times may be required for non-stock items.
- Consult Factory for Product Item Code when not listed above.

MSHA MINE CERTIFIED PUMPS - 2000 Series

Components	Discharge Size	Impeller ⁽¹⁾	HP	Voltage/Phase				List Price
				200V	230V	460V	575V	
BS2201.590 ⁽²⁾		Cast Iron Housing with 50 feet Power Cable		2201.590-xxxx ⁽³⁾				
BS Pump/Cable	4" Male NPSM	HT 234	58			-5031	-9045	\$29,600
BS Pump/Cable	6" Hose	MT 232	58			-9035	Consult Factory	\$35,130
BS Pump/Cable	8" Hose	MT 232	58			Consult Factory	-9064	\$35,130
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			58			-731	-732	\$3,361
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			58			-210	-211	\$7,081
BS2201.590 ⁽²⁾		Cast Iron with Stainless Steel Impeller w/ 50 feet Power Cable		2201.590-xxxx ⁽³⁾				
BS Pump/Cable	4" Male NPSM	HT 234	58			Consult Factory	Consult Factory	\$31,575
BS Pump/Cable	6" Hose	MT 232	58			Consult Factory	Consult Factory	\$37,110
BS Pump/Cable	8" Hose	MT 232	58			Consult Factory	Consult Factory	\$37,110
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			58			-731	-732	\$3,361
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			58			-210	-211	\$7,081
BS2400.490 ⁽²⁾		Cast Iron Housing with 50 feet Power Cable		2400.490-xxxx ⁽³⁾				
BS Pump/Cable	4" Class 250	HT 244	140			-0001	Consult Factory	\$64,915
BS Pump/Cable	6" Class 125	MT 232	140			Consult Factory	Consult Factory	\$58,930
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			140			-406	-407	\$21,069
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			140			-408	-409	\$25,816
BS2400.490 ⁽²⁾		Cast Iron with Stainless Steel Impeller w/ 50 feet Power Cable		2400.490-xxxx ⁽³⁾				
BS Pump/Cable	4" Class 250	HT 244	140			Consult Factory	Consult Factory	\$69,015
BS Pump/Cable	6" Class 125	MT 232	140			Consult Factory	Consult Factory	\$63,030
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			140			Consult Factory	Consult Factory	\$21,069
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			140			-408	-409	\$25,816
BS2400.490 ⁽²⁾		Stainless Steel Wet End w/ 50 feet Power Cable		2400.490-xxxx ⁽³⁾				
BS Pump/Cable	4" Class 250	HT 244	140			Consult Factory	Consult Factory	\$89,080
BS Pump/Cable	6" Class 125	MT 232	140			Consult Factory	Consult Factory	\$97,105
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			140			Consult Factory	Consult Factory	\$21,069
Automatic Control Panel with Floats (14-9100000xxx) ⁽⁵⁾			140			-408	-409	\$25,816

NOTES:

- Impeller version designates the hydraulic performance characteristics of the pump.
MT = Standard with medium performance curves
HT = High head with steeper curves (higher head and lower capacity)
- Model name BS2610.180 indicates the type of pump impeller, Model and version.
1st digit = B is a closed impeller with strainer and adjustable lower wear plate.
1st digit = K is an open impeller.
2nd digit = S is a portable pump.
3rd-6th digit = Model number
7th-9th digit = Current Version
- The Item Code is 11-digit model number, version and 4 digit code without punctuation (example: 26101710022).
- The Item Code for manual control panel is the part number shown (example: 149100000773).
- Automatic Control Panels include floats.
- Package Item Codes include pump, 50 feet of cable and Manual Control Panel.
- All pumps supplied with 50 feet of cable as standard. Contact factory for additional cable length.
- Item Codes that are ***bold, italic and underlined*** are available from US stock.
- Longer lead-times may be required for non-stock items.
- Consult Factory for Product Item Code when not listed above.

STAINLESS STEEL PUMPS - 2700 Series

Components	Discharge Size	Impeller ⁽¹⁾	HP	Three Phase				List Price
				200V	230V	460V	575V	
DS2720.290 ⁽²⁾ Stainless Steel Housing w/ 50 feet Power Cable				2720.390-xxxx ⁽³⁾				
DS Pump/Cable	3" NPT	MT 242	3.1		-0009	-0008		\$6,915
Manual Control Panel ⁽⁴⁾			3.1		5542104	5542103	5542102	\$673
BS2720.390 ⁽²⁾ Stainless Steel Housing w/ 50 feet Power Cable				2720.390-xxxx ⁽³⁾				
BS Pump/Cable	3" NPT	HT 242	3.1		-0006	-0005		\$6,915
Manual Control Panel ⁽⁴⁾			3.1		5542104	5542103	5542102	\$673
DS2730.280 ⁽²⁾ Stainless Steel Housing w/ 50 feet Power Cable				2730.280-xxxx ⁽³⁾				List Price
DS Pump/Cable	4" NPT	MT 442	6.8		-0020	-0023		\$13,780
Manual Control Panel ⁽⁴⁾			6.8		5542107	5542104	5542104	\$673
Pump & Panel Package ⁽⁵⁾	4" NPT	MT 442	6.8		Consult Factory	Consult Factory	Consult Factory	\$14,215
BS2740.390 ⁽²⁾ Stainless Steel Housing w/ 50 feet Power Cable				2740.390-xxxx ⁽³⁾				
BS Pump/Cable	3" NPT	HT 267	9.0		-0082		Consult Factory	\$11,300
BS Pump/Cable	4" NPT	MT 242	9.0		-0081	-0074	Consult Factory	\$11,300
Manual Control Panel ⁽⁴⁾			9.0		5542107	5542105	5542104	\$673
DS2740.280 ⁽²⁾ Stainless Steel Housing w/ 50 feet Power Cable				2740.280-xxxx ⁽³⁾				List Price
BS Pump/Cable	3" NPT	HT 244	9.0		-0031	-0030	Consult Factory	\$15,250
Manual Control Panel ⁽⁴⁾			9.0		5542107	5542105	5542104	\$673
BS2750.390 ⁽²⁾ Stainless Steel Housing w/ 50 feet Power Cable				2750.390-xxxx ⁽³⁾				List Price
BS Pump/Cable	3" NPT	HT 267	13.0		Consult Factory	-0093	Consult Factory	\$16,435
BS Pump/Cable	4" NPT	MT 242	13.0		Consult Factory	-0076	Consult Factory	\$15,610
Manual Control Panel (14-9100000xxx) ⁽⁴⁾			13.0		-585			\$753
Manual Control Panel ⁽⁴⁾			13.0			5542106	5542105	\$673

NOTES:

- Impeller version designates the hydraulic performance characteristics of the pump.
MT = Standard with medium performance curves
HT = High head with steeper curves (higher head and lower capacity)
- Model name BS2610.180 indicates the type of pump impeller, Model and version.
1st digit = B is a closed impeller with strainer and adjustable lower wear plate.
1st digit = D is a vortex type (recessed) impeller.
2nd digit = S is a portable pump.
3rd-6th digit = Model number
7th-9th digit = Current Version
- The Item Code is 11-digit model number, version and 4 digit code without punctuation (example: 26101710022).
- The Item Code for manual control panel is the part number shown (example: 149100000773).
- Package Item Codes include pump, 50 feet of cable and Manual Control Panel.
- All pumps supplied with 50 feet of cable as standard. Contact factory for additional cable length.
- Item Codes that are ***bold, italic and underlined*** are available from US stock.
- Longer lead-times may be required for non-stock items.
- Consult Factory for Product Item Code when not listed above.



ABRASION RESISTANT - 5100 Series

STANDARD CONFIGURATION					Base List Price	
Components	Discharge Size	Impeller		HP	Without Cooling Jacket	With Stainless Steel Cooling Jacket
HS5100.211	4" Victaulic	MT	630,632	15	\$17,285	\$18,495
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.211	4" Victaulic	MT	432	20	\$18,795	\$20,000
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.251	4" Victaulic	MT	432	25	\$20,630	\$22,560
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.251	4" Victaulic	MT	630,632	25	\$20,630	\$22,560
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.251	4" Victaulic	MT	430	30	\$21,755	\$23,680
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.251	4" Victaulic	MT	432	30	\$21,755	\$23,680
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.251	4" Victaulic	MT	430,432	34	\$22,875	\$24,800
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.300	4" Victaulic	MT	430,432	45	\$25,075	\$27,335
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.300	4" Victaulic	MT	630,632	45	\$25,075	\$27,335
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.300	4" Victaulic	MT	430,432	60	\$27,155	\$29,420
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.300	4" Victaulic	MT	630,632	60	\$27,155	\$29,420
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.300	4" Victaulic	MT	430,432	70	\$24,240	\$31,505
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	

NOTES:

1. FM (Factory Mutual rating) is available on special order. Model numbers change as per below.
 Standard pump 5100.211 FM Pump 5100.221 Adder \$1335 List Price Each
 Standard pump 5100.251 FM Pump 5100.261 Adder \$2160 List Price Each
 Standard pump 5100.300 FM Pump 5100.310 Adder \$1735 List Price Each
2. Pump models include integral volute/stand. An optional strainer may be added for \$525 List Price Each.
3. Optional silicon carbide vs. tungsten carbide mechanical seal may be supplied for an additional \$555 List Price Each.
4. All pumps are high chrome construction.
5. Basic price includes 50 feet of cable, cartridge mechanical seals in tungsten carbide inner / tungsten carbide outer and FLS.
6. Basic pump is 460 volt motor. Contact factory for other voltages.
7. Contact Factory for specific item code.

ACCESSORY LISTING

Part Number	Qty	Description	List Price Each
		HS5100.211, 251, 300	
000845580	1	Pipe bend (4" elbow)	\$195
000828380	1	4" Victaulic Flange	\$514
000845729	1	Victaulic coupling	\$196
006815300	1	4620 Mixer Stand Unit for HS5100.211	\$2,066
006815400	1	4620 Mixer Stand Unit for HS5100.251	\$2,799
006815500	1	4620 Mixer Stand Unit for HS5100.300	\$2,835



ABRASION RESISTANT - 5100 Series with Agitators

STANDARD CONFIGURATION					BASE LIST PRICE	
Components	Discharge Size	Impeller		HP	Without Cooling Jacket	With Stainless Steel Cooling Jacket
HS5100.211A	4" Victaulic	MT	631,633	15	\$20,665	\$21,875
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.251A	4" Victaulic	MT	433	25	\$24,040	\$25,970
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.251A	4" Victaulic	MT	631,633	25	\$24,040	\$25,970
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.251A	4" Victaulic	MT	431	30	\$25,165	\$27,095
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.251A	4" Victaulic	MT	433	30	\$25,165	\$27,095
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.251A	4" Victaulic	MT	431,433	34	\$26,285	\$28,215
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.300A	4" Victaulic	MT	431,433	45	\$28,500	\$30,765
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.300A	4" Victaulic	MT	631,633	45	\$28,500	\$30,765
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.300A	4" Victaulic	MT	431,433	60	\$30,585	\$32,850
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.300A	4" Victaulic	MT	631,633	60	\$30,585	\$32,850
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	
HS5100.300A	4" Victaulic	MT	431,433	70	\$32,670	\$34,935
Manual Control Panel w/ MTP					Consult Factory	
Automatic Control Panel with Floats					Consult Factory	

NOTES:

1. FM (Factory Mutual rating) is available on special order. Model numbers change as per below.
 Standard pump 5100.211 FM Pump 5100.221 Adder \$1335 List Price Each
 Standard pump 5100.251 FM Pump 5100.261 Adder \$2160 List Price Each
 Standard pump 5100.300 FM Pump 5100.310 Adder \$1735 List Price Each
2. Optional silicon carbide vs. tungsten carbide mechanical seal may be supplied for an additional \$555 List Price Each.
3. All pumps are high chrome construction.
4. Basic price includes 50 feet of cable, cartridge mechanical seals in tungsten carbide inner / tungsten carbide outer and FLS.
5. Basic pump is 460 volt motor. Contact factory for other voltages.

ACCESSORY LISTING

Part Number	Qty	Description	List Price Each
		HS5100.211, 251, 300	
000845580	1	Pipe bend (4" elbow)	\$195
000828380	1	4" Victaulic Flange	\$514
000845729	1	Victaulic coupling	\$196
006815300	1	4620 Mixer Stand Unit for HS5100.211	\$2,066
006815400	1	4620 Mixer Stand Unit for HS5100.251	\$2,799
006815500	1	4620 Mixer Stand Unit for HS5100.300	\$2,835

ABRASION RESISTANT - 5150 Series

STANDARD CONFIGURATION					Base List Price	
Components	Discharge Size	Impeller	HP	Amps	Without Cooling Jacket	With Stainless Steel
HS5150.300	6" Victaulic	434	45		\$30,380	\$33,420
Manual Control Panel w/ MTP					Consult Factory	
HS5150.300	6" Victaulic	432,434	60		\$34,290	\$37,335
Manual Control Panel w/ MTP					Consult Factory	
HS5150.300	6" Victaulic	432,434	70		\$38,970	\$42,000
Manual Control Panel w/ MTP					Consult Factory	
HS5150.350	6" Victaulic	434,436,438	85		\$43,260	\$47,490
Manual Control Panel w/ MTP					Consult Factory	
HS5150.350	6" Victaulic	430,432,434,436,438	105		\$48,960	\$53,180
Manual Control Panel w/ MTP					Consult Factory	

NOTES:

1. FM (Factory Mutual rating) is available on special order. Model numbers change as per below.
Standard pump 5150.300* FM Pump 5150.310
Standard pump 5150.350 FM Pump 5150.360
2. Pump models include integral volute/stand. An optional strainer may be added for \$755 List Price Each.
3. Optional silicon carbide vs. tungsten carbide mechanical seal may be supplied as per below.
Model 5150.300 Adder \$650 List Price
Model 5150.350 Adder \$1300 List Price
4. All pumps are high chrome construction.
5. Basic price includes 50 feet of cable, cartridge mechanical seals in tungsten carbide inner / tungsten carbide outer and FLS.
6. Basic pump is 460 volt motor. Contact factory for other voltages.

ABRASION RESISTANT - 5150 Series with Agitators

STANDARD CONFIGURATION					Base List Price	
Components	Discharge Size	Impeller	HP		Without Cooling Jacket	With Stainless Steel
HS5150.300A	6" Victaulic	433,435	60		\$38,375	\$41,420
Manual Control Panel w/ MTP					Consult Factory	
HS5150.300A	6" Victaulic	433,435	70		\$43,055	\$46,095
Manual Control Panel w/ MTP					Consult Factory	
HS5150.350A	6" Victaulic	435,437,439	85		\$47,380	\$51,600
Manual Control Panel w/ MTP					Consult Factory	
HS5150.350A	6" Victaulic	431,433,435,437,439	105		\$53,085	\$57,305
Manual Control Panel w/ MTP					Consult Factory	

NOTES:

1. FM (Factory Mutual rating) is available on special order. Model numbers change as per below.
Standard pump 5150.300 FM Pump 5150.310 Adder \$2615 List Price Each
Standard pump 5150.350 FM Pump 5150.360 Adder \$3435 List Price Each
2. Optional silicon carbide vs. tungsten carbide mechanical seal may be supplied as per below.
Model 5150.300 Adder \$650 List Price
Model 5150.350 Adder \$1300 List Price
3. All pumps are high chrome construction.
4. Basic price includes 50 feet of cable, cartridge mechanical seals in tungsten carbide inner / tungsten carbide outer and FLS.
5. Basic pump is 460 volt motor. Contact factory for other voltages.

ACCESSORY LISTING

Part Number	Qty	Description	List Price
		HS5150.300,350	Each
000845581	1	Pipe bend (6" elbow)	\$552
000828382	1	6" Victaulic Flange	\$595
000845733	1	6" Victaulic Coupling	\$246
006815500	1	4620 Mixer Stand Unit for HS5150.300	\$2,835
006815600	1	4620 Mixer Stand Unit for HS5100.251	\$2,922



DEWATERING AND DRAINAGE PUMPS - 3000 Series

Components	Discharge Size	Impeller ⁽¹⁾	HP	Single Phase		Three Phase			List Price	
				230V	200V	230V	460V	575V		
BS3068.250 ⁽²⁾ Cast Iron				3068.250-xxxx ⁽³⁾					List Price	
BS Pump/Cable	1.5"	HT 251	2.7		Consult Factory	Consult Factory	-6154	Consult Factory	\$2,060	
BS Pump/Cable	1.5"	HT 251	2.3		Consult Factory				\$2,060	
Manual Control Panel			2.3		5542333				\$1,009	
Manual Control Panel			2.7			5542104	5542104	5542102	\$673	
BS3068.590 ⁽²⁾ FM Rated				3068.590-xxxx ⁽³⁾					List Price	
BS Pump/Cable	1.5"	HT 251	2.7		Consult Factory	Consult Factory	Consult Factory	Consult Factory	\$2,615	
BS Pump/Cable	1.5"	HT 251	2.3		Consult Factory				\$2,615	
Manual Control Panel ⁽⁴⁾			2.3		5542333				\$1,009	
Manual Control Panel ⁽⁴⁾			2.7			5542104	5542104	5542102	\$673	
DS3068.250 ⁽²⁾ Cast Iron				3068.250-xxxx ⁽³⁾					List Price	
DS Pump/Cable	1.5"	LT 281	2.7			Consult Factory	Consult Factory	Consult Factory	\$1,985	
DS Pump/Cable	1.5"	LT 283	2.3		-6140				\$1,985	
Manual Control Panel ⁽⁴⁾			2.3		5542333				\$1,009	
Manual Control Panel ⁽⁴⁾			2.7			5542104	5542104	5542102	\$673	
DS3068.590 ⁽²⁾ FM				3068.590-xxxx ⁽³⁾					List Price	
DS Pump/Cable	1.5"	LT 281	2.7			Consult Factory	Consult Factory	-0095	Consult Factory	\$2,348
DS Pump/Cable	1.5"	LT 283	2.3		Consult Factory				\$2,348	
Manual Control Panel ⁽⁴⁾			2.3		5542333				\$1,009	
Manual Control Panel ⁽⁴⁾			2.7			5542104	5542104	5542102	\$673	

NOTES:

- Impeller version designates the hydraulic performance characteristics of the pump.
 LT = High volume with flatter curves (lower head and higher capacity)
 MT = Standard with medium performance curves
 HT = High head with steeper curves (higher head and lower capacity)
 ST or SH = Super high head performance curve
- Model name BS3068.250 indicates the type of pump impeller, Model and version.
 1st digit = B is a closed impeller with strainer and adjustable lower wear plate.
 1st digit = D is a vortex type (recessed) impeller.
 2nd digit = S is a portable pump.
 3rd-6th digit = Model number
 7th-9th digit = Current Version
- The Item Code is 11-digit model number, version and 4 digit code without punctuation (example: 26101710022).
- The Item Code for manual control panel is the part number shown (example: 5542105).
- All pumps supplied with 50 feet of cable as standard. Contact factory for additional cable length.
- Longer lead-times may be required for non-stock items.
- Consult Factory for Product Item Code when not listed above.



DEWATERING AND DRAINAGE PUMPS - 3000 Series

Components	Discharge Size	Impeller ⁽¹⁾	HP	Three Phase				List Price	
				200V	230V	460V	575V		
DS3080.311 ⁽²⁾ Cast Iron				3080.311-XXXX ⁽³⁾				List Price	
DS Pump/Cable	4" NPSM	MT 433	6.5		Consult Factory	-0208	Consult Factory	\$6,890	
DS Pump/Cable	3" NPSM	HT 235	9.0		Consult Factory	-0131	Consult Factory	\$7,140	
DS Pump/Cable	2" NPSM	ST 264	9.0		-0100	-0200	Consult Factory	\$7,410	
Manual Control Panel ⁽⁴⁾			6.5		5542107	5542104	5542104	\$673	
Manual Control Panel ⁽⁴⁾			9.0		5542108	5542105	5542105	\$673	
HS3085.183 ⁽²⁾				3085.183-XXXX ⁽³⁾				List Price	
HS Pump/Cable	2" Hose	MT 462	3.0		Consult Factory	Consult Factory	-0569	Consult Factory	\$6,500
Manual Control Panel ⁽⁴⁾			3.0		5542105	5542104	5542103	5542102	\$673

NOTES:

- Impeller version designates the hydraulic performance characteristics of the pump.
 LT = High volume with flatter curves (lower head and higher capacity)
 MT = Standard with medium performance curves
 HT = High head with steeper curves (higher head and lower capacity)
 ST or SH = Super high head performance curve
- Model name BS3080.311 indicates the type of pump impeller, Model and version.
 1st digit = D is a vortex type (recessed) impeller.
 1st digit = H is a heavy duty hardened steel impeller
 2nd digit = S is a portable pump.
 3rd-6th digit = Model number
 7th-9th digit = Current Version
- The Item Code is 11-digit model number, version and 4 digit code without punctuation (example: 26101710022).
- The Item Code for manual control panel is the part number shown (example: 5542107).
- All pumps supplied with 50 feet of cable as standard. Contact factory for additional cable length.
- Longer lead-times may be required for non-stock items.
- Consult Factory for Product Item Code when not listed above.