

13. LITERATURE CITED

13. LITERATURE CITED

- Abbott, R. T. 1974. American seashells. Van Nostrand Reinhold Company, New York.
- Able, K. W., J. P. Manderson, and A. L. Studholme. 1998. The distribution of shallow water juvenile fishes in an urban estuary: The effects of manmade structures in the Lower Hudson River. *Estuaries* 21(4B):731-744.
- AES (Associated Earth Sciences). 1998. Existing conditions, impacts, and mitigations for marine fisheries. Maury Island pit barge loading facility, King County, Washington. Prepared for Lone Star Northwest, Inc. Prepared for Lone Start Northwest, Inc, by AES, Kirkland, Washington.
- Aitkin, J. K. 1998. The importance of estuarine habitats to anadromous salmonids of the Pacific Northwest: a literature review. Prepared for the U.S. Fish and Wildlife Service, Lacey, Washington.
- Anderson, J., A. Copping, T. Jagielo, J. Postel, W. Peterson, B. Dumbauld, G. Heron, R. Hood, and M. Strom. 1984. Renton sewage treatment plant project: Seahurst baseline study. Volume III, Section 4: Water column ecology. FRI-UW-8413. Fisheries Research Institute, University of Washington, Seattle, Washington.
- Anderson, K. 1998. The health of Puget Sound: Measures of Puget Sound's environmental and natural resource health. In: Proceedings of Puget Sound Research. 1998. pp. 424-429. Puget Sound Water Quality Action Team, Olympia, Washington.
- Antrim, L. D., R. M. Thom, W. W. Gardiner, V. I. Cullinan, D. K. Shreffler, and R. W. Bienert. 1995. Effects of petroleum products on bull kelp (*Nereocystis luetkeana*). *Marine Biology* 122:23-31.
- Appleby, A. E. and D. C. Doty. 1995. Status and trends in the survival and distribution of resident coho and chinook salmon in Puget Sound, Washington. In: Proceedings of Puget Sound Research. 1995. pp. 882-890. Puget Sound Water Quality Authority, Seattle, Washington.
- Arkoosh, M. R., E. Casillas, E. Clemons, B. B. McCain, and U. Varanasi. 1991. Suppression of immunological memory in juvenile chinook salmon (*Oncorhynchus tshawytscha*) from an urban estuary. *Fish and Shellfish Immunol.* 4:261-278.
- Arkoosh, M. R., E. Casillas, P. Huffman, E. Clemons, J. Evered, J. E. Stein, and U. Varanasi. 1998. Increased susceptibility of juvenile chinook salmon from a contaminated estuary to *Vibrio anguillarum*. *Transactions of the American Fisheries Society* 127:360-374.
- Armstrong, J. W., C. P. Staude, R. M. Thom, and K. K. Chew. 1976. Habitats and relative abundances of the intertidal macrofauna at five Puget Sound beaches in the Seattle area. *Syesis* 9:277-290.

- Armstrong, J. W., R. M. Thom, and K. K. Chew. 1981. Impact of a combined sewer overflow on the abundance, distribution and community structure of subtidal benthos. *Marine Environmental Research* 4:3-23.
- Aura Nova (Aura Nova Consultants, Inc., Contractor Team), and WDOE (Washington State Department of Ecology). 1995. Elliott Bay waterfront recontamination study, Volume II: Data evaluation and remedial design recommendations report. Prepared for the Elliott Bay/Duwamish Restoration Program Panel, Seattle, Washington.
- Bargmann, G. 1998. Forage fish management plan. Washington Department of Fish and Wildlife, Olympia, Washington.
- Barnes, C. A. and C. C. Ebbesmeyer. 1978. Some aspects of Puget Sound's circulation and water properties. In: Kjerve, B. J. *ed.* Estuarine transport processes. pp. 209-228. University of South Carolina Press, Columbia, South Carolina.
- Bates, K. M. 1997. Fishway design guidelines for Pacific salmon. Washington Department of Fish and Wildlife, Working Paper 1.6, January 1997, Olympia, Washington.
- Beamer, E. M., and R. A. Henderson. 1998. Juvenile salmonid use of natural and hydromodified stream bank habitat in the mainstem Skagit River, northwest Washington. Prepared for the U.S. Army Corps of Engineers, Seattle, Washington.
- Beamish R, and D. Bouillon. 1993. Pacific salmon production trends in relation to climate. *Can. J. Fish. Aquat. Sci.* 50 1002-1016.
- Beamish, R. J., M. Folkes, R. Sweeting, and C. Manken. 1998. Intra-annual changes in the abundance of coho, chinook, and chum salmon in Puget Sound in 1997. Pages 531-541 in Puget Sound Water Quality Action Team, Puget Sound Research '98, Olympia, Washington.
- Bernd-Cohen, T. and M. Gordon. 1998. State coastal management effectiveness in protecting beaches, dunes, bluffs, rocky shores: A national overview. Final report for the Office of Ocean and Coastal Resource Management National Ocean Service, NOAA, DOC.
- Beschta, R. L., R. E. Bilby, G. W. Brown, L. B. Holtby, and T. D. Hofstra. 1987. Stream temperature and aquatic habitat: Fisheries and forestry interaction. In: Salo, E. O. and T. W. Cundy. *eds.* Streamside management: Forestry and fishery interactions. pp. 191-232. Institute of Forest Resources, University of Washington, Seattle, Washington.
- Birkeland, C. E. 1974. Interactions between a sea pen and seven of its predators. *Ecological Monographs* 44:211-232.
- Blomberg, G., C. Simenstad, and P. Hickey. 1988. Changes in Duwamish River estuary habitat over the past 125 years. Pages 437-454 In: Proceedings of the First Annual Meeting on Puget Sound Research. Volume II. Puget Sound Water Quality Authority, Seattle, Washington.

- Bortleson, G. C., M. J. Chrzastowski, and A. K. Helgerson. 1980. Historical changes of shoreline and wetland at eleven major deltas in the Puget Sound region, Washington. Prepared in cooperation with the U.S. Department of Justice and the Bureau of Indian Affairs, Renton, Washington. U.S. Geological Survey, Hydrologic Investigations Atlas HA-617, Washington, D.C.
- Borton, S. F. 1982. A structural comparison of fish assemblages from eelgrass and sand habitats at Alki Point, Washington. M.S. Thesis. University of Washington, Seattle.
- Bostick, W. E. 1955. Duwamish River seining studies. In: Puget Sound Stream Studies, Progress Report July-November 1993. Washington Department of Fisheries, Olympia, Washington.
- Botsford, L.W., C.L. Moloney, A. Hastings, J.L. Largier, T.M. Powell, K. Higgins, and J. F. Quinn. 1994. The influence of spatially and temporally varying oceanographic conditions on meroplanktonic metapopulations. Deep-Sea Res. Part II: Top. Stud. Oceanogr. 41:107-145.
- Brennan, J., and H. Culverwell. In prep. Marine riparian: An assessment of riparian functions in marine ecosystems. Working draft. King County Department of Natural Resources, Seattle, Washington.
- Broadhurst, G. 1998. Puget Sound nearshore habitat regulatory perspective: A review of issues and obstacles. Puget Sound/Georgia Basin Environmental Report Series: No. 7. Puget Sound/Georgia Basin International Task Force, Seattle, Washington.
- Brodeur, R. D. 1990. A synthesis of the food habits and feeding ecology of salmonids in marine waters of the North Pacific. (INPFC Doc.) FRI-UW-9016. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington.
- Brooks, A., and F. D. Shields Jr., editors. 1996. River channel restoration guiding principles for sustainable projects. John Wiley & Sons, LTD, England.
- Brown, E.R. 1985. Riparian zones and freshwater wetlands. Management of wildlife and fish habitats in forests of western Oregon and Washington, Part I - Chapter narratives. USDA, Forest Service.
- Brown-Peterson, N. J., M. S. Peterson, D. A. Rydene, and R. W. Eames. 1993. Fish assemblages in natural versus well-established recolonized seagrass meadows. Estuaries 16(2):177-189.
- Buckley, R. M. 1997. Substrate associated recruitment of juvenile *Sebastes* in artificial reef and natural habitats in Puget Sound and the San Juan Archipelago, Washington. Doctoral Dissertation. School of Fisheries, University of Washington, Seattle, Washington.
- Buckley, R., G. Hueckel, B. Benson, S. Quinnell, and M. Canfield. 1984. Enhancement research on lingcod (*Ophiodon elongatus*) in Puget Sound. Progress Report #216.

Washington Dept. Fish and Wildlife, Olympia, Washington.

- Bulthuis, D. A. 1994. Distribution of seagrasses in a North Puget Sound estuary: Padilla Bay, Washington, USA. *Aquatic Botany* 50:99-105.
- Bulthuis, D. A. 1995. Environmental requirements for eelgrass in Puget Sound. Puget Sound Research '95. Proceeding, volume 2, January 12-14, 1995, Meydenbauer Center. Published by the Puget Sound Water Quality Authority, Olympia, Washington.
- Burdick, D. M. and F. T. Short. 1995. The effects of boat docks on eelgrass beds in Massachusetts coastal waters. Waquoit Bay National Research Reserve, Boston, Massachusetts.
- Burns, R. 1990. The shape and form of Puget Sound. Washington Sea Grant, University of Washington Press, Seattle, Washington.
- Burton, Steve. December 21, 2000. Pers. comm.. Washington Department of Fish and Wildlife.
- Busby, P. J., T. C. Wainwright, G. J. Bryant, L. J. Lierheimer, S. Waples, F. W. Waknitz, and I. V. Lagomarsino. 1996. Status review of West Coast steelhead from Washington, Idaho, Oregon, and California. Technical Memorandum NMFS-NWFSC-27. National Oceanic and Atmospheric Administration.
- Calambokidis, J. 1995. Contaminants in Puget Sound Marine Mammals: Temporal, spatial, and species-related patterns. IN: Puget Sound Research '95. Puget Sound Water Quality Action Team, Olympia, Washington.
- Calambokidis, J., J. B. Buchanan, G. H. Steiger, and J. R. Evenson. 1991. Toxic contaminants in Puget Sound wildlife. U.S. Environmental Protection Agency, Seattle, Washington.
- Calambokidis, J., S. M. Speich, J. Peard, G. H. Steiger, J. C. Cabbage, D. M. Fry, and L. J. Lowenstine. 1985. Biology of Puget Sound marine mammals and marine birds: Population health and evidence of pollution effects. NOAA Technical Memorandum NOS OMA 18, Nat. Tech. Info. Serv., Springfield, Virginia.
- Canning, D. J. and H. Shipman. 1995. The cumulative effects of shoreline erosion control and associated land clearing practices, Puget Sound, Washington. Coastal Erosion Management Studies, Volume 10. Shorelands and Water Resources Program, Washington Department of Ecology, Olympia, Washington.
- Cardwell, R. D., S. J. Olsen, M. I. Carr, and E.W. Sanborn. 1980a. Biotic, water quality, and hydrologic characteristics of Skyline Marina in 1978. Washington State Department of Fisheries, Technical Report No. 54, Olympia.
- Cardwell, R. D., M. I. Carr, and E. W. Sanborn. 1980b. Water quality and flushing of five Puget Sound marinas. Washington State Department of Fisheries, Technical Report 56, Olympia.

- Cardwell, R. D., and R. R. Koons. 1981. Biological considerations for the siting and design of marinas and affiliated structures in Puget Sound. Washington State Department of Fisheries, Technical Report 60, Olympia.
- Carpenter, R., M. L. Peterson, and J. T. Bennett. 1985. ^{210}Pb derived sediment accumulation and mixing rates for the Greater Puget Sound Region. *Marine Geology* 64:291-312.
- Casillas, E., J. E. Stein, M. R. Arkoosh, D. W. Brown, D. A. Misitano, S-L. Chan, and U. Varanasi. 1993. Effects of estuarine habitat quality on juvenile salmon: I. Chemical contaminant exposure and II, Altered growth and immune function. Pages 548-562 In: Coastal Zone '93 Proceedings, The Eight Symposium on Coastal and Ocean management, New Orleans, Louisiana.
- Cass, A., J. Beamish, and G. A. McFarlane. 1990. Lingcod (*Ophiodon elongatus*). Minister of Supply and Services Canada , Ottawa, Ontario, Canada.
- Cederholm, C. J. 1994. A suggested landscape approach for salmon and wildlife habitat protection in western Washington riparian ecosystems. Pages 78-90 In: A.B. Carey and C. Elliott, editors. Washington Forest Landscape Management Project Progress Report. Washington State Department of Natural Resources, Olympia.
- Cederholm, C. J., D. H. Johnson, R. E. Bilby, L. G. Dominguez, A. M. Garrett, W. H. Graeber, E. L. Greda, M. D. Kunze, B. G. Marcot, J. F. Palmisano, R. W. Plotnikoff, W. G. Percy, C. A. Simenstad, and P. C. Trotter. 2000. Pacific salmon and wildlife: Ecological contexts, relationships, and implications for management. Special Edition Technical Report, prepared for D. H. Johnson and T. A. O'Neil (Manag. Dirs.), Wildlife-Habitat Relationships in Oregon and Washington. Washington Department of Fish and Wildlife, Olympia, Washington.
- Chapman, D. W. 1981. Pristine production of anadromous salmonids – Green River. Final report for the Bureau of Indian Affairs, Portland, Oregon.
- Chen, J. 1991. Edge effects: microclimatic pattern and biological responses in old-growth Douglas-fir forests. Doctoral dissertation. College of Forest Resources, University of Washington, Seattle.
- Chester, A., D. Damkaer, D. Day, and J. Larrance. 1978. Puget Sound energy related research project plankton studies. Final Report for Research Unit A-3-1. National Oceanic Atmospheric Administration, Pacific Marine Environmental Laboratory, Seattle, Washington.
- Coan, E. V., P. Valentich Scott, and F. R. Bernard. 2000. Bivalve seashells of Western North America: Marine bivalve mollusks from Arctic Alaska to Baja California. *Studies in Biodiversity: Number 2*. Santa Barbara Museum of Natural History.
- Cohen, A., C. Mills, H. Berry, M. Wonham, B. Bingham, B. Bookheim, J. Carlton, J. Chapman, J. Cordell, L. Harris, T. Klinger, A. Kohn, C. Lambert, G. Lambert, K. Li, D. Secord, and J. Toft. 1998. Puget Sound expedition: A rapid assessment survey of non-

indigenous species in the shallow waters of Puget Sound. Washington Department of Natural Resources, Olympia, Washington.

- Collias, E. E. and C. A. Barnes. 1966. Physical and chemical data for Puget Sound and approaches, January 1960-December 1961. Department of Oceanography, Technical Report No. 114. University of Washington, Seattle, Washington.
- Collias, E. E. and J. H. Lincoln. 1977. A study of the nutrients in the main basin of Puget Sound. M77-2. Prepared for the Municipality of Metropolitan Seattle. Department of Oceanography, University of Washington, Seattle, Washington.
- Connell, J.H. 1972. Community interactions on marine rocky intertidal shores. *Annu. Rev. Ecol. Systematics*, Vol. 3, No. 169.
- Cook, A. E., J. A. Shaffer, and B. Dumbauld. 1998. Olympia oyster stock rebuilding plan for Washington State. In: *Proceedings of Puget Sound Research*. 1998. pp. 525-530. Puget Sound Water Quality Action Team, Olympia, Washington.
- Coomes, C. A., C. C. Ebbesmeyer, J. M. Cox, J. M. Helseth, L. R. Hinchey, G. A. Cannon, and C. A. Barnes. 1984. Synthesis of current measurements in Puget Sound, Washington - Volume 2. Indices of mass and energy inputs into Puget Sound: Runoff, air temperature, wind, and sea level. NOAA Technical Memorandum NOS OMS 4. National Oceanic and Atmospheric Administration, Rockville, Maryland.
- Cordell, J.R. and C.A. Simenstad. 1988. Epibenthic harpacticoid copepods as indicators of wetland fitness. *Proceedings of the First Annual Meeting on Puget Sound Research*. Puget Sound Water Quality Authority, Seattle, Washington. Pp. 422-431.
- Cordell, J. R. and S. M. Morrison. 1996. The invasive Asian copepod *Pseudodiaptomus inopinus* in Oregon, Washington, and British Columbia. *Estuaries* 19:629-638.
- Cordell, J. R., L. M. Tear, C. A. Simenstad, and W. G. Hood. 1996. Duwamish River Coastal America restoration and reference sites: results from 1995 monitoring studies. University of Washington, School of Fisheries, Fisheries Resource Institute, FRI-UW-96XX, Seattle.
- Cordell, J. R., L. M. Tear, K. Jensen, and V. Luiting. 1997. Duwamish River Coastal America restoration and reference sites: Results from 1996 monitoring studies. University of Washington, School of Fisheries, Fisheries Resource Institute, FRI-UW-9709, Seattle.
- Cordell, J. R., L. M. Tear, K. Jensen, and H. H. Higgins. 1998. Duwamish River coastal America restoration and reference sites: results from 1997 monitoring studies. University of Washington, Fisheries Research Institute, Seattle.
- Cordell, J.R., L.M. Tear, K. Jensen, and H.A. Higgins. 1999a. Duwamish River Coastal America restoration and reference sites: Results from 1997 monitoring studies. University of Washington School of Fisheries, Fisheries Research Institute. FRI-UW-9903. Seattle.

- Cordell, J.R., C. Tanner, and J.K. Aitkin. 1999b. Fish assemblages and juvenile salmon diets at a breached-dike wetland site, Spencer Island, Washington 1997-98 University of Washington School of Fisheries, Fisheries Research Institute. FRI-UW-9905. Seattle.
- Couch, D. and T. J. Hassler. 1989. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Northwest)—Olympia oyster. U.S. Fish Wildlife Service Biological Report No. 82(11.124), TR EL-82-4.
- Cropp, T. 2000. Pers. comm., WDFW.
- Damkaer, D. M. 1964. Vertical distribution of Copepoda in Dabob Bay, December 1960. M.S. Thesis. University of Washington, Seattle, Washington.
- Davis, S. K. 1981. Determination of body composition, condition, and migration timing of juvenile chum and chinook salmon in the lower Skagit River, Washington. Master's Thesis. University of Washington, Seattle, Washington.
- Dean, T. September 12, 2000. Pers. comm.. People for Puget Sound.
- Desbonnet, A., V. Lee, P. Pogue, D. Reis, J. Boyd, J. Willis, M. Imperial. 1995. Development of Coastal Vegetated Buffer Programs. Coastal Management, Volume 23, pp. 91-109.
- Dethier, M. N. 1990. A marine and estuarine habitat classification system for Washington State. Washington Natural Heritage Program, Washington State Department of Natural Resources, Olympia.
- Dethier, M. N. 1990. A marine and estuarine habitat classification system for Washington State. Washington Natural Heritage Program, Department of Natural Resources, Olympia, Washington. 56 pp.
- Dexter, R. N., D. E. Anderson, E. A. Quinlan, L. S. Goldstein, R. M. Strickland, S. P. Pavlou, J. R. Clayton Jr., R. M. Kocan, and M. Landolt. 1981. A summary of knowledge of Puget Sound related to chemical contaminants. NOAA Technical Memorandum OMPA-13. National Oceanic and Atmospheric Administration, Boulder, Colorado.
- Donnelly, R., B. Miller, R. Lauth, and J. Shriner. 1984. Renton sewage treatment plant project: Seahurst baseline study. Volume VI, Section 7: Fish ecology, FRI-UW-8413. Prepared for the municipality of Metropolitan Seattle. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington.
- Doty, D. and J. Norris. 1992. Summary of 1991 rockfish settlement habitat surveys. Unpublished memo. Washington Department of Fisheries, Marine Fish and Shellfish Program, Marine Habitat Investigations Unit.
- Doty, D. 1993. Summary of newly documented settlement and nursery habitats for young of the year lingcod, rockfish, and Pacific cod. January-October 1993. Unpublished memo. Washington Department of Fisheries, Marine Fish and Shellfish Program.

- Downing, J. 1983. The coast of Puget Sound: Its processes and development. Washington Sea Grant Program. University of Washington Press, Seattle, Washington. 126 pp.
- Druehl, L. D. and S. I. C. Hsiao. 1977. Intertidal kelp response to seasonal environmental changes in a British Columbia inlet. *Journal of the Fisheries Research Board of Canada* 34(8):1207-1211.
- Duggins, D. O. 1980. Kelp dominated communities: Experimental studies on the relationships between sea urchins, their predators, and algal resources. Dissertation Abstracts, International Doctoral Dissertation. 41/11-b:3995. Zoology Department, University of Washington, Seattle, Washington.
- Dumbauld, B. R. 1985. The distributional ecology of zooplankton in East Passage and the main basin of Puget Sound, Washington. M.S. Thesis. University of Washington, Seattle, Washington.
- Dunagan, C. 1991. Rising from Toppled Trees. In: Hood Canal: Splendor at Risk, J. Brody (ed). Published by The Sun Newspaper, Bremerton, Washington.
- Duncan, M. J. 1973. In situ studies of growth and pigmentation of the phaeophycean *Nereocystis luetkeana*. *Helgolander wiss. Meeresunters* 24:510-525.
- Dunne, T., and W. E. Dietrich. 1978. Hydrology, sedimentation, channel migration, and flood diking along the Green River. A River of Green, Jones and Jones. Report to King County, Appendix A.
- Duxbury, A. C. 1987. Puget Sound, a fjord-like estuary. In: Puget Sound: Issues, Resources, Status, and Management. NOAA Estuary-of-the-Month Seminar Series No. 8. Proceedings of a Seminar Held January 21, 1987. pp. 1-11. Washington, D.C.
- Duxbury, A. D. 1975. Orthophosphate and dissolved oxygen in Puget Sound. *Limnology and Oceanography* 20:270-274.
- Ebbesmeyer, C. C. and G. A. Cannon. 2001. Review of Puget Sound Physical Oceanography related to the Triple Junction Region. Report for King County Department of Natural Resources, 34pp.
- Ebbesmeyer, C. C. and J. M. Helseth. 1977. An analysis of primary production observed during 1966-1975 in Central Puget Sound, Washington. Final Report to the Municipality of Metropolitan Seattle, Puget Sound Interim Studies.
- Ebbesmeyer, C. C., C. A. Coomes, J. M. Cox, J. M. Helseth, G. A. Cannon, and C. A. Barnes. 1984. Synthesis of current measurements in Puget Sound, Washington - Volume 3. Circulation in Puget Sound: An interpretation based on historical records of currents. NOAA Technical Memorandum NOS OMS 5. National Oceanic and Atmospheric Administration, Rockville, Maryland.
- Echeverria, S. W. Pers. comm.. Sandy Wyllie Echeverria.

- Emmett, R. L., S. A. Hinton, S. L. Stone, and M. E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in West Coast estuaries, Volume II: Species life history summaries. ELMR Report No. 8. Strategic Environmental Assessments Division, National Ocean Service, National Oceanic and Atmospheric Administration, Rockville, Maryland. 329 pp.
- EPA (U.S. Environmental Protection Agency). 1988. Evaluation of potential contaminant sources. Prepared for the Elliott Bay Action Program by Tetra Tech, Seattle, Washington.
- Eschmeyer, W. N., E. S. Herald, and H. Hammann. 1983. A field guide to Pacific coast fishes of North America. Peterson Field Guide Series. Houghton Mifflin, Boston. 336 pp.
- EVS (EVS Environment Consultants) and Weston (Roy F. Weston, Inc.). 1996. Harbor Island sediment operable unit, supplementary remedial investigation. Volume 1 of 2. Prepared for the U.S. Environmental Protection Agency, Region 10, Seattle, Washington.
- EVS Environmental Consultants. 2000. Maury Island gravel mine impact study: Nearshore impact assessment. Prepared for Pacific Groundwater Group, Seattle, Washington.
- Federal Interagency Stream Restoration Working Group. 1998. Stream corridor restoration: Principles, processes, and practices.
- Feist, B. E. 1991. Potential impacts of pile driving on juvenile pink (*Oncorhynchus gorbusha*) and chum (*O. keta*) salmon behavior and distribution. Thesis, University of Washington, Seattle, Wash.
- FEMAT (Forest Ecosystem Management Assessment Team). 1993. Forest ecosystem management: an ecological, economic, and social assessment. Report of the Forest Ecosystem Management Assessment Team. U.S. Government Printing Office 1973-793-071. U.S. Government Printing Office for the U.S. Department of Agriculture, Forest Service; U.S. Department of the Interior, Fish and Wildlife Service, Bureau of Land Management, and National Park Service; U.S. Department of Commerce, National Oceanic and Atmospheric Administration and National Marine Fisheries Service; and the U.S. Environmental Protection Agency.
- Foreman, R. E. 1984. Studies on *Nereocystis* growth in British Columbia, Canada. *Hydrobiologia* 1984(116/117):325-332.
- Forest Ecosystem Management Assessment Team. 1993. Forest ecosystem management: An ecological, economic, and social assessment. Report of the Forest Ecosystem Management Assessment Team, U.S. Government Printing Office 1973-793-071. U.S. Government Printing Office for the U.S. Department of Agriculture, Forest Service; U.S. Department of the Interior, Fish and Wildlife Service, Bureau of Land Management, and National Park Service; U.S. Department of Commerce, National Oceanic and Atmospheric Administration and National Marine Fisheries Service; and the U.S. Environmental Protection Agency.

- Foster, M. S. and D. R. Schiel. 1985. The ecology of giant kelp forests in California: A community profile. Biological report 85(7.2), U.S. Fish and Wildlife.
- Foster, M. S., A. P. DeVogelaere, C. Harlod, J. S. Pearse, and A. B. Thum. 1986. Causes of spatial and temporal patterns in rocky intertidal communities of central and northern California. Volume 2 of 2. Outer Continental Shelf Study MMS 85-0049, Contract No. 14-12-0001-30057. Minerals Management Service, U.S. Department of the Interior.
- Fresh, K.L., D. Rabin, C. Simenstad, E.O. Salo, K. Garrison, and L. Matheson. 1979. Fish ecology studies in the Nisqually Reach area of Southern Puget Sound, Washington. University of Washington School of Fisheries, Fisheries Research Institute. FRI-UW-7904. Seattle.
- Fresh, K. 1991. Washington Coastal Currents, Vol. XVI(6), p. 15. Washington Department of Fisheries, Olympia Washington.
- Fresh, K. L., R. D. Cardwell, and R. P. Koons. 1981. Food habits of Pacific salmon, baitfish, and their potential competitors and predators in the marine waters of Washington, August 1978 to September 1979. Progress Report No. 145. Washington Department of Fisheries, Olympia, Washington.
- Fresh, K. L., B. Williams, and D. Penttila. 1995. Overwater structures and impacts on eelgrass (*Zostera marina*) in Puget Sound, Washington. Pages 537-544 in Puget Sound Research '95 Proceedings. Puget Sound Water Quality Authority, Olympia, Washington.
- Frost, B. W. Pers. comm..
- Fuerstenburg, R. R., K. Nelson, and R. Blomquist. 1996. Ecological conditions and limitations to salmonid diversity in the Green River, Washington, USA. King County Surface Water Management, Bellevue, Washington.
- GeoSea Consulting. 1994. Sediment transport in Elliott Bay and the Duwamish River, Seattle: implications to estuarine management. Prepared for Washington State Department of Ecology, Toxics Cleanup Group, Olympia.
- Gonor, J. J., J. R. Sedell, and P.A. Benner. 1988. What we know about large trees in estuaries, in the sea, and on coastal beaches. IN: From the Forest to the Sea: A Story of Fallen Trees. Edited by C. Maser, R.F. Tarrant, J.M. Trappe, and J.F. Franklin. Pac. NW Res. Sta. USDA Forest Service Gen. Tech. Rept. PNW-GTR-229.
- Goodman, J. L., K. A. Moore, and W. C. Dennison. 1995. Photosynthetic responses of eelgrass (*Zostera marina* L.) to light and sediment sulfide in a shallow barrier island lagoon. Aquatic Botany 50 (1995):37-47.
- Goodwin, C. L. 1973. Subtidal geoducks of Puget Sound, Washington. Washington State Department of Fisheries, Technical Report No. 13, Olympia

- Gregory, S. V., F. J. Swanson, W. A. McKee, and K. W. Cummins. 1991. An ecosystem perspective of riparian zones. *BioScience* 41:540-551.
- Grette, G. B., and E. O. Salo. 1986. The status of anadromous fishes of the Green/Duwamish River system. Prepared for the U.S. Army Corps of Engineers, Seattle District, by Evans-Hamilton, Inc., Seattle, Washington.
- Griggs, D. T. 1979. The occurrence of epidermal papillomas and fin erosion in Duwamish River starry flounder (*Platichthys stellatus*). M.S. Thesis, University of Washington.
- Groffman, P.M., A.J. Gold, T.P. Husband, R.C. Simmons, W.R. Eddleman. 1990. An Investigation into multiple uses of vegetated buffer strips. Final Report: Narragansett Bay Project # NBP-90-44. Department of Natural Resources Science, University of Rhode Island, Kingston, Rhode Island.
- Groot C., and L. Margolis, editors. 1991. Pacific salmon life histories. Government of Canada, Department of Fisheries and Oceans, Biological Sciences Branch, Pacific Biological Station, Nanaimo, British Columbia, Canada. UBC Press, Vancouver, British Columbia.
- Gunderson, D. R., D. A. Armstrong, Y. Shi, and R. A. McConnaghey. 1990. Patterns of estuarine use by juvenile English sole (*Parophrys vetulus*). *Estuaries* 13:59-71.
- Gustafson, R. G., T. C. Wainwright, G. A. Winans, F. W. Waknitz, L. T. Parker, and R. S. Waples. 1997. Status review of sockeye salmon from Washington and Oregon. NOAA Technical Memorandum NMFS-NWFSC-33. U.S. Department of Commerce, National Oceanic and Atmospheric Administration.
- Hall, F. 1987. Characterization of Riparian Systems. IN: Proceedings of the symposium Streamside Management: Riparian Wildlife and Forestry Interactions. Edited by K.J. Raedeke. Institute of Forest Resources, University of Washington.
- Hard, J. J., R. G. Kope, W. S. Grant, W. Waknitz, L. T. Parker, and R. S. Waples. 1996. Status review of pink salmon from Washington, Oregon, and California. NOAA Technical Memorandum NMFS-NWFSC-25. U.S. Department of Commerce, National Oceanic and Atmospheric Administration.
- Harper-Owes. 1983. Water quality assessment of the Duwamish Estuary, Washington. Submitted to the Municipality of Metropolitan Seattle. Seattle, Washington.
- Harris, G. P. 1986. Phytoplankton ecology, structure, function, and fluctuation. Chapman and Hall, London.
- Harrison, P. J. et al. 1994. An assessment of nutrients, plankton, and some pollutants in the water column of Juan de Fuca Strait, Strait of Georgia and Puget Sound, and their transboundary transport. In: Wilson, R. C. H., et al. eds. 1994. Review of the marine environment and biota of Strait of Georgia, Puget Sound and Juan de Fuca Strait: Proceedings of the B.C./Washington Symposium on the Marine Environment,

- January 13 and 14, 1994. Canadian Technical Report of Fisheries and Aquatic Sciences 1948: 398 p.
- Harrold, C., J. Watanabe, and S. Lisin. 1988. Spatial variation in the structure of kelp forest communities along a wave exposure gradient. *Marine Ecology* 9(2):131-156.
- Hart, J. L. 1973. Pacific fishes of Canada. Fisheries Research Board of Canada, Ottawa.
- Hartman Associates, Inc. 1993. Sampling and analysis plan for characterization of sediments for the city of Des Moines, Des Moines marina. Prepared for the city of Des Moines, Des Moines, Washington.
- Healy, M. C. 1982. Juvenile Pacific salmon in estuaries: The life support system. Pages 315-341 in Kennedy, V. S., editor. *Estuarine comparison*, Academic Press, New York, New York.
- Hebard, J. F. 1956. The seasonal variation of zooplankton in Puget Sound. M.S. Thesis. University of Washington, Seattle, Washington.
- Heiser, D. W., and E. L. Finn, Jr. 1970. Observations of juvenile chum and pink salmon in marina and bulkheaded areas. Washington State Department of Fisheries, Management and Research Division, Supplemental Progress Report, Puget Sound Stream Studies, Olympia.
- Herman, S. G. and J. B. Bulger. 1981. Grays Harbor and Chehalis River improvements to navigation environmental studies: The distribution and abundance of shorebirds during the 1981 spring migration at Grays Harbor, Washington. Performer: Herman, (Steven G.). Olympia, Washington. 90 pp.
- Heyward, A. A., S. F. Munger, and R. G. Swartz. 1977. A survey of the microbiological quality of shellfish on King County beaches. Prepared for the Municipality of Metropolitan Seattle, Seattle, Washington.
- Horner, R. A., D. L. Garrison, and F. G. Plumley. 1997. Harmful algal blooms and red tide problems on the U.S. West Coast. *Limnology and Oceanography* 42(5, part 2):1076-1088.
- Jackson, G. A. and C. D. Winant. 1983. Effect of a kelp forest on coastal currents. *Continental Shelf Research* 2(1):75-80.
- Johnson, A. and J. J. Summers. 1999. Metals concentrations in Commencement Bay waterways during 1997-1998. Publication No. 99-308. Environmental Assessment Program, Watershed Ecology Section, Washington State Department of Ecology, Olympia, Washington. 38 pp. plus appendices.
- Johnson, A.W. and J.M. Stypula. 1993. Guidelines for bank stabilization in projects in the riverine environments of King County. King County Department of Public Works, Surface Water Management Division, Seattle, Washington.

- Johnson, L. L., M. S. Meyers, D. Goyette, and R. F. Addison. 1994. Toxic chemicals and fish health in Puget Sound and the Georgia Strait. Canadian Technical Report of Fisheries and Aquatic Sciences 1948:304-329.
- Johnson, O. W., M. H. Ruckelshaus, W. S. Grant, F. W. Waknitz, A. M. Garrett, G. J. Bryant, K. Neely, and J. J. Hard. 1999. Status review of coastal cutthroat trout from Washington, Oregon, and California. NOAA Technical Memorandum NMFS-NWFSC-37. U.S. Department of Commerce, National Oceanic and Atmospheric Administration.
- Johnson, O. W., W. S. Grant, R. G. Kope, K. Neely, F. W. Waknitz, and R. S. Waples. 1997. Status review of chum salmon from Washington, Oregon, and California. NOAA Technical Memorandum NMFS-NWFSC-32. U.S. Department of Commerce, National Oceanic and Atmospheric Administration.
- Jones and Stokes and Aquatic Research. 1999. Eelgrass/macroalgae survey report. Lone Star Gravel Mine. Maury Island, Washington. Prepared for King County Department of Development and Environmental Services, Renton, Washington, by Jones and Stokes Associates, Inc., Bellevue, in association with Aquatic Research, Olympia, Washington.
- Kask, B. A. and R. R. Parker. 1972. Observations on juvenile chinook salmon in the Somass River Estuary, Port Alberni, B.C. Technical Report No. 308. Fisheries Research Board of Canada.
- Kentula, M. E. and C. D. McIntire. 1986. The autecology and production dynamics of eelgrass (*Zostera marina* L.) in Netarts Bay, Oregon. Estuaries 9(3):188-199.
- King County. 1990. Sensitive Areas Map Folio.
- King County (King County Department of Metropolitan Services). 1995. Combined sewer overflow control plan 1995 update, an amendment to Metro's comprehensive water pollution control abatement plan. Prepared for King County by Brown and Caldwell, KCM, and Associated Firms, Seattle, Washington.
- King County. 1998. Beach Assessment Program 1995-1998: Using volunteers to survey marine shorelines in King County. King County Department of Natural Resources, Water and Land Resources Division, Modeling, Assessment and Analysis Section.
- King County. 1998. Water quality status report for marine waters. King County Department of Natural Resources. Seattle, Washington. 95 pp. plus appendices.
- King County and R2 Resource Consultants. 2000. Literature review and recommended sampling protocol for bull trout in King County, Seattle. Report to King County Department of Natural Resources. Seattle, Washington.
- Kittredge, J. 1948. Forest Influences: The effects of woody vegetation on climate, water, and soil, with applications to the conservation of water and the control of floods and erosion. Dover Publications, New York, 1973.

- Knudsen, E. E., and S. J. Dilley. 1987. Effects of riprap bank reinforcement on juvenile salmonids in four western Washington streams. *North American Journal of Fisheries Management* 7:351-356.
- Knutsen, K. L., and V. L. Naef. 1997. Management recommendations for Washington's priority habitats: riparian. Washington Department of Fish and Wildlife, Olympia.
- Kozloff, E. N. 1993. Seashore life of the Northern Pacific Coast. University of Washington Press, Seattle.
- Kraemer, Curt. January 18, 2001. Bull Trout Biologist. Washington Department of Fish and Wildlife. Pers. comm. with Mark Pedersen, Shapiro and Associates, Inc.
- Krahn, M. M., D. G. Burrows, W. D. McLeod, Jr., and D. C. Malins. 1987. Determination of individual metabolites of aromatic hydrocarbons in hydrolysed bile of English sole (*Parophrys vetulus*) from polluted sites in Puget Sound, Washington. *Arch. Environ. Contam.* 16:511-522.
- Kraus, N. C. and M. Gravens, and D. Mark, 1988. Coastal Processes at Sea Bright to Ocean Township, New Jersey. Volume II, Appendixes B-B, miscellaneous paper CERC-88-12, U. S. Army Waterways Experiment Station, Vicksburg MS.
- Krebs, C. J. 1972. Ecology: The experimental analysis of distribution and abundance. Harper & Row Publishers, San Francisco, California.
- Krogslund, K. A. et al. 1975. R/V Onar cruises 552, 608, 615, 665. R/V Hoh cruise 902. Hydrographic, chemical, and biological measurements. Department of Oceanography Special Report No. 61., M75-134. Submitted to EPA Coastal Pollution Branch. University of Washington, Seattle, Washington. Grant No. R-800362.
- Lavelle, J. W., G. J. Massoth, and E. A. Crecelius. 1986. Accumulation rates of recent sediments in Puget Sound, Washington. *Marine Geology* 72:59-70.
- Lavelle, J. W., H. O. Mofjeld, E. Lempriere-Doggett, G. A. Cannon, D. J. Pashinski, E. D. Cokelet, L. Lytle, and S. Gill. 1988. A multiply-connected channel model of tides and tidal currents in Puget Sound, Washington, and a comparison with updated observations. NOAA Technical Memorandum ERL PMEL-84. Pacific Environmental Marine Laboratory, National Oceanic and Atmospheric Administration, Seattle, Washington.
- Leaman, B. M., and R. J. Beamish. 1984. Ecological and management implications of longevity in some Northeast Pacific groundfishes. *Int. North Pac. Fish. Comm. Bull.* 42:85-97.
- Lemberg, N. A., M. F. O'Toole, D. E. Penttila, and K. C. Stick. 1997. Washington Department of Fish and Wildlife, 1996 forage fish stock status report. Stock Status Report No. 98-1. Washington Department of Fish and Wildlife, Olympia.

- Levings, C.D., D.E. Boyle, and T.R. Whitehouse. 1995. Distribution and feeding of juvenile Pacific salmon in freshwater tidal creeks of the lower Fraser River, British Columbia. *Fish. Manag. Ecol.* 2:299-308.
- Levings, C.D., K. Conlin, and B. Raymond. 1991. Intertidal habitats used by juvenile chinook salmon (*Oncorhynchus tshawytscha*) rearing in the north arm of the Fraser River estuary. *Marine Pollution Bulletin*, Volume 22, No. 1. Pp 20-26.
- Levy, D.A. and T.G. Northcote. 1982. Juvenile salmon residency in a marsh area of the Fraser River Estuary. *Canadian Journal of Fisheries and Aquatic Sciences* 39:270-276.
- Li, H.W., C.B. Schreck, and R.A. Tubb. 1984. Comparison of habitats near spur dikes, continuous revetments, and natural banks for larval, juvenile, and adult fishes of the Willamette River. Water Resources Research Institute, Oregon State University, Corvallis, Oregon.
- Long, E. R. *ed.* 1982. A synthesis of biological data from the Strait of Juan de Fuca and Northern Puget Sound. EPA 600/7-82-004. Office of Engineering and Technology, Office of Research and Development, U.S. Environmental Protection Agency, Washington, D.C.
- Lorance, R.A., S. Lee, J.D. Newbold, R.R. Schnabel, P.M. Groffman, J.M. Denver, D.L. Correll, J.W. Gilliam, J.L. Robinson, R.B. Brinsfield, K.W. Staver, W. Lucas, A.H. Todd. 1997. Water quality functions of riparian forest buffers in Chesapeake Bay watersheds. *Environmental Management* 21(5): 687-712.
- Lynn, B. 1998. Nearshore habitat loss in Puget Sound: Recommendations for improved management. Prepared for the Puget Sound/Georgia Basin International Task Force.
- Macdonald, J. 1960. The behavior of Pacific salmon fry during their downstream migration to freshwater and saltwater nursery areas. *Journal of the Fisheries Research Board of Canada* 17:655-676.
- Macdonald, J.S., I.K. Birtwell, and G. M. Kruzynski. 1987. Food and habitat utilization by juvenile salmonids in the Campbell River Estuary. *Canadian Journal of Fisheries and Aquatic Sciences* 44:1233-1246.
- Macdonald, K.B. and B. Witek. 1994. Management options for unstable bluffs in Puget Sound, Washington. Coastal Erosion Management Studies, Volume 8. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.
- Macdonald, K.B., D. Simpson, B. Paulsen, J. Cox, and J. Gendron. 1994. Shoreline armoring effects on the physical coastal processes in Puget Sound, Washington. Coastal Erosion Management Studies, Volume 5. Shorelands and Coastal Zone Management Program, Washington State Department of Ecology, Olympia, Washington.
- Macdonald, K.M. 2000. Central Puget Sound Nearshore Biological Data Workshop. J.

Brennan and D. MacLellan (eds.). King County Department of Natural Resources, Seattle, WA.

Mackas, D.L., R.E. Thomson, and M. Galbraith. In Review. Changes in the zooplankton community of the British Columbia continental margin, and covariation with oceanographic conditions, 1985-1998. Submitted to: Canadian Journal of Fisheries and Aquatic Sciences GLOEC Canada Special Issue.

Madsen, S. 2000. Pers. comm., R2 Resource Consulting.

Malins, D.C., B.B. McCain, D.W. Brown, A.K. Sparks, and H.O. Sparks. 1980. Chemical contaminants and biological abnormalities in central and southern Puget Sound. NOAA Technical Memorandum OMPA-2, 295 p.

Malins, D.C., B.B. McCain, D. W. Brown, S-L. Chan, M. S. Myers, J. T. Landahl, P. G. Prohaska, A. J. Freidman, L. D. Rhodes, D. G. Burrows, W. D. Gronlund, and H. O. Hodgins. 1984. Chemical pollutants in sediments and diseases of bottom-dwelling fish in Puget Sound, Washington. Environmental Science and Technology 18:705-713.

Malins, D.C., M.M. Krahn, M. S. Meyers, L.D. Rhodes, C.A. Wigren, D.W. Brown, C. Crone, B.B. McCain, and S-L Chan. 1985. Toxic chemicals in sediments and biota from a creosote-polluted harbor: Relationships with hepatic neoplasms and other hepatic lesions in English sole (*Parophrys vetulus*). Carcinogenesis 6:1463-1469.

Manashe, E. 1993. Vegetation management: A guide for Puget Sound bluff property owners. Shorelands and Coastal Zone Management Program, Washington State Department of Ecology, Olympia.

Markham, J. W. 1969. Vertical distribution of epiphytes on the stipe of *Nereocystis luetkeana* (Mertens) postels and ruprecht. Syesis 2:227-240.

Martin, D.J. 1999. An ecosystem strategy for restoring threatened/endangered salmon in King County. Martin Environmental. June 1999. Draft Technical Document.

Maser, C., and J. R. Sedell. 1994. From the forest to the sea, the ecology of wood in streams, rivers, estuaries, and oceans. St. Lucie Press, Delray Beach, Florida.

Matches, J., S. Fischenaller, E. Raghubeer, D. Anderson, and W. Cambell. 1984. Renton sewage treatment plant project: Seahurst baseline study. Volume VIII, Section 9: Microbiology. FRI-UW-8413. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington.

Matsuda, R. I., G. W.. Isaac, and R. D. Dalseg. 1968. Fishes of the Green-Duwamish River. Prepared for the Municipality of Metropolitan Seattle, Washington.

Matthews, K. R. 1989. A comparative study of habitat use by young-of-the-year, subadult, and adult rockfishes on four habitat types in Central Puget Sound. Fishery Bulletin 88:223-239.

- McCain, M., D. Fuller, L. Decker, and K. Overton. 1990. Stream habitat classification and inventory procedures for Northern California. Fish Habitat Relationships Currents, Number 1, U.S. Department of Agriculture, Forest Service, Pacific Southwest Region.
- McCauley, J. F., R. A. Parr, and D. R. Hancock. 1977. Benthic infauna and maintenance dredging—a case study. Pergamon Press, Water Research II:233-242.
- McMurray, G. R. and R. J. Bailey. 1998. Change in Pacific Northwest Coastal Ecosystems. NOAA/COP Decision Analysis Series No. 11.
- Metro (Municipality of Metropolitan Seattle). 1989. Green-Duwamish watershed non-point action plan, concurrence draft.
- Meyer, J. A., T. A. Pearce, and S. B. Patlan. 1980. Distribution and food habits of juvenile salmonids in the Duwamish Estuary, Washington, 1980. U.S. Fish and Wildlife Service, Fisheries Assistance Office, unpublished report, Olympia, Washington.
- Meyer, J. H., T. A. Pearce, and S. B. Patlan. 1981. Distribution and food habits of juvenile salmonids in the Duwamish Estuary. Prepared for the Seattle District of the U.S. Army Corps of Engineers. Fisheries Assistance Office, U.S. Department of the Interior, Olympia, Washington.
- Meyer, J., T. A. Pearce, and S. B. Patlan. 1981. Distribution and food habits of juvenile salmonids in the Duwamish Estuary, Washington, 1980. Prepared for the U.S. Army Corps of Engineers, Seattle, Washington.
- Meyers, M. S., C. M. Stehr, O. P. Olson, L. L. Landahl, B. B. McCain, S-L Chan, and U. Varanasi. 1994. Relationships between toxicopathic hepatic lesions and exposure to chemical contaminants in English sole (*Pleuronectes vetulus*), starry flounder, (*Platichthys stellatus*), and white croaker (*Genyonemus lineatus*) from selected marine sites on the Pacific Coast, USA. U.S. Environ. Health Perspect. 102(2):2-17.
- Meyers, M. S., J. T. Landahl, and B. B. McCain. 1987. Pathologic anatomy and patterns of occurrence in hepatic neoplasm, putative preneoplastic lesions and other idiopathic conditions in English sole (*Parophrys vetulus*) from Puget Sound, Washington. J. Nat. Can. Inst. 78:333-363.
- Meyers, M. S., O. P. Olson, L. L. Johnson, C. M. Stehr, T. Hom, and U. Varanasi. 1992. Hepatic lesions other than neoplasms in subadult flatfish from Puget Sound, Washington: Relationships with indices of contaminant exposure. Mar. Env. Res. 34:45-51.
- Miller, B. S. and S. F. Borton. 1980. Geographical distribution of Puget Sound fishes: Maps and data resource sheets. Fisheries Research Institute, University of Washington, Seattle, Washington.
- Miller, B. S., B. B. McCain, R. C. Wingert, S. F. Borton, and K. V. Pierce. 1976. Puget Sound interim studies. Ecological and disease studies of demersal fishes near Metro-operated

sewage treatment plants on Puget Sound and the Duwamish River. FRI-UW-7608. Prepared for the Municipality of Metropolitan Seattle. Fisheries Research Institute, University of Washington, Seattle, Washington.

Miller, B. S., B. B. McCain, R. C. Wingert, S. F. Borton, K. V. Pierce, and D. T. Griggs. 1977. Puget Sound Interim Studies. Ecological and disease studies of demersal fishes in Puget Sound near METRO-operated sewage treatment plants and in the Duwamish River. Final report to the Municipality of Metropolitan Seattle, Washington.

Miller, J.A. and C.A. Simenstad. 1997. A comparative assessment of a natural and created estuarine slough as rearing habitat for juvenile chinook and coho salmon. *Estuaries* 20(4): 792-806.

Mobrand Biometrics. 1999. The EDT Method. Mobrand Biometrics, (Draft).

Mongilla, P.E. 1993. The distribution and status of bull trout / Dolly Varden in Washington State. Washington Dept. of Wildlife, Fisheries Management Division, Olympia. Report 93-22.

Monterey Bay Aquarium Research Institute Pacific Forum. August 25, 1999. URL http://www.mbari.org/itd/seminars/1999/aug25_osborn.html (Visited December 24, 2000).

Monterey Bay Aquarium Research Institute. 1999. *Sargassum Reproduction & Life Cycle*. URL <http://www.mbari.org/~conn/botany/browns/jacquie/repro.htm> (Visited December 24, 2000).

Montgomery, D. R., and J. M. Buffington. 1993. Channel classification, prediction of channel response, and assessment of channel condition. Washington Timber/Fish/Wildlife, Technical Report TFW-SH10-93-002, Olympia.

Mulvihill, E. L., C. A. Francisco, J. B. Glad, K. B. Kaster, and R. E. Wilson. 1980. Biological impacts of minor shoreline structures on the coastal environment: State of the art review. FWS/OBS-77/51, 2 vol. U.S. Fish and Wildlife Service, Biological Services Program.

Musick, J. A., M. M. Harbin, S. A. Berkeley, G. H. Burgess, A. M. Eklund, L. Findley, R. G. Gilmore, J. T. Golden, D. S. Ha, G. R. Huntsman, J. C. McGovern, S. J. Parker, S. G. Poss, E. Sala, T. W. Schmidt, G. R. Sedberry, H. Weeks, and S. G. Wright. 2000. Marine, estuarine, and diadromous fish stocks at risk of extinction in North America (exclusive of Pacific salmonids). *Fisheries* 25: 6-30.

Myers, J. M., R. G. Kope, G. J. Bryant, D. Teel, L. J. Lierheimer, T. C. Wainwright, W. S. Grand, F. W. Waknitz, K. Neely, S. T. Lindley, and R. S. Waples. 1998. Status review of chinook salmon from Washington, Idaho, Oregon, and California. NOAA Technical Memorandum NMFS-NWFSC-35. National Oceanic and Atmospheric Administration.

Myers, R. D. 1993. Slope stabilization and erosion control using vegetation: A manual of

practice for coastal property owners. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.

- Naiman, R. J., T. Beechie, L. E. Benda, D. R. Berg, P. A. Bisson, L. H. MacDonald, M. D. O'Connor, P. L. Olsen, and E. A. Steele. 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest Coastal Ecoregion. Pages 127-188 In: R. J. Naiman, editor. Watershed management: balancing sustainability and environmental change. Springer-Verlag, New York.
- Nakata, K., et al. 2000. Seasonal patterns and controlling factors of primary production in Puget Sound's central basin and Possession Sound. Poster presentation to the Pacific Estuarine Research Society Annual Meeting, Sidney, British Columbia, May 12-13, 2000.
- National Marine Fisheries Service. 1999. Petition to list eighteen species of marine fishes in Puget Sound, Washington. Federal Register Volume 64, No. 118. National Oceanic and Atmospheric Administration, Department of Commerce, Washington, D.C.
- National Research Council. 1996. Upstream: Salmon and society in the Pacific Northwest. National Academy Press, Washington, D.C.
- Nevissi, A., S. Felton, R. McClain, K. Krogsland, S. Sung, B. Winslow, G. Shott, D. Bark, D. DiJulio, and S. Fuh. 1984. Renton sewage treatment plant project: Seahurst baseline study. Volume IX, Section 11: Marine chemistry - Trace metals in marine water, biota, and sediments. FRI-UW-8413. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington.
- Newton, J. A., S. A. Bell, and M. A. Golliet. 1994. Marine water column ambient monitoring program: Wateryear 1993 data report. Environmental Investigations and Laboratory Services Program, Publication #94-210. Washington Department of Ecology, Olympia, Washington.
- Newton, J. A., S. L. Albertson, L. B. Eisner, and A. L. Thomson. 1995. The marine water column task of the Puget Sound Ambient Monitoring Program. In: Proceedings of Puget Sound Research. 1995. pp. 25-34. Puget Sound Water Quality Authority, Seattle, Washington.
- Newton, J. A., S. L. Albertson, and A. L. Thomson. 1997. Washington State marine water quality in 1994 and 1995. Publication No. 97-316. Environmental Investigations and Laboratory Services Program, Washington State Department of Ecology, Olympia, Washington. 71 pp. plus appendices.
- Nightingale, B.J. and C.A. Simenstad. 2001. Overwater structures: Marine Issues. White paper prepared for the Washington Department of Fish and Wildlife, Washington Department of Ecology and Washington Department of Transportation, Olympia, Washington.
- Newton, J. A., S. L. Albertson, K. Nakata, and C. Clishe. 1998. Washington State marine

water quality in 1996 and 1997. Publication No. 98-338. Environmental Investigations and Laboratory Services Program, Washington State Department of Ecology, Olympia, Washington. 98 pp. plus appendices.

Norman, D. 1998. 1997 Dumas Bay Centre monitoring and final recommendations. Report for City of Federal Way. Norman Wildlife Consulting, Shoreline, Washington.

O'Laughlin, J. and G. H. Belt. 1994. Functional approaches to riparian buffer strip design. *Western Forester* 27:12-14.

O'Neil, S. M., J. E. West, and S. Quinell. 1995. Contaminant monitoring in fish: overview of the Puget Sound Ambient Monitoring Program fish task. In: Puget Sound Research '95 Proceedings, January 12-14, 1995. Puget Sound Water Quality Authority, Olympia, Washington.

Odell, Jay. December 21, 2000. Pers. comm.. Intergovernmental Coordinator for Crustaceans, Washington Department of Fish and Wildlife.

Olson, A. M., E. G. Doyle, and S. D. Visconty. 1996. Light requirements of eelgrass: A literature survey.

Olson, A. M., S. D. Visconty, and C. M. Sweeny. 1997. Modeling the shade cast by overwater structures.

Orisi, J. J. and S. Ohtsuka. 1999. Introduction of Asian copepods *Acartiella sinensis*, *Tortanus dextrilobatus* (Copepoda: Calanoida) and *Limnoithona tetraspina* (Copepoda: Cyclopodia) to the San Francisco Estuary, California, USA. *Plankton Biology and Ecology* 46:128-131.

Osborn, K. 1999. Effects of *Sargassum muticum* on native marine communities.

O'Toole, M. 1995. Puget Sound herring: A review. In: Proceedings of Puget Sound Research. 1995. pp. 849-854. Puget Sound Water Quality Authority, Seattle, Washington.

Pacific States Marine Fisheries Commission. December 16, 1996. *Dungeness crab*. URL http://www.psmfc.org/habitat/edu_crab_fact.html (visited December 21, 2000).

Pacunski, R. E. and W. A. Palsson. 1998. The distribution and abundance of nearshore rocky reef habitats and fishes in Puget Sound. In: Proceedings of Puget Sound Research. 1998. pp. 545-554. Puget Sound Water Quality Action Team, Olympia, Washington.

Palsson, W. A. 1990. Pacific cod (*Gadus macrocephalus*) in Puget Sound and adjacent waters: Biology and stock assessment. Washington Department of Fisheries, Olympia, Washington.

Palsson, W. A. 1997. 1995 status of Puget Sound bottomfish stocks (revised). Report No. MRD97-03. Washington Department of Fish and Wildlife, Olympia, Washington.

- Palsson, W. A. 1998. Monitoring the response of rockfishes to protected areas. Marine harvest refugia for West Coast rockfish: A workshop. NOAA-TM-NMFS-SWFSC-255:64-73.
- Palsson, W. A. and R. E. Pacunski. 1995. The response of rocky reef fishes to harvest refugia in Puget Sound. In: Proceedings of Puget Sound Research. 1995. pp. 224-234. Puget Sound Water Quality Authority, Seattle, Washington.
- Palsson, W. A., J.C. Hoeman, G.G. Bargmann, and D. Day. 1996. 1995 status of Puget Sound bottomfish stocks. Washington Department of Fish and Wildlife. Technical Report. Olympia, WA. 99p.
- Palsson, W. A., J. C. Hoeman, G. G. Bargmann, and D. E. Day. 1997. 1995 status of Puget Sound bottomfish stocks (revised). Washington Department of Fish and Wildlife, Report No. MRD97-03, Olympia.
- Parametrix, Inc. 1984. 1983 Duwamish Waterway and Elliott Bay (Terminal 91) juvenile salmonid monitoring. Report to Port of Seattle, Washington.
- Parametrix, Inc. 1984. 1984 juvenile salmonid study, Port of Everett, Washington. Prepared for Department of the Navy, Western Division, Naval Facilities, Engineering Command, San Bruno, California. Parametrix, Inc., Everett, Washington.
- Parametrix, Inc., and King County Department of Natural Resources. 1999a. King County combined sewer overflow water quality assessment for the Duwamish River and Elliott Bay. Appendix A: Problem Formulation, Analysis Plan, and Field Sampling Work Plan. A1: Problem Formulation. Prepared by Parametrix, Inc., Kirkland, Washington, and King County Department of Natural Resources, Wastewater Treatment Division & Water and Land Resources Division, Seattle, Washington.
- Parametrix, Inc., and King County Department of Natural Resources. 1999b. King County combined sewer overflow water quality assessment for the Duwamish River and Elliott Bay. Prepared by Parametrix, Inc., Kirkland, Washington, and King County Department of Natural Resources, Wastewater Treatment Division & Water and Land Resources Division, Seattle, Washington.
- Passmore, D. G., M. G. Macklin, P. A. Brewer, J. Lewin, B. T. Rumsby, and M. D. Newson. 1993. Variability of late Holocene braiding in Britain. Pages 205-229 In: J. Best and G. Bristow, editors. Braided Rivers, Special Publication No. 75, Geological Society of London, UK.
- Pautzke, C.F., and R.C. Meigs. 1940. Transactions of the American Fisheries Society 17:209-220.
- Pavlou, S. P., K. A. Kroglund, R. N. Dexter, and J. R. Clayton. 1973. Data report. R/V Onar cruises 434, 450, 469, 502. SYOPS (Synthetic Organics in Puget Sound) Cruise Series 1,2,3,4. Hydrographic, chemical, and biological measurements. Department of Oceanography Special Report No. 54, EPA Grant No. R800362. University of

Washington, Seattle, Washington.

- Pearce, T. A., J. H. Meyer, and R. S. Boomer. 1982. Distribution and food habits of juvenile salmonids in the Nisqually Estuary, Washington, 1979-1980. U.S. Fish and Wildlife Service, Olympia, Washington. (Unpublished report).
- Pentec (Pentec Environmental, Inc.). 1991. Epifauna sampling at the Port of Everett and Lower Snohomish Estuary 1987-1991. Prepared for the Port of Everett, Washington, by Pentec, Edmonds, Washington.
- Pentec (Pentec Environmental, Inc.). 1999. Unpublished field survey notes.
- Pentec (Pentec Environmental). 2000a. Port Ludlow Marina expansion: biological evaluation, draft. Prepared for Reid Middleton, Inc., Everett, Washington, by Pentec, Edmonds, Washington.
- Pentec (Pentec Environmental). 2000b. Unpublished field survey notes and photographs.
- Penttila, D. 1978. Studies of the surf smelt (*Hypomesus pretiosus*) in Puget Sound. Technical Report No. 42. Washington Department of Fisheries, Olympia, Washington.
- Penttila, D. and M. Aguero. 1978. Fish usage of Birch Bay Village Marina, Whatcom County, Washington, in 1976. Progress Report No. 39. Washington Department of Fisheries, Olympia, Washington.
- Penttila, D. and D. Doty. 1990. Results of 1989 eelgrass shading studies in Puget Sound. Progress Report. Marine Fish Habitat Investigations Division, Washington Department of Fish and Wildlife, Olympia, Washington. (Draft).
- Penttila, D. E. 1995a. Investigations of the spawning habitat of the Pacific sand lance (*Ammodytes hexapterus*) in Puget Sound. In: Proceedings of Puget Sound Research. 1995. pp. 855-859. Puget Sound Water Quality Authority, Seattle, Washington.
- Penttila, D. E. 1995b. The Washington Department of Fish and Wildlife's Puget Sound intertidal baitfish spawning beach survey project. In: Proceedings of Puget Sound Research. 1995. pp. 235-241. Puget Sound Water Quality Authority, Seattle, Washington.
- Penttila, D. E. 2001. Effects of shading upland vegetation on egg survival for summer-spawning surf smelt, *Hypomesus*, on upper intertidal beaches in Northern Puget Sound. In: Proceedings of Puget Sound Research, 2001 Conference. Puget Sound Water Quality Action Team, Olympia, Washington (in prep.).
- Perkins, S. J. 1993. Green River channel migration study. King County Department of Public Works, Surface Water Management Division, Seattle, Washington.

- Peters, R. J., B. R. Missildine, and D. L. Low. 1998. Seasonal fish densities near river banks stabilized with various stabilization methods. U.S. Fish and Wildlife Service, Lacey, Washington.
- Peterson, W. T. 1999. Hydrography and zooplankton off the Central Oregon coast during the 1997-1998 El Niño event. PICES Scientific Report No. 10. Proceedings of the 1998 Science Board Symposium on the Impacts of the 1997-1998 El Niño Event on the North Pacific Ocean and its Marginal Seas.
- Phillips, J.D. 1989. Effect of buffer zones on estuarine and riparian land use in eastern North Carolina. *Southeastern Geographer*, Vol. XXIX, No. 2. pp. 136-149.
- Phillips, R. C. 1972. Ecological life history of *Zostera marina* L. (eelgrass) in Puget Sound, Washington. Doctorate thesis submitted to the University of Washington, Seattle.
- Phillips, R. C. 1984. The ecology of eelgrass meadows in the Pacific Northwest: A community profile. FWS/OBS-84/24. U.S. Fish and Wildlife Service.
- PNCERS. 1998. Change in Pacific Northwest coastal ecosystems. Workshop Proceedings. G.R. McMurray and R.J. Bailey, (Eds.). www.pncers.org/changeinecosystems.htm.
- Pritchard, H. B. 1955. Estuarine circulation patterns: American Society of Civil Engineers Proceedings, Vol. 81, Separate 717, 11 p.
- Proctor, C. M., et al. 1980. An ecological characterization of the Pacific Northwest coastal region. 5 vol. U.S. Fish and Wildlife Service, Biological Services Program. FWS/OBS-79/11 through 79/15.
- Prych, E. A., W. C. Haushild, and J. D. Stoner. 1976. Numerical model of the salt-wedge reach of the Duwamish River Estuary, King County, Washington. USGS Professional Paper No. 990. United States Geological Survey.
- PSAMP (Puget Sound Ambient Monitoring Program). 2000. A conceptual model for environmental monitoring of a marine system.
- PSDDA ,1996. Sediment Management Program Biennial Report. Dredging years 1994/1995. Prepared by the PSDDA Agencies, March 1996.
- PSWQA. 1990. Protecting fish and wildlife habitat in Puget Sound. Puget Sound Water Quality Authority, Seattle, WA.
- PTI Environmental Services and Tetra Tech, Inc. 1988. Everett Harbor Action Program: analysis of toxic problem areas. Final report. Prepared for U.S. EPA Region 10, Seattle, Washington.
- PSWQAT. 2000.

- Puget Sound Water Quality Action Team. 1999. 1999-2001 Puget Sound Water Quality Work Plan. Olympia, Washington.
- Puget Sound Water Quality Action Team. 2000. Puget Sound update. Seventh Report of the Puget Sound Ambient Monitoring Program. Olympia, Washington. 127 pp.
- Ralston, S., and D.F. Howard. 1995. On the development of year-class strength and cohort variability in two northern California rockfishes. *Fish. Bull.* 93:710-720.
- Redfield, A., B. Ketchum, and F. Richards. 1963. The influence of organisms on the composition of seawater. In: Hill, M. N. *ed.* *The Sea*. pp. 27-77. Interscience, New York.
- Reid, L. M., and T. Dunne. 1996. Rapid evaluation of sediment budgets. Catena Verlag.
- Rein, F. A. (1999). "An Economic Analysis of Vegetative Buffer Strip Implementation. Case Study: Eklkhorn Slough, Monterey Bay, California." *Coastal Management* 27(4): 377-390.
- Rensel Associates and PTI Environmental Services. 1991. Nutrients and phytoplankton in Puget Sound. Report for EPA Region 10, EPA 910/9-91-002. Office of Coastal Waters, U.S. Environmental Protection Agency, Seattle, Washington. 130 pp. plus appendices.
- Rensel, J. E. 1993. Factors controlling paralytic shellfish poisoning (PSP) in Puget Sound, Washington. *Journal of Shellfish Research*:371-376.
- Rensel, J. E., R. A. Horner, and J. R. Postel. 1989. Effects of phytoplankton blooms on salmon aquaculture in Puget Sound, Washington: Initial research. *Northwest Environmental Journal* 5:53-69.
- Richardson, M. D., A. G. Carey, Jr., and W. A. Colgate. 1977. Aquatic disposal field investigations Columbia River Site, Oregon. Appendix C: the effects of dredged material disposal on benthic assemblages. U.S. Army Corp of Engineers Waterways Experiment Station, Dredged Material Research Program Technical Report D-77-30, Vicksburg, Mississippi.
- Richter, K.O. 1995. Amphibian extinctions in urbanizing King County. Draft Paper. Puget Sound Wetlands and Stormwater Manageme. Prog., King Co. Environ. Div.
- Ricketts, E. F., J. Calvin, and D. W. Hedgpeth. 1985. *Between Pacific tides*. Stanford University Press, Stanford, California.
- Rigg, G. B. 1917. Seasonal development of bladder kelp. *Puget Sound Marine Sta. Pub.* 1(27):309-318.

- Riley, R. G., E. A. Crecelius, R. E. Fitzner, B. L. Thomas, J. M. Gutisen, and N. S. Bloom. 1983. Organic and inorganic toxicants in sediments and marine birds from Puget Sound. NOAA Technical Memorandum NOS OMS 1.
- Roemmich, D. and J. A. McGowan. 1995. Climatic warming and the decline of zooplankton in the California current. *Science* 267:1324-1326.
- Romberg, G. P., S. P. Pavlou, R. F. Shokes, W. Hom, E. A. Crecelius, P. Hamilton, J. T. Gunn, R. D. Muench, and J. Vinelli. 1984. Toxicant pretreatment planning study, technical report C1: presence, distribution and fate of toxicants in Puget Sound and Lake Washington. Municipality of Metropolitan Seattle (Metro), Seattle, Washington.
- Romberg, P., C. Homan, and D. Wilson. 1995. Monitoring at two sediment caps in Elliott Bay. Pages 289-299 In: Puget Sound Research '95: proceedings. Puget Sound Water Quality Authority, Olympia, Washington.
- Romberg, P., D. Healy, and K. Lund. 1987. Toxicant reduction in the Denny Way combined sewer system. The Municipality of Metropolitan Seattle, Washington.
- Schmitt, C., J. Schweigert, and T. P. Quinn. 1994. Anthropogenic influences on fish populations of the Georgia Basin: I. Salmonids II. Marine fishes. In: Wilson, R. C. H., R. J. Beamish, F. Aitkens, and J. Bell. *eds.* Review of the marine environment and biota of the Strait of Georgia, Puget Sound, and Juan de Fuca Strait. Canadian Technical Report of Fisheries and Aquatic Sciences No. 1948. pp. 218-255.
- Schmitt, C., S. J. Jeffries, and P. J. Gearin. 1995. Pinniped predation on marine fish in Puget Sound. Pages 630-637 In: Puget Sound Research '95, Volume 1. Puget Sound Water Quality Authority, Olympia.
- Schwartz, M. L., M. Chrzastowski, and B. D. Harp. 1991. Net shore-drift in Washington State: Volume 3, central Puget Sound region. Shorelands and Coastal Zone Management Program, Washington State Department of Ecology, Olympia.
- Sear, D. A., M. D. Newson, and A. Brookes. 1995. Sediment related river maintenance: the role of fluvial geomorphology. *Earth Surface Processes and Landforms* 20:629-647.
- Seattle Public Utilities. 2000. Combined sewer overflow annual report for 1999. Submitted to the Washington Department of Ecology.
- Sedell, J.R. and W.S. Duval. 1985. Water transportation and storage of logs. IN: Meehan, W.R., ed. Influence of forest and rangeland management on anadromous fish habitat in western North America. Gen. Tech. Rep. PNW-186. Portland OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station: 1-68.
- Seiler, D. Pers. comm.. Washington Department of Fish and Wildlife.
- Shaffer, J. A. and D. S. Parks. 1994. Seasonal variations in and observations of landslide

- impacts in the algal composition of a Puget Sound nearshore kelp forest. *Botanica Marina* 37:315-323.
- Shaffer, J. A., D. C. Doty, R. M. Buckley, and J. E. West. 1995. Crustacean community composition and trophic use of the drift vegetation habitat by juvenile splitnose rockfish *Sebastes diplopora*. *Marine Ecology Progress Series* 123:13-21.
- Shepsis, V., G. M. Kaminsky, D. P. Simpson, and D. Orders. 1995. Puget Sound wind wave analysis. In: *Proceedings of Puget Sound Research*. 1995. pp. 84-91. Puget Sound Water Quality Authority, Seattle, Washington.
- Shipman, H. 1995. The rate and character of shoreline erosion on Puget Sound. In: *Proceedings of Puget Sound Research*. 1995. pp. 77-83. Puget Sound Water Quality Authority, Olympia, Washington.
- Shipman, H. October 20, 2000. Pers. comm., WDOE.
- Shipman, H. and D. J. Canning. 1993. Cumulative environmental impacts of shoreline stabilization on Puget Sound. In: *Proceedings, Coastal Zone 1993, Eighth Symposium on Coastal and Ocean Management*. pp. 2233-2242. American Society of Civil Engineers, New York.
- Shipman, H., K. Stoops, and P. Hummel. 2000. Seattle waterfront parks: Applications of beach nourishment. *Field Trip Guide*. Washington Coastal Planners Group, 16pp.
- Shreffler, D. K., C. A. Simenstad, and R. M. Thom. 1992. Foraging by juvenile salmon in a restored estuarine wetland. *Estuaries* 15(2):204-213.
- Shreffler, D.K., and R.M. Thom. 1993. Restoration of Urban Estuaries: New approaches for site location and design. Report prepared for Washington State Department of Natural Resources, Olympia, Washington. Battelle Pacific Northwest Laboratories, Richland, Washington.
- Sibert, J. R. 1979. Detritus and juvenile salmon production in the Nanaimo Estuary: II. Meiofauna available as food to juvenile chum salmon (*Oncorhynchus keta*). *Journal of the Fisheries Research Board of Canada* 36:497-503.
- Sibert, J., T. J. Brown, M. C. Healy, B. A. Kask, and R. J. Naiman. 1977. Detritus-based foodwebs: Exploitation by juvenile chum salmon (*Oncorhynchus keta*). *Science* 196:649-650.
- Simenstad, C. A. and B. J. Nightengale. In prep. Overwater structures. Prepared for the Washington State Department of Transportation, (Draft).
- Simenstad, C. A. and J. R. Cordell. 2000. Ecological assessment criteria for restoring anadromous salmonid habitat in Pacific Northwest estuaries. *Ecological Engineering* 15:283-302.

- Simenstad, C. A. and R. M. Thom. 1996. Functional equivalency trajectories of the restored Gog-le-hi-te estuarine wetland. *Ecological Applications* 6(1):38-56.
- Simenstad, C. A., A. M. Olson, and R. M. Thom. 1998. Mitigation between regional transportation needs and preservation of eelgrass beds. Research Report Prepared for Washington and U.S. Departments of Transportation.
- Simenstad, C. A., and E. A. Salo. 1982. Foraging success as a determinant of estuarine and nearshore carrying capacity of juvenile chum salmon (*Oncorhynchus keta*) in Hood Canal, Washington. Pages 21-37 In: B.R. Melteff and R.A. Neve (eds.). Proc. North Pac. Aquaculture Symposium, August 18-27, 1980. Anchorage, Alaska, and Newport, Oregon.
- Simenstad, C. A., B. J. Nightingale, R. M. Thom, and D. K. Shreffler. 1999. Impacts of ferry terminals on juvenile salmon migration along Puget Sound shorelines, phase I; synthesis of state of knowledge. Prepared for the Washington State Transportation Commission, Research Project T9903, Task A2, Olympia.
- Simenstad, C. A., B. S. Miller, C. F. Nyblade, K. Thornburgh, and L. J. Bledsoe. 1979. Food web relationships of Northern Puget Sound and the Strait of Juan de Fuca. EPA 600/7-79-259. Office of Engineering and Technology, Office of Research and Development,
- Simenstad, C. A., C. D. Tanner, R. M. Thom, and L. L. Conquest. 1991. Puget Sound Estuary Program: estuarine habitat assessment protocol. EPA 910/9-91-037. Prepared for U.S. Environmental Protection Agency, Region 10, Seattle, Washington.
- Simenstad, C. A., J. R. Cordell, R. C. Wissmar, K. L. Fresh, S. L. Schroeder, M. Carr, G. Sanborn, and M. E. Burg. 1988. Assemblage structure, microhabitat distribution, and food web linkages of epibenthic crustaceans in Padilla Bay National Estuarine Research Reserve, Washington. FRI-UW-8813. Wetland Ecosystem Team, Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington. 60 pp.
- Simenstad, C.A. and J.R. Cordell. 2000. Ecological assessment criteria for restoring anadromous salmonid habitat in Pacific Northwest estuaries. *Ecol. Eng.*, 15:283-302.
- Simenstad, C. A., K. L. Fresh, and E. O. Salo. 1982. The role of Puget Sound and Washington coastal estuaries in the life history of Pacific salmon: an unappreciated function. Pages 343-364 In: V. S. Kennedy, editor. *Estuarine comparisons*. Academic Press, New York.
- Simenstad, C.A., S.B. Brandt, A. Chalmers, R. Dame, L.A. Deegan, R. Hodson, and E.D. Houde. 2000. Habitat-Biotic Interactions. Pp. 427-455 (Chapter 16) in J.E. Hobbie (ed.), *Estuarine Science: A Synthetic Approach to Research and Practice*. Island Press. 480pp.
- Simpson, D. P. 1995. Determination of exceedance frequencies of wave height and runup in Puget Sound. In: *Proceedings of Puget Sound Research*. 1995. pp. 92-100. Puget Sound Water Quality Authority, Seattle, Washington.

- Sizemore, B., and M. Ulrich. 2000. 2000 geoduck atlas: atlas of major geoduck tracts of Puget Sound. Washington Department of Fish and Wildlife, Fish Program, Point Whitney Shellfish Lab, Brinnon, Washington.
- Speich, S. M., J. Calambokidis, S. W. Shea, J. Peard, M. Witter, and D. M. Fry. 1992. Eggshell thinning and organochlorine contaminants in western Washington water birds. *Colonial Waterbirds* 15(1):103-112.
- Spence, B. C., G. A. Lomnický, R. M. Hughes, and R. P. Novitzki. 1996. An ecosystem approach to salmonid conservation. TR-4501-96-6057. ManTech (Management Technology) Environmental Research Services Corp., Corvallis, Oregon.
- Stein, J. E., T. Hom, T. K. Collier, D. W. Brown, and U. Varanasi. 1995. Contaminant exposure and biochemical effects in outmigrant juvenile chinook salmon from urban and nonurban estuaries of Puget Sound, Washington. *Environmental Toxicology and Chemistry* 14:1019-1029.
- Stenberg, K.J., K.O. Richter, D. McNamara, and L. Vicknair. 1997. A wildlife habitat network for community planning using GIS technology. Pages 267-278 in D. Miller and G. De Roo, eds. *Urban environmental planning: policies, instruments, and methods in an international perspective*. Avebury Publ., London, U.K.
- Stober, Q. J., and K. B. Pierson. 1984. A review of the water quality and marine resources of Elliott Bay, Seattle, Washington. Final report. Fisheries Research Institute, CW/F2-82, University of Washington, Seattle.
- Stoner, J. D. 1972. Determination of mass balance and entrainment in the stratified Duwamish River Estuary, King County, Washington. U.S. Geological Survey Water-Supply Paper 1873-F, Washington, U.S. Government Printing Office.
- Strickland, R. M. 1983. *The fertile fjord*. University of Washington Press, Seattle, Washington.
- Striplin Environmental Associates, Battelle Marine Sciences Laboratory, and King County Water and Land and Resource Division. 2000. North treatment facility marine outfall siting study. Working Draft of the King County Marine Habitat Report for the King County Water and Land Resources Division. King County Department of Natural Resources, Seattle, Washington. 98 pp.
- Stuart, R. E., and R. D. Cardwell. 1987. Aquatic ecological risk assessment of lead, copper, phthalates and polynuclear aromatic hydrocarbons discharge via stormwaters and combined sewer overflows into an urban lake. Prepared for Municipality of Metropolitan Seattle, Washington, by EnviroSphere Company, Bellevue, Washington.
- Suckley, G., and J.G. Cooper. 1860. *The natural history of Washington Territory and Oregon*. Bailliere Brothers, New York.

- Sullivan, K., J. Tooley, K. Doughty, J. E. Caldwell, P. Knudsen. 1990. Evaluation of prediction models and characterization of stream temperature regimes in Washington. Washington State Department of Natural Resources, Timber/Fish/Wildlife Report No. TFW-WQ3-90-006, Olympia.
- Sumari, A. 1996. Dredged material is not spoil. A status on the use of dredged material in Puget Sound to isolate contaminated sediments. Proceedings of the World Dredging Congress, Western Dredging Association, New Orleans, Louisiana.
- Swanson, F.L., S.V. Gragory, J.R. Sedell, and A.G. Campbell. 1982. Land-water interactions: the riparian zone. Pages 267-291 in: R.L. Edmonds, editor. Analysis of coniferous forest ecosystems in the Western United States, Vol. 14, Hutchinson Ross Publishing Company, Stroudsburg, Pennsylvania.
- Tacoma Water. 1999. Draft Habitat Conservation Plan for the Green River. City of Tacoma, Washington.
- Takahashi, M. and T. R. Parson. 1973. Simulation study of phytoplankton, photosynthesis, and growth in the Fraser River Estuary. *Marine Biology* 19:102-116.
- Tanasichuk, R. W. 1998. Interannual variations in the population biology and productivity of *Thysanoesa spinifera* in Barkley Sound, Canada, with special reference to the 1992 and 1993 warm ocean years. *Marine Ecology Progress Series* 173:181-195.
- Tanner, C. D. 1991. Potential intertidal habitat restoration sites in the Duwamish River estuary. Prepared for the Port of Seattle Engineering Department and U.S. Environmental Protection Agency, EPA 910/9-91-050, Seattle, Washington.
- Taylor Associates. 1999. Duwamish East Waterway channel deepening project, alternative dredge disposal sites, juvenile salmonid and epibenthic prey assessment. Technical report. Prepared for the Port of Seattle, Washington, by Taylor Associates, Seattle, Washington.
- Taylor, B. 2000. Pers. comm., Taylor Associates.
- Taylor, W. S., and W. S. Willey. 1997. Port of Seattle fish migration study; Pier 64/65 short-stay moorage facility: qualitative fish and avian predator observations. Prepared for Beak Consultants, Seattle, Washington.
- Tetra Tech, Inc. 1988. Elliott Bay action program: Evaluation of potential contaminant sources. Prepared for the U.S. Environmental Protection Agency, Region 10, Seattle, Washington, by Tetra Tech, Inc., Bellevue, Washington.
- Thayer, G. W., D. A. Wolfe, and R. B. Williams. 1975. The impact of man on seagrass systems. *American Scientist* 63:288-296.
- Thom, R. M. 1978. The composition, growth, seasonal periodicity, and habitats of benthic algae on the eastern shore of Central Puget Sound, with special reference to sewage

- pollution. Doctoral Dissertation. College of Fisheries, University of Washington, Seattle, Washington. 237 pp.
- Thom, R. M. 1981. Primary productivity and organic carbon input to Grays Harbor Estuary, Washington. Environmental Resources Section, Seattle District, U.S. Army Corps of Engineers, Seattle, Washington.
- Thom, R. M. 1984. Primary production in Grays Harbor Estuary, Washington. Bulletin of the Southern California Academy of Science 83:99-105.
- Thom, R. M. 1985. An oceanographic analysis of odorous beach conditions in Fauntleroy Cove, West Seattle. Report submitted to the City of Seattle.
- Thom, R. M. 1987. The biological importance of Pacific Northwest estuaries. Northwest Environmental Journal 3(1):21-42.
- Thom, R. M. 1988. Lincoln Park eelgrass baseline study. Submitted to the Seattle District of the U.S. Army Corps of Engineers by Evans-Hamilton, Inc. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington.
- Thom, R. M. 1989. Plant standing stock and productivity on tidal flats in Padilla Bay, Washington: A temperate North Pacific estuarine embayment. NOAA Technical Report Series OCRM/MEMD, FRI-UW-8909. Fisheries Research Institute, University of Washington, School of Fisheries, Seattle, Washington.
- Thom, R. M. 1990. Spatial and temporal patterns in plant standing stock and primary production in a temperate seagrass system. Botanica Marina 33:497-510.
- Thom, R. M. 1996. CO₂-enrichment effects on eelgrass (*Zostera marina* L.) and bull kelp (*Nereocystis luetkeana*) (MERT.) P. & R. Water, Air, and Soil Pollution 88:383-391.
- Thom, R. M. and D. K. Shreffler. 1996. Eelgrass meadows near ferry terminals in Puget Sound; Characterization of assemblages and mitigation impacts. Battelle Pacific Northwest Laboratories, Sequim, Washington.
- Thom, R.M., and A.B. Borde. 1998. Human intervention in Pacific Northwest coastal ecosystems. IN: Change in Pacific Northwest coastal ecosystems. Workshop Proceedings. G.R. McMurray and R.J. Bailey, (Eds.). www.pncers.org/changeinecosystems.htm.
- Thom, R. M. and L. Hallum. 1989. Beach nourishment post-project ecological monitoring at Lincoln Park Beach: Initial observations, summer 1989. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington.
- Thom, R. M. and L. Hallum. 1990. Long-term changes in the areal extent on tidal marshes, eelgrass meadows, and kelp forests of Puget Sound. FRI-UW-9008. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington.

- Thom, R. M. and L. Hamilton. 1990. Lincoln Park shoreline erosion control project: Post-construction monitoring of eelgrass, infaunal bivalves, and macroalgae, 1990. Submitted to the Seattle District of the U.S. Army Corps of Engineers by Evans-Hamilton, Inc.
- Thom, R. M. and R. G. Albright. 1990. Dynamics of benthic vegetation standing-stock, irradiance, and water properties in Central Puget Sound. *Marine Biology* 104:129-141.
- Thom, R. M., A. B. Borde, B. N. Bjornstad, G. D. Williams, B. A. Williams, P. J. White, A. C. Rohay, G. V. Last, and L. F. Hibler. 2000. Review of 65% design documents for Middle Harbor enhancement area (subtasks 3a and 3b). Battelle Marine Sciences Laboratory, Sequim, Washington.
- Thom, R. M., A. Borde, and D. Woodruff. 2000. Commencement Bay vegetation mapping project. Prepared for the Commencement Bay Natural Resources Trustees. Battelle Pacific Northwest Laboratories, Sequim, Washington.
- Thom, R. M., A. E. Copping, and R. G. Albright. 1988. Nearshore primary productivity in Central Puget Sound: A case for nutrient limitation in the nearshore systems of Puget Sound. In: *Proceedings of Puget Sound Research*. 1988. pp. 378-391. Puget Sound Water Quality Authority, Seattle, Washington.
- Thom, R. M., and D. K. Shreffler. 1994. Shoreline armoring effects on coastal ecology and biological resources in Puget Sound, Washington. *Coastal Erosion Management Studies, Volume 7*. Prepared for the Washington Department of Ecology, Olympia.
- Thom, R. M., and D. K. Shreffler. 1996. Eelgrass meadows near ferry terminals in Puget Sound. Characterization of assemblages and mitigation impacts. Battelle Mar. Sci. Lab., Sequim, Washington.
- Thom, R. M., and L. Hallum. 1990. Long-term changes in the areal extent of tidal marshes, eelgrass meadows and kelp forests of Puget Sound. Prepared for the U.S. Environmental Protection Agency, Region 10, Seattle, Washington.
- Thom, R. M., B. Miller, and M. Kennedy. 1995. Temporal patterns of grazers and vegetation in a temperate system. *Aquatic Botany* 50:201-205.
- Thom, R. M., C. A. Simenstad, J. R. Cordell, and E. O. Salo. 1986. Early successional development of a benthic-epibenthic community at a newly constructed beach in Slip 1, Commencement Bay, Washington: Initial observations, 1985. Report for the Port of Tacoma. Tacoma, Washington. 42 pp.
- Thom, R. M., C. A. Simenstad, J. R. Cordell, and E. O. Salo. 1989. Fish and their epibenthic prey in a marina and adjacent mudflats and eelgrass meadow in a small estuarine bay. FRI-UW-8901. Prepared for the Port of Bellingham. Wetland Ecosystem Team, Fisheries Research Institute, University of Washington, Seattle, Washington.
- Thom, R. M., D. K. Shreffler, and K. B. Macdonald. 1994. Shoreline armoring effects on

coastal ecology and biological resources in Puget Sound. Coastal Erosion Management Studies, Volume 7. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.

- Thom, R. M., J. W. Armstrong, C. P. Staude, K. K. Chew, and R. E. Norris. 1976. A survey of the attached marine flora at five beaches in the Seattle, Washington, area. *Syesis* 9:267-275.
- Thom, R. M., K. K. Chew, and J. Q. Word. 1978. Abundance, biomass, and trophic structure of the subtidal infaunal communities of the eastern side of Puget Sound. Report to the Municipality of Metropolitan Seattle. Seattle, Washington.
- Thom, R. M., L. D. Antrim, A. B. Borde, W. W. Gardiner, D. K. F. P. G. Shreffler, J. G. Norris, S. W. Echverria, and T. P. McKenzie. 1998. Puget Sound's eelgrass meadows: Factors contributing to depth distribution and spatial patchiness. In: Proceedings of Puget Sound Research. 1998. pp. 363-370. Puget Sound Water Quality Action Team, Olympia, Washington.
- Thom, R. M., L. D. Antrim, A. B. Borde, W. W. Gardiner, D. K. Shreffler, and J. Cordell. 1999. Habitat mitigation monitoring at the Clinton Ferry Terminal, Whidbey Island. PNWD-2452. Battelle Pacific Northwest Laboratories, Sequim, Washington. 33 pp.
- Thom, R. M., R. G. Albright, C. A. Simenstad, J. Hampel, J. R. Cordell, and K. K. Chew. 1984. Renton sewage treatment plant project: Seahurst baseline study. Volume IV, Section 5: Intertidal and shallow subtidal benthic ecology. FRI-UW-8413. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington.
- Thom, R. M., T. L. Parkwell, D. K. Niyogi, and D. K. Shreffler. 1994. Effects of graveling on the primary productivity, respiration, and nutrient flux of two estuarine tidal flats. *Marine Biology* 118:329-341.
- Thom, R., R. Albright, C. Simenstad and K. Chew. 1984. Intertidal and shallow subtidal benthic ecology. Section 4.0 In: Q.J. Stober and K.K. Chew (principal investigators), Renton Sewage Treatment Plant Project: Duwamish Head. University of Washington, Fish. Res. Inst., Seattle, Washington.
- Thompson, T. G. and L. D. Phifer. 1936. The plankton and the properties of the surface waters of the Puget Sound regions. Publications in Oceanography No. 1. pp. 111-134. University of Washington, Seattle, Washington.
- Tillamook Bay National Estuary Project. 2000. Science and Technical Updates. <http://www.co.tillamook.or.us/countygovernment/estuary/tbnep/scitech.html>
- Tilley, L. J. and W. A. Dawson. 1971. Plant nutrients and the estuary mechanism in the Duwamish River Estuary, Seattle, Washington. USGS Professional Paper No. 750-C. pp. C185-C191.
- Turgeon, D.D., J.G. Quinn, Jr., A.E. Bogan, E.V. Coan, F.G. Hochberg, W.G. Lyons, P.M.

Mikkelson, R.J. Neves, C.F.E. Roper, G. Rosenberg, B. Roth, A. Scheltema, F.G. Thompson, M. Vecchione, and J.D. Williams. 1998. Common and scientific names of aquatic invertebrates from the United States and Canada: 2nd Edition. American Fisheries Society, Special Publication 26, Bethesda, Maryland.

- U.S. Army Corps of Engineers. 1932. Channel conditions survey for the Duwamish Waterway. Map.
- U.S. Army Corps of Engineers. 1981a. Bulkheads - Their applications and limitations. Technical Note CETN-III-7. Waterways Experiment Station, Vicksburg, Mississippi.
- U.S. Army Corps of Engineers. 1981b. Effects of a single jetty on a tidal navigation channel. Technical Note CETN-IV-3. Waterways Experiment Station, Vicksburg, Mississippi. 3 pp.
- U.S. Army Corps of Engineers. 1981c. Groins - Their applications and limitations. Technical Note CETN-III-10. Waterways Experiment Station, Vicksburg, Mississippi. 8 pp.
- U.S. Army Corps of Engineers. 1981d. Seawalls - Their applications and limitations. Technical Note CETN-III-8. Waterways Experiment Station, Vicksburg, Mississippi. 7 pp.
- U.S. Army Corps of Engineers. 1981e. Shore protection selection criteria. Technical Note CETN-III-6. Waterways Experiment Station, Vicksburg, Mississippi. 2 pp.
- U.S. Army Corps of Engineers. 1984. Biological effects of jetty construction on coastal marine communities. Technical Note CETN-V-18. Waterways Experiment Station, Vicksburg, Mississippi. 4 pp.
- U.S. Army Corps of Engineers. 1984. Use of segmented offshore breakwaters for beach erosion control. Technical Note CETN-III-22. Waterways Experiment Station, Vicksburg, Mississippi. 6 pp.
- U.S. Army Corps of Engineers. 1985. Biological effects of breakwater construction on aquatic communities in the Great Lakes. Technical Note CETN-V-20. Waterways Experiment Station, Vicksburg, Mississippi. 5 pp.
- U.S. Army Corps of Engineers. 1997. Green/Duwamish River Basin general investigation ecosystem restoration study, reconnaissance phase. Prepared by ACOE, Seattle, Washington.
- U.S. Army Corps of Engineers. 2000. Tidal datam regions, North Puget Sound region: Duwamish Waterway. URL: <<http://www.nwd-wc.usace.army.mil/nws/hh/tides/np/np92.htm>>.
- U.S. Environmental Protection Agency (EPA). December 31, 1971. Noise from construction equipment and operations, building equipment, and home appliances. NTID 300.1.

- U.S. Environmental Protection Agency. 1993. Coastal Nonpoint Pollution Guidance. U.S. EPA, office of Wetlands, Oceans and Watersheds.
- U.S. Environmental Protection Agency. December 21, 2000. Water Online Reference Library. URL <http://www.epa.gov/water/> (visited December 21, 2000).
- U.S. Environmental Science Services Administration. 1967. Tide tables, high and low water predictions, west coast of North and South America, 1968: Washington. U.S. Government Printing Office, published annually.
- URS Consultants. 1986. Comprehensive circulation and water quality study at Budd Inlet. Prepared for Washington Department of Ecology by URS Company, Seattle, Washington.
- Vadas, R. L. 1972. Ecological implications of culture studies on *Nereocystis luetkeana*. *Journal of Phycology* 1972(8):196-203.
- Vannote, R. L., G. W. Minshall, K. W. Cummins, J. R. Sedell, and C. E. Cushing. 1980. The river continuum concept. *Canadian Journal of Fisheries and Aquatic Sciences* 37:130-137.
- Varanasi, U., E. Casillas, M. R. Arkoosh, T. Hom, D. A. Misitano, D. W. Brown, S-L. Chan, T. K. Collier, B. B. McCain, and J. E. Stein. 1993. Contaminant exposure and associated biological effects in juvenile chinook salmon (*Oncorhynchus tshawytscha*) from urban and nonurban estuaries of Puget Sound. NOAA Technical Memorandum NMFS NWFS 8.
- Varanasi, U., J. E. Stein, W. L. Reichert, K. L. Tilbury, M. M. Krahn, and S. L. Chan. 1992. Chlorinated aromatic hydrocarbons in bottom sediments, fish and marine mammals in U.S. coastal waters; laboratory and field studies of metabolism and accumulation. *Pages 83-115* In: *Persistent Pollutants in Marine Ecosystems*. C.H. Walker and D.R. Livingstone, editors.
- WADNR. 2000. Changing our water ways. Trends in Washington's water systems. Washington Department of Natural Resources, Olympia, WA.
- Wallace, M. and B. W. Collins. 1997. Variation in use of the Klamath River Estuary by juvenile chinook salmon. *California Fish and Game* 83(4):132-143.
- Walter, Katie. August 13, 1999. Ecologist, Shannon and Wilson, Inc. Pers. comm.
- Warner, E. J., and R. L. Fritz. 1995. The distribution and growth of Green River chinook salmon (*Oncorhynchus tshawytscha*) and chum salmon (*Oncorhynchus keta*) outmigrants in the Duwamish Estuary as a function of water quality and substrate. Muckleshoot Indian Tribe, Auburn, Washington.
- Washington Department of Fish and Wildlife and Western Washington Treaty Indian Tribes. 1994. 1992 Washington State salmon and steelhead stock inventory (SASSI).

- Appendix 1, Puget Sound stocks, north Puget Sound volume. WDFW and WWTIT, Olympia.
- Washington Department of Fish and Wildlife. 1992. Salmon and steelhead stock inventory (SaSSI), "Bluebook." Washington Department of Fish and Wildlife, Olympia, Washington. 210 pp.
- Washington Department of Fish and Wildlife. 1998. Salmonid stock inventory (SaSI), bull trout and Dolly Varden volume. Washington Department of Fish and Wildlife, Olympia, Washington. 437 pp.
- Washington Department of Fisheries. 1992. Salmon, marine fish, and shellfish resources and associated fisheries in Washington's coastal and inland marine waters. Technical Report Number 79, revised.
- Washington Department of Natural Resources. 1999. Shorezone inventory (1999). Olympia, Washington.
- Washington State Department of Ecology. 1979. Coastal zone atlas of Washington. Volume 6, King County. WSDOE No. DOE-77-21-6.
- Washington State Department of Ecology. 1991. Net shore-drift in Washington State: Volume 3, Central Puget Sound Region. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.
- Washington State Department of Ecology. 1996. Sediment management standards contaminated sediment site list. WDOE, Olympia.
- Washington State Department of Ecology. 1998. Resource manual for pollution prevention in marinas. Olympia, Washington.
- Watson, G., and S. Toth. 1994. Limiting factors analysis for salmonid fish stocks in the Plum Creek Habitat Conservation Plan (HCP) areas. Report prepared by Plum Creek, Seattle, Washington.
- Watts, J. G. 1987. Physical and biological impacts of bulkheads on North Carolina's estuarine shoreline. Division of Coastal Management, North Carolina Department of Environment, Health, and Natural Resources.
- Weitkamp, D. E. 1982. Juvenile chum and chinook salmon behavior at Terminal 91, Seattle, Washington. Prepared for Port of Seattle. Parametrix, Inc.
- Weitkamp, D. E. 1991. Epibenthic zooplankton production and fish distribution at selected pier apron and adjacent non-apron sites in Commencement Bay, Washington. Prepared for the Port of Tacoma, Washington, by Parametrix, Seattle, Washington.
- Weitkamp, D. E. 2000. Young salmon in estuarine habitats draft review. Parametrix, Inc. Kirkland, Washington.

- Weitkamp, D. E., and R. F. Campbell. 1980. Port of Seattle Terminal 107 fisheries study. Prepared for the Port of Seattle Planning and Research Department, Seattle, Washington, Document No. 80-1229-026F, by Parametrix, Inc., Bellevue, Washington.
- Weitkamp, D. E., and T. H. Schadt. 1982. 1980 juvenile salmonid study. Prepared for the Port of Seattle, Document No. 82-0415-012F, by Parametrix, Inc., Bellevue, Washington.
- Weitkamp, D., and P. Farley. 1976. Juvenile salmonid observations, 1976 Port of Seattle. Report by Parametrix, Inc. Pages M-1 to M-15 In: Final EIS proposed Terminal 37 expansion project. Port of Seattle, Washington.
- Weitkamp, L. A., T. C. Wainwright, G. J. Bryant, G. B. Milner, D. J. Teel, R. G. Kope, and R. S. Waples. 1995. Status review of coho salmon from Washington, Oregon, and California. NOAA Technical Memorandum NMFS-NWFSC-24. National Oceanic and Atmospheric Administration.
- Welch, E. B. 1968. Phytoplankton and related water quality conditions in an enriched estuary. *Journal of Water Pollution Control Fed.* 40(10):1711-1727.
- Welch, E. B. 1969. Factors inhibiting phytoplankton blooms and resulting effects on dissolved oxygen in Duwamish River Estuary, Seattle, Washington. USGS Water Supply Paper No. 1873-A. United States Geological Survey.
- Welch, E. B. and G. W. Isaac. 1967. Chlorophyll variation with tide and with plankton productivity in an estuary. *Journal of Water Pollution Control Fed.* 39:360-366.
- Wenger, S. 1999. A review of the scientific literature on riparian buffer width, extent, and vegetation. Office of Public Service and Outreach, Institute of Ecology, University of Georgia.
- West, J. E. 1997. Protection and restoration of marine life in the inland waters of Washington State. (Puget Sound/Georgia Basin Environmental Report Series: Number 6) Washington Work Group on Protecting Marine Life, Puget Sound/Georgia Basin International Task Force.
- West, J. E., R. M. Buckley, D. C. Doty, and B. E. Bookheim. 1995. Ecology and habitat use of juvenile rockfishes (*Sebastes* spp.) associated with artificial nursery habitats in Puget Sound, Washington. In: Proceedings of Puget Sound Research. 1995. pp. 191-202. Puget Sound Water Quality Authority, Seattle, Washington.
- Weston (Roy F. Weston, Inc.). 1993. Remedial investigation report, Harbor Island. Part 2-Sediment, Volume II-Appendices. Prepared for the U.S. Environmental Protection Agency, Region X, Seattle, Washington, by Weston, Seattle, Washington.
- Weston (Roy F. Weston, Inc.). 1998. Draft feasibility study, Pacific Sound Resources, marine sediment unit, Seattle, Washington. Prepared for the U.S. Environmental Protection Agency, Region X, Seattle, Washington, by Weston, Seattle, Washington.

- Weston (Roy F. Weston, Inc.). 1999. Site inspection report, Lower Duwamish River (RK 2.5 to 11.5), Seattle, Washington. Volume 1-Report and Appendices. Prepared for the U.S. Environmental Protection Agency, Region 10, Seattle, Washington, by Weston, Seattle, Washington.
- Whyte, J. N. C. and J. R. Englar. 1980. Seasonal variation in the inorganic constituents of the marine alga *Nereocystis luetkeana*. Part II, non-metallic elements. *Botanica Marina* XXIII:19-24.
- Williams, A. B., L.G. Abele, D. L. Felder, H.H. Hobbs, Jr., R.B. Manning, P.A. McLaughlin, and I. Perez Farfante. 1988. Common and scientific names of aquatic invertebrates from the United States and Canada: decapod crustaceans. American Fisheries Society Special Publication 17.
- Williams, G. D. 1994. Effects of habitat modification on distribution and diets of intertidal fishes in Grays Harbor Estuary, Washington. M.S. Thesis. School of Fisheries, University of Washington, Seattle, Washington. 53 pp.
- Williams, G. D. and R. M. Thom. In prep. Marine and estuarine shoreline modification issues. Prepared for the Washington State Department of Transportation, (Draft).
- Williams, R. W., R. M. Laramie, and J.J. Ames. November 1975. A catalog of Washington streams and salmon utilization. Volume 1. Washington Department of Fisheries. Olympia, Wash.
- Wilson, D., and P. Romberg. 1995. Elliott Bay/Duwamish restoration program: Pier 52-55 sediment cap and enhanced natural recovery area remediation project, 1993 data. Prepared for the Elliott Bay/Duwamish Restoration Program Panel by the King County Department of Metropolitan Services, Seattle, Washington.
- Wilson, R.C.H., R.J. Beamish, Fran Aitkens and J. Bell (eds.). 1994. Review of the marine environment and biota of Strait of Georgia, Puget Sound and Juan de Fuca Strait: Proceedings of the BC/Washington Symposium on the Marine Environment, Jan. 13 & 14, 1994. *Can. Tech. Rep. Fish. Aquat. Sci.* 1948: 398p.
- Winter, D. F., K. Banse, and G. C. Anderson. 1975. The dynamics of phytoplankton blooms in Puget Sound, a fjord in the northwestern United States. *Marine Biology* 29:139-176.
- Wissmar, R. C. and C. A. Simenstad. 1998. Variability of riverine and estuarine ecosystem productivity for supporting Pacific salmon. Change in Pacific Northwest Coastal Ecosystems: A NOAA Decision Analysis Series Report. http://www.pncers.org/pdfs/cpnce_Ch6.pdf
- Woodruff, D. L., P. Farley, A. Borde, J. Southard, and R. Thom. 2000. King County nearshore habitat mapping data report: Picnic Point to Shilshole Bay Marina. Prepared for King County Department of Natural Resources. Seattle, Washington.
- Word, J. Q. 1990. The infaunal trophic index, a functional approach to benthic community

analyses. Doctoral Dissertation. University of Washington, Seattle, Washington. 237 pp. plus appendices.

Word, J. Q. and C. C. Ebbesmeyer. 1984. Renton sewage treatment plant project: Seahurst baseline study. Volume XI, Section 14: The influence of floatable materials from treated sewage effluents on shorelines. FRI-UW-8413. Fisheries Research Institute, School of Fisheries, University of Washington, Seattle, Washington.

Word, J. Q., P. L. Striplin, and K. K. Chew. 1981. Richmond Beach sewage outfall survey: A survey of benthic subtidal communities. Report to the Municipality of Metropolitan Seattle, Seattle, Washington.

Yoshinaka, M. S. and N. J. Ellifrit. 1974. Hood Canal - Priorities for tomorrow: An initial report on fish and wildlife, developmental aspects and planning considerations for Hood Canal, Washington. U.S. Department of the Interior, Fish and Wildlife Service, Portland, Oregon. 80 pp.

Zelo, I., H. Shipman and J. Brennan. 2000. Alternative bank protection methods for Puget Sound shorelines. Shorelands and Environmental Assistance Program, Washington Department of Ecology, Olympia, Washington. 130 pp.