

Table A-10 2001 Beach Water Monitoring
Total Metals (mg/L) (page 1 of 6)

Station	Date	Antimony		Arsenic		Beryllium		Cadmium		Chromium	
		Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
ITBOEINGCR	21-Mar-01	<RDL	0.000052		0.00113	<MDL	0.000015		0.0000726		0.000326
	26-Jun-01	H,TA	0.0000697		0.00107	<MDL	0.0000083		0.0000576		0.000302
	19-Sep-01		0.0000908		0.00109	<MDL	0.000015		0.0000589		0.000406
	19-Dec-01		0.0000562		0.00124	--	--		0.00006655		0.001215
ITBRACKETT	21-Mar-01	<RDL	0.00006		0.00109	<MDL	0.000015		0.0000828		0.000748
	26-Jun-01	H,TA	0.0000995		0.00097	<MDL	0.0000057		0.0000626	<RDL	0.00018
	19-Sep-01		0.00012		0.00105	<MDL	0.000015		0.0000663		0.000286
	19-Dec-01		0.0000737		0.0011	--	--		0.0000592	<RDL	0.00016
ITCARKEEKP	16-Jan-01	<RDL	0.000055		0.00107	<MDL	0.000015		0.0000693	<RDL	0.00018
	26-Feb-01	<RDL	0.00002		0.00136	<MDL	0.000015		0.0000749		0.00201
	21-Mar-01	<RDL	0.000032		0.00115	<MDL	0.000015		0.0000793		0.0015
	26-Jun-01	H,TA	0.00008655		0.00105	<MDL	0.0000064		0.00006445		0.000263
	19-Sep-01		0.0000895		0.00108	<MDL	0.000015		0.000071		0.000681
ITEDWARDSPT	19-Dec-01		0.0000594		0.000975	--	--		0.0000464	<RDL	0.00019
	16-Jan-01	<RDL	0.000064		0.00106	<MDL	0.000015		0.0000695	<RDL	0.0002
	26-Feb-01	<RDL	0.000061		0.00104	<MDL	0.000015		0.0000652	<RDL	0.00016
	21-Mar-01	<RDL	0.000059		0.00109	<MDL	0.000015		0.0000714		0.000669
	26-Jun-01	H,TA	0.0000875		0.000971	<MDL	0.0000065		0.0000609		0.000241
ITMEADOWBP	19-Sep-01		0.0000805		0.00101	<MDL	0.000015		0.0000585		0.000494
	19-Dec-01		0.0000722		0.00116	--	--		0.0000638		0.00035
	16-Jan-01	<RDL	0.00006		0.00104	<MDL	0.000015		0.0000667		0.000261
	26-Feb-01	<RDL	0.000061		0.00107	<MDL	0.000015		0.0000657	<RDL	0.00016
	21-Mar-01	<RDL	0.000054		0.00113	<MDL	0.000015		0.0000683		0.000238
	26-Jun-01	H,TA	0.000087		0.000965	<MDL	0.0000059		0.0000661	<RDL	0.00019
	19-Sep-01		0.0000808		0.00089	<MDL	0.000015		0.0000612		0.000283
	19-Dec-01		0.0000675		0.0011	--	--		0.0000665		0.000482

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination

Table A-10 2001 Beach Water Monitoring
Total Metals (mg/L) (page 2 of 6)

Station	Date	Cobalt		Copper		Lead		Mercury		Nickel	
		Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
ITBOEINGCR	21-Mar-01		0.0000628		0.000561		0.0000831		0.000000563		0.000637
	26-Jun-01	--	--		0.000503		0.0000677	<RDL	0.00000046		0.000596
	19-Sep-01		0.000108		0.000582		0.000103		0.000000697		0.00088
	19-Dec-01	--	--		0.001235		0.0002125		0.000001365		0.001735
ITBRACKETT	21-Mar-01		0.000147		0.00117		0.00103		0.00000145		0.00105
	26-Jun-01	--	--		0.000509		0.00012		0.000000513		0.000442
	19-Sep-01		0.0000658		0.000701		0.000549		0.000000808		0.000586
	19-Dec-01	--	--		0.000423		0.0000981	<RDL	0.00000041		0.000465
ITCARKEEKP	16-Jan-01	<RDL	0.000024		0.000391	<RDL	0.000027	<RDL	0.00000027		0.000436
	26-Feb-01		0.000629		0.00212		0.000398		0.00000309		0.00341
	21-Mar-01		0.000376		0.0014		0.000282		0.00000181		0.00221
	26-Jun-01	--	--		0.0005155		0.00006175		0.000000573		0.000541
	19-Sep-01		0.000155		0.000688		0.000153	<RDL	0.00000047		0.00119
	19-Dec-01	--	--		0.00055		0.0000657		0.000000631		0.000487
ITEDWARDSPT	16-Jan-01		0.0000385		0.000426		0.0000427		0.00000101		0.000575
	26-Feb-01		0.0000295		0.000416		0.0000373		0.000000584		0.000433
	21-Mar-01		0.000114		0.00105		0.000153		0.000000725		0.00101
	26-Jun-01	--	--		0.000523		0.0000568		0.000000513		0.000481
	19-Sep-01		0.000113		0.000844		0.000139	<RDL	0.00000003		0.000834
	19-Dec-01	--	--		0.000517		0.000107		0.000000547		0.000576
ITMEADOWBP	16-Jan-01		0.0000405		0.000425		0.0000415		0.000000546		0.000546
	26-Feb-01	<RDL	0.000027		0.000411	<RDL	0.000033		0.00000178		0.000532
	21-Mar-01		0.0000327		0.000459	<RDL	0.000029		0.000000702		0.000477
	26-Jun-01	--	--		0.000444	<RDL	0.000022	<RDL	0.00000004		0.000421
	19-Sep-01		0.0000571		0.000412		0.0000515	<RDL	0.00000037		0.000628
	19-Dec-01	--	--		0.000575		0.000119		0.000000772		0.00083

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination

Table A-10 2001 Beach Water Monitoring
Total Metals (mg/L) (page 3 of 6)

Station	Date	Selenium		Silver		Thallium		Vanadium		Zinc	
		Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
ITBOEINGCR	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.000011		0.00155	B	0.000915
	26-Jun-01	<MDL	0.000096	<MDL	0.000037	<RDL	0.0000099		0.00148		0.000902
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000011		0.00165		0.000864
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--		0.00218
ITBRACKETT	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.000012		0.00205		0.00308
	26-Jun-01	<MDL	0.000093	<MDL	0.000033	<RDL	0.000011		0.0014		0.000766
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000098		0.00167		0.00121
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--		0.000768
ITCARKEEKP	16-Jan-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.00001		0.00136	<RDL	0.00062
	26-Feb-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000015		0.0031		0.00368
	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.000013		0.00254		0.00274
	26-Jun-01	<MDL	0.000125	<MDL	0.000041	<RDL	0.00001		0.001385	<RDL	0.0008125
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.00001		0.00172		0.00129
ITEDWARDSPT	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--		0.00093
	16-Jan-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.000011		0.00142		0.000914
	26-Feb-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.00001		0.00136	<RDL	0.00074
	21-Mar-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000011		0.0017		0.00271
	26-Jun-01	<MDL	0.00012	<MDL	0.00004	<RDL	0.000011		0.00138		0.000838
ITMEADOWBP	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.00001		0.0017		0.00104
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--		0.00106
	16-Jan-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000097		0.0014		0.000738
	26-Feb-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000009		0.00137		0.00103
	21-Mar-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.00001		0.00143	<RDL,B	0.00071
	26-Jun-01	<MDL	0.000096	<MDL	0.000039	<RDL	0.000011		0.00131	<RDL	0.00047
	19-Sep-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000096		0.00149	<RDL	0.00058
	19-Dec-01	<MDL	0.00015	<MDL	0.000083	--	--	--	--		0.00124

< **MDL** Result below method detection limit

< **RDL** Result above method detection limit but below reportable detection limit

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination

Table A-10 2001 Beach Water Monitoring
Total Metals (mg/L) (page 4 of 6)

Station	Date	Antimony		Arsenic		Beryllium		Cadmium		Chromium	
		Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
ITMUKILTSP	21-Mar-01	<RDL	0.000051		0.000949	<MDL	0.000015		0.0000537		0.0004
	26-Jun-01	H,TA	0.0000809		0.00093	<MDL	0.000006		0.0000614		0.000383
	19-Sep-01		0.0000947		0.00102	<MDL	0.000015		0.0000701	<RDL	0.00018
	19-Dec-01		0.0000636		0.00109	--	--		0.000059		0.000355
ITOEANAVE	21-Mar-01	<RDL	0.000036		0.001295	<RDL	0.000019		0.00010295		0.00218
	26-Jun-01	H,TA	0.0000877		0.00104	<MDL	0.0000039		0.0000638	<RDL	0.00018
	19-Sep-01		0.00008555		0.000997	<MDL	0.000015		0.00006525	<RDL	0.000237
	19-Dec-01		0.0000697		0.00116	--	--		0.0000695		0.000392
ITPICNICPT	21-Mar-01	<RDL	0.000053		0.000986	<MDL	0.000015		0.0000591	<RDL	0.0002
	26-Jun-01	H,TA	0.0000917		0.000936	<MDL	0.0000051		0.0000492		0.000229
	19-Sep-01		0.0000748		0.00104	<MDL	0.000015		0.0000656		0.000239
	19-Dec-01		0.0000595		0.00108	--	--		0.0000662		0.00104
JSVW04	21-Mar-01	<RDL	0.000049		0.00113	--	--		0.0000722		0.000626
	26-Jun-01	H,TA	0.0000811		0.00101	<RDL	0.000019		0.0000597		0.00102
	19-Sep-01		0.000085		0.00103	<MDL	0.000015		0.0000631		0.000541
	19-Dec-01		0.0000723		0.00117	--	--		0.0000629		0.000249
KSJX02	21-Mar-01	<RDL	0.000018		0.00154	<RDL	0.000029		0.000118		0.00457
	19-Sep-01		0.0000841		0.00108	<MDL	0.000015		0.0000645		0.000331
	19-Dec-01		0.0000725		0.00107	--	--		0.0000497	<RDL	0.00019
KSLU03	21-Mar-01	<RDL	0.000053		0.00112	<MDL	0.000015		0.0000746		0.000373
	26-Jun-01	H,TA	0.0000762		0.000966	<MDL	0.0000047		0.0000529		0.000246
	19-Sep-01		0.0000853		0.00104	<MDL	0.000015		0.0000577	<RDL	0.00018
	19-Dec-01		0.000059		0.000957	--	--		0.0000387	<RDL	0.0002
KSQU01	21-Mar-01	<RDL	0.000056		0.000871	<MDL	0.000015		0.0000457	<RDL	0.00018
	26-Jun-01	H,TA	0.0000892		0.000898	<MDL	0.0000053		0.0000414	<RDL	0.00014
	19-Sep-01		0.000107		0.000943	<MDL	0.000015		0.0000351	<RDL	0.00013
	19-Dec-01	<RDL	0.000048		0.000681	--	--		0.0000286	<RDL	0.00014

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination

Table A-10 2001 Beach Water Monitoring
Total Metals (mg/L) (page 5 of 6)

Station	Date	Cobalt		Copper		Lead		Mercury		Nickel	
		Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
ITMUKILTSP	21-Mar-01		0.000111		0.000721		0.000075		0.000000838		0.0008
	26-Jun-01	--	--		0.000675		0.0000978		0.000000955		0.000672
	19-Sep-01		0.0000415		0.000508		0.0000479	<RDL	0.0000003		0.000471
	19-Dec-01	--	--		0.000537		0.0000607		0.000000547		0.000704
ITOEANAVE	21-Mar-01		0.000456		0.00216		0.0012235		0.00000466		0.0025
	26-Jun-01	--	--		0.000452	<RDL	0.000034	<RDL	0.00000047		0.000411
	19-Sep-01		0.00004375		0.0004685		0.000089	<RDL	0.000000415		0.00046
	19-Dec-01	--	--		0.000569		0.000203		0.00000168		0.000667
ITPICNICPT	21-Mar-01		0.0000603		0.000446		0.0000428		0.000000647		0.000562
	26-Jun-01	--	--		0.000513		0.000045		0.0000008		0.00049
	19-Sep-01		0.0000506		0.000483		0.0000452	<RDL	0.00000037		0.000519
	19-Dec-01	--	--		0.00101		0.000315		0.00000131		0.00162
JSVW04	21-Mar-01		0.000142		0.00119		0.0007		0.00000129		0.000991
	26-Jun-01	--	--		0.00103		0.00115	<RDL	0.00000046		0.00148
	19-Sep-01		0.0000877		0.000779		0.00046		0.00000214		0.000791
	19-Dec-01	--	--		0.00052		0.0000621	<RDL	0.00000046		0.000507
KSJX02	21-Mar-01		0.000972		0.00417		0.00237		0.00000461		0.00529
	19-Sep-01		0.000075		0.000499		0.0000862	<RDL	0.00000024		0.000761
	19-Dec-01	--	--		0.000622		0.000055	<RDL	0.00000044		0.000456
KSLU03	21-Mar-01		0.0000788		0.00059		0.00015		0.0000013		0.000732
	26-Jun-01	--	--		0.00208		0.0000762		0.000000567		0.000512
	19-Sep-01		0.0000332		0.00201		0.0000632	<RDL	0.00000035		0.000434
	19-Dec-01	--	--		0.00197		0.0000628	<RDL	0.00000046		0.000448
KSQU01	21-Mar-01	<RDL	0.00002		0.00185		0.0000731		0.000000603		0.000446
	26-Jun-01	--	--		0.00174		0.0000566		0.000000543		0.000425
	19-Sep-01	--	--		0.00239		0.0000799	RDL	0.0000005		0.000378
	19-Dec-01	--	--		0.000749		0.0000537	<RDL	0.00000043		0.000407

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination

Table A-10 2001 Beach Water Monitoring
Total Metals (mg/L) (page 6 of 6)

Station	Date	Selenium		Silver		Thallium		Vanadium		Zinc	
		Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value
ITMUKILTSP	21-Mar-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000085		0.00132	B	0.000934
	26-Jun-01	<MDL	0.000083	<MDL	0.000038	<RDL	0.0000099		0.00138		0.00113
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000094		0.00133		0.000842
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--		0.000954
ITOEANAVE	21-Mar-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000016		0.00354		0.00552
	26-Jun-01	<MDL	0.00014	<MDL	0.00004	<RDL	0.0000094		0.00128	<RDL	0.00061
	19-Sep-01	<MDL	0.00015	<MDL	0.0000595	<RDL	0.0000096		0.00142		0.000782
	19-Dec-01	<MDL	0.00015	<MDL	0.000083	--	--	--	--		0.00125
ITPICNICPT	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000091		0.00133	<RDL,B	0.0007
	26-Jun-01	<MDL	0.00012	<MDL	0.000037	<RDL	0.000011		0.00131	<RDL	0.00053
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000085		0.00148	<RDL	0.00064
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--		0.00226
JSVW04	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.000012		0.00182	B	0.00167
	26-Jun-01	<MDL	0.000071	<MDL	0.000031	<RDL	0.000012		0.00262		0.00302
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.000011		0.00162		0.00102
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--		0.00128
KSJX02	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.00002		0.00496		0.00968
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.00001		0.0015		0.000748
	19-Dec-01	<MDL	0.00015	<MDL	0.000083	--	--	--	--		0.00102
KSLU03	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.000011		0.00162	B	0.00126
	26-Jun-01	<MDL	0.00012	<MDL	0.000036	<RDL	0.0000089		0.00125		0.0035
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000088		0.00122		0.00293
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--		0.00406
KSQU01	21-Mar-01	<MDL	0.00015	<MDL	0.000059	<RDL	0.0000071		0.000895		0.00272
	26-Jun-01	<MDL	0.000082	<MDL	0.000042	<RDL	0.0000064		0.000898		0.00241
	19-Sep-01	<MDL	0.00015	<MDL	0.00006	<RDL	0.0000062		0.000891		0.00339
	19-Dec-01	<MDL	0.00015	<MDL	0.000084	--	--	--	--		0.00112

< MDL Result below method detection limit

< RDL Result above method detection limit but below reportable detection limit

B Method blank above MDL. The analyte concentration in the sample may include laboratory contamination