



DRAFT

## **APPENDIX F**

### **Temporary Erosion and Sediment Control Plan**

**SEC'S 8, 17 TWP. 24 N., RGE. 06 E, W.M.**




**SITE PREPARATION NOTES:**

- 1 REMOVE AND SALVAGE CHAIN LINK FENCE.
- 2 REMOVE AND SALVAGE SIGN.
- 3 REMOVE AND SALVAGE SPLIT RAIL FENCE.
- 4 REMOVAL OF STRUCTURE AND OBSTRUCTION.
- 5 REMOVE AND SALVAGE WOOD GUARDRAILS.
- 6 REMOVE AND SALVAGE CHAIN LINK GATE.
- 7 REMOVE AND SALVAGE TRASH BAG DISPENSER.  
SEE PS SHEETS.
- 8 RELOCATE TRASH CAN. SEE PS SHEETS.
- 9 PRUNE TREE FOR 10' VERTICAL CLEARANCE PER  
ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED  
PRIOR TO PRUNING.
- 10 REMOVE TREE WITHIN CLEARING AND GRUBBING LIMITS.
- 11 REMOVE TREE OUTSIDE OF CLEARING AND GRUBBING  
LIMITS PER ARBORISTS' ASSESSMENT. TREE SHALL BE  
FLAGGED PRIOR TO REMOVAL.
- 12 RETAIN TREE WITHIN CLEARING AND GRUBBING  
LIMITS PER ARBORISTS' ASSESSMENT.
- 13 PRUNE TREE ROOT PER ARBORISTS' ASSESSMENT.  
TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 14 REMOVE DEAD STEM.
- 15 MONITOR TREE, BY ARBORISTS.
- 16 INSTALL TEMPORARY SAFETY FENCE. SEE SPECIAL  
PROVISIONS.
- 17 REMOVE ALL BRANCHES AND LEAVE 18' TALL TRUNK  
AS HABITAT SNAG.
- 18 ADJUST WATER VALVE TO FINISHED GRADE.
- 19 ADJUST WATER LINES.
- 20 RELOCATE SIGN. SEE PS SHEETS FOR NEW LOCATION.
- 21 ADJUST WATER METER TO FINISHED GRADE.
- 22 ADJUST CATCH BASIN TO FINISHED GRADE.

**TESC NOTES:**

- 1 CHECK DAMS ON CHANNELS, PER WSDOT STANDARD DETAIL I-50.20-01. USE BIODEGRADABLE CHECK DAMS.
- 2 HIGH VISIBILITY SILT FENCE (WITH BACKUP SUPPORT) PER WSDOT STANDARD DETAIL I-30.16-00.
- 3 HIGH VISIBILITY FENCE PER WSDOT STANDARD DETAIL I-10.10-01.
- 4 STORM DRAIN INLET PROTECTION, PER WSDOT STANDARD DETAIL I-40.20-00.
- 5 SANDBAG DAM.
- 6 STABILIZED CONSTRUCTION ENTRANCE, PER WSDOT STANDARD DETAIL I-80.10-01.
- 7 TEMPORARILY BYPASS & DEWATER JURISDICTIONAL DITCH DURING VAULT CONSTRUCTION.

**LEGEND:**



**GENERAL NOTE:**

1. NO STAGING OR STOCKPILING WITHIN CRITICAL AREA BUFFERS, OR WITHIN THE VICINITY OF BALD EAGLE BREEDING AREA FROM STA 216+50 TO STA 226+75.


CITY OF SAMMAMISH APPROVAL	
City Engineer _____	Date _____
Community Development _____	Date _____

**90 % REVIEW SUBMITTAL**  
NOT FOR CONSTRUCTION

<div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="border-top: 1px solid black; border-bottom: 1px solid black; width: 10px; height: 10px; margin: 0 auto;"></div> </div>	REVISIONS	DATE	BY	DESIGNED J. JUN / C. BUITRAGO
				DRAWN B. PURGANAN
				CHECKED Y. HO
				APPROVED

**ONE INCH AT FULL SCALE.  
IF NOT, SCALE ACCORDINGLY**

FILE NAME
BL1521075P20T03SP-01
JOB No.
554-1521-075 P20T03
DATE
DECEMBER 2014



**Parametrix**  
ENGINEERING . PLANNING . ENVIRONMENTAL SCIENCES

719 2ND AVENUE, SUITE 200 | SEATTLE, WA 98104  
P 206.394.3700  
WWW.PARAMETRIX.COM

PROJECT NAME

**EAST LAKE SAMMAMISH  
MASTER PLAN TRAIL  
SOUTH SAMMAMISH SEGMENT A**



SAMMAMISH, WA

## SITE PREPARATION AND TESC PLAN

SHEET NO.  
7 OF 79

## SP1





**SITE PREPARATION NOTES:**

- 1 REMOVE AND SALVAGE CHAIN LINK FENCE.
- 2 REMOVE AND SALVAGE SIGN.
- 3 REMOVE AND SALVAGE SPLIT RAIL FENCE.
- 4 REMOVAL OF STRUCTURE AND OBSTRUCTION.
- 5 REMOVE AND SALVAGE WOOD GUARDRAILS.
- 6 REMOVE AND SALVAGE CHAIN LINK GATE.
- 7 REMOVE AND SALVAGE TRASH BAG DISPENSER. SEE PS SHEETS.
- 8 RELOCATE TRASH CAN. SEE PS SHEETS.
- 9 PRUNE TREE FOR 10' VERTICAL CLEARANCE PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 10 REMOVE TREE WITHIN CLEARING AND GRUBBING LIMITS.
- 11 REMOVE TREE OUTSIDE OF CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO REMOVAL.
- 12 RETAIN TREE WITHIN CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT.
- 13 PRUNE TREE ROOT PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 14 REMOVE DEAD STEM.
- 15 MONITOR TREE, BY ARBORISTS.
- 16 INSTALL TEMPORARY SAFETY FENCE. SEE SPECIAL PROVISIONS.
- 17 REMOVE ALL BRANCHES AND LEAVE 18' TALL TRUNK AS HABITAT SNAG.
- 18 ADJUST WATER VALVE TO FINISHED GRADE.
- 19 ADJUST WATER LINES.
- 20 RELOCATE SIGN. SEE PS SHEETS FOR NEW LOCATION.
- 21 ADJUST WATER METER TO FINISHED GRADE.
- 22 ADJUST CATCH BASIN TO FINISHED GRADE.

**TESC NOTES:**

- 1 CHECK DAMS ON CHANNELS, PER WSDOT STANDARD DETAIL I-50.20-01. USE BIODEGRADABLE CHECK DAMS.
- 2 HIGH VISIBILITY SILT FENCE (WITH BACKUP SUPPORT) PER WSDOT STANDARD DETAIL I-30.16-00.
- 3 HIGH VISIBILITY FENCE PER WSDOT STANDARD DETAIL I-10.10-01.
- 4 STORM DRAIN INLET PROTECTION, PER WSDOT STANDARD DETAIL I-40.20-00.
- 5 SANDBAG DAM.
- 6 STABILIZED CONSTRUCTION ENTRANCE, PER WSDOT STANDARD DETAIL I-80.10-01.
- 7 TEMPORARILY BYPASS & DEWATER JURISDICTIONAL DITCH DURING VAULT CONSTRUCTION.

**LEGEND:**

- REMOVE EXISTING GRAVEL SURFACE
- REMOVE ASPHALT PAVEMENT
- INLET PROTECTION
- STABILIZED CONSTRUCTION ENTRANCE

**GENERAL NOTE:**

1. NO STAGING OR STOCKPILING WITHIN CRITICAL AREA BUFFERS, OR WITHIN THE VICINITY OF BALD EAGLE BREEDING AREA FROM STA 216+50 TO STA 226+75.

CITY OF SAMMAMISH APPROVAL	
City Engineer _____	Date _____
Community Development _____	Date _____


**90 % REVIEW SUBMITTAL  
NOT FOR CONSTRUCTION**

LAYOUT: SP2  
PATH: C:\PMX\Temp\Pub\Pub\_3108\ PLOTTED BY: buitrage DATE: Friday, December 19, 2014 10:56:45 AM

REVISIONS	DATE	BY	DESIGNED
			J. JUN / C. BUITRAGO
			DRAWN
			B. PURGANAN
			CHECKED
			Y. HO
			APPROVED

**ONE INCH AT FULL SCALE.  
IF NOT, SCALE ACCORDINGLY.**

FILE NAME: BL152107SP20T03SP-01  
JOB No.: 554-1521-075 P20T03  
DATE: DECEMBER 2014



**Parametrix**  
ENGINEERING · PLANNING · ENVIRONMENTAL SCIENCES

719 2ND AVENUE, SUITE 200 | SEATTLE, WA 98104  
P 206.394.3700  
WWW.PARAMETRIX.COM

PROJECT NAME

**EAST LAKE SAMMAMISH  
MASTER PLAN TRAIL  
SOUTH SAMMAMISH SEGMENT A**


SAMMAMISH, WA

**SITE PREPARATION AND  
TESC PLAN**

SHEET NO.  
18 OF 79

**SP2**





## SITE PREPARATION NOTES:

- 1 REMOVE AND SALVAGE CHAIN LINK FENCE.
- 2 REMOVE AND SALVAGE SIGN.
- 3 REMOVE AND SALVAGE SPLIT RAIL FENCE.
- 4 REMOVAL OF STRUCTURE AND OBSTRUCTION.
- 5 REMOVE AND SALVAGE WOOD GUARDRAILS.
- 6 REMOVE AND SALVAGE CHAIN LINK GATE.
- 7 REMOVE AND SALVAGE TRASH BAG DISPENSER. SEE PS SHEETS.
- 8 RELOCATE TRASH CAN. SEE PS SHEETS.
- 9 PRUNE TREE FOR 10' VERTICAL CLEARANCE PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 10 REMOVE TREE WITHIN CLEARING AND GRUBBING LIMITS.
- 11 REMOVE TREE OUTSIDE OF CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO REMOVAL.
- 12 RETAIN TREE WITHIN CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT.
- 13 PRUNE TREE ROOT PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 14 REMOVE DEAD STEM.
- 15 MONITOR TREE, BY ARBORISTS.
- 16 INSTALL TEMPORARY SAFETY FENCE. SEE SPECIAL PROVISIONS.
- 17 REMOVE ALL BRANCHES AND LEAVE 18' TALL TRUNK AS HABITAT SNAG.
- 18 ADJUST WATER VALVE TO FINISHED GRADE.
- 19 ADJUST WATER LINES.
- 20 RELOCATE SIGN. SEE PS SHEETS FOR NEW LOCATION.
- 21 ADJUST WATER METER TO FINISHED GRADE.
- 22 ADJUST CATCH BASIN TO FINISHED GRADE.

## TESC NOTES:

- 1 CHECK DAMS ON CHANNELS, PER WSDOT STANDARD DETAIL 1-50.20-01. USE BIODEGRADABLE CHECK DAMS.
- 2 HIGH VISIBILITY SILT FENCE (WITH BACKUP SUPPORT) PER WSDOT STANDARD DETAIL 1-30.16-00.
- 3 HIGH VISIBILITY FENCE PER WSDOT STANDARD DETAIL 1-10.10-01.
- 4 STORM DRAIN INLET PROTECTION, PER WSDOT STANDARD DETAIL 1-40.20-00.
- 5 SANDBAG DAM.
- 6 STABILIZED CONSTRUCTION ENTRANCE, PER WSDOT STANDARD DETAIL 1-80.10-01.
- 7 TEMPORARILY BYPASS & DEWATER JURISDICTIONAL DITCH DURING VAULT CONSTRUCTION.

## LEGEND:

- REMOVE EXISTING GRAVEL SURFACE
- REMOVE ASPHALT PAVEMENT
- INLET PROTECTION
- STABILIZED CONSTRUCTION ENTRANCE

## GENERAL NOTE:

1. NO STAGING OR STOCKPILING WITHIN CRITICAL AREA BUFFERS, OR WITHIN THE VICINITY OF BALD EAGLE BREEDING AREA FROM STA 216+50 TO STA 226+75.

## CITY OF SAMMAMISH APPROVAL

City Engineer	Date
Community Development	Date

90 % REVIEW SUBMITTAL  
NOT FOR CONSTRUCTION


REVISIONS	DATE	BY	DESIGNED
			J. JUN / C. BUITRAGO
			DRAWN
			B. PURGANAN
			CHECKED
			Y. HO
			APPROVED

ONE INCH AT FULL SCALE.  
IF NOT, SCALE ACCORDINGLY.

FILE NAME  
BL152107SP20T03SP-01

JOB No.  
554-1521-075 P20T03

DATE  
DECEMBER 2014



**Parametrix**  
ENGINEERING · PLANNING · ENVIRONMENTAL SCIENCES

719 2ND AVENUE, SUITE 200 | SEATTLE, WA 98104  
P 206.394.3700  
WWW.PARAMETRIX.COM

PROJECT NAME

EAST LAKE SAMMAMISH  
MASTER PLAN TRAIL  
SOUTH SAMMAMISH SEGMENT A  
SAMMAMISH, WA



SITE PREPARATION AND  
TESC PLAN

SHEET NO.  
19 OF 79

SP3



SEC'S 8, 17 TWP. 24 N., RGE. 06 E, W.M.



**SITE PREPARATION NOTES:**

- 1 REMOVE AND SALVAGE CHAIN LINK FENCE.
- 2 REMOVE AND SALVAGE SIGN.
- 3 REMOVE AND SALVAGE SPLIT RAIL FENCE.
- 4 REMOVAL OF STRUCTURE AND OBSTRUCTION.
- 5 REMOVE AND SALVAGE WOOD GUARDRAILS.
- 6 REMOVE AND SALVAGE CHAIN LINK GATE.
- 7 REMOVE AND SALVAGE TRASH BAG DISPENSER. SEE PS SHEETS.
- 8 RELOCATE TRASH CAN. SEE PS SHEETS.
- 9 PRUNE TREE FOR 10' VERTICAL CLEARANCE PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 10 REMOVE TREE WITHIN CLEARING AND GRUBBING LIMITS.
- 11 REMOVE TREE OUTSIDE OF CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO REMOVAL.
- 12 RETAIN TREE WITHIN CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT.
- 13 PRUNE TREE ROOT PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 14 REMOVE DEAD STEM.
- 15 MONITOR TREE, BY ARBORISTS.
- 16 INSTALL TEMPORARY SAFETY FENCE. SEE SPECIAL PROVISIONS.
- 17 REMOVE ALL BRANCHES AND LEAVE 18' TALL TRUNK AS HABITAT SNAG.
- 18 ADJUST WATER VALVE TO FINISHED GRADE.
- 19 ADJUST WATER LINES.
- 20 RELOCATE SIGN. SEE PS SHEETS FOR NEW LOCATION.
- 21 ADJUST WATER METER TO FINISHED GRADE.
- 22 ADJUST CATCH BASIN TO FINISHED GRADE.

**TESC NOTES:**

- 1 CHECK DAMS ON CHANNELS, PER WSDOT STANDARD DETAIL I-50.20-01. USE BIODEGRADABLE CHECK DAMS.
- 2 HIGH VISIBILITY SILT FENCE (WITH BACKUP SUPPORT) PER WSDOT STANDARD DETAIL I-30.16-00.
- 3 HIGH VISIBILITY FENCE PER WSDOT STANDARD DETAIL I-10.10-01.
- 4 STORM DRAIN INLET PROTECTION, PER WSDOT STANDARD DETAIL I-40.20-00.
- 5 SANDBAG DAM.
- 6 STABILIZED CONSTRUCTION ENTRANCE, PER WSDOT STANDARD DETAIL I-80.10-01.
- 7 TEMPORARILY BYPASS & DEWATER JURISDICTIONAL DITCH DURING VAULT CONSTRUCTION.

**LEGEND:**

- REMOVE EXISTING GRAVEL SURFACE
- REMOVE ASPHALT PAVEMENT
- INLET PROTECTION
- STABILIZED CONSTRUCTION ENTRANCE

**GENERAL NOTE:**

1. NO STAGING OR STOCKPILING WITHIN CRITICAL AREA BUFFERS, OR WITHIN THE VICINITY OF BALD EAGLE BREEDING AREA FROM STA 216+50 TO STA 226+75.


CITY OF SAMMAMISH APPROVAL	
City Engineer	Date
Community Development	Date

**90 % REVIEW SUBMITTAL**  
**NOT FOR CONSTRUCTION**

LAYOUT: SP4  
PATH: C:\PMX\Temp\Publish\_3108\ PLOTTED BY: buitrage DATE: Friday, December 19, 2014 10:57:15 AM

REVISIONS	DATE	BY	DESIGNED
			J. JUN / C. BUITRAGO
			DRAWN
			B. PURGANAN
			CHECKED
			Y. HO
			APPROVED

ONE INCH AT FULL SCALE.  
IF NOT, SCALE ACCORDINGLY.  
FILE NAME  
BL1521075P20T03SP-01  
JOB No.  
554-1521-075 P20T03  
DATE  
DECEMBER 2014



**Parametrix**  
ENGINEERING · PLANNING · ENVIRONMENTAL SCIENCES  
719 2ND AVENUE, SUITE 200 | SEATTLE, WA 98104  
P 206.394.3700  
WWW.PARAMETRIX.COM


PROJECT NAME  
**EAST LAKE SAMMAMISH  
MASTER PLAN TRAIL  
SOUTH SAMMAMISH SEGMENT A**  
SAMMAMISH, WA

**SITE PREPARATION AND  
TESC PLAN**

SHEET NO.  
20 OF 79  
**SP4**







SITE PREPARATION NOTES:

- 1 REMOVE AND SALVAGE CHAIN LINK FENCE.
- 2 REMOVE AND SALVAGE SIGN.
- 3 REMOVE AND SALVAGE SPLIT RAIL FENCE.
- 4 REMOVAL OF STRUCTURE AND OBSTRUCTION.
- 5 REMOVE AND SALVAGE WOOD GUARDRAILS.
- 6 REMOVE AND SALVAGE CHAIN LINK GATE.
- 7 REMOVE AND SALVAGE TRASH BAG DISPENSER. SEE PS SHEETS.
- 8 RELOCATE TRASH CAN. SEE PS SHEETS.
- 9 PRUNE TREE FOR 10' VERTICAL CLEARANCE PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 10 REMOVE TREE WITHIN CLEARING AND GRUBBING LIMITS.
- 11 REMOVE TREE OUTSIDE OF CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO REMOVAL.
- 12 RETAIN TREE WITHIN CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT.
- 13 PRUNE TREE ROOT PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 14 REMOVE DEAD STEM.
- 15 MONITOR TREE, BY ARBORISTS.
- 16 INSTALL TEMPORARY SAFETY FENCE. SEE SPECIAL PROVISIONS.
- 17 REMOVE ALL BRANCHES AND LEAVE 18' TALL TRUNK AS HABITAT SNAG.
- 18 ADJUST WATER VALVE TO FINISHED GRADE.
- 19 ADJUST WATER LINES.
- 20 RELOCATE SIGN. SEE PS SHEETS FOR NEW LOCATION.
- 21 ADJUST WATER METER TO FINISHED GRADE.
- 22 ADJUST CATCH BASIN TO FINISHED GRADE.

TESC NOTES:

- 1 CHECK DAMS ON CHANNELS, PER WSDOT STANDARD DETAIL I-50.20-01. USE BIODEGRADABLE CHECK DAMS.
- 2 HIGH VISIBILITY SILT FENCE (WITH BACKUP SUPPORT) PER WSDOT STANDARD DETAIL I-30.16-00.
- 3 HIGH VISIBILITY FENCE PER WSDOT STANDARD DETAIL I-10.10-01.
- 4 STORM DRAIN INLET PROTECTION, PER WSDOT STANDARD DETAIL I-40.20-00.
- 5 SANDBAG DAM.
- 6 STABILIZED CONSTRUCTION ENTRANCE, PER WSDOT STANDARD DETAIL I-80.10-01.
- 7 TEMPORARILY BYPASS & DEWATER JURISDICTIONAL DITCH DURING VAULT CONSTRUCTION.

LEGEND:

- REMOVE EXISTING GRAVEL SURFACE
- REMOVE ASPHALT PAVEMENT
- INLET PROTECTION
- STABILIZED CONSTRUCTION ENTRANCE

GENERAL NOTE:

1. NO STAGING OR STOCKPILING WITHIN CRITICAL AREA BUFFERS, OR WITHIN THE VICINITY OF BALD EAGLE BREEDING AREA FROM STA 216+50 TO STA 226+75.

CITY OF SAMMAMISH APPROVAL	
City Engineer _____	Date _____
Community Development _____	Date _____

90 % REVIEW SUBMITTAL  
NOT FOR CONSTRUCTION

LAYOUT: SP6  
PATH: C:\PMX\Temp\acPublish\_3108\ PLOTTED BY: buitraca DATE: Friday, December 19, 2014 10:57:37 AM

REVISIONS	DATE	BY	DESIGNED
			J. JUN / C. BUITRAGO
			DRAWN
			B. PURGANAN
			CHECKED
			Y. HO
			APPROVED

ONE INCH AT FULL SCALE.  
IF NOT, SCALE ACCORDINGLY

FILE NAME  
BL1521075P20T03SP-01

JOB No.  
554-1521-075 P20T03

DATE  
DECEMBER 2014



**Parametrix**  
ENGINEERING . PLANNING . ENVIRONMENTAL SCIENCES

719 2ND AVENUE, SUITE 200 | SEATTLE, WA 98104  
P 206.394.3700  
WWW.PARAMETRIX.COM

PROJECT NAME


**EAST LAKE SAMMAMISH  
MASTER PLAN TRAIL  
SOUTH SAMMAMISH SEGMENT A**

SAMMAMISH, WA

**SITE PREPARATION AND  
TESC PLAN**

SHEET NO.  
22 OF 79

**SP6**



SITE PREPARATION NOTES:

- 1 REMOVE AND SALVAGE CHAIN LINK FENCE.
- 2 REMOVE AND SALVAGE SIGN.
- 3 REMOVE AND SALVAGE SPLIT RAIL FENCE.
- 4 REMOVAL OF STRUCTURE AND OBSTRUCTION.
- 5 REMOVE AND SALVAGE WOOD GUARDRAILS.
- 6 REMOVE AND SALVAGE CHAIN LINK GATE.
- 7 REMOVE AND SALVAGE TRASH BAG DISPENSER. SEE PS SHEETS.
- 8 RELOCATE TRASH CAN. SEE PS SHEETS.
- 9 PRUNE TREE FOR 10' VERTICAL CLEARANCE PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 10 REMOVE TREE WITHIN CLEARING AND GRUBBING LIMITS.
- 11 REMOVE TREE OUTSIDE OF CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO REMOVAL.
- 12 RETAIN TREE WITHIN CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT.
- 13 PRUNE TREE ROOT PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 14 REMOVE DEAD STEM.
- 15 MONITOR TREE, BY ARBORISTS.
- 16 INSTALL TEMPORARY SAFETY FENCE. SEE SPECIAL PROVISIONS.
- 17 REMOVE ALL BRANCHES AND LEAVE 18' TALL TRUNK AS HABITAT SNAG.
- 18 ADJUST WATER VALVE TO FINISHED GRADE.
- 19 ADJUST WATER LINES.
- 20 RELOCATE SIGN. SEE PS SHEETS FOR NEW LOCATION.
- 21 ADJUST WATER METER TO FINISHED GRADE.
- 22 ADJUST CATCH BASIN TO FINISHED GRADE.

TESC NOTES:

- 1 CHECK DAMS ON CHANNELS, PER WSDOT STANDARD DETAIL I-50.20-01. USE BIODEGRADABLE CHECK DAMS.
- 2 HIGH VISIBILITY SILT FENCE (WITH BACKUP SUPPORT) PER WSDOT STANDARD DETAIL I-30.16-00.
- 3 HIGH VISIBILITY FENCE PER WSDOT STANDARD DETAIL I-10.10-01.
- 4 STORM DRAIN INLET PROTECTION, PER WSDOT STANDARD DETAIL I-40.20-00.
- 5 SANDBAG DAM.
- 6 STABILIZED CONSTRUCTION ENTRANCE, PER WSDOT STANDARD DETAIL I-80.10-01.
- 7 TEMPORARILY BYPASS & DEWATER JURISDICTIONAL DITCH DURING VAULT CONSTRUCTION.

LEGEND:

- REMOVE EXISTING GRAVEL SURFACE
- REMOVE ASPHALT PAVEMENT
- INLET PROTECTION
- STABILIZED CONSTRUCTION ENTRANCE

GENERAL NOTE:

1. NO STAGING OR STOCKPIILING WITHIN CRITICAL AREA BUFFERS, OR WITHIN THE VICINITY OF BALD EAGLE BREEDING AREA FROM STA 216+50 TO STA 226+75.

CITY OF SAMMAMISH APPROVAL	
City Engineer	Date
Community Development	Date

90 % REVIEW SUBMITTAL  
NOT FOR CONSTRUCTION

REVISIONS	DATE	BY	DESIGNED
			J. JUN / C. BUITRAGO
			DRAWN
			B. PURGANAN
			CHECKED
			Y. HO
			APPROVED

ONE INCH AT FULL SCALE.  
IF NOT, SCALE ACCORDINGLY

FILE NAME  
BL1521075P20T03SP-01

JOB No.  
554-1521-075 P20T03

DATE  
DECEMBER 2014



**Parametrix**  
ENGINEERING · PLANNING · ENVIRONMENTAL SCIENCES

719 2ND AVENUE, SUITE 200 | SEATTLE, WA 98104  
P 206.394.3700  
WWW.PARAMETRIX.COM

PROJECT NAME

**EAST LAKE SAMMAMISH  
MASTER PLAN TRAIL  
SOUTH SAMMAMISH SEGMENT A**


SAMMAMISH, WA

**SITE PREPARATION AND  
TESC PLAN**

SHEET NO.  
23 OF 79

**SP7**





**SITE PREPARATION NOTES:**

- 1 REMOVE AND SALVAGE CHAIN LINK FENCE.
- 2 REMOVE AND SALVAGE SIGN.
- 3 REMOVE AND SALVAGE SPLIT RAIL FENCE.
- 4 REMOVAL OF STRUCTURE AND OBSTRUCTION.
- 5 REMOVE AND SALVAGE WOOD GUARDRAILS.
- 6 REMOVE AND SALVAGE CHAIN LINK GATE.
- 7 REMOVE AND SALVAGE TRASH BAG DISPENSER. SEE PS SHEETS.
- 8 RELOCATE TRASH CAN. SEE PS SHEETS.
- 9 PRUNE TREE FOR 10' VERTICAL CLEARANCE PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 10 REMOVE TREE WITHIN CLEARING AND GRUBBING LIMITS.
- 11 REMOVE TREE OUTSIDE OF CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO REMOVAL.
- 12 RETAIN TREE WITHIN CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT.
- 13 PRUNE TREE ROOT PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 14 REMOVE DEAD STEM.
- 15 MONITOR TREE, BY ARBORISTS.
- 16 INSTALL TEMPORARY SAFETY FENCE. SEE SPECIAL PROVISIONS.
- 17 REMOVE ALL BRANCHES AND LEAVE 18' TALL TRUNK AS HABITAT SNAG.
- 18 ADJUST WATER VALVE TO FINISHED GRADE.
- 19 ADJUST WATER LINES.
- 20 RELOCATE SIGN. SEE PS SHEETS FOR NEW LOCATION.
- 21 ADJUST WATER METER TO FINISHED GRADE.
- 22 ADJUST CATCH BASIN TO FINISHED GRADE.

**TESC NOTES:**

- 1 CHECK DAMS ON CHANNELS, PER WSDOT STANDARD DETAIL I-50.20-01. USE BIODEGRADABLE CHECK DAMS.
- 2 HIGH VISIBILITY SILT FENCE (WITH BACKUP SUPPORT) PER WSDOT STANDARD DETAIL I-30.16-00.
- 3 HIGH VISIBILITY FENCE PER WSDOT STANDARD DETAIL I-10.10-01.
- 4 STORM DRAIN INLET PROTECTION, PER WSDOT STANDARD DETAIL I-40.20-00.
- 5 SANDBAG DAM.
- 6 STABILIZED CONSTRUCTION ENTRANCE, PER WSDOT STANDARD DETAIL I-80.10-01.
- 7 TEMPORARILY BYPASS & DEWATER JURISDICTIONAL DITCH DURING VAULT CONSTRUCTION.

**LEGEND:**

- REMOVE EXISTING GRAVEL SURFACE
- REMOVE ASPHALT PAVEMENT
- INLET PROTECTION
- STABILIZED CONSTRUCTION ENTRANCE

**GENERAL NOTE:**

1. NO STAGING OR STOCKPILING WITHIN CRITICAL AREA BUFFERS, OR WITHIN THE VICINITY OF BALD EAGLE BREEDING AREA FROM STA 216+50 TO STA 226+75.


CITY OF SAMMAMISH APPROVAL	
City Engineer	Date
Community Development	Date

**90 % REVIEW SUBMITTAL**  
**NOT FOR CONSTRUCTION**

REVISIONS	DATE	BY	DESIGNED
			J. JUN / C. BUITRAGO
			DRAWN
			B. PURGANAN
			CHECKED
			Y. HO
			APPROVED

**ONE INCH AT FULL SCALE.**  
**IF NOT, SCALE ACCORDINGLY**

FILE NAME  
BL1521075P20T03SP-01  
JOB No.  
554-1521-075 P20T03  
DATE  
DECEMBER 2014




**Parametrix**  
ENGINEERING . PLANNING . ENVIRONMENTAL SCIENCES

719 2ND AVENUE, SUITE 200 | SEATTLE, WA 98104  
P 206.394.3700  
WWW.PARAMETRIX.COM

PROJECT NAME  
**EAST LAKE SAMMAMISH  
MASTER PLAN TRAIL  
SOUTH SAMMAMISH SEGMENT A**  
SAMMAMISH, WA

**SITE PREPARATION AND  
TESC PLAN**

SHEET NO.  
24 OF 79  
**SP8**



SITE PREPARATION NOTES:

- 1 REMOVE AND SALVAGE CHAIN LINK FENCE.
- 2 REMOVE AND SALVAGE SIGN.
- 3 REMOVE AND SALVAGE SPLIT RAIL FENCE.
- 4 REMOVAL OF STRUCTURE AND OBSTRUCTION.
- 5 REMOVE AND SALVAGE WOOD GUARDRAILS.
- 6 REMOVE AND SALVAGE CHAIN LINK GATE.
- 7 REMOVE AND SALVAGE TRASH BAG DISPENSER. SEE PS SHEETS.
- 8 RELOCATE TRASH CAN. SEE PS SHEETS.
- 9 PRUNE TREE FOR 10' VERTICAL CLEARANCE PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 10 REMOVE TREE WITHIN CLEARING AND GRUBBING LIMITS.
- 11 REMOVE TREE OUTSIDE OF CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO REMOVAL.
- 12 RETAIN TREE WITHIN CLEARING AND GRUBBING LIMITS PER ARBORISTS' ASSESSMENT.
- 13 PRUNE TREE ROOT PER ARBORISTS' ASSESSMENT. TREE SHALL BE FLAGGED PRIOR TO PRUNING.
- 14 REMOVE DEAD STEM.
- 15 MONITOR TREE, BY ARBORISTS.
- 16 INSTALL TEMPORARY SAFETY FENCE. SEE SPECIAL PROVISIONS.
- 17 REMOVE ALL BRANCHES AND LEAVE 18" TALL TRUNK AS HABITAT SNAG.
- 18 ADJUST WATER VALVE TO FINISHED GRADE.
- 19 ADJUST WATER LINES.
- 20 RELOCATE SIGN. SEE PS SHEETS FOR NEW LOCATION.
- 21 ADJUST WATER METER TO FINISHED GRADE.
- 22 ADJUST CATCH BASIN TO FINISHED GRADE.

TESC NOTES:

- 1 CHECK DAMS ON CHANNELS, PER WSDOT STANDARD DETAIL I-50.20-01. USE BIODEGRADABLE CHECK DAMS.
- 2 HIGH VISIBILITY SILT FENCE (WITH BACKUP SUPPORT) PER WSDOT STANDARD DETAIL I-30.16-00.
- 3 HIGH VISIBILITY FENCE PER WSDOT STANDARD DETAIL I-10.10-01.
- 4 STORM DRAIN INLET PROTECTION, PER WSDOT STANDARD DETAIL I-40.20-00.
- 5 SANDBAG DAM.
- 6 STABILIZED CONSTRUCTION ENTRANCE, PER WSDOT STANDARD DETAIL I-80.10-01.
- 7 TEMPORARILY BYPASS & DEWATER JURISDICTIONAL DITCH DURING VAULT CONSTRUCTION.

LEGEND:

- REMOVE EXISTING GRAVEL SURFACE
- REMOVE ASPHALT PAVEMENT
- INLET PROTECTION
- STABILIZED CONSTRUCTION ENTRANCE

GENERAL NOTE:

1. NO STAGING OR STOCKPILING WITHIN CRITICAL AREA BUFFERS, OR WITHIN THE VICINITY OF BALD EAGLE BREEDING AREA FROM STA 216+50 TO STA 226+75.

CITY OF SAMMAMISH APPROVAL	
City Engineer _____	Date _____
Community Development _____	Date _____

90 % REVIEW SUBMITTAL  
NOT FOR CONSTRUCTION

REVISIONS	DATE	BY	DESIGNED J. JUN / C. BUITRAGO
			DRAWN B. PURGANAN
			CHECKED Y. HO
			APPROVED

ONE INCH AT FULL SCALE.  
IF NOT, SCALE ACCORDINGLY.

FILE NAME  
BL1521075P20T03SP-01

JOB No.  
554-1521-075 P20T03

DATE  
DECEMBER 2014



**Parametrix**  
ENGINEERING . PLANNING . ENVIRONMENTAL SCIENCES

719 2ND AVENUE, SUITE 200 | SEATTLE, WA 98104  
P 206.394.3700  
WWW.PARAMETRIX.COM

PROJECT NAME  
**EAST LAKE SAMMAMISH  
MASTER PLAN TRAIL  
SOUTH SAMMAMISH SEGMENT A**  
SAMMAMISH, WA

**SITE PREPARATION AND  
TESC PLAN**

SHEET NO.  
25 OF 79  
**SP9**