Docusign Envelope ID: CBE5C875-2D7D-8F92-8118-980FC282838B

King County
Solid Waste Division
Department of Natural Resources and Parks
King Street Center
201 South Jackson Street, Suite 6400
Seattle, WA 98104-3855
206-477-4466
711 TTY Relay
kingcounty.gov/solid-waste

August 24, 2026

TO: Jerome Cruz, Environmental Scientist III, Environmental Health Division, Public Health – Seattle and King County (PHSKC)

DS AS

VIA: Adrienne M. Scott, L.G., Engineer III – Lead Geologist, Solid Waste Division (SWD), Department of Natural Resources and Parks (DNRP)

FM: Andrew Jenkins, GIT, Engineer II, SWD, DNRP DS

RE: Cedar Hills Regional Landfill Quarterly Environmental Monitoring Report for First Quarter 2026

The purpose of this letter is to transmit a copy of the King County Solid Waste Division's *Cedar Hills Regional Landfill Quarterly Environmental Monitoring Report for First Quarter 2026* for your review. This report includes environmental data collected from January 1, 2026, through March 31, 2026. Per WAC 173-351, the report also contains evaluations of groundwater and surface water quality at the landfill. The data included in this report are consistent with past characteristic reports.

If you have questions or need additional information, please contact me at 206-263-0120, or via email at anjenkins@kingcounty.gov.

Enclosures

cc: Yolanda Pon, Solid Waste Program Supervisor, Environmental Health Division, PHSKC
Tim O'Connor, L.G., L.H.G., Hydrogeologist III, Washington State Department of Ecology
Alan Noell, PhD., P.E., Solid Waste Engineer, Washington State Department of Ecology
Theresa Thurlow, P.E., Engineer Manager, SWD, DNRP
Jamey Barker, P.E., Engineering Supervisor, SWD, DNRP
Adrienne M. Scott, L.G., Engineer III – Lead Geologist, SWD, DNRP
Eric W. Ferguson, L.G., L.H.G., Water Quality Planner – Hydrogeologist, Water and Land Resources Division (WLRD), DNRP
Dan Swope, Engineering Supervisor, SWD, DNRP
Jennifer Keune, Environmental Science and Compliance Unit Supervisor, SWD, DNRP
Naima Rushiddin, Records Management Specialist, SWD, DNRP

Docusign Envelope ID: CBE5C875-2D7D-8F92-8118-980FC282838B

King County
Solid Waste Division
Department of Natural Resources and Parks
King Street Center
201 South Jackson Street, Suite 6400
Seattle, WA 98104-3855
206-477-4466
711 TTY Relay
kingcounty.gov/solid-waste

August 24, 2026

Tim O'Connor, LG., LHG., Hydrogeologist III
Solid Waste Management Program
Washington State Department of Ecology
Northwest Regional Office
PO Box 330316
Shoreline, WA 98133-9716

RE: King County Cedar Hills Regional Landfill Quarterly Environmental Monitoring Report for First Quarter 2026

Dear Mr. O'Connor:

The purpose of this letter is to transmit a copy of the Solid Waste Division's *King County Cedar Hills Regional Landfill Quarterly Environmental Monitoring Report for First Quarter 2026* for your review. This report includes environmental data collected from January 1, 2026, through March 31, 2026. Per WAC 173-351, the report also contains evaluations of groundwater and surface water quality at the landfill. The data included in this report are consistent with past characteristic reports.

If you have questions or need additional information, please contact me at 206-263-0120, or via email at anjenkins@kingcounty.gov.

Sincerely,

DocuSigned by:
7CD8606F0EED409...
Andrew Jenkins, GIT
Engineer II

Enclosures

Docusign Envelope ID: CBE5C875-2D7D-8F92-8118-980FC282838B

cc: Alan Noell, PhD., P.E., Solid Waste Program, Washington State Department of Ecology
Jerome Cruz, Environmental Scientist III, Environmental Health Division, Public Health – Seattle & King County (PHSKC)
Yolanda Pon, Solid Waste Program Supervisor, Environmental Health Division, PHSKC
Theresa Thurlow, P.E., Engineer Manager, Solid Waste Division (SWD), Department of Natural Resources and Parks (DNRP)
Jamey Barker, P.E., Engineering Supervisor, SWD, DNRP
Adrienne M. Scott, L.G., Engineer III – Lead Geologist, SWD, DNRP
Eric W. Ferguson, L.G., L.H.G., Water Quality Planner – Hydrogeologist, Water and Land Resources Division (WLRD), DNRP
Dan Swope, Engineering Supervisor, SWD, DNRP
Jennifer Keune, Environmental Science and Compliance Unit Supervisor, SWD, DNRP
Naima Rushiddin, Records Management Specialist, SWD, DNRP



CEDAR HILLS REGIONAL LANDFILL

QUARTERLY ENVIRONMENTAL MONITORING REPORT FOR FIRST QUARTER OF 2026

August 2026


King County
Department of Natural Resources and Parks
Solid Waste Division
waste prevention · resource recovery · waste disposal


CERTIFICATION

KING COUNTY CEDAR HILLS REGIONAL LANDFILL
QUARTERLY ENVIRONMENTAL MONITORING REPORT CERTIFICATION

I certify in accordance with the requirements of Chapter 18.220 RCW, that the contents of this document were prepared under my direction or supervision under a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Where applicable, some specific and related hydrogeologic portions have been duly certified by the responsible groundwater scientist. Based on my inquiry of the person(s) directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

Name:	**Title:**	**Date:**
Adrienne M. Scott, LG Eric W. Ferguson, LHG	Engineer III – Lead Geologist WQPIII – Hydrogeologist	August 24, 2025
Mailing Address: King County Department of Natural Resources & Parks 201 S. Jackson Street, suite 6000 Seattle, WA 98104		**Telephone Number:** 206-263-0518 206-477-4690





Docusign Envelope ID: CBE5C875-2D7D-8F92-8118-980FC282838B

CHECKLIST FOR GROUNDWATER REPORTING
Municipal Solid Waste Landfills
WAC 173-351-415

Include a signed, completed copy of this checklist with each quarterly and annual report.

Quarterly groundwater reports shall be submitted to the jurisdictional health department and Ecology within 60 days of receipt of analytical data. Annual groundwater reports shall be submitted to the jurisdictional health department and Ecology by April 1 of each year.

1st X 2nd 3rd 4th YEAR: 2026	Reference (section, subsection)	Included in this report	Location - section or appendix
***Quarterly Groundwater Reports**: 173-351-415 (2) plus the referenced sections*			
Statistical calculations and summaries			
Statistical tests	420, (2)	☒	Sect 2.6; Tables 3.2.3 & 3.3.3
Notification of statistical increase (if applicable)	430, (4)	☒	Sect 3.2 & 3.3
Notification of concentrations above Chapter 173-200 WAC criteria (if any)	430, (4)	☒	Sect 3.2 & 3.3 Tables 3.2.2 & 3.3.2
Static water level readings	415, (2)	☒	App A and B
Potentiometric surface elevation maps depicting flow direction	415, (2)	☒	App B
Flow rate – calculated	415, (2)	☒	App B
Cation-anion balances	430, (5a)	☒	Tables 3.2.1 & 3.3.1
Explanation of greater than 5% (or 10%) difference if needed	430, (5a)	☒	Sect 3.2 & 3.3
Trilinear diagrams	430, (5b)	☒	App C
Leachate analyses (if sampled and tested)	415, (2)	☒	Sect 5 & App E
Data entered into EIM database (date entered: October 17, 2025)	415, (3)	☒	
***Annual Groundwater Reports**: 173-351-415 (1)*			
Summary of statistical results and trends Descriptive statistics	415, (1) 420, (1)	☐	
Summary of groundwater flow rate and direction for the year	415, (1)	☐	
Copy of all potentiometric maps for the year	415, (1)	☐	
Summary geochemical evaluation	415, (1)	☐	
For Quarterly and Annual Reports			
Stamped by a licensed professional	RCW 18.220	☒	

DocuSigned by:
7CD8606F0EED409

Signature of Report Author	Date	Landfill
	August 24, 2026	King County Cedar Hills Regional Landfill

If you need this publication in an alternate format, please call the Waste 2 Resources Program at (360) 407-6900. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.

KING COUNTY
CEDAR HILLS REGIONAL LANDFILL
QUARTERLY ENVIRONMENTAL MONITORING REPORT

First Quarter 2026

King County

Department of Natural Resources and Parks
Solid Waste Division

TABLE OF CONTENTS

TABLE OF CONTENTS ..... **I**

LIST OF TABLES ..... **II**

LIST OF FIGURES ..... **III**

LIST OF APPENDICES ..... **IV**

SUMMARY OF QUARTERLY WATER QUALITY FOR THE KING COUNTY CEDAR HILLS REGIONAL LANDFILL FOR THE FIRST QUARTER OF 2026 ..... **1**

1.0 REGULATORY STANDARDS **1**

2.0 EVALUATION METHODS **1**

2.1. Data Quality 1
2.2. Groundwater Elevations and Flow Direction 2
2.3. Trilinear Diagrams and Ion Balances 2
2.4. Groundwater Exceedances 3
2.5. Volatile Organic Compound Detections 3
2.6. Intrawell Prediction Limits 3

3.0 RESULTS AND DISCUSSION **4**

3.1. General 4
3.2. Groundwater within Perched Zones 8
3.3. Groundwater within Regional Aquifer 18
3.4. Offsite Private Wells 26
3.5. Queen City Farms Monitoring 26

4.0 STORMWATER & SURFACE WATER **27**

5.0 LEACHATE **27**

6.0 LANDFILL GAS MONITORING **28**

7.0 METEOROLOGICAL DATA **28**

8.0 TOP DECK REPORT **28**

9.0 SITE MAINTENANCE AND SITE IMPROVEMENTS **28**

10.0 REFERENCES **29**

LIST OF TABLES

Table 3.1.1. Cedar Hills Regional Landfill Groundwater Monitoring Well Completion Details... 5
Table 3.2.1. EPZ and SSWA: Ion Balance Summary for Groundwater 11
Table 3.2.2. EPZ and SSWA: Summary of Groundwater Quality Criteria Exceedances..... 14
Table 3.2.3. EPZ and SSWA: Summary of Intrawell Prediction Limit Exceedances 15
Table 3.2.4. EPZ and SSWA: Summary of Volatile Organic Compound Detections 16
Table 3.3.1. Regional Aquifer: Ion Balance Summary for Groundwater 20
Table 3.3.2. Regional Aquifer: Summary of Groundwater Quality Criteria Exceedances..... 24
Table 3.3.3. Regional Aquifer: Summary of Intrawell Prediction Limit Exceedances 25
Table 3.3.4. Regional Aquifer: Summary of Volatile Organic Compound Detections 26

LIST OF FIGURES

Figure 1 Groundwater Monitoring Well Locations 31
Figure 2 Stormwater Monitoring Locations 32
Figure 3 Leachate Monitoring Locations 33
Figure 4 Landfill Gas Monitoring Probe Locations 34

LIST OF APPENDICES

Appendix A	Laboratory Qualifiers and Groundwater Quality Data
Appendix B	Groundwater Potentiometric Maps, Flow Direction, Gradient, and Velocity
Appendix C	Trilinear Diagrams
Appendix D	Surface Water Data
Appendix E	Leachate Data
Appendix F	Landfill Gas Monitoring Data
Appendix G	Meteorological Data
Appendix H	Area 5 Top Deck Report

Summary of Quarterly Water Quality for the King County Cedar Hills Regional Landfill for the First Quarter of 2026

This report contains the quarterly environmental monitoring results and an evaluation of the groundwater quality for the King County Cedar Hills Regional Landfill (CHRLF). This evaluation references the hydrogeological conceptual model presented in the *Cedar Hills Regional Landfill Site Wide Hydrogeologic Report Addendum* (Aspect, 2013a), which was adopted in 2014.

Environmental samples were collected and analyzed in accordance with the Environmental Monitoring Sampling and Analysis Plan for Cedar Hills Regional Landfill (SAP; Aspect, 2013b), and the Quality Assurance Project Plan for Environmental Monitoring at King County Solid Waste Division (KCSWD) Facilities. These documents describe procedures to ensure data quality, consistency, and documentation.

Laboratory data was reviewed as outlined in the SAP for compliance with Data Quality Objectives (DQOs) and Quality Assurance/Quality Control (QA/QC). No quality control issues were identified this quarter.

1.0 Regulatory Standards

Groundwater monitoring results are compared to the Water Quality Standards for Groundwaters of the State of Washington (WAC 173-200) and to the National Primary and Secondary Drinking water Regulations (40 CFR Parts 141 and 143). Stormwater monitoring results are compared to the ISGP Benchmark and Effluent Limits Criteria.

2.0 Evaluation Methods

2.1. Data Quality

Groundwater quality is evaluated by comparison of analytical results to regulatory standards, geochemical analysis, and statistical evaluation. Changes made in accordance with federal regulations for the guidance of analytical testing methodologies covered by SW-846 (Test Methods for Evaluating Solid Waste) were implemented in 2017 by the contract laboratory. One specific effect of these changes was to replace the Method Detection Limit (MDL) methodology with the Lower Limit of Quantification (LLOQ) methodology as the basis for determining the lowest quantitative value of an analyte that can be reported. This affected all methods covered within SW-846.

The LLOQ is a performance-based methodology that tests known standards repeatedly to create a calibration curve for a specific method. Commonly, the lowest concentration of the (linear) calibration curve is set as the LLOQ. However, in some cases the LLOQ may be greater than the baseline curve concentration due to lab specific factors such as instrument sensitivity and method analytical uncertainty.

2.2. Groundwater Elevations and Flow Direction

Synoptic water level measurements are taken each quarter at CHRLF. The initial set of water level measurements is recorded at the beginning of the quarter at all groundwater monitoring wells; the second set of measurements is collected upon arrival and in conjunction with water quality sampling at applicable monitoring wells (those scheduled for sampling during the given quarter). Static groundwater elevation, also called hydraulic head, is calculated by subtracting the static water level measurement from the reference point elevation. Upgradient and downgradient wells were determined by the hydraulic head at each well relative to the waste unit and other wells in the same water-bearing unit; upgradient wells have higher hydraulic head measurements relative to downgradient wells.

Quarterly groundwater potentiometric surface maps are generated using Surfer, a gridding, contouring, and 3D surface mapping program. Surfer was used to interpolate and smooth the irregularly spaced three-dimensional groundwater elevation data into grid values that represent modeled hydraulic head values across each aquifer. Next, the grid values are used to generate equipotential contours that represent the groundwater potentiometric surface for each aquifer. The hydraulic gradient is the change in hydraulic head over a distance, and the maximum hydraulic gradient will be perpendicular to the potentiometric contours; therefore, the maximum gradient determines the direction of groundwater flow, with groundwater moving from high hydraulic head values to low hydraulic head values.

2.3. Trilinear Diagrams and Ion Balances

Ion balances provide information about the internal consistency of the sample results. When analytical errors occur, the individual results are reviewed, and any findings are included in this report. For the ion balance calculations, non-detect values are evaluated as half of the method detection limit. To confirm analytical correctness, total cation-anion sums less than 5.0 meq/L must maintain a 10% (or less) difference between the total cation and total anion results. If the cation-anion sum is greater than 5.0 meq/L, the difference between total cations and total anions must be less than 5% to be analytically sound. Deviations from these thresholds may indicate that there was an analytical, sampling, or water quality issue.

After calculating the ion balances, geochemical data is presented on trilinear diagrams. Major cations and anions are plotted on individual triangles as percentages of total milliequivalents per liter (meq/L). The cation and anion results are projected from the triaxial triangles onto the diamond shaped field (also known as a Piper diagram) which represents the overall chemical character of a sample based on the relative concentration of its constituents, but not according to the absolute parameter concentration. Ultimately, the diagrams illustrate differences in major ion chemistry between groundwater samples and can be used to categorize water composition into identifiable groups or hydrochemical facies (Fetter, 2000; Freeze and Cherry, 1979). The facies is a function of lithology, solution kinematics, and flow patterns of the aquifer. The value of the diagram lies in pointing out relationships that exist among individual samples over time. Trilinear diagrams are included with ionic balance calculations in this report.

A leachate sample, collected from monitoring location LS-V1A during the current quarter, is also plotted on the trilinear diagrams. Location LS-V1A represents the combined influent from all areas of CHRLF, prior to pretreatment, and is used as a reference point to which groundwater samples can be compared to evaluate potential leachate impacts on groundwater quality.

2.4. Groundwater Exceedances

Groundwater quality monitoring results are compared to the *Water Quality Standards for Groundwaters of the State of Washington* (WAC 173-200; SGWC) and the *National Primary and Secondary Drinking Water Regulations* (40 CFR Parts 141 and 143; MCL). Analytical results are compared to their respective standards. It must be noted that not all groundwater parameters that are analyzed have established regulatory standards.

In addition to providing information about the water quality relative to established standards, exceedances also provide a cursory evaluation of changes relative to historical data. When an established standard is exceeded for the first time or is a statistically significant increase compared to historical results, the data is reviewed more carefully.

2.5. Volatile Organic Compound Detections

Groundwater Volatile Organic Compound (VOC) detections are used as a groundwater quality evaluation method since most organic compounds are synthetic and occurrences in groundwater may be an indication of an impact from landfilling activities. The groundwater VOC detections sections also report trip blank, field blank, and method blank detections.

2.6. Intrawell Prediction Limits

Intrawell prediction limit methods are used in evaluating groundwater data at the Cedar Hills Regional Landfill. The intrawell prediction limit is a statistical test that compares an analytical result to a computed limit value derived from past analytical results from the same well, considered representative historical well data. Ultimately, the prediction limits are used to determine if a sample is statistically elevated above background conditions.

Before calculating the prediction limit, the data set is tested for normality by application of the Shapiro-Wilk Test for Normality. If the data fail the test for normality, transformed data are tested. When normal or transformed normal data sets are determined, a parametric prediction limit is calculated; when transformations fail the test for normality, a non-parametric method is applied. Future results are compared to these limit values (*EPA, 2009*).

The prediction limits generated in this report are based on a 5% false positive rate (type I error) and depend on the background distribution. If the normality test fails or if the dataset has fewer than 50% detections, then the prediction limit is calculated based on the maximum value from that dataset for the specific analyte. If the dataset is completely made up of non-detect data, then the current method detection limit is used as the prediction limit. For prediction limit calculations, non-detect values are evaluated as half the method detection limit.

For each parameter tested, the background dataset consists of the 50 most recent data points for the well, through the fourth quarter of the previous year. Prediction limits are recalculated annually during the first quarter and updated to include the previous years' sampling results.

Each quarter, analytical results are compared to their respective prediction limits for the current year. If there is a prediction limit exceedance, retesting of that analytical parameter at the respective location is required to determine if the exceedance represents a statistically significant increase over background. A 1-of-3 retesting plan is utilized for prediction limit exceedances at CHRLF (Aspect, 2013b).

3.0 Results and Discussion

3.1. General

Groundwater monitoring well locations are shown on Figure 1. Each monitoring well penetrates one of two water-bearing zones: the shallower Perched Zones (East Perched Zone and the South Solid Waste Area), and the Regional Aquifer. Well-completion details are listed in Table 3.1.1.

Appendix A contains static water level measurements, field data collected during sampling, laboratory analytical results, and the corresponding data qualifier descriptions.

The *Cedar Hills Regional Landfill Site Wide Hydrogeologic Report Addendum* (Aspect, 2013a) presents the latest interpretation of the hydrogeology, and that interpretation has been used in the preparation of potentiometric surface maps and calculations of groundwater velocities. Potentiometric surface maps, horizontal groundwater velocity calculations, and flow directions are included in Appendix B.

Iron, manganese, and arsenic occur naturally in groundwater of this region. The Washington State Department of Ecology conducted a background study on arsenic in groundwater and found that the Puget Sound basin has a natural background of 8 micrograms per liter (ug/L) (Ecology, 2022). Therefore, exceedances of the *Water Quality Standards for Groundwaters of the State of Washington* for these contaminants are believed to be representative of background groundwater quality.

Quarterly groundwater sampling typically occurs during the first month of each quarter (i.e., January, April, July, and October), semiannual sampling occurs during the second and fourth quarters, and annual sampling occurs during the fourth quarter.

Table 3.1.1.
Cedar Hills Regional Landfill Groundwater Monitoring Well Completion Details

Well ID	Date Installed	Installed By	Well Completion Depth (ft bgs)	Well Material	Well Diameter (inches)	Stick up (ft)	TOC Elevation (ft, NGVD29)	Top of Seal Elevation (ft amsl)	Bottom of Seal Elev (ft amsl)	Seal Type	Top of Screen Elevation (ft amsl)	Bottom of Screen Elevation (ft amsl)	Screen Slot Size (inches)	Top of Filter Pack Elev (ft amsl)	Bottom of Filter Pack Elev (ft amsl)	Filter Sand Pack Mesh Size
Regional Aquifer Monitoring Wells																
MW-21	5/17/83	Sweet-Edwards	163	Steel	6	2.44	420.66	418.22	398.22	Bentonite	263.22	255.22	12 rows of 1/8-inch by 1-inch perforations	--	--	--
MW-22P	10/26/99	Udaloy Environmental Services	284	Sch. 40 PVC	2	2.1	517.12	515.02	243.12	Bentonite Chips, Bentonite Grout	236.02	231.22	0.02	241.02	231.02	20-40
MW-24	6/2/83	Sweet-Edwards	192	Steel / SCH 40 PVC	5 (screen), 6 (casing)	2.23	475.99	473.76	455.76	Bentonite	286.76	281.76	0.01	--	--	--
MW-43	4/30/85	Sweet-Edwards	309	Steel / PVC	5 (screen), 6 (casing)	2.43	547.06	544.63	526.63	Bentonite	245.63	235.63	0.01	--	--	--
MW-54	9/26/86	Sweet-Edwards	351	Sch. 40 PVC	2	1.18	580.43	579.25	260.43	Bentonite Slurry and Pea Gravel, Bentonite Chips, Bentonite Pellets	250.25	228.25	0.01	259.25	229.25	10-20
MW-56	10/12/88	Sweet-Edwards	166	Sch. 40 PVC	2	1.18	480.33	479.15	327.83	--	323.15	313.15	0.02	326.65	312.65	8-12
MW-57	8/22/88	Sweet-Edwards	144	Sch. 40 PVC	2	0.99	456.64	455.65	329.64	--	326.65	311.65	0.02	328.65	310.15	8-12
MW-58A	9/26/88	Sweet-Edwards	219	Sch. 40 PVC	2	0.72	479.27	478.55	273.77	--	270.05	260.05	0.02	273.05	258.05	8-12
MW-59	8/16/88	Sweet-Edwards	180.5	Sch. 40 PVC	2	1.55	457.13	455.58	289.13	--	285.08	275.08	0.02	287.58	273.58	8-12
MW-60	9/13/91	Sweet-Edwards	240	Sch. 80 PVC	2.5	2.34	567.15	564.81	342.85	Concrete, Bentonite Chips, Bentonite Grout	334.81	325.81	0.01	340.51	324.81	10-20
MW-64	3/22/93	EMCON Northwest, Inc.	274	Sch. 80 PVC	2.5	2.22	596.55	594.33	339.45	Concrete, Bentonite Chips	334.03	320.23	0.02	337.23	316.33	20-40
MW-65	3/29/93	EMCON Northwest, Inc.	234	Sch. 80 PVC	2.5	2.62	545.83	543.21	325.23	Concrete, Bentonite Chips	317.71	308.91	0.02	322.61	306.11	20-40
MW-66	4/5/93	EMCON Northwest, Inc.	248	Sch. 80 PVC	2.5	2.69	531.28	528.59	300.28	Concrete, Bentonite Chips	294.39	280.59	0.02	297.59	278.59	20-40
MW-67	4/28/93	EMCON Northwest, Inc.	230	Sch. 80 PVC	2.5	2.33	516.43	514.10	303.63	Concrete, Bentonite Chips	297.80	284.00	0.02	301.30	279.80	20-40
MW-68	4/15/93	EMCON Northwest, Inc.	353	Sch. 80 PVC	2.5	2.28	647.07	644.79	316.57	Concrete, Bentonite Chips	311.29	292.29	0.02	314.29	288.79	20-40
MW-69	4/23/93	EMCON Northwest, Inc.	371	Sch. 80 PVC	2.5	2.72	653.69	650.97	299.19	Concrete, Bentonite Chips	293.57	279.97	0.02	296.47	275.97	20-40
MW-72	8/7/98	Udaloy Environmental Services	376	Sch. 80 PVC	2.5	2.37	671.87	669.50	310.97	Concrete, Bentonite Chips	303.30	293.70	0.02	308.60	292.70	20-40
MW-73	9/3/99	Udaloy Environmental Services	206	Sch. 40 PVC	4	1.39	485.7	484.31	293.20	Concrete, Bentonite Chips, Bentonite Grout	288.11	278.81	0.06	291.81	277.81	8-12
MW-74R	11/1/00	Udaloy Environmental Services	249	Sch. 80 PVC	4	2.06	531.26	529.20	298.26	Concrete, Bentonite Chips	289.90	280.40	0.02	296.20	275.20	20-40
MW-75	9/24/99	Udaloy Environmental Services	269	Sch. 40 PVC	4	2.6	532.4	529.80	279.50	Concrete, Bentonite Chips, Bentonite Grout	271.10	261.40	0.06	276.90	259.80	8-12
MW-76	10/25/99	Udaloy Environmental Services	148	Sch. 40 PVC	4	1.95	491.71	489.76	357.41	Concrete, Bentonite Chips, Bentonite Grout	351.06	341.56	0.02	355.46	339.16	20- 40
MW-80	2/27/01	Udaloy Environmental Services	259	Sch. 80 PVC	4	1.94	530.41	528.47	284.41	Concrete, Bentonite Chips, Bentonite Grout	279.17	269.67	0.02	282.47	263.47	20-40
MW-81	10/3/00	Udaloy Environmental Services	192	Sch. 80 PVC	4	1.47	493.66	492.19	314.56	Concrete, Bentonite Chips, Bentonite Grout	309.19	299.69	0.02	313.09	293.69	20-40
MW-82	11/2/00	Udaloy Environmental Services	133	Sch. 80 PVC	4	2.07	474.85	472.78	355.85	Concrete, Bentonite Chips	348.88	339.38	0.02	353.78	337.78	20-40
MW-83	10/27/00	Udaloy Environmental Services	154	Sch. 80 PVC	4	2.32	496.81	494.49	356.11	Concrete, Bentonite Chips, Bentonite Grout	350.19	340.69	0.02	353.79	339.49	20-40
MW-84	10/20/00	Udaloy Environmental Services	246	Sch. 80 PVC	4	2.14	530.8	528.66	298.50	Concrete, Bentonite Chips	292.46	282.96	0.02	296.36	279.16	20-40
MW-85	12/1/00	Udaloy Environmental Services	257	Sch. 80 PVC	4	2	531.76	529.76	290.56	Concrete, Bentonite Chips	282.56	273.06	0.02	288.56	268.26	20-40
MW-86	12/12/00	Udaloy Environmental Services	259	Sch. 80 PVC	4	2.11	536.04	533.93	290.04	Concrete, Bentonite Chips, Bentonite Grout	284.13	274.63	0.02	287.93	270.93	20-40
MW-87	11/21/00	Udaloy Environmental Services	261	Sch. 80 PVC	4	2.13	537.31	535.18	290.81	Concrete, Bentonite Chips, Bentonite Grout	283.88	274.38	0.02	288.68	273.18	20-40
MW-88	9/13/01	Udaloy Environmental Services	239	Sch. 80 PVC	4	2.46	513.68	511.22	288.28	Concrete, Bentonite Chips	281.52	272.22	0.02	285.82	270.22	20-40
MW-89	11/12/01	Udaloy Environmental Services	291	Sch. 80 PVC	4	2.12	512.82	510.70	237.82	Concrete, Bentonite Chips	229.20	219.90	0.02	235.70	217.70	20-40
MW-90	8/14/02	Udaloy Environmental Services	274	Sch. 80 PVC	4	2.06	502.22	500.16	240.42	Concrete, Bentonite Chips, Bentonite Chips and Pea Gravel	235.16	226.16	0.02	238.36	222.16	20-40
MW-91	10/26/01	Udaloy Environmental Services	289	Sch. 80 PVC	6	2.31	532.02	529.71	291.32	Concrete, Bentonite Chips, Bentonite Grout	260.81	240.71	0.125 (268-278) and 0.02 (278-289)	289.01	529.71	20-40, 10-20, native

Table 3.1.1.
Cedar Hills Regional Landfill Groundwater Monitoring Well Completion Details

Well ID	Date Installed	Installed By	Well Completion Depth (ft bgs)	Well Material	Well Diameter (inches)	Stick up (ft)	TOC Elevation (ft, NGVD29)	Top of Seal Elevation (ft amsl)	Bottom of Seal Elev (ft amsl)	Seal Type	Top of Screen Elevation (ft amsl)	Bottom of Screen Elevation (ft amsl)	Screen Slot Size (inches)	Top of Filter Pack Elev (ft amsl)	Bottom of Filter Pack Elev (ft amsl)	Filter Sand Pack Mesh Size
MW-93	6/24/02	Udaloy Environmental Services	320	Sch. 80 PVC	4	1.98	632.15	630.17	324.45	Concrete, Bentonite Chips	319.87	310.07	0.02	322.47	630.17	20-40, 8-12, pea gravel
MW-94	7/2/02	Udaloy Environmental Services	145	Sch. 80 PVC	4	2.29	495.51	493.22	364.71	Concrete, Bentonite Chips	357.22	348.52	0.02	362.42	345.52	20-40
MW-95	7/22/02	Udaloy Environmental Services	263	Sch. 80 PVC	4	2.94	571.54	568.60	320.44	Concrete, Bentonite Chips	314.80	306.10	0.02	317.50	302.70	20-40
MW-99	8/30/02	Udaloy Environmental Services	279	Sch. 80 PVC	4	1.87	493.64	491.77	226.74	Concrete, Bentonite Chips	221.77	212.77	0.02	224.87	208.47	20-40
MW-100	8/26/02	Aspect Consulting	300	Sch. 80 PVC	4	1.96	620.32	618.36	324.32	Concrete, Bentonite Chips, Bentonite Grout	318.86	309.26	0.02	322.36	618.36	20-40
MW-106	2/19/2009	Aspect Consulting	203	Sch. 80 PVC	4	--	475.47	473.04	285.47	Concrete, Bentonite Chips, Bentonite Pellets, Bentonite Grout	282.47	272.47	0.02	283.04	270.04	10-20
MW-113	4/3/2020	Udaloy Environmental Services	220	SCH 80 PVC	4	2.4	531.09	528.69	337.89	Concrete, Bentonite Chips	332.29	322.59	0.02	335.49	322.29	2-16 (2-12 from 206-208)
MW-114	4/10/2020	Udaloy Environmental Services	150	SCH 80 PVC	4	2.6	490.45	487.85	358.45	Concrete, Bentonite Chips	350.85	341.55	0.02	355.85	338.25	2-16
MW-115	4/14/2020	Udaloy Environmental Services	145	SCH 80 PVC	4	2.9	484.87	481.97	356.87	Concrete, Bentonite Chips	350.27	340.67	0.02	353.97	339.67	2-16 (2-12 from 142.3-144)
WS-NPW-1	8/22/1990	Terra Associates	382	--	--	2.33	646.33	644.00	--	Cement and Bentonite	278.00	262.00	--	644.00	644.00	--
WS-NPW-2	7/10/1989	Terra Associates	381	--	--	1	646	645.00	--	Cement and Bentonite	285.00	264.00	--	645.00	645.00	--
WS-NPW-3	6/5/1990	Terra Associates	376	--	--	1.81	645.81	644.00	--	Cement and Bentonite	284.00	268.00	--	644.00	644.00	--
Perched Zone Monitoring Wells																
EB-5	6/5/90	Sweet-Edwards	60	Sch. 40 PVC	2	1.29	645.36	644.07	595.36	Concrete, Bentonite Chips	589.07	584.07	0.01	594.07	583.07	10-20 sand
EB-5S	6/6/90	Sweet-Edwards	20	Sch. 40 PVC	2	1.7	645.77	644.07	632.77	Concrete, Bentonite Chips	629.07	624.07	0.01	631.07	624.07	10-20 sand
EB-6	11/28/90	Sweet-Edwards	30	Sch. 40 PVC	2	1.75	589.61	587.86	573.61	Concrete, Bentonite Chips	567.86	557.86	0.01	571.86	557.36	10-20 sand
MW-25	6/3/1983	Sweet-Edwards	43	Sch. 80 PVC	3	1.21	474.41	473.20	gravel backfill	Bentonite	455.20	435.20	0.01			--
MW-27A	10/3/1985	Sweet-Edwards	80	Sch. 40 PVC	2	--	584.23	585.00	530.23	Bentonite Slurry, Bentonite Chips	525.23	515.23	0.01	531.00	515.00	10-20
MW-28	6/21/1983	Sweet-Edwards	39	Sch. 80 PVC	3	--	527.75	527.70	500.75	Bentonite	498.75	488.75	0.01	500.70	488.70	gravel
MW-29	6/23/1983	Sweet-Edwards	27	Sch. 80 PVC	3	1.27	532.92	531.65	517.92	Bentonite	514.65	504.65	0.01	516.65	503.65	gravel
MW-30A	9/6/1989	Sweet-Edwards	35	Sch. 40 PVC	2	0.76	568.43	567.67	553.43	Concrete, Bentonite Chips	542.67	532.67	0.01	552.67	532.17	Colorado silica sand
MW-41D	7/12/1983	Sweet-Edwards	50	PVC	3	1.73	462.44	460.71	433.44	Bentonite	430.71	410.71	0.01	431.71	410.71	gravel
MW-41S	7/12/1983	Sweet-Edwards	18	PVC	3	1.61	462.32	460.71	456.32	Bentonite	452.71	442.71	0.01	454.71	442.71	gravel
MW-45	5/17/1985	Sweet-Edwards	41	Sch. 40 PVC	2	0.7	488.4	487.70	458.40	Bentonite Slurry, Bentonite Pellets	456.70	446.70	0.01	457.70	444.70	fine gravel
MW-47	5/31/1985	Sweet-Edwards	44	Sch. 40 PVC	2	0.85	634.6	633.75	613.60	Bentonite Slurry, Bentonite Pellets	610.75	590.75	0.01	612.75	589.75	fine gravel
MW-48	5/24/1985	Sweet-Edwards	47.5	Sch. 40 PVC	2	1.04	594.49	593.45	559.49	Gravel and Bentonite Slurry, Bentonite Pellets	555.95	545.95	0.01	558.45	545.45	fine gravel
MW-50	6/3/1985	Sweet-Edwards	37.5	Sch. 40 PVC	2	0.82	637.02	636.20	612.02	Bentonite Slurry, Bentonite Pellets	608.70	598.70	0.01	611.20	598.70	fine gravel
MW-55	10/2/86	Sweet-Edwards	48	Sch. 40 PVC	2	--	652.29	650.00	619.79	Bentonite Slurry, Bentonite Chips	614.29	604.29	0.01	617.50	601.00	10 -20
MW-62	2/1/90	Sweet-Edwards	54	Sch. 40 PVC	2	0.92	556.21	555.29	514.71	Concrete, Bentonite Chips	511.29	501.29	0.01	513.79	500.79	8-10 sand
MW-63	2/12/90	Sweet-Edwards	19.2	Sch. 40 PVC	2	2.06	515.88	513.82	505.88	Concrete, Bentonite Chips	502.32	497.32	0.01	503.82	496.82	8-10 sand
MW-79	11/5/99	Udaloy Environmental Services	50.5	Sch. 40 PVC	2	2.25	459.17	456.92	422.17	Concrete, Bentonite Chips, Bentonite Grout	416.42	406.92	0.02	419.92	406.32	20-40 sand
MW-97	9/5/01	Udaloy Environmental Services	110.4	Sch. 80 PVC	4	2.06	564.54	562.48	467.74	Concrete, Bentonite Chips	461.58	452.18	0.02	465.68	451.48	20-40 sand
MW-98	3/9/01	Udaloy Environmental Services	20.3	Sch. 80 PVC	4	--	503.73	501.64	495.63	Concrete, Bentonite Chips	493.03	483.73	0.02	493.54	480.64	20-40 sand
MW-101	6/9/2006	Aspect Consulting	54	PVC	2	2.83	474.72	472.09	433.72	Concrete, Bentonite	427.89	417.89	0.02	431.09	414.39	20-40 sand
MW-102	1/27/2009	Aspect Consulting	49.5	Sch. 40 PVC	2	--	552.48	549.73	520.48	Concrete, Bentonite Chips, Bentonite Pellets, Bentonite Grout	517.98	502.98	0.02	517.73	499.73	10-20 sand
MW-103	1/28/2009	Aspect Consulting	35	Sch. 40 PVC	2	--	639.08	636.80	616.58	Concrete, Bentonite Chips, Bentonite Pellets, Bentonite Grout	614.08	604.08	0.02	614.30	599.80	10-20 sand

Table 3.1.1.
Cedar Hills Regional Landfill Groundwater Monitoring Well Completion Details

Well ID	Date Installed	Installed By	Well Completion Depth (ft bgs)	Well Material	Well Diameter (inches)	Stick up (ft)	TOC Elevation (ft, NGVD29)	Top of Seal Elevation (ft amsl)	Bottom of Seal Elev (ft amsl)	Seal Type	Top of Screen Elevation (ft amsl)	Bottom of Screen Elevation (ft amsl)	Screen Slot Size (inches)	Top of Filter Pack Elev (ft amsl)	Bottom of Filter Pack Elev (ft amsl)	Filter Sand Pack Mesh Size
MW-104	1/29/2009	Aspect Consulting	32	Sch. 40 PVC	2	--	629.68	626.92	610.18	Concrete, Bentonite Chips, Bentonite Pellets, Bentonite Grout	607.68	597.68	0.02	607.42	591.92	10-20 sand
MW-105	1/30/2009	Aspect Consulting	28	Sch. 40 PVC	2	--	521.23	518.66	505.23	Concrete, Bentonite Chips, Bentonite Pellets, Bentonite Grout	503.23	493.23	0.02	502.66	488.66	10-20 sand
MW-107	6/7/2018	Aspect Consulting	39	Sch. 40 PVC	2	--	589.0288	586.50	562.03	Concrete, Bentonite Chips	560.03	550.03	0.02	559.50	546.50	10-20 sand
MW-108	6/8/2018	Aspect Consulting	17	Sch. 40 PVC	2	--	612.2584	609.54	602.26	Concrete, Bentonite Chips	600.26	595.26	0.02	599.54	591.54	10-20 sand
MW-109	6/9/2018	Aspect Consulting	13	Sch. 40 PVC	2	--	638.7279	636.89	631.73	Concrete, Bentonite Chips	630.73	625.73	0.02	629.89	622.89	10-20 sand
MW-110	6/11/2018	Aspect Consulting	19	Sch. 40 PVC	2	--	641.7425	639.22	633.74	Concrete, Bentonite Chips	632.74	622.74	0.02	631.22	619.22	10-20 sand
MW-111	6/11/2018	Aspect Consulting	13.5	Sch. 40 PVC	2	--	643.7965	641.64	636.30	Concrete, Bentonite Chips	635.30	630.30	0.02	634.14	627.14	10-20 sand
MW-112	6/11/2018	Aspect Consulting	17	Sch. 40 PVC	2	--	638.9286	636.84	628.93	Concrete, Bentonite Chips	626.93	621.93	0.02	626.84	618.84	10-20 sand

Notes

-- = No information identified.

ft bgs = feet below ground surface

ft amsl = feet above mean sea level

NGVD29 = National Geodetic Vertical Datum of 1929, is used to measure the monitoring well casing elevations at this Site.

PVC = polyvinyl chloride

Sch. 40 or 80 = Schedule 40 or Schedule 80 refers to the wall thickness of the PVC pipe used for construction of the monitoring wells.

TOC = top of casing

3.2. Groundwater within Perched Zones

The East Perched Zone (EPZ) refers to a series of localized areas, predominantly east of the Main Hill area of CHRLF, exhibiting shallow subsurface saturation that appears laterally and vertically discontinuous, predominantly within glacial till and lacustrine silts. The following 28 wells monitor the EPZ:

East Perched Zone		
MW-30A	MW-110	MW-45 [P]
MW-47	MW-111	MW-48 [P]
MW-50	MW-112	MW-55 [P]
MW-62	EB-6	MW-63 [P]
MW-102	MW-25 [P]	MW-79 [P*]
MW-103	WM-27A [P]	MW-98 [P]
MW-104	MW-28 [P]	EB-5 [P]
MW-107	MW-29 [P]	EB-5S [P]
MW-108	MW-41D [P]	
MW-109	MW-41S [P]	

P = piezometer; monitored for water level only
* = damaged, not monitored and under evaluation

Monitoring wells sampled for groundwater quality on a quarterly basis in the EPZ include MW-30A, MW-47, MW-50, MW-62, MW-102, MW-103, MW-104, MW-107, MW-108, MW-109, MW-110, MW-111, MW-112, and EB-6. Monitoring wells MW-25, MW-27A, MW-28, MW-29, MW-41S, MW-41D, MW-45, MW-48, MW-55, MW-63, MW-79, MW-98, EB-5, and EB-5S are monitored for water levels only. MW-79 is damaged and under evaluation.

The following EPZ wells were not sampled during the first quarter of 2026:

Wells	Reason
MW-50	Went Dry during purging on 01/22/26; insufficient recovery on 01/23/26 to collect a sample.
MW-104	Went Dry during purging on 01/20/26; insufficient recovery on 1/21/26 to collect sample.

The South Solid Waste Area Perched Zone (SSWAPZ) refers to areas of perched groundwater South of CHRLF within deeper alluvium, recessional outwash, and/or weathered glacial till. Monitoring well MW-101 monitors the SSWAPZ and monitoring well MW-105 was installed on the south side of the east leachate lagoon to detect potential leaks.

South Solid Waste Area
MW-101
MW-105#

= specific conductance only

Monitoring well MW-101 is sampled for groundwater quality quarterly. Monitoring well MW-105 is monitored quarterly for water level and specific conductance only.

Groundwater quality data from groundwater samples collected from the EPZ and SSWAPZ during the first quarter of 2026 are consistent with recent sample results. Groundwater elevations are within historical ranges (see Appendix A). Since the perched zone sediments are laterally and vertically discontinuous, potentiometric surface maps cannot be generated for these wells.

In accordance with the SAP, if specific conductance at well MW-105 shows a statistically significant increasing trend or exceeds 500 micromhos per centimeter (µmhos/cm) specific conductance, then additional sampling will be conducted. This quarter, conductance at well MW-105 was field measured at 228 µmhos/cm. A Mann-Kendall trend test of the most recent eight (8) measurements indicates a statistically significant increasing trend in field specific conductance. For this reason, KCSWD will conduct sampling and analysis of Appendix I and II parameters at MW-105, as well as select supplemental parameters including mercury and dichlorodifluoromethane. As second quarter has already ended, the additional sampling is anticipated to take place during third quarter of 2026.

Mann Kendall Test Results: Short-Term
Trend Conclusion:
Significant upward trend ($p < 0.050$)
Mann-Kendall S Statistic: 20.00
Z-Score: 2.351
P-value: 1.405e-2
Number of Data Points (n): 8
Significance Level (α): 0.050
Data Unit: mS/cm
Input Data: 179.9, 197.7, 200.9, 214.6, 238, 248.7, 240.7, 228




Table 3.2.1 contains the cation/anion balance during the current quarter, for the wells screened within the EPZ and SSWAPZ. Values of 0.0000 milligrams per liter (mg/L) within Table 3.2.1 indicate that the given constituent was not detected in groundwater samples during lab analysis. Most wells met the total cation-anion sum and percent difference thresholds. Monitoring well MW-109 had total cation-anion sums above 5.0 meq/L with charge percent differences greater than 5%. Given the relatively high total ions, it is most likely that the results represent the observed well conditions; the groundwater sample quality may have interfered with the laboratory sample analyses and some ions may not be accounted for in the balance.

The trilinear diagrams for the East Perched Zone and South Solid Waste Area samples are plotted in Appendix C, Figure C-1 and Figure C-2, respectively.

Most EPZ results show that the cation type is calcium to nondominant with bicarbonate as the dominant anion. In this sample population, the alkaline earths generally exceed alkalis and the weak acids exceed strong acids, with sample composition being >50% hardness causing constituents (Calcium and Magnesium) and >60% weak acids (carbonate and bicarbonate) at most perched zone monitoring wells. Most samples are plotted within the magnesium bicarbonate hydrochemical facies, which is consistent with historic samples.

Monitoring well MW-109 exhibits a dominant sodium and potassium cation and bicarbonate anion. Alkalis exceed alkaline earths, and weak acids exceed the strong acids, with the sample composition being <20% hard and >95% carbonate and bicarbonate. Since the sample has a higher ratio of weak acids to hardness, it is anticipated that the hardness will be temporary, which means demineralization may occur. The sample plots in the sodium bicarbonate hydrochemical facies, which aligns with previous sampling events.

Monitoring well MW-EB6 exhibits a sodium and potassium to nondominant cation type with bicarbonate as the dominant anion. There is a balance of approximately 50% alkalis and 50% alkaline earths, and weak acids exceed the strong acids. Sample composition is approximately 50% hard and >90% carbonate and bicarbonate. Since the sample has a higher ratio of weak acids to hardness, it is anticipated that the hardness will be temporary, which means demineralization may occur. The sample plots between the magnesium bicarbonate and “mixed type” hydrochemical facies, which is consistent with previous sampling events.

South Solid Waste Area Perched Zone monitoring well MW-101 has a nondominant cation type with bicarbonate as the dominant anion. Sample composition is >80% calcium and magnesium and >95% weak acids. Ultimately the sample plots in the magnesium bicarbonate hydrochemical facies, consistent with previous results.

The leachate analytical results from location LS-V1A (Figures C-1 and C-2 in Appendix C) have been plotted on trilinear diagrams for comparison purposes. Leachate results from LS-V1A exhibit a dominant sodium and potassium cation and bicarbonate anion type. The sample shows that weak acids exceed strong acids and plot on the border between sodium bicarbonate and “mixed type” hydrochemical facies. Leachate quality does not represent natural waters, and the LS-V1A sample is plotted in an area of the graph that is mostly distinct from the Perched Zone groundwater results described above.

Table 3.2.1
Perched Zones - Ion Balance Summary for Groundwater
January 1, 2026 - March 31, 2026

	Well	MW-EB6			MW-30A			MW-47			MW-62			MW-102		
	Sample Date	1/13/2026			1/15/2026			1/15/2026			1/12/2026			1/14/2026		
Cation Parameters	Molecular Weight (g/mol)	n	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)
pH	--		6.75			6.33			6.57			6.13			6.97		
Conductance	--		112			364			796			108			168.60		
TDS	--		93			258.00			544			85			121.00		
Calcium	40.08	2	7	0.34	25.70	39.60	1.9760	42.86	109.00	5.4391	50.13	11.30	0.56	47.15	16.70	0.8333	44.48
Magnesium	24.31	2	3.92	0.32	24.04	23.50	1.9338	41.94	53.00	4.3614	40.20	2.88	0.2370	19.82	6.14	0.5053	26.97
Potassium	39.10	1	1.09	0.0279	2.08	1.8400	0.0471	1.02	4.88	0.1248	1.15	0.70	0.0178	1.49	1.15	0.0294	1.57
Sodium	22.99	1	14.80	0.6438	47.98	15.00	0.6525	14.15	18.10	0.7874	7.26	8.62	0.3750	31.35	11.60	0.5046	26.94
Iron	55.85	2	0.07	0.0025	0.1849	0.0198	0.0007	0.0154	2.4300	0.0870	0.8021	0.0563	0.0020	0.1686	0.01	0.0004	0.02
Manganese	54.94	2	0.00	0.0000	0.0028	0.0004	0.0000	0.0003	1.2700	0.0462	0.4261	0.0023	0.0001	0.0071	0.0006	0.0000	0.00
Ammonia-N	14.01	1	0.0045	0.0003	0.0239	0.0037	0.0003	0.0057	0.0482	0.0034	0.0317	0.0028	0.0002	0.0167	0.0031	0.0002	0.01
	Total Cations (meq/L)			**1.34**			**4.61**			**10.85**			**1.20**			**1.87**	
Anion Parameters	Molecular Weight (g/mol)	n															
Alkalinity, Total	--		0.0000			0.0000			0.0000			0.0000			0.0000		
Carbonate	60.00	2	0.0186	0.0006	0.0492	0.0217	0.0007	0.0168	0.1090	0.0036	0.0351	0.0035	0.0001	0.0101	0.0395	0.0013	0.0726
Bicarbonate	61.01	1	67	1.10	87.28	206.14	3.3786	78.43	595.14	9.75	94.34	53	0.86	74.58	85.93	1.4084	77.56
Chloride	35.45	1	0.67	0.0190	1.50	11.90	0.3357	7.79	7.47	0.2107	2.04	2.18	0.0615	5.31	5.4200	0.1529	8.42
Nitrate-N	14.01	1	0.5830	0.0416	3.2988	3.9600	0.2827	6.56	0.01	0.0004	0.00	0.9810	0.0700	6.0470	1.1400	0.0814	4.4816
Sulfate	96.06	2	4.77	0.0993	7.87	14.90	0.3102	7.20	17.80	0.3706	3.58	7.82	0.1628	14.06	8.26	0.1720	9.47
	Total Anions (meq/L)			**1.26**			**4.31**			**10.34**			**1.16**			**1.82**	
	Total Ions (meq/L)			**2.60**			**8.92**			**21.19**			**2.35**			**3.69**	
	Cation/Anion Ratio			**1.06**			**1.07**			**1.0493**			**1.03**			**1.03**	
	Percent Difference			**3.08**			**3.39**			**2.41**			**1.60**			**1.55**	

Table 3.2.1
Perched Zones - Ion Balance Summary for Groundwater
January 1, 2026 - March 31, 2026

	Well	MW-103			MW-107			MW-108			MW-109			MW-110		
	Sample Date	1/22/2026			1/14/2026			1/14/2026			1/15/2026			1/13/2026		
Cation Parameters	Molecular Weight (g/mol)	n	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)
pH	--		7.70			5.80			6.69			6.80			6.40		
Conductance	--		226			96			299			1965.00			665		
TDS	--		159			85			228			1350.00			433		
Calcium	40.08	2	21.90	1.09	41.39	9.97	0.50	43.61	24.50	1.22	35.00	38.30	1.9112	7.86	79.50	3.97	45.99
Magnesium	24.31	2	10.00	0.8229	31.17	3.15	0.26	22.72	10.90	0.90	25.68	14.80	1.2179	5.01	39.40	3.24	37.59
Potassium	39.10	1	2.29	0.0586	2.22	1.68	0.0430	3.7669	1.49	0.0381	1.0910	2.2500	0.0576	0.2367	3.10	0.0793	0.92
Sodium	22.99	1	15.30	0.67	25.21	5	0.20	17.46	30.70	1.34	38.23	459.00	19.9665	82.12	27.80	1.21	14.02
Iron	55.85	2	0.0050	0.0002	0.0068	2.01	0.0720	6.31	0.0050	0.0002	0.0051	23.1000	0.8272	3.4024	0.1690	0.0061	0.0702
Manganese	54.94	2	0.0001	0.0000	0.0001	0.88	0.0319	2.7950	0.00	0.0000	0.00	3.7600	0.1369	0.5629	3.3100	0.1205	1.3968
Ammonia-N	14.01	1	0.0060	0.0004	0.0162	0.53	0.0381	3.3353	0.0026	0.0002	0.0053	2.7400	0.1956	0.8045	0.0187	0.0013	0.0155
	Total Cations (meq/L)			**2.64**			**1.14**			**3.49**			**24.3128**			**8.63**	
Anion Parameters	Molecular Weight (g/mol)	n															
Alkalinity, Total	--		0.0000			0.0000			0.0000			0.0000			0.0000		
Carbonate	60.00	2	0.3419	0.0114	0.4452	0.00	0.0001	0.0055	0.0339	0.0011	0.0336	0.4096	0.0137	0.0629	0.0618	0.0021	0.0248
Bicarbonate	61.01	1	138	2.27	88.61	54	0.88	87.28	140	2.30	68.45	1316.77	21.5818	99.46	499	8.18	98.49
Chloride	35.45	1	3.59	0.1013	3.9565	0.76	0.0214	2.1174	1.00	0.0282	0.8401	1.7000	0.0480	0.22	2.02	0.0570	0.69
Nitrate-N	14.01	1	0.0240	0.0017	0.07	0.0710	0.0051	0.5006	0.8090	0.0578	1.7200	0.01	0.0004	0.00	0.0100	0.0007	0.0086
Sulfate	96.06	2	8.51	0.1772	6.92	4.91	0.1022	10.0959	46.70	0.9723	28.9565	2.61	0.0543	0.25	3.17	0.07	0.79
	Total Anions (meq/L)			**2.56**			**1.01**			**3.36**			**21.6981**			**8.30**	
	Total Ions (meq/L)			**5.20**			**2.15**			**6.85**			**46.01**			**16.93**	
	Cation/Anion Ratio			**1.03**			**1.1267**			**1.04**			**1.12**			**1.0390**	
	Percent Difference			**1.5531**			**5.96**			**1.9805**			**5.68**			**1.9126**	

Table 3.2.1
Perched Zones - Ion Balance Summary for Groundwater
January 1, 2026 - March 31, 2026

	Well	MW-111			MW-112			MW-101		
	Sample Date	1/14/2026			1/13/2026			1/7/2026		
Cation Parameters	Molecular Weight (g/mol)	n	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)
pH	--		5.87			7.12			6.88		
Conductance	--		86			512			433		
TDS	--		81			353			278		
Calcium	40.08	2	6.93	0.35	37.11	37.30	1.86	31.18	45.20	2.26	42.51
Magnesium	24.31	2	2.02	0.17	17.84	22.30	1.84	30.74	27.50	2.26	42.65
Potassium	39.10	1	0.31	0.0080	0.86	2.78	0.0711	1.19	2.20	0.0563	1.06
Sodium	22.99	1	9.44	0.4106	44.06	50.60	2.20	36.88	15.70	0.6830	12.87
Iron	55.85	2	0.0120	0.0004	0.0461	0.0050	0.0002	0.0030	0.2830	0.0101	0.1910
Manganese	54.94	2	0.00	0.0001	0.0077	0.0003	0.0000	0.0002	1.01	0.0368	0.6929
Ammonia-N	14.01	1	0.0106	0.0008	0.0812	0.0028	0.0002	0.0033	0.0184	0.0013	0.0248
	Total Cations (meq/L)			**0.93**			**5.97**			**5.31**	
Anion Parameters	Molecular Weight (g/mol)	n									
Alkalinity, Total	--		0.0000			0.0000			0.0000		
Carbonate	60.00	2	0.0014	0.0000	0.0052	0.1615	0.0054	0.0905	0.1071	0.0036	0.0733
Bicarbonate	61.01	1	39	0.64	69.99	249	4.07	68.49	286	4.70	96.40
Chloride	35.45	1	0.73	0.0206	2.25	22.00	0.6206	10.43	3.82	0.1078	2.21
Nitrate-N	14.01	1	1.3200	0.0942	10.3082	0.1610	0.0115	0.1932	0.0130	0.0009	0.0191
Sulfate	96.06	2	7.66	0.1595	17.4454	59.40	1.24	20.79	3.03	0.0631	1.2952
	Total Anions (meq/L)			**0.91**			**5.95**			**4.87**	
	Total Ions (meq/L)			**1.85**			**11.92**			**10.18**	
	Cation/Anion Ratio			**1.02**			**1.0035**			**1.09**	
	Percent Difference			**0.96**			**0.1760**			**4.28**	

Exceedances of regulatory standards are tabulated and presented in Table 3.2.2. Groundwater in the East Perched Zone has been found to be impacted by landfill gas (Aspect, 2016). There were no new exceedances observed in the Perched Zones this quarter. Nevertheless, several state and federal exceedances persist within the subject wells.

Table 3.2.2. EPZ and SSWA: Summary of Groundwater Quality Criteria Exceedances
January 1, 2026 to March 31, 2026

Parameter	Units	Well	Sample Date	Sample Value	Regulatory Standard	Regulatory Limit
pH, Field	pH units	MW-30A	01/15/2026	6.33	MCL2; SGWC2	< 6.5
		MW-62	01/12/2026	6.13		
		MW-107	01/14/2026	5.8		
		MW-110	01/13/2026	6.4		
		MW-111	01/14/2026	5.87		
Spec Cond, Field	umhos/cm	MW-47	01/15/2026	796	SGWC2	700
		MW-109	01/15/2026	1965		
Total Dissolved Solids	mg/L	MW-47	01/15/2026	544	MCL2; SGWC2	500
		MW-109	01/15/2026	1350		
Arsenic, Total	µg/L	MW-109	01/15/2026	42	MCL1; SGWC1	10[1]; 0.05
		MW-EB6	01/13/2026	0.895		
		MW-30A	01/15/2026	0.586		
		MW-47	01/15/2026	2.21		
		MW-62	01/12/2026	0.2		
		MW-101	01/07/2026	9.59	SGWC1	0.05
		MW-102	01/14/2026	0.329		
		MW-103	01/22/2026	7.89		
		MW-107	01/14/2026	5.07		
		MW-108	01/14/2026	1.72		
		MW-110	01/13/2026	2.73		
		MW-111	01/14/2026	0.448		
		MW-112	01/13/2026	2.51		
Iron, Total	mg/L	MW-47	01/15/2026	2.45	MCL2; SGWC2	0.3; 0.3
		MW-101	01/07/2026	0.489		
		MW-107	01/14/2026	2.07		
		MW-109	01/15/2026	30.9		
		MW-110	01/13/2026	0.326		
Manganese, Total	µg/L	MW-47	01/15/2026	1320 D	MCL2; SGWC2	50[1]; 50
		MW-101	01/07/2026	930 D		
		MW-107	01/14/2026	926 D		
		MW-109	01/15/2026	3990 D		
		MW-110	01/13/2026	3330 D		

January 1, 2026 to March 31, 2026

Parameter	Units	Well	Sample Date	Sample Value	Regulatory Standard	Regulatory Limit
Sodium, Total	mg/L	MW-108	01/14/2026	33.2	MCL1; SGWC1	20
		MW-109	01/15/2026	458		
		MW-110	01/13/2026	27.7		
		MW-112	01/13/2026	51.5		
1,1-Dichloroethane	µg/L	MW-30A	01/15/2026	1.92	SGWC1	1
Benzene	µg/L	MW-109	01/15/2026	1.39	SGWC1	1
Toluene	µg/L	MW-109	01/15/2026	3820 DH	MCL1; SGWC1	1000
Vinyl Chloride	µg/L	MW-47	01/15/2026	3.76 D	MCL1; SGWC1	2; 0.02
		MW-101	01/07/2026	0.210 D	SGWC1	0.02
		MW-109	01/15/2026	0.128 D		
		MW-110	01/13/2026	0.108 D		

[1]MCL1 for arsenic is 0.010 mg/L; MCL2 for manganese is 0.05 mg/L; converted to µg/L in table.
MCL1 = National Primary Drinking Water Regulation Maximum Contaminant Level.
MCL2 = National Secondary Drinking Water Regulation Maximum Contaminant Level.
SGWC1 = Washington State Primary Groundwater Quality Criteria.
SGWC2 = Washington State Secondary Groundwater Quality Criteria.
Natural background for arsenic in the Puget Sound Basin is 8 µg/L (Ecology, 2022).
See Appendix A for Data Qualifier Information and Unit Definitions.

Wells located in the EPZ and SSWAPZ utilize the intrawell prediction limit method to determine prediction limit exceedances. These prediction limits have been calculated to include all sample results through 2025. The EPZ and SSWA prediction limit exceedances are presented in Table 3.2.3.

Table 3.2.3. EPZ and SSWA: Summary of Intrawell Prediction Limit Exceedances
January 1, 2026 to March 31, 2026

Parameter	Units	Well ID	Sample Date	Sample Value	Prediction Limit (PL) Value
Chromium, Total	µg/L	MW-EB6	1/13/2026	2.11	1.51
Selenium, Total	µg/L	MW-112	1/13/2026	0.95	0.595
Vanadium, Total	µg/L	MW-112	1/13/2026	2.19	1.51
Toluene	µg/L	MW-109	1/15/2026	3820 DH	2515

See Appendix A for Data Qualifier Information and Unit Definitions

Per the SAP, retesting protocols for this quarter are as follows:

- MW-30A is exiting the retesting protocol in 1Q26 for total barium, 1,1-dichloroethane, and vinyl chloride.

- MW-EB6 is entering the retesting protocol in 1Q26 for total chromium.
- MW-112 is entering the retesting protocol in 1Q26 for total selenium and total vanadium.
- MW-109 is entering the retesting protocol in 1Q26 for toluene.

No other prediction limit exceedances were reported this quarter for Perched Zone monitoring wells.

Detections of volatile organic compounds in this zone are tabulated and presented in Table 3.2.4. Perched zone detections this quarter generally appear to be consistent with past results, with most VOC concentrations showing values comparable or lower than those from previous years. Volatile organic compounds will continue to be monitored and analyzed quarterly, and future recurring volatile organic compounds detections will continue to be evaluated to determine any changes in trends.

Table 3.2.4. EPZ and SSWA: Summary of Volatile Organic Compound Detections
January 1, 2026 to March 31, 2026

Parameter	Units	Well	Sample Date	Sample Value
1,1-Dichloroethane	µg/L	MW-30A	01/15/2026	1.92
		MW-47	01/15/2026	0.599
		MW-62	01/12/2026	0.303
		MW-110	01/13/2026	0.243
1,2-Dichlorobenzene	µg/L	MW-109	01/15/2026	0.355
		MW-110	01/13/2026	0.75
1,2-Dichloroethane	µg/	MW-110	01/13/2026	0.202
1,2-Dichloropropane	µg/L	MW-110	01/13/2026	0.227
1,4-Dichlorobenzene	µg/L	MW-107	01/14/2026	0.190 JT
		MW-109	01/15/2026	0.856
		MW-110	01/13/2026	0.120 JT
2-Butanone	µg/L	MW-109	01/15/2026	4
Acetone	µg/L	MW-109	01/15/2026	38.2
Benzene	µg/L	MW-109	01/15/2026	1.39
		MW-110	01/13/2026	0.401
Chlorobenzene	µg/L	MW-109	01/15/2026	0.906

January 1, 2026 to March 31, 2026

Parameter	Units	Well	Sample Date	Sample Value
		MW-110	01/13/2026	0.64
Chloroethane	µg/L	MW-47	01/15/2026	0.140 JT
Cis-1,2-Dichloroethene	µg/L	MW-30A	01/15/2026	1.96
		MW-47	01/15/2026	1.99
		MW-62	01/12/2026	0.515
		MW-109	01/15/2026	0.258
		MW-110	01/13/2026	4.38
		MW-111	01/14/2026	0.13 JT
Dichlorodifluoromethane	µg/L	MW-47	01/15/2026	2.96
Ethylbenzene	µg/L	MW-109	01/15/2026	1.75
M & P Xylene	µg/L	MW-109	01/15/2026	1.43
		MW-110	01/13/2026	0.110 JT
O-Xylene	µg/L	MW-109	01/15/2026	0.100 JT
Tetrachloroethene	µg/L	MW-30A	01/15/2026	0.110 JT
Toluene	µg/L	MW-109	01/15/2026	3820 DH
Trans-1,2-Dichloroethene	µg/L	MW-110	01/13/2026	0.160 JT
Trichloroethene	µg/L	MW-30A	01/15/2026	0.709
		MW-110	01/13/2026	0.110 JT
Vinyl Chloride	µg/L	MW-47	01/15/2026	3.76 D
		MW-109	01/15/2026	0.128 D
		MW-110	01/13/2026	0.108 D

See Appendix A for Data Qualifier Information and Unit Definitions

3.3. Groundwater within Regional Aquifer

There are 44 wells completed in the Regional Aquifer that are monitored either quarterly or semiannually at CHRLF. Water levels are monitored in each well at the beginning of every quarter. A subset of 28 Regional aquifer wells are sampled for quarterly groundwater quality monitoring, while an additional 16 wells are sampled semi-annually, during the 2nd and 4th quarters.

Water Table Wells - Quarterly		
MW-60[U]	MW-113[U]	MW-74R
MW-66[U]	MW-114[U]	MW-80
MW-81[U]	MW-115[U]	MW-85
MW-83[U]	MW-68	MW-87
MW-84[U]	MW-69[*]	MW-93
MW-94[U]	MW-72	MW-106[P]
Water Table Wells – Semiannual		
MW-64[U]	MW-67	
MW-73[U]	MW-86	
MW-76[U]	MW-88	
MW-82[U]	MW-95	

Deep Wells - Quarterly	
MW-59[U]	MW-91[P]
MW-75	MW-99[PU]
MW-22P[P]	NPW-1[P]
MW-43[P]	NPW-3[P]
MW-90[P]	
Deep Wells – Semiannual	
MW-21[U]	MW-57[PU]
MW-24[U]	MW-58A[PU]
MW-54[QU]	MW-65[U]
MW-56[U]	MW-89

P = Piezometer; monitored for water level only
Q = Previously monitored for water level only; sampled semi-annually for VOCs per 2022 request by QCF & EPA
U = Upgradient
[*] = Damaged, not monitored and under evaluation

Monitoring wells that are sampled for groundwater quality include:

- Quarterly: MW-59, MW-60, MW-66, MW-68, MW-69, MW-72, MW-74R, MW-75, MW-80, MW-81, MW-83, MW-84, MW-85, MW-87, MW-93, MW-94, MW-113, MW-114, and MW-115.

- Semi-Annually: MW-21, MW-24, MW-54, MW-56, MW-64, MW-65, MW-67, MW-73, MW-76, MW-82, MW-86, MW-88, MW-89, and MW-95.

Monitoring wells MW-22P, MW-43, MW-90, MW-91, MW-99, and MW-106, as well as water supply wells NPW-1, and NPW-3 are monitored for quarterly water levels only. During 1st and 3rd quarters, semi-annual monitoring wells are also monitored for water level only.

The following Regional Aquifer wells were not sampled during the first quarter of 2026:

Wells	Reason
MW-69	Damaged well

Groundwater quality data from samples collected from the Regional Aquifer during the first quarter of 2026 are consistent with recent sample results. Analytical results for total alkalinity, chloride, calcium, magnesium, and sodium at upgradient monitoring well MW-83 are generally higher in recent years than in historical data prior to 2010. However, the first quarter 2026 results for these analytes did not exceed regulatory standards at MW-83. This pattern can also be seen, though to a lesser degree, in analytical results from upgradient monitoring wells MW-56, MW-76, MW-82, and MW-94.

Groundwater elevations and potentiometric surfaces are within historical ranges and reflect seasonal responses to precipitation (see Appendices A and B). Calculated groundwater elevations, flow directions, gradients, and velocities are within historical ranges conform with past Potentiometric Surface Map and Groundwater Flow Analysis Reports (see Appendix B).

Table 3.3.1 contains the cation/anion balance during this quarter, for the wells screened within the Regional Aquifer. Values of 0.0000 mg/L within Table 3.3.1 indicate that this constituent was not detected in groundwater samples during lab analysis. All Regional Aquifer monitoring wells met the total cation-anion sum and percent difference thresholds.

The trilinear diagrams for the current quarter show Regional Aquifer samples plotted from the upgradient wells (Appendix C; Figure C-3), as well as the downgradient wells (Appendix C, Figure C-4).

The upgradient groundwater samples generally have a nondominant to slightly calcium-dominant cation type with bicarbonate as the dominant anion. In this sample population, the alkaline earths exceed alkalis and the weak acids exceed strong acids, with sample composition being >70% hardness causing constituents (Calcium and Magnesium) and >60% weak acids (carbonate and bicarbonate). Ultimately, the upgradient samples are plotted within the magnesium bicarbonate hydrochemical facies, which is consistent with historic samples.

Downgradient groundwater samples show a nondominant or slightly magnesium-dominant cation type, and excluding well MW-87 (nondominant), samples have bicarbonate as the dominant anion. Excluding well MW-87, downgradient wells show >80% calcium and magnesium as well as >55% weak acids; these wells mostly plot within the magnesium bicarbonate hydrochemical facies. Monitoring well MW-87 also shows >80% calcium and magnesium, but with <50% weak acidity; the subject well plots in a mixed type area of the diagram. All samples are plotted in zones consistent with recent trilinear diagram plots.

The leachate analytical results from location LS-V1A (Figures C-3 and C-4 in Appendix C) have been plotted on trilinear diagrams for comparison purposes. Leachate results from LS-V1A exhibit a dominant sodium and potassium cation and bicarbonate anion type. The sample shows that weak acids exceed strong acids and plot on the border between sodium bicarbonate and “mixed type” hydrochemical facies. Leachate quality does not represent natural waters, and the LS-V1A sample is plotted in an area of the graph that is mostly distinct from the Regional Aquifer groundwater results described above.

Table 3.3.1
Regional Aquifer - Ion Balance Summary for Groundwater
January 1, 2026 - March 31, 2026

	Well	MW-59			MW-66			MW-81			MW-83			MW-84		
	Sample Date	1/7/2026			1/8/2026			1/12/2026			1/12/2026			1/21/2026		
Cation Parameters	Molecular Weight (g/mol)	n	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)
pH	--		6.79			7.01			6.61			6.56			6.84		
Conductance	--		232			188			157			679			197		
TDS	--		145			121			106			415			123		
Calcium	40.08	2	21.40	1.07	40.31	16.20	0.8084	37.33	14.80	0.7385	43.10	84.20	4.20	53.47	17.30	0.8633	37.18
Magnesium	24.31	2	13.10	1.08	40.70	12.40	1.02	47.12	8.00	0.6583	38.42	34.40	2.83	36.03	13.30	1.09	47.14
Potassium	39.10	1	1.11	0.0284	1.07	0.99	0.0253	1.17	0.8590	0.0220	1.28	4.33	0.1108	1.41	1.10	0.0281	1.21
Sodium	22.99	1	6.97	0.3032	11.45	7.15	0.3110	14.36	6.76	0.2941	17.16	16.40	0.7134	9.08	7.71	0.3354	14.45
Iron	55.85	2	4.65	0.1665	6.29	0.0050	0.0002	0.0083	0.0050	0.0002	0.0105	0.0050	0.0002	0.0023	0.0050	0.0002	0.0077
Manganese	54.94	2	0.1220	0.0044	0.1676	0.0001	0.0000	0.0001	0.0001	0.0000	0.0002	0.0006	0.0000	0.0003	0.0005	0.0000	0.0009
Ammonia-N	14.01	1	0.0079	0.0006	0.0213	0.0010	0.0001	0.0033	0.0037	0.0003	0.0154	0.0069	0.0005	0.0063	0.0026	0.0002	0.0080
	Total Cations (meq/L)			**2.65**			**2.17**			**1.71**			**7.86**			**2.32**	
Anion Parameters	Molecular Weight (g/mol)	n															
Alkalinity, Total	--		86.00			82.70			56.80			267			84.70		
Carbonate	60.00	2	0.0319	0.0011	0.0431	0.0508	0.0017	0.0795	0.0139	0.0005	0.0279	0.0583	0.0019	0.0254	0.0352	0.0012	0.0538
Bicarbonate	61.01	1	105	1.72	69.77	101	1.65	77.54	69.27	1.14	68.25	326	5.34	69.81	103	1.69	77.60
Chloride	35.45	1	13.80	0.3893	15.80	4.33	0.1221	5.73	5.80	0.1636	9.84	67.20	1.90	24.80	4.61	0.1300	5.96
Nitrate-N	14.01	1	0.0050	0.0004	0.0145	0.4200	0.0300	1.41	1.60	0.1142	6.87	1.58	0.1128	1.48	0.1360	0.0097	0.4451
Sulfate	96.06	2	17.00	0.3539	14.37	15.60	0.3248	15.24	12.00	0.2498	15.02	14.30	0.2977	3.89	16.70	0.3477	15.94
	Total Anions (meq/L)			**2.46**			**2.13**			**1.66**			**7.65**			**2.18**	
	Total Ions (meq/L)			**5.11**			**4.30**			**3.38**			**15.50**			**4.50**	
	Cation/Anion Ratio			**1.08**			**1.02**			**1.0300**			**1.03**			**1.06**	
	Percent Difference			**3.63**			**0.81**			**1.4771**			**1.3682**			**3.12**	

Table 3.3.1
Regional Aquifer - Ion Balance Summary for Groundwater
January 1, 2026 - March 31, 2026

	Well	MW-94			MW-113			MW-114			MW-115		
	Sample Date	1/12/2026			1/9/2026			1/7/2026			1/9/2026		
Cation Parameters	Molecular Weight (g/mol)	n	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)
pH	--		6.48			7.18			6.82			6.50		
Conductance	--		263			392			336			278		
TDS	--		178			241			213			184		
Calcium	40.08	2	27.90	1.39	45.59	42.30	2.11	46.62	37.30	1.86	49.69	31.80	1.59	51.13
Magnesium	24.31	2	12.90	1.06	34.76	22.70	1.87	41.26	18.30	1.51	40.20	13.70	1.13	36.32
Potassium	39.10	1	2.85	0.0729	2.39	1.91	0.0489	1.08	2.16	0.0553	1.47	1.82	0.0466	1.50
Sodium	22.99	1	12.10	0.5264	17.24	9.90	0.4307	9.51	7.43	0.3232	8.63	7.87	0.3423	11.03
Iron	55.85	2	0.0050	0.0002	0.0059	1.43	0.0512	1.13	0.0050	0.0002	0.0048	0.0050	0.0002	0.0058
Manganese	54.94	2	0.0001	0.0000	0.0001	0.4610	0.0168	0.3706	0.0002	0.0000	0.0002	0.0009	0.0000	0.0010
Ammonia-N	14.01	1	0.0047	0.0003	0.0110	0.0181	0.0013	0.0285	0.0036	0.0003	0.0069	0.0038	0.0003	0.0087
	Total Cations (meq/L)			**3.05**			**4.53**			**3.75**			**3.10**	
Anion Parameters	Molecular Weight (g/mol)	n												
Alkalinity, Total	--		107			174			146			114		
Carbonate	60.00	2	0.0194	0.0006	0.0221	0.1582	0.0053	0.1178	0.0580	0.0019	0.0519	0.0217	0.0007	0.0237
Bicarbonate	61.01	1	131	2.14	73.08	212	3.47	77.62	178	2.92	78.29	139	2.28	74.67
Chloride	35.45	1	14.90	0.4203	14.36	27.10	0.7645	17.08	20.60	0.5811	15.60	15.60	0.4401	14.42
Nitrate-N	14.01	1	1.3500	0.0964	3.29	0.0110	0.0008	0.0175	0.73	0.0520	1.39	1.33	0.0949	3.11
Sulfate	96.06	2	13.00	0.2707	9.25	11.10	0.2311	5.16	8.35	0.1738	4.67	11.40	0.2373	7.78
	Total Anions (meq/L)			**2.93**			**4.48**			**3.73**			**3.05**	
	Total Ions (meq/L)			**5.98**			**9.00**			**7.47**			**6.16**	
	Cation/Anion Ratio			**1.04**			**1.01**			**1.01**			**1.02**	
	Percent Difference			**2.1170**			**0.58**			**0.26**			**0.84**	

Table 3.3.1
Regional Aquifer - Ion Balance Summary for Groundwater
January 1, 2026 - March 31, 2026

	Well	MW-68			MW-72			MW-74R			MW-75			MW-80		
	Sample Date	1/20/2026			1/7/2026			1/8/2026			1/12/2026			1/21/2026		
Cation Parameters	Molecular Weight (g/mol)	n	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)
pH	--		6.98			6.96			6.70			6.90			7.01		
Conductance	--		233			306			631			382			322		
TDS	--		148			195			393			251			211		
Calcium	40.08	2	24.00	1.20	43.39	30.70	1.53	42.68	64.00	3.19	41.95	35.00	1.75	38.72	35.00	1.75	45.78
Magnesium	24.31	2	13.70	1.13	40.85	18.70	1.54	42.87	45.10	3.71	48.75	26.00	2.14	47.44	18.70	1.54	40.34
Potassium	39.10	1	1.38	0.0353	1.28	1.71	0.0437	1.22	2.42	0.0619	0.81	2.06	0.0527	1.17	1.58	0.0404	1.06
Sodium	22.99	1	8.67	0.3771	13.66	8.52	0.3706	10.33	13.60	0.5916	7.77	10.10	0.4394	9.74	8.81	0.3832	10.05
Iron	55.85	2	0.3150	0.0113	0.4087	2.54	0.0910	2.53	1.2100	0.0433	0.5692	3.35	0.1200	2.66	2.52	0.0902	2.37
Manganese	54.94	2	0.2630	0.0096	0.3468	0.3280	0.0119	0.3326	0.2770	0.0101	0.1325	0.3010	0.0110	0.2429	0.3970	0.0145	0.3788
Ammonia-N	14.01	1	0.0252	0.0018	0.0652	0.0190	0.0014	0.0378	0.0091	0.0006	0.0085	0.0171	0.0012	0.0271	0.0155	0.0011	0.0290
	Total Cations (meq/L)			**2.76**			**3.59**			**7.61**			**4.51**			**3.81**	
Anion Parameters	Molecular Weight (g/mol)	n															
Alkalinity, Total	--		113			0.0000			274			0.0000			0.0000		
Carbonate	60.00	2	0.0648	0.0022	0.0819	0.0734	0.0024	0.0716	0.0825	0.0028	0.0365	0.0601	0.0020	0.0472	0.0818	0.0027	0.0761
Bicarbonate	61.01	1	138	2.26	85.59	163	2.68	78.30	334	5.48	72.61	154	2.52	59.22	162	2.66	74.14
Chloride	35.45	1	3.86	0.1089	4.13	10.40	0.2934	8.58	43.00	1.2130	16.08	16.20	0.4570	10.75	5.21	0.1470	4.10
Nitrate-N	14.01	1	0.0050	0.0004	0.0135	0.0050	0.0004	0.0104	0.0050	0.0004	0.0047	0.0050	0.0004	0.0084	0.0050	0.0004	0.0100
Sulfate	96.06	2	12.90	0.2686	10.18	21.40	0.4455	13.03	40.80	0.8495	11.26	61.20	1.27	29.97	37.30	0.7766	21.67
	Total Anions (meq/L)			**2.64**			**3.42**			**7.54**			**4.25**			**3.58**	
	Total Ions (meq/L)			**5.40**			**7.01**			**15.15**			**8.76**			**7.40**	
	Cation/Anion Ratio			**1.05**			**1.05**			**1.01**			**1.06**			**1.06**	
	Percent Difference			**2.27**			**2.43**			**0.47**			**2.96**			**3.13**	

Table 3.3.1
Regional Aquifer - Ion Balance Summary for Groundwater
January 1, 2026 - March 31, 2026

	Well	MW-85			MW-85			MW-87			MW-93		
	Sample Date	1/8/2026			1/12/2026			1/8/2026			1/21/2026		
Cation Parameters	Molecular Weight (g/mol)	n	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)	mg/L	meq/L	% (meq)
pH	--		6.92			6.61			6.74			7.03		
Conductance	--		351			345			495			293		
TDS	--		223			0			357.00			197		
Calcium	40.08	2	36.90	1.84	44.36	0.00	0.00	0.00	48.60	2.4251	41.70	31.70	1.58	45.77
Magnesium	24.31	2	22.30	1.84	44.21	0.00	0.00	0.00	32.30	2.6580	45.70	17.00	1.40	40.48
Potassium	39.10	1	1.55	0.0396	0.96	0.00	0.0000	0.00	2.2000	0.0563	0.97	1.37	0.0350	1.01
Sodium	22.99	1	9.98	0.4341	10.46	0.00	0.0000	0.00	11.10	0.4829	8.30	9.74	0.4237	12.26
Iron	55.85	2	0.0050	0.0002	0.0043	0.00	0.0000	0.00	4.8500	0.1737	2.9861	0.0050	0.0002	0.0052
Manganese	54.94	2	0.0002	0.0000	0.0002	0.0000	0.0000	0.0000	0.5110	0.0186	0.3198	0.2680	0.0098	0.2823
Ammonia-N	14.01	1	0.0024	0.0002	0.0041	0.0000	0.0000	0.0000	0.0236	0.0017	0.0290	0.0888	0.0063	0.1834
	Total Cations (meq/L)			**4.15**			**0.00**			**5.82**			**3.46**	
Anion Parameters	Molecular Weight (g/mol)	n												
Alkalinity, Total	--		0.0000			0.0000			0.0000			0.0000		
Carbonate	60.00	2	0.0795	0.0026	0.0638	0.0000	0.0000	0.0000	0.0439	0.0015	0.0260	0.0798	0.0027	0.0794
Bicarbonate	61.01	1	194	3.18	76.52	0	0.00	0.00	162.17	2.66	47.16	151	2.48	73.88
Chloride	35.45	1	9.55	0.2694	6.49	0.00	0.0000	0.00	20.6000	0.5811	10.31	2.74	0.0773	2.31
Nitrate-N	14.01	1	0.0989	0.0071	0.1701	0.0000	0.0000	0.0000	0.0190	0.0014	0.02	0.01	0.0004	0.01
Sulfate	96.06	2	33.40	0.6954	16.75	0	0.00	0.00	115.00	2.3943	42.48	38.20	0.7953	23.72
	Total Anions (meq/L)			**4.15**			**0.00**			**5.64**			**3.35**	
	Total Ions (meq/L)			**8.30**			**0.00**			**11.45**			**6.81**	
	Cation/Anion Ratio			**1.00**			**#DIV/0!**			**1.03**			**1.03**	
	Percent Difference			**-0.0081**			**#DIV/0!**			**1.57**			**1.52**	

Exceedances of regulatory standards are tabulated and presented in Table 3.3.2. There were no new exceedances observed in the Regional Aquifer during this quarter. Nevertheless, several state and federal exceedances persist within the subject wells.

Table 3.3.2. Regional Aquifer: Summary of Groundwater Quality Criteria Exceedances
January 1, 2026 to March 31, 2026

Parameter	Units	Well	Sample Date	Sample Value	Regulatory Standard	Regulatory Limit
Upgradient						
pH, Field	pH units	MW-94	01/12/2026	6.48	MCL2; SGWC2	< 6.5
Arsenic, Total	µg/L	MW-59	01/07/2026	0.397	SGWC1	0.05
		MW-66	01/08/2026	0.695		
		MW-81	01/12/2026	0.536		
		MW-83	01/12/2026	0.365		
		MW-84	01/21/2026	0.313		
		MW-94	01/12/2026	0.116		
		MW-113	01/09/2026	0.558		
		MW-114	01/07/2026	0.269		
		MW-115	01/09/2026	0.166		
Iron, Total	mg/L	MW-59	01/07/2026	4.82	MCL2; SGWC2	0.3
		MW-113	01/09/2026	1.50		
Manganese, Total	µg/L	MW-59	01/07/2026	116	MCL2; SGWC2	50[1]; 50
		MW-113	01/09/2026	435		
Trichloroethene	µg/L	MW-114	01/07/2026	8.76	MCL1; SGWC1	5; 3
		MW-115	01/09/2026	4.48	SGWC1	3
Crossgradient & Downgradient						
Arsenic, Total	µg/L	MW-68	01/20/2026	43.8	MCL1; SGWC1	10[1]; 0.05
		MW-72	01/07/2026	0.161	SGWC1	0.05
		MW-74R	01/08/2026	0.388		
		MW-75	01/12/2026	0.419		
		MW-80	01/21/2026	3.16		
		MW-85	01/08/2026	0.719		
		MW-87	01/08/2026	0.58		
		MW-93	01/21/2026	1.45		
Iron, Total	mg/L	MW-68	01/20/2026	2.82	MCL2; SGWC2	0.3
		MW-72	01/07/2026	5.13		
		MW-74R	01/08/2026	1.27		
		MW-75	01/12/2026	3.36		
		MW-80	01/21/2026	2.64		
		MW-87	01/08/2026	5.12		

January 1, 2026 to March 31, 2026

Parameter	Units	Well	Sample Date	Sample Value	Regulatory Standard	Regulatory Limit
Crossgradient & Downgradient						
Manganese, Total	µg/L	MW-68	01/20/2026	324	MCL2; SGWC2	50[1]; 50
		MW-72	01/07/2026	320		
		MW-74R	01/08/2026	259		
		MW-75	01/12/2026	312		
		MW-80	01/21/2026	403		
		MW-87	01/08/2026	482		
		MW-93	01/21/2026	278		

[1]MCL1 for arsenic is 0.010 mg/L. MCL2 for manganese is 0.05 mg/L. Converted standards to µg/L in the table.
MCL1 = National Primary Drinking Water Regulation Maximum Contaminant Level.
MCL2 = National Secondary Drinking Water Regulation Maximum Contaminant Level.
SGWC1 = Washington State Primary Groundwater Quality Criteria.
SGWC2 = Washington State Secondary Groundwater Quality Criteria.
Natural background for arsenic in the Puget Sound Basin is 8 µg/L (Ecology, 2022).
See Appendix A for Data Qualifier Information and Unit Definitions

The prediction Limits are calculated for the inorganic constituents listed in Appendix I of WAC 173-351-990, as well as the organic parameters recently detected in the Regional Aquifer (cis-1,2-dicholoethene, tetrachloroethene, trichloroethene, and vinyl chloride). Exceedances of the predictions limits are tabulated and presented in Table 3.3.3; these prediction limits have been calculated to include all sample results through 2025.

Table 3.3.3. Regional Aquifer: Summary of Intrawell Prediction Limit Exceedances
January 1, 2026 to March 31, 2026

Parameter	Units	Well ID	Sample Date	Sample Value	Prediction Limit (PL) Value
Nitrate	mg/L	MW-113	01/09/2026	0.011 T	0.01
Nickel, Total	µg/L	MW-74R	01/08/2026	2.26	2.23
Selenium, Total	µg/L	MW-66	01/08/2026	1.06	1.05
Zinc, Total	µg/L	MW-68	01/20/2026	1.19	1.1
Cis-1,2-Dichloroethene	µg/L	MW-59	01/07/2026	1.69	1.67

See Appendix A for Data Qualifier Information and Unit Definitions

Per the SAP, retesting protocols for this quarter are as follows:

- MW-24, MW-65, and MW-74R are exiting the retesting protocol in 1Q26 for total barium.

- MW-113 is entering the retesting protocol in 1Q26 for nitrate.
- MW-74R is entering the retesting protocol in 1Q26 for total nickel.
- MW-66 is entering the retesting protocol in 1Q26 for total selenium.
- MW-68 is entering the retesting protocol in 1Q26 for total zinc.
- MW-59 is entering the retesting protocol in 1Q26 for cis-1,2-dichloroenethene.

No other prediction limit exceedances were reported this quarter for Regional Aquifer monitoring wells.

Detections of volatile organic compounds in the Regional Aquifer are tabulated and presented in Table 3.3.4. Regional Aquifer detections this quarter generally appear to be consistent with past results, with most VOC concentrations showing values comparable or lower than those from previous years. Volatile organic compounds will continue to be monitored and analyzed quarterly, and future recurring volatile organic compounds detections will continue to be evaluated to determine any changes in trends.

Table 3.3.4. Regional Aquifer: Summary of Volatile Organic Compound Detections
January 1, 2026 to March 31, 2026

Parameter	Units	Well ID	Date	Sample Value
Cis-1,2-Dichloroethene	ug/L	MW-59	01/07/2026	1.69
Trichloroethene	ug/L	MW-83	01/12/2026	1.44
		MW-94	01/12/2026	1.75
		MW-114	01/07/2026	8.76
		MW-115	01/09/2026	4.48

3.4. Offsite Private Wells

In addition to the monitoring wells immediately surrounding the CHRLF, KCSWD also collects periodic groundwater samples from each of four off-site drinking water supply wells used by neighboring landowners and residents. These wells are tested once per year (typically during 4th quarter) for the same suite of analytes as the Regional Aquifer monitoring wells. There are no monitoring results to report for these wells from the first quarter of 2026.

3.5. Queen City Farms Monitoring

In 1992, the EPA issued an Administrative Consent Order that required KCSWD to conduct environmental monitoring and reporting activities related to the Queen City Farms (QCF) site that

borders CHRLF to the south. In 2007, EPA discontinued some of the required monitoring and reporting, but the Order remained in effect. In 2022, EPA sent letters to KCSWD reinstating specific environmental monitoring and reporting requirements (EPA, 2022). In response to the 2022 communications, KCSWD engaged with EPA and QCF representatives to collaboratively identify and implement monitoring and reporting activities that would meet EPA and QCF needs. This monitoring has included semi-annual groundwater quality sampling for cis-1,2-DCE, PCE, TCE, and VC at monitoring wells MW-54, MW-57, MW-58A, and MW-60, which were previously monitored only for quarterly water levels. In an email dated September 24, 2025 the US EPA communicated to KCSWD that VOC sampling was no longer required at monitoring wells MW-57, MW-58A, and MW-60.

4.0 Stormwater & Surface Water

Appendix D contains ISGP benchmarks and effluent limits (Table D-i), surface water staff gage measurements (Table D-1), field data collected during sampling (Table D-2), laboratory analytical results (Tables D-3 to D-8), and the quarterly ISGP Discharge Monitoring Report (DMR). Surface water and stormwater monitoring locations at CHRLF are shown on Figure 2. Field monitoring personnel confirmed that March 2026 surface water staff gages were measured, however the field sheet appears to have been lost before it could be scanned. Electronic field documentation is in the process of being implemented by KCSWD field personnel and will reduce the risk of potential field data loss in the future.

CHRLF stormwater discharge is authorized by an Industrial Stormwater General Permit (ISGP) issued by the Washington State Department of Ecology. Sampling stations SW-N4, SW-SL3 and SW-GS1 are the designated points for comparison to permit benchmarks and effluent limits. Beginning in 2025, all ISGP compliance samples are also analyzed for polyfluoroalkyl substance (PFAS). No ISGP effluent limit exceedances were reported during the first quarter of 2026.

Surface water monitoring location SW-E1 monitors surface water east of CHRLF before it flows offsite at the east boundary of the property and is monitored quarterly for the same list of analytes as groundwater samples from the EPZ. During the first quarter of 2026, a surface water sample was successfully collected from monitoring location SW-E1. Analytical results for the first quarter of 2026 sample appear to be consistent with past samples from SW-E1.

As previously communicated to the agencies in a Serious Incident 60-Day Report dated May 22, 2026, an unplanned release of leachate took place at pump station 1, at the north end of CHRLF on March 22, 2026. In response to this release, KCSWD environmental monitoring personnel collected a surface water sample and five soil samples with Location ID “EMER” to determine the presence, extent and severity of contamination. The results of the surface water sample can be found in Tables D-2 to D-8. Soil sample analytical results will be reported in a separate technical memorandum once they have all been received from the laboratory.

5.0 Leachate

Leachate data for the first quarter of 2026 is compiled in Appendix E (Tables E-1 through E-5). Figure 3 shows the leachate monitoring locations.

6.0 Landfill Gas Monitoring

Landfill gas presence is monitored by a network of compliance probes installed around the perimeter of the landfill (see Figure 4), as well as interior probes that monitor performance of the landfill gas collection system. Probes are monitored monthly, and the results are presented in Appendix F.

Methane was not detected at or above the regulatory limit (LEL) in any compliance gas probes this quarter. Operations personnel detected methane above LEL at interior monitoring probes MW-47 and MW-57 and adjusted the landfill gas collection system accordingly. Building monitoring shows trace amounts of methane, with all concentrations measuring less than 0.01% by volume.

7.0 Meteorological Data

Meteorological data for the first quarter of 2026 is compiled in Appendix G.

8.0 Top Deck Report

The Top Deck Report for the first quarter of 2026 can be found in Appendix H.

9.0 Site Maintenance and Site Improvements

To ensure proper waste fluid extraction from the landfill, KCSWD relies on a network of leachate, landfill gas, and dual-phase extraction wells at the CHRLF, including several vertical dual-phase extraction wells installed on top of Areas 4, 5, 6, and 7 in 2023. These wells utilize Lorentz PS2 progressive cavity pumps, chosen for their effectiveness at pumping viscous fluids such as those found in portions of CHRLF.

From late 2023 through early 2024, three quarters of these wells sustained damage to their pumping systems from a combination of causes including severe winds and local wildlife. Through 2024 and 2025, KCSWD has worked with Lorentz to identify the most likely causes and potential preventative measures for these issues. During the first quarter of 2026, replacement pumps were installed in 4 of the vertical wells, A5VW0001, A5VW0003, A6VW0002, and A7VW0012. Upgraded components included rigid stainless steel discharge piping as opposed to flexible discharge hose, protective stainless-steel mesh on all above-ground power cables to prevent damage from wildlife, knock-out drains to facilitate pump maintenance, and upgraded I/O boards to enable simultaneous collection of down-well temperature and liquid level data. Anticipated future improvements include check valves on all discharge lines and higher-capacity batteries to maintain data transmission during periods of low irradiation. Three additional pumps are planned for installation in 2026, pending camera inspection and temperature profiling in the proposed wells.

10.0 References

Aspect Consulting, LLC. (Aspect), 2013a, *Cedar Hills Regional Landfill Site Wide Hydrogeologic Report Addendum*. King County, Department of Natural Resources and Parks, Solid Waste Division.

Aspect Consulting, LLC. (Aspect), 2013b, *Sampling and Analysis Plan for Cedar Hills Regional Landfill,* (SAP). King County, Department of Natural Resources and Parks, Solid Waste Division.

Aspect Consulting, LLC (Aspect), 2016. *East Perched Zones Remedial Investigation and Feasibility Study*, prepared for King County Solid Waste Division, Seattle, Washington, December 2016.

EPA, 2009, *Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities – Unified Guidance.*


EPA, 2022, *King County's Cedar Hills Regional Landfill's Monitoring Requirements to EPA*, United States Environmental Protection Agency, Region 10, Superfund and Emergency Management Division

Fetter, C.W., 2000, *Applied Hydrogeology* (4th Edition), New Jersey, Prentice Hall.

Freeze, R.A., and Cherry, J.A., 1979, *Groundwater*, Englewood Cliffs, New Jersey, Prentice-Hall, Inc.

Washington State Department of Ecology, 2022, *Natural Background Groundwater Arsenic Concentrations in Washington State,* Publication No. 14-09-044.

FIGURES



Legend

- MW-XX -x — Well is sampled for quarterly groundwater quality monitoring
- MW-XX -x — Well is sampled for semi-annual groundwater quality monitoring
- MW-XX -x — Contingency monitoring well (sample if assessment monitoring is triggered in upgradient well)
- MW-XXX — Well is monitored for Quarterly static water levels
- MW-XX — Regional Aquifer monitoring well
- MW-XX — Groundwater elevation - April 2009
- -x — Position (ft) of top of screen with respect to water table (April 2009)
- MW-XX — Perched Zone Aquifer monitoring well
- EB-X — Perched Zone Piezometer
- EW-XX — Groundwater extraction well
- SG-X — Staff Gauge with Piezometer
- SW-XX — Surface water monitoring station
- Property Limits

King County


Groundwater Monitoring Network

Environmental Monitoring Sampling and Analysis Plan

Cedar Hills Regional Landfill, King County, Washington

DATE: Updated January 2026	PROJECT NO.
DESIGNED BY:	
DRAWN BY:	FIGURE NO. 1
REVISED BY:	

CAD Path: S:\CAD\CEDARHILL\CH Monitoring well and GP for CLEE quarterly Aug 2020\Fig 7.1 - Fig 1\Fig 1 GW Monitoring Network Aug 2020 2 change background map.dwg Figure 7.1 (11 x 17) || Coordinate System: NAD 1983 State Plane Washington North FIPS 4601 Feet || Date Saved: Jan 14, 2021 4:13pm User: uedag


Property Boundary
SG-5
SW-E1
SW-S3
SW-SL3
SW-PF
IS1
PIPELINE
Meteorological Station Location
Hills
Cedar
Cedar Grove Rd
CSW Lagoon
Queen City Lake
SW-SV
SG-3
IN1
SW-N4
SG-2
SW-N1
SW-W1
SG-1
SW-W2
SG-8
SG-9
SW-S1
SG-7
SW-S2
SG-S1
SW-GS1
SG-6
IS2
LFPI Decommissioned
Stream 1
Stream 2
Stream 3
Stream 4
Stream 6
Legend
SW-GS1 Primary Surface Water and Stormwater Monitoring Locations
SW-S1 Contingency Surface Water Monitoring Locations
SG-8 Staff Gage Locations
Meteorological Station Location
Property Limits
IN1 Groundwater Discharge / Infiltration Monitoring Location
N
0
800
1600
Feet
King County
Surface Water and Storm Monitoring Network
Environmental Monitoring Sampling and Analysis Plan
Cedar Hills Regional Landfill, King County, Washington
DATE: AUG 2020
DESIGNED BY:
DRAWN BY:
REVISED BY:
PROJECT NO.
FIGURE NO. 2
CAD Path: S:\CAD\CEDARHIL\CH Monitoring,well and GP for CLEE quarterly Aug 2020\Fig 2\Fig 2 Surface water and stormwater monitoring network.dwg Figure 7.1 (11 x 17) Coordinate System: NAD 1983 State Plane Washington North FIPS 4601 Feet Date Saved: Jan 14, 2021 9:16am User:

Property Boundary

Cedar Hills

Cedar Grove Rd

Outer cover liner limits

PS 2

PS 1A

MH 46N

FLOW STATION

CSW Lagoon

CSW MH

PS 4

A8-1

A567

LEPS

LV1A

LAPI Decommissioned

LIF

Queen City Lake

Stream 1

Stream 2

Stream 3

Stream 4

Stream 5

Stream 6

Legend

- PS-XX Leachate Monitoring Station
- Decommissioned Leachate Monitoring Station
- Property Limits

N

0 800 1600

Feet

KClogo_v_b_m2[1].tif

Leachate Monitoring Locations

Environmental Monitoring Sampling and Analysis Plan

Cedar Hills Regional Landfill, King County, Washington

DATE: AUG 2020

DESIGNED BY:


DRAWN BY:

REVISED BY:

PROJECT NO.

FIGURE NO. 3

CAD Path: S:\CAD\CEDARHILLS\CH Monitoring well and GP for CLEE quarterly Aug 2020\Fig 3 Fig 3 Leachate map rev 12-21-20.dwg Figure 7.1 (11 x 17) || Coordinate System: NAD 1983 State Plane Washington North FIPS 4601 Feet || Date Saved: Jan 14, 2021 4:21pm || User: uedag



King County

Landfill Gas Migration Monitoring Network

Environmental Monitoring Sampling and Analysis Plan

Cedar Hills Regional Landfill, King County, Washington

DATE: AUG 2020	PROJECT NO.
DESIGNED BY:	
DRAWN BY:	FIGURE NO.
REVISED BY:	4

APPENDIX A

Groundwater Data

Groundwater Quality Standards
Laboratory Qualifiers
Unit Definitions
Groundwater Elevations
Field Parameters
Conventional Parameters
Dissolved and Total Metals
Volatile Organic Compounds
VOC Trip Blanks

Table A-i

Water Quality Standards for Groundwaters of the State of Washington

	Analyte	CAS No.	Ground Water Quality Criteria Criterion*	
.	PRIMARY AND SECONDARY CONTAMINANTS AND RADIONUCLIDES			
	A. Primary Contaminants			
	Barium	7440-39-3	1	mg/L
	Cadmium	7440-43-9	0.005	mg/L
	Chromium	7440-47-3	0.05	mg/L
	Lead	7439-92-1	0.015	mg/L
	Mercury	7439-97-6	0.002	mg/L
	Selenium	7782-49-2	0.01	mg/L
	Silver	7440-22-4	0.05	mg/L
	Fluoride	16984-48-8	4	mg/L
	Nitrate	14797-55-8	10	mg/L
	Endrin	72-20-8	0.2	ug/L
	Methoxychlor	72-43-5	40	ug/L
	1,1,1-Trichloroethane	71-55-6	200	ug/L
	2,4-D	94-75-7	70	ug/L
	2,4,5-TP	93-72-1	100	ug/L
	Total Coliforms		1/100	mL
	B. Secondary Standards			
	Copper	7440-50-8	1	mg/L
	Iron	7439-89-6	0.3	mg/L
	Manganese	7439-96-5	0.05	mg/L
	Zinc	7440-66-6	5	mg/L
	Chloride	16887-00-6	250	mg/L
	Sulfate	14808-79-8	250	mg/L
	Total Dissolved Solids		500	mg/L
	Foaming Agents		0.5	mg/L
	pH	12408-02-5	6.5-8.5	units
	Corrosivity		non-corrosive	
	Color		15	units
	Odor-Threshold		3	units
	C. Radionuclides and Radioactivity			
	Gross Alpha particle activity		15	pCi/L
	Gross Beta particle activity		50	pCi/L
	Tritium	10028-17-8	20,000	pCi/L
	Strontium	7440-24-6	8	pCi/L
	Radium 226 & Radium 228		5	pCi/L
	Radium 226	13982-63-3	3	pCi/L
II.	CARCINOGENS			
	1,1-Dichloroethane	75-34-3	1	ug/L
	1,2-Dichloroethane	107-06-2	0.5	ug/L
	1,2-Dichloropropane	78-87-5	0.6	ug/L
	1,2-Dimethylhydrazine	540-73-8	60	ug/L
	1,2-Diphenylhydrazine	122-66-7	0.09	ug/L
	1,3-Dichloropropene tot.	542-75-6	0.2	ug/L
	1,4-Dichlorobenzene	106-46-7	4	ug/L
	1,4-Dioxane	123-91-1	7	ug/L
	2,3,7,8-Tetrachlorodibenzo-p-dioxin	1746-01-6	0.0000006	ug/L
	2,4,6-Trichlorophenol	88-06-2	4	ug/L
	2,4-Dinitrotoluene	121-14-2	0.1	ug/L
	2,4-Toluenediamine	95-80-7	0.002	ug/L
	2,6-Dinitrotoluene	606-20-2	0.1	ug/L
	2-Methoxy-5-nitroanaline	99-59-2	2	ug/L
	2-Methylaniline	95-53-4	0.2	ug/L
	2-Methylaniline hydrochloride	636-21-5	0.5	ug/L
	3,3'-Dichlorobenzidine	91-94-1	0.2	ug/L
	3,3'-Dimethoxybenzidine	119-90-4	6	ug/L
	3,3-Dimethylbenzidine	119-93-7	0.007	ug/L
	4,4'-Methylene bis(N,N'-dimethyl) aniline	101-61-1	2	ug/L
	4-Chloro-2-methyl analine	95-69-2	0.1	ug/L
	4-Chloro-2-methyl analine hydrochloride	3165-93-3	0.2	ug/L
	Acrylamide	79-06-1	0.02	ug/L
	Acrylonitrile	107-13-1	0.07	ug/L
	Aldrin	309-00-2	0.005	ug/L
	Aniline	62-53-3	14	ug/L
	Aramite	140-57-8	3	ug/L
	Arsenic	7440-38-2	0.00005	mg/L
	Azobenzene	103-33-3	0.7	ug/L
	Benzene	71-43-2	1	ug/L

Table A-i

Water Quality Standards for Groundwaters of the State of Washington

Analyte	CAS No.	Ground Water Quality Criteria Criterion*	
Benzidine	92-87-5	0.0004	ug/L
Benzo(a)pyrene	50-32-8	0.008	ug/L
Benzotrichloride	98-07-7	0.007	ug/L
Benzyl chloride	100-44-7	0.5	ug/L
Bis(2-ethylhexyl)phthalate	117-81-7	6	ug/L
Bis(chloroethyl)ether	111-44-4	0.07	ug/L
Bis(chloromethyl)ether	542-88-1	0.0004	ug/L
Bromodichloromethane	75-27-4	0.3	ug/L
Bromoform	75-25-2	5	ug/L
Carbazole	86-74-8	5	ug/L
Carbon Tetrachloride	56-23-5	0.3	ug/L
Chlordane	5103-71-9	0.06	ug/L
Chlorodibromomethane	124-48-1	0.5	ug/L
Chloroform	67-66-3	7	ug/L
Chlorthalonil	1897-45-6	30	ug/L
DDT (includes DDE and DDD)	50-29-3, 72-55-9, 72-54-8	0.3	ug/L
Diallate	2303-16-4	1	ug/L
Dichlorovos	62-73-7	0.3	ug/L
Dieldrin	60-57-1	0.005	ug/L
Direct Black 38	1937-37-7	0.009	ug/L
Direct Blue 6	2602-46-2	0.009	ug/L
Direct Brown 95	16071-86-6	0.009	ug/L
Epichlorohydrin	106-89-8	8	ug/L
Ethyl acrylate	140-88-5	2	ug/L
Ethylene dibromide	106-93-4	0.001	ug/L
Ethylene thiourea	96-45-7	2	ug/L
Folpet	133-07-3	20	ug/L
Furazolidone	67-45-8	0.02	ug/L
Furium	531-82-8	0.002	ug/L
Furmecyclox	60568-05-0	3	ug/L
Heptachlor	76-44-8	0.02	ug/L
Heptachlor epoxide	1024-57-3	0.009	ug/L
Hexachlorobenzene	118-74-1	0.05	ug/L
Hexachlorocyclohexane (alpha)	319-84-6	0.001	ug/L
Hexachlorocyclohexane (technical)	608-73-1	0.05	ug/L
Hexachlorodibenzo-p-dioxin, mix	34465-46-8	0.00001	ug/L
Hydrazine/hydrazine sufate	302-01-2/10034-93-2	0.03	ug/L
Lindane	58-89-9	0.06	ug/L
Methylene Chloride	75-09-2	5	ug/L
Mirex	2385-85-5	0.05	ug/L
Nitrofurazone	59-87-0	0.06	ug/L
N-Nitrosodiethanolamine	1116-54-7	0.03	ug/L
N-Nitrosodiethylamine	55-18-5	0.0005	ug/L
N-Nitrosodimethylamine	62-75-9	0.002	ug/L
N-Nitroso-di-n-butylamine	924-16-3	0.02	ug/L
N-Nitroso-di-n-propylamine	621-64-7	0.01	ug/L
N-Nitrosodiphenylamine	86-30-6	17	ug/L
N-Nitroso-N-methylethylylamine	10595-95-6	0.004	ug/L
N-Nitrosopyrrolidine	930-55-2	0.04	ug/L
o-Chloronitrobenzene	88-73-3	3	ug/L
o-Phenylenediamine	95-54-5	0.005	ug/L
o-Toluidine	95-53-4	0.2	ug/L
p,a,a,a-Tetrachlorotoluene	5216-25-1	0.004	ug/L
PAHs [Benzo(a)pyrene]		0.01	ug/L
PBBs	59536-65-1	0.01	ug/L
PCBs c	27323-18-8	0.01	ug/L
p-Chloronitrobenzene	100-00-5	5	ug/L
Propylene oxide	75-56-9]	0.01	ug/L
Tetrachloroethylene	127-18-4	0.8	ug/L
Toxaphene c	8001-35-2	0.08	ug/L
Trichloroethylene (TCE)	79-01-6	3	ug/L
Trimethyl phosphate	512-56-1	2	ug/L
Vinyl chloride	75-01-4	0.02	ug/L

NOTES: pCi/L=picocuries per liter
mg/L=milligrams per liter
ug/L=micrograms per liter
*Ground Water Quality Criteria=173-200 WAC Water Quality Standards for Ground Waters of the State of Washington

Table A-ii
KING COUNTY SOLID WASTE DIVISION
LABORATORY QUALIFIERS
(Updated 8/27/2015)

QUAL	QUALIFIER DESCRIPTION
U	Undetected; Analyte Concentration Less than Method Detection Limit (< MDL)
T	Estimated; Less than Reporting Detection Limit (<RDL) but Greater than Method Detection Limit (> MDL)
J	Reported Value is an Estimate
B	Matrix Target Analyte Present in Blank, AND, Sample Result Less than or Equal to 10x Blank Detection
C	Confluent Growth
E	Estimated; Outside Expected Accuracy
H	Exceeds Holding Time
R	Data Rejected
S	Sample Handling Errors
X	Too Numerous to Count
D	Re-analysis Due to Dilution
P	PASS – Qualitative Result Acceptable
F	FAIL – Qualitative Result is not Acceptable
G	Estimated with Low Bias (Coliform; BOD; All Other Chemistry Parameters)
L	Estimated with High Bias (BOD; All Other Chemistry Parameters)

Table A-iii

KING COUNTY SOLID WASTE DIVISION
UNIT DEFINITIONS

UNIT ABBREVIATION	UNIT DEFINITION
°C	degrees celcius
CFU/100 mL	colony forming units/100 millileters
g/mol	grams/mole
meq/L	milliequivalents per litre
mg/L	milligram/liter
mV	millivolt
ntu	nephelometric turbidity unit
std. pH units	standard pH units
ug/L	microgram/liter
umhos/cm	microsiemens/centimeter

Table A-1
Groundwater – Synoptic Static Water Levels – Initial Measurement (Regional)

Well	Measurement Date	Top of PVC Casing Elevation (feet)	Groundwater Elevation (ft MSL)	Depth to Groundwater (feet)
MW-21	2026-01-05	420.66	293.75	126.91
MW-24	2026-01-05	475.99	328.26	147.73
MW-54	2026-01-05	580.43	300.78	279.65
MW-56	2026-01-05	480.33	350.46	129.87
MW-57	2026-01-05	456.64	352.39	104.25
MW-58A	2026-01-05	479.27	327.93	151.34
MW-59	2026-01-05	457.13	330.95	126.18
MW-60	2026-01-05	567.15	336.47	230.68
MW-64	2026-01-05	596.55	328.85	267.70
MW-65	2026-01-05	545.83	334.33	211.50
MW-66	2026-01-05	531.28	290.87	240.41
MW-73	2026-01-05	485.70	292.73	192.97
MW-76	2026-01-05	491.71	354.92	136.79
MW-81	2026-01-05	493.66	308.39	185.27
MW-82	2026-01-05	474.85	346.91	127.94
MW-83	2026-01-05	496.81	349.40	147.41
MW-84	2026-01-05	530.80	292.91	237.89
MW-94	2026-01-05	495.51	350.55	144.96
MW-99	2026-01-05	493.64	292.20	201.44
MW-113	2026-01-05	531.09	340.40	190.69
MW-114	2026-01-05	490.25	346.68	143.57
MW-115	2026-01-05	484.87	350.66	134.21
MW-22	2026-01-05	517.09	283.87	233.22
MW-43	2026-01-05	547.06	282.50	264.56
MW-67	2026-01-05	516.43	294.23	222.20
MW-68	2026-01-05	647.07	313.62	333.45
MW-72	2026-01-05	671.87	309.17	362.70
MW-74R	2026-01-05	531.26	289.39	241.87
MW-75	2026-01-05	532.40	285.47	246.93
MW-80	2026-01-05	530.41	289.95	240.46
MW-85	2026-01-05	531.76	284.50	247.26
MW-86	2026-01-05	536.04	284.90	251.14
MW-87	2026-01-05	537.31	287.57	249.74
MW-88	2026-01-05	513.68	284.84	228.84
MW-89	2026-01-05	512.82	279.93	232.89
MW-90	2026-01-05	502.22	279.80	222.42
MW-91	2026-01-05	532.02	283.85	248.17
MW-93	2026-01-09	632.15	321.20	310.95
MW-95	2026-01-05	571.54	318.26	253.28
MW-106	2026-01-05	475.47	283.73	191.74
WS-NPW-1	2026-01-05	646.33	311.97	334.36
WS-NPW-3	2026-01-05	645.81	313.23	332.58

Table A-1
Groundwater – Synoptic Static Water Levels – Initial Measurement (Perched)

Well	Measurement Date	Top of PVC Casing Elevation (feet)	Groundwater Elevation (ft MSL)	Depth to Groundwater (feet)
MW-EB5	2026-01-05	645.36	606.35	39.01
MW-EB5S	2026-01-05	645.77	638.68	7.09
MW-EB6	2026-01-05	589.61	563.63	25.98
MW-25	2026-01-05	474.41	470.24	4.17
MW-27A	2026-01-05	584.23	529.02	55.21
MW-28	2026-01-05	527.75	505.49	22.26
MW-29	2026-01-05	532.92	523.51	9.41
MW-30A	2026-01-05	568.43	540.31	28.12
MW-41S	2026-01-05	462.44	458.36	4.08
MW-41D	2026-01-05	462.32	436.81	25.51
MW-45	2026-01-05	488.40	475.26	13.14
MW-47	2026-01-05	634.60	617.20	17.40
MW-48	2026-01-05	594.49	551.71	42.78
MW-50	2026-01-05	637.02	607.00	30.02
MW-55	2026-01-05	652.29	624.13	28.16
MW-62	2026-01-05	556.21	506.56	49.65
MW-63	2026-01-05	515.88	506.63	9.25
MW-98	2026-01-05	503.73	488.75	14.98
MW-102	2026-01-05	552.48	508.00	44.48
MW-103	2026-01-05	639.08	626.67	12.41
MW-104	2026-01-05	629.68	601.21	28.47
MW-107	2026-01-05	589.03	562.82	26.21
MW-108	2026-01-05	612.26	596.01	16.25
MW-109	2026-01-05	638.73	630.87	7.86
MW-110	2026-01-05	641.74	637.20	4.54
MW-111	2026-01-05	643.80	635.56	8.24
MW-112	2026-01-05	623.79	607.93	15.86
MW-101	2026-01-05	474.72	445.72	29.00
MW-105	2026-01-05	521.23	502.16	19.07

Table A-2
Groundwater – Synoptic Static Water Levels – Second Measurement

Well	Measurement Date	Top of PVC Casing Elevation (feet)	Groundwater Elevation (ft MSL)	Depth to Groundwater (feet)
MW-59	2026-01-07	457.13	331.25	125.88
MW-66	2026-01-08	531.28	290.68	240.60
MW-81	2026-01-12	493.66	308.16	185.50
MW-83	2026-01-12	496.81	349.82	146.99
MW-84	2026-01-21	530.80	293.29	237.51
MW-94	2026-01-12	495.51	351.32	144.19
MW-113	2026-01-09	531.09	340.19	190.90
MW-114	2026-01-07	490.25	347.21	143.04
MW-115	2026-01-09	484.87	350.82	134.05
MW-68	2026-01-20	647.07	313.38	333.69
MW-72	2026-01-07	671.87	309.31	362.56
MW-74R	2026-01-08	531.26	289.40	241.86
MW-75	2026-01-12	532.40	285.50	246.90
MW-80	2026-01-21	530.41	290.20	240.21
MW-85	2026-01-08	531.76	284.19	247.57
MW-85	2026-01-12	531.76	284.60	247.16
MW-87	2026-01-08	537.31	287.51	249.80
MW-93	2026-01-21	632.15	321.68	310.47
MW-EB6	2026-01-13	589.61	563.37	26.24
MW-30A	2026-01-15	568.43	540.43	28.00
MW-47	2026-01-15	634.60	617.28	17.32
MW-50	2026-01-22	637.02	607.26	29.76
MW-62	2026-01-12	556.21	506.68	49.53
MW-102	2026-01-14	552.48	508.24	44.24
MW-103	2026-01-22	639.08	626.52	12.56
MW-104	2026-01-21	629.68	602.24	27.44
MW-107	2026-01-14	589.03	561.59	27.44
MW-108	2026-01-14	612.26	596.20	16.06
MW-109	2026-01-15	638.73	631.13	7.60
MW-110	2026-01-13	641.74	637.11	4.63
MW-111	2026-01-14	643.80	635.64	8.16
MW-112	2026-01-13	623.79	608.65	15.14
MW-101	2026-01-07	474.72	445.97	28.75
MW-105	2026-01-22	521.23	502.30	18.93

Table A-3
Groundwater – Field Parameters

Well	Sample Date	Sample ID	Dissolved Oxygen, Field	ORP, Field	pH, Field	Specific Conductance, Field	Temperature, Field	Turbidity, Field
			mg/L	mV	pH units	µmhos/cm	deg C	NTU
MW-59	2026-01-07	W59-260107-	0.6	-55.9	6.79	232.2	9.72	0.42
MW-66	2026-01-08	W66-260108-	7.43	309.7	7.01	187.9	9.916	0.56
MW-81	2026-01-12	W81-260112-	6.07	227.8	6.61	157.2	9.909	0.22
MW-83	2026-01-12	W83-260112-	0.98	197.5	6.56	679	11.296	0.25
MW-84	2026-01-21	W84-260121-	1.56	305.4	6.84	196.9	9.588	0.26
MW-94	2026-01-12	W94-260112-	2.76	198.9	6.48	263.3	10.327	0.16
MW-113	2026-01-09	W113260109-	0.43	-78.2	7.18	391.9	10.607	0.14
MW-114	2026-01-07	W114260107-	3.28	270.5	6.82	335.7	9.309	0.35
MW-115	2026-01-09	W115260109-	3.36	75.6	6.5	277.7	10.246	0.15
MW-68	2026-01-20	W68-260120-	0.55	-8.6	6.98	232.8	10.439	35
MW-72	2026-01-07	W72-260107-	0.86	-51.9	6.96	306.4	10.291	21.4
MW-74R	2026-01-08	W74R260108-	0.79	-4.1	6.7	630.8	9.918	0.29
MW-75	2026-01-12	W75-260112-	1.3	-39.3	6.9	381.8	9.89	0.37
MW-80	2026-01-21	W80-260121-	1.29	-41.2	7.01	322	10.191	1.72
MW-85	2026-01-08	W85-260108-	3.67	387.9	6.92	351.4	9.541	0.26
MW-85	2026-01-12	W85-260112-	3.31	249	6.61	345.3	9.769	0.18
MW-87	2026-01-08	W87-260108-	0.82	-40.4	6.74	495	10.374	1.23
MW-93	2026-01-21	W93-260121-	1.35	353.7	7.03	293.1	11.184	0.25
FIELD BLANK	2026-01-08	W66-260108F	--	--	7.81	0.6	7.991	--

Table A-3
Groundwater – Field Parameters

Well	Sample Date	Sample ID	Dissolved Oxygen, Field	ORP, Field	pH, Field	Specific Conductance, Field	Temperature, Field	Turbidity, Field
			mg/L	mV	pH units	µmhos/cm	deg C	NTU
MW-EB6	2026-01-13	WEB6260113-	7.99	146.4	6.75	111.6	10.561	3.93
MW-30A	2026-01-15	W30A260115-	7.13	324.1	6.33	363.9	12.389	4.97
MW-47	2026-01-15	W47-260115-	0.42	-28.2	6.57	796.2	11.946	0.81
MW-62	2026-01-12	W62-260112-	--	--	6.13	107.9	10.283	2.11
MW-102	2026-01-14	W102260114-	10.93	88.5	6.97	168.6	10.032	3.9
MW-103	2026-01-22	W103260122-	5.78	196.2	7.7	225.7	9.413	2.26
MW-107	2026-01-14	W107260114-	0.5	89.5	5.8	96.4	11.268	1.35
MW-108	2026-01-14	W108260114-	10.22	330.2	6.69	298.9	11.82	0.87
MW-109	2026-01-15	W109260115-	2.8	-125.1	6.8	1965	1.1	80.4
MW-110	2026-01-13	W110260113-	0.58	146.8	6.4	664.9	13.441	2.74
MW-111	2026-01-14	W111260114-	9.57	225.4	5.87	85.5	11.684	4.26
MW-112	2026-01-13	W112260113-	5.75	217	7.12	511.5	12.048	0.22
MW-112	2026-01-13	W112260113D	5.75	217	7.12	511.5	12.048	0.22
MW-101	2026-01-07	W101260107-	1.46	11.2	6.88	432.7	9.798	2.51
MW-105	2026-01-22	W105260122-	--	--	--	228	11.4	--
FIELD BLANK	2026-01-15	W47-260115F	--	-27.6	7.05	0.7	12.139	--

-- : Not part of sampling program.

Table A-4
Groundwater – Conventionals

Well	Sample Date	Sample ID	Alkalinity, Bicarbonate	Alkalinity, Total (as CaCO3)	Ammonia as N	Chloride	Nitrate	Specific Conductance
			mg/L	mg/L	mg/L	mg/L	mg/L	µmhos/cm
MW-59	2026-01-07	W59-260107-	--	86	0.0079 T	13.8	0.01 U	256
MW-66	2026-01-08	W66-260108-	--	82.7	0.002 U	4.33	0.42	214
MW-81	2026-01-12	W81-260112-	--	56.8	0.0037 T	5.8	1.6	181
MW-83	2026-01-12	W83-260112-	--	267	0.0069 T	67.2	1.58	783
MW-84	2026-01-21	W84-260121-	--	84.7	0.0026 HT	4.61	0.136	218
MW-94	2026-01-12	W94-260112-	--	107	0.0047 T	14.9	1.35	311
MW-113	2026-01-09	W113260109-	--	174	0.0181	27.1	0.011 T	444
MW-114	2026-01-07	W114260107-	--	146	0.0036 T	20.6	0.728	380
MW-115	2026-01-09	W115260109-	--	114	0.0038 T	15.6	1.33	316
MW-68	2026-01-20	W68-260120-	113	113	0.0252 H	3.86	0.01 U	260
MW-72	2026-01-07	W72-260107-	--	134	0.019	10.4	0.01 U	342
MW-74R	2026-01-08	W74R260108-	--	274	0.0091 T	43	0.01 U	724
MW-75	2026-01-12	W75-260112-	--	126	0.0171	16.2	0.01 U	433
MW-80	2026-01-21	W80-260121-	133	133	0.0155 H	5.21	0.01 U	349
MW-85	2026-01-08	W85-260108-	--	159	0.0024 T	9.55	0.0989	395
MW-87	2026-01-08	W87-260108-	--	133	0.0236	20.6	0.019 T	558
MW-93	2026-01-21	W93-260121-	--	124	0.0888 H	2.74	0.01 U	327
FIELD BLANK	2026-01-08	W66-260108F	--	1.1 T	0.0151	0.067 T	0.01 U	1.2 T

Table A-4
Groundwater – Conventionals

Well	Sample Date	Sample ID	Alkalinity, Bicarbonate	Alkalinity, Total (as CaCO3)	Ammonia as N	Chloride	Nitrate	Specific Conductance
			mg/L	mg/L	mg/L	mg/L	mg/L	µmhos/cm
MW-EB6	2026-01-13	WEB6260113-	55.1	55.1	0.0045 T	0.673	0.583	128
MW-30A	2026-01-15	W30A260115-	169	169	0.0037 T	11.9	3.96	425
MW-47	2026-01-15	W47-260115-	488	488	0.0482	7.47	0.01 U	920
MW-62	2026-01-12	W62-260112-	--	43.2	0.0028 T	2.18	0.981	124
MW-102	2026-01-14	W102260114-	70.5	70.5	0.0031 T	5.42	1.14	187
MW-103	2026-01-22	W103260122-	114	114	0.006 HT	3.59	0.024 T	252
MW-107	2026-01-14	W107260114-	44.2	44.2	0.533	0.76	0.071	108
MW-108	2026-01-14	W108260114-	115	115	0.0026 T	1	0.809	346
MW-109	2026-01-15	W109260115-	1080	1080	2.74	1.7 T	0.01 U	1930
MW-110	2026-01-13	W110260113-	409	409	0.0187	2.02	0.02 U	761
MW-111	2026-01-14	W111260114-	32	32	0.0106	0.73	1.32	97.7
MW-112	2026-01-13	W112260113D	204	204	0.0028 T	21.9	0.16	576
MW-112	2026-01-13	W112260113-	204	204	0.0028 T	22	0.161	581
MW-101	2026-01-07	W101260107-	--	235	0.0184	3.82	0.013 T	464
FIELD BLANK	2026-01-15	W47-260115F	1 U	1 U	0.0024 T	0.05 U	0.01 T	1.5 T

Table A-4
Groundwater – Conventionals

Well	Sample Date	Sample ID	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Solids	Total Suspended Solids
			mg/L	mg/L	mg/L	mg/L	mg/L
MW-59	2026-01-07	W59-260107-	17	145	0.89 T	153	1.5 T
MW-66	2026-01-08	W66-260108-	15.6	121	0.54 T	125	0.5 U
MW-81	2026-01-12	W81-260112-	12	106	0.6 T	111	0.5 U
MW-83	2026-01-12	W83-260112-	14.3	415	7.2	490	0.5 U
MW-84	2026-01-21	W84-260121-	16.7	123	0.5 U	131	0.5 U
MW-94	2026-01-12	W94-260112-	13	178	3.87	182	0.5 U
MW-113	2026-01-09	W113260109-	11.1	241	2.34	255	0.5 U
MW-114	2026-01-07	W114260107-	8.35	213	2.31	222	0.51 U
MW-115	2026-01-09	W115260109-	11.4	184	2.03	193	0.5 U
MW-68	2026-01-20	W68-260120-	12.9	148	0.5 U	160	7.8
MW-72	2026-01-07	W72-260107-	21.4	195	0.76 T	204	10.2
MW-74R	2026-01-08	W74R260108-	40.8	393	1.6 T	413	1.6 T
MW-75	2026-01-12	W75-260112-	61.2	251	0.82 T	271	2.3
MW-80	2026-01-21	W80-260121-	37.3	211	0.5 U	219	3.8
MW-85	2026-01-08	W85-260108-	33.4	223	0.62 T	226	0.5 U
MW-87	2026-01-08	W87-260108-	115	357	0.59 T	377	0.6 T
MW-93	2026-01-21	W93-260121-	38.2	197	0.5 U	205	1 U
FIELD BLANK	2026-01-08	W66-260108F	0.1 U	10 U	0.5 U	10 U	0.51 U

Table A-4
Groundwater – Conventionals

Well	Sample Date	Sample ID	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Solids	Total Suspended Solids
			mg/L	mg/L	mg/L	mg/L	mg/L
MW-EB6	2026-01-13	WEB6260113-	4.77	93.3	0.98 T	98.7	8.1
MW-30A	2026-01-15	W30A260115-	14.9	258	1.2 T	272	2.3
MW-47	2026-01-15	W47-260115-	17.8	544	6.26	567	5.2
MW-62	2026-01-12	W62-260112-	7.82	84.7	1.2 T	83.3	0.5 U
MW-102	2026-01-14	W102260114-	8.26	121	0.69 T	127	1.9 T
MW-103	2026-01-22	W103260122-	8.51	159	0.5 U	161	0.72 T
MW-107	2026-01-14	W107260114-	4.91	84.7	4.67	88.2	1 T
MW-108	2026-01-14	W108260114-	46.7	228	0.5 U	237	0.51 U
MW-109	2026-01-15	W109260115-	2.61	1350	86.4	1480	54.5
MW-110	2026-01-13	W110260113-	3.17	433	5.41	461	2.4 T
MW-111	2026-01-14	W111260114-	7.66	80.7	1.4 T	84	1.7 T
MW-112	2026-01-13	W112260113D	58.9	349	1.1 T	354	0.5 U
MW-112	2026-01-13	W112260113-	59.4	353	1.1 T	352	0.5 U
MW-101	2026-01-07	W101260107-	3.03	278	4.96	281	1.7 T
FIELD BLANK	2026-01-08	W66-260108F	0.1 U	10 U	0.5 U	10 U	0.51 U
FIELD BLANK	2026-01-15	W47-260115F	0.1 U	10 U	0.5 U	10 U	0.5 U

Table A-5
Groundwater – Metals (Dissolved and Total)

Well	Sample Date	Sample ID	Antimony, Dissolved	Antimony, Total	Arsenic, Dissolved	Arsenic, Total	Barium, Dissolved	Barium, Total
			mg/L	mg/L	µg/L	µg/L	mg/L	mg/L
MW-59	2026-01-07	W59-260107-	0.0003 U	0.0003 U	0.392	0.397	0.00475	0.00487
MW-66	2026-01-08	W66-260108-	0.0003 U	0.0003 U	0.668	0.695	0.00356	0.0037
MW-81	2026-01-12	W81-260112-	0.0003 U	0.0003 U	0.525	0.536	0.0034	0.00313
MW-83	2026-01-12	W83-260112-	0.0003 U	0.0003 U	0.349	0.365	0.0132	0.0122
MW-84	2026-01-21	W84-260121-	0.0003 U	0.0003 U	0.325	0.313	0.00491	0.00487
MW-94	2026-01-12	W94-260112-	0.0003 U	0.0003 U	0.097	0.116	0.00211	0.00193
MW-113	2026-01-09	W113260109-	0.0003 U	0.0003 U	0.541	0.558	0.00318	0.00322
MW-114	2026-01-07	W114260107-	0.0003 U	0.0003 U	0.275	0.269	0.00176	0.00181
MW-115	2026-01-09	W115260109-	0.0003 U	0.0003 U	0.16	0.166	0.00122	0.00121
MW-68	2026-01-20	W68-260120-	0.0003 U	0.0003 U	4.48	43.8	0.00859	0.0103
MW-72	2026-01-07	W72-260107-	0.0003 U	0.0003 U	0.074	0.161	0.0108	0.0128
MW-74R	2026-01-08	W74R260108-	0.0003 U	0.0003 U	0.362	0.388	0.0207	0.0212
MW-75	2026-01-12	W75-260112-	0.0003 U	0.0003 U	0.393	0.419	0.0154	0.0143
MW-80	2026-01-21	W80-260121-	0.0003 U	0.0003 U	2.94	3.16	0.0148	0.0154
MW-85	2026-01-08	W85-260108-	0.0003 U	0.0003 U	0.699	0.719	0.00695	0.00726
MW-87	2026-01-08	W87-260108-	0.0003 U	0.0003 U	0.532	0.58	0.0241	0.0252
MW-93	2026-01-21	W93-260121-	0.0003 U	0.0003 U	1.43	1.45	0.00754	0.00745
MW-EB6	2026-01-13	WEB6260113-	0.0003 U	0.0003 U	0.842	0.895	0.00588	0.0065
MW-30A	2026-01-15	W30A260115-	0.0003 U	0.0003 U	0.516	0.586	0.00675	0.00666
MW-47	2026-01-15	W47-260115-	0.0003 U	0.0003 U	2.15	2.21	0.0323	0.0296
MW-62	2026-01-12	W62-260112-	0.0003 U	0.0003 U	0.171	0.2	0.00182	0.00174
MW-102	2026-01-14	W102260114-	0.0003 U	0.0003 U	0.285	0.329	0.0028	0.00322
MW-103	2026-01-22	W103260122-	0.0003 U	0.0003 U	7.78	7.89	0.00638	0.00694
MW-107	2026-01-14	W107260114-	0.0003 U	0.0003 U	4.75	5.07	0.00486	0.00468
MW-108	2026-01-14	W108260114-	0.0003 U	0.0003 U	1.67	1.72	0.00857	0.00734
MW-109	2026-01-15	W109260115-	0.0003 U	0.0003 U	32.3	42	0.0192	0.0477
MW-110	2026-01-13	W110260113-	0.0003 U	0.0003 U	2.3	2.73	0.0212	0.0195
MW-111	2026-01-14	W111260114-	0.0003 U	0.0003 U	0.349	0.448	0.00431	0.0045
MW-112	2026-01-13	W112260113-	0.0003 U	0.0003 U	2.46	2.51	0.0104	0.00933
MW-112	2026-01-13	W112260113D	0.0003 U	0.0003 U	2.48	2.49	0.0104	0.00943
MW-101	2026-01-07	W101260107-	0.0003 U	0.0003 U	9.94	9.59	0.0148	0.0158
FIELD BLANK	2026-01-08	W66-260108F	0.0003 U	0.0003 U	0.05 U	0.05 U	0.0005 U	0.0005 U
FIELD BLANK	2026-01-15	W47-260115F	0.0003 U	0.0003 U	0.05 U	0.05 U	0.0005 U	0.0005 U

Table A-5
Groundwater – Metals (Dissolved and Total)

Well	Sample Date	Sample ID	Beryllium, Dissolved	Beryllium, Total	Cadmium, Dissolved	Cadmium, Total	Calcium, Dissolved	Calcium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-59	2026-01-07	W59-260107-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	21.4	21.7
MW-66	2026-01-08	W66-260108-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	16.2	16.6
MW-81	2026-01-12	W81-260112-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	14.8	15.3
MW-83	2026-01-12	W83-260112-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	84.2	95.1
MW-84	2026-01-21	W84-260121-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	17.3	17.2
MW-94	2026-01-12	W94-260112-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	27.9	29.3
MW-113	2026-01-09	W113260109-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	42.3	42.8
MW-114	2026-01-07	W114260107-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	37.3	38
MW-115	2026-01-09	W115260109-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	31.8	32.1
MW-68	2026-01-20	W68-260120-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	24	24.9
MW-72	2026-01-07	W72-260107-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	30.7	31.3
MW-74R	2026-01-08	W74R260108-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	64	65
MW-75	2026-01-12	W75-260112-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	35	36.4
MW-80	2026-01-21	W80-260121-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	35	35.5
MW-85	2026-01-08	W85-260108-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	36.9	37
MW-87	2026-01-08	W87-260108-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	48.6	49.4
MW-93	2026-01-21	W93-260121-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	31.7	31.7
MW-EB6	2026-01-13	WEB6260113-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	6.91	7.24
MW-30A	2026-01-15	W30A260115-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	39.6	40.1
MW-47	2026-01-15	W47-260115-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	109	121
MW-62	2026-01-12	W62-260112-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	11.3	11.9
MW-102	2026-01-14	W102260114-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	16.7	17.4
MW-103	2026-01-22	W103260122-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	21.9	21.8
MW-107	2026-01-14	W107260114-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	9.97	10.6
MW-108	2026-01-14	W108260114-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	24.5	26.1
MW-109	2026-01-15	W109260115-	0.000109	0.000192	0.00005 U	0.00005 U	38.3	35.5
MW-110	2026-01-13	W110260113-	0.0001 U	0.0001 U	0.000057	0.000061	79.5	78.8
MW-111	2026-01-14	W111260114-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	6.93	7.1
MW-112	2026-01-13	W112260113-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	37.3	38.8
MW-112	2026-01-13	W112260113D	0.0001 U	0.0001 U	0.00005 U	0.00005 U	37.5	39.2
MW-101	2026-01-07	W101260107-	0.0001 U	0.0001 U	0.00005 U	0.00005 U	45.2	45.6
FIELD BLANK	2026-01-08	W66-260108F	0.0001 U	0.0001 U	0.00005 U	0.00005 U	0.05 U	0.05 U
FIELD BLANK	2026-01-15	W47-260115F	0.0001 U	0.0001 U	0.00005 U	0.00005 U	0.05 U	0.05 U

Table A-5
Groundwater – Metals (Dissolved and Total)

Well	Sample Date	Sample ID	Chromium, Dissolved	Chromium, Total	Cobalt, Dissolved	Cobalt, Total	Copper, Dissolved	Copper, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-59	2026-01-07	W59-260107-	0.0002 U	0.000205	0.00005 U	0.00005 U	0.0002 U	0.0002 U
MW-66	2026-01-08	W66-260108-	0.000234	0.000224	0.00005 U	0.00005 U	0.0002 U	0.0002 U
MW-81	2026-01-12	W81-260112-	0.0002 U	0.000312	0.00005 U	0.00005 U	0.0002 U	0.000222
MW-83	2026-01-12	W83-260112-	0.000426	0.000757	0.000318	0.000321	0.00309	0.00296
MW-84	2026-01-21	W84-260121-	0.0002 U	0.0002 U	0.00005 U	0.00005 U	0.0002 U	0.0002 U
MW-94	2026-01-12	W94-260112-	0.0002 U	0.00026	0.000119	0.000126	0.00135	0.00115
MW-113	2026-01-09	W113260109-	0.0002 U	0.0002 U	0.000052	0.00005 U	0.0002 U	0.0002 U
MW-114	2026-01-07	W114260107-	0.000202	0.000287	0.00005 U	0.000053	0.000262	0.000257
MW-115	2026-01-09	W115260109-	0.0002 U	0.0002 U	0.00005 U	0.00005 U	0.000297	0.000277
MW-68	2026-01-20	W68-260120-	0.0002 U	0.0002 U	0.000182	0.000255	0.0002 U	0.00122
MW-72	2026-01-07	W72-260107-	0.0002 U	0.0002 U	0.00005 U	0.00005 U	0.0002 U	0.000234
MW-74R	2026-01-08	W74R260108-	0.0002 U	0.0002 U	0.00108	0.0011	0.0002 U	0.0002 U
MW-75	2026-01-12	W75-260112-	0.0002 U	0.000208	0.00005 U	0.00005 U	0.0002 U	0.0002 U
MW-80	2026-01-21	W80-260121-	0.0002 U	0.0002 U	0.00005 U	0.00005 U	0.0002 U	0.0002 U
MW-85	2026-01-08	W85-260108-	0.0002 U	0.0002 U	0.00005 U	0.00005 U	0.0002 U	0.0002 U
MW-87	2026-01-08	W87-260108-	0.0002 U	0.0002 U	0.000129	0.000131	0.0002 U	0.0002 U
MW-93	2026-01-21	W93-260121-	0.0002 U	0.0002 U	0.000099	0.00014	0.0002 U	0.0002 U
MW-EB6	2026-01-13	WEB6260113-	0.000528	0.00211	0.000057	0.000118	0.00131	0.00161
MW-30A	2026-01-15	W30A260115-	0.000747	0.000974	0.00005 U	0.000098	0.000383	0.00053
MW-47	2026-01-15	W47-260115-	0.0002 U	0.0002 U	0.000402	0.000403	0.0002 U	0.000207
MW-62	2026-01-12	W62-260112-	0.000344	0.000422	0.000072	0.000087	0.000351	0.000349
MW-102	2026-01-14	W102260114-	0.000258	0.00046	0.00005 U	0.000098	0.000392	0.000496
MW-103	2026-01-22	W103260122-	0.0002 U	0.000213	0.00005 U	0.00005 U	0.000302	0.000456
MW-107	2026-01-14	W107260114-	0.000759	0.000849	0.00178	0.0018	0.00505	0.00463
MW-108	2026-01-14	W108260114-	0.000936	0.000934	0.00005 U	0.00005 U	0.000942	0.000365
MW-109	2026-01-15	W109260115-	0.0138	0.0178	0.000759	0.00103	0.00106	0.0265
MW-110	2026-01-13	W110260113-	0.0002 U	0.00022	0.000892	0.000763	0.00068	0.000776
MW-111	2026-01-14	W111260114-	0.00155	0.00174	0.00005 U	0.00005 U	0.0002 U	0.000247
MW-112	2026-01-13	W112260113-	0.00236	0.00237	0.00005 U	0.00005 U	0.000227	0.0002 U
MW-112	2026-01-13	W112260113D	0.00264	0.00232	0.00005 U	0.00005 U	0.000237	0.0002 U
MW-101	2026-01-07	W101260107-	0.0002 U	0.00132	0.000196	0.000245	0.000222	0.000382
FIELD BLANK	2026-01-08	W66-260108F	0.0002 U	0.0002 U	0.00005 U	0.00005 U	0.0002 U	0.0002 U
FIELD BLANK	2026-01-15	W47-260115F	0.0002 U	0.0002 U	0.00005 U	0.00005 U	0.0002 U	0.0002 U

Table A-5
Groundwater – Metals (Dissolved and Total)

Well	Sample Date	Sample ID	Iron, Dissolved	Iron, Total	Lead, Dissolved	Lead, Total	Magnesium, Dissolved	Magnesium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-59	2026-01-07	W59-260107-	4.65	4.82	0.0001 U	0.0001 U	13.1	13.5
MW-66	2026-01-08	W66-260108-	0.01 U	0.0139	0.0001 U	0.0001 U	12.4	13
MW-81	2026-01-12	W81-260112-	0.01 U	0.01 U	0.0001 U	0.0001 U	8	8.11
MW-83	2026-01-12	W83-260112-	0.01 U	0.01 U	0.0001 U	0.0001 U	34.4	35.1
MW-84	2026-01-21	W84-260121-	0.01 U	0.01 U	0.0001 U	0.0001 U	13.3	12.9
MW-94	2026-01-12	W94-260112-	0.01 U	0.01 U	0.0001 U	0.0001 U	12.9	13.1
MW-113	2026-01-09	W113260109-	1.43	1.5	0.0001 U	0.0001 U	22.7	23.5
MW-114	2026-01-07	W114260107-	0.01 U	0.01 U	0.0001 U	0.0001 U	18.3	19
MW-115	2026-01-09	W115260109-	0.01 U	0.01 U	0.0001 U	0.0001 U	13.7	14.1
MW-68	2026-01-20	W68-260120-	0.315	2.82	0.0001 U	0.0001 U	13.7	13.9
MW-72	2026-01-07	W72-260107-	2.54	5.13	0.0001 U	0.0001 U	18.7	19.3
MW-74R	2026-01-08	W74R260108-	1.21	1.27	0.0001 U	0.0001 U	45.1	47.2
MW-75	2026-01-12	W75-260112-	3.35	3.36	0.0001 U	0.0001 U	26	26.5
MW-80	2026-01-21	W80-260121-	2.52	2.64	0.0001 U	0.0001 U	18.7	18.5
MW-85	2026-01-08	W85-260108-	0.01 U	0.01 U	0.0001 U	0.0001 U	22.3	23
MW-87	2026-01-08	W87-260108-	4.85	5.12	0.0001 U	0.0001 U	32.3	33.3
MW-93	2026-01-21	W93-260121-	0.01 U	0.01 U	0.0001 U	0.0001 U	17	16.7
MW-EB6	2026-01-13	WEB6260113-	0.0693	0.204	0.0001 U	0.00024	3.92	3.44
MW-30A	2026-01-15	W30A260115-	0.0198	0.186	0.0001 U	0.0001 U	23.5	23.7
MW-47	2026-01-15	W47-260115-	2.43	2.45	0.0001 U	0.0001 U	53	55.1
MW-62	2026-01-12	W62-260112-	0.0563	0.0862	0.0001 U	0.0001 U	2.88	2.56
MW-102	2026-01-14	W102260114-	0.0123	0.133	0.0001 U	0.0001 U	6.14	6.4
MW-103	2026-01-22	W103260122-	0.01 U	0.056	0.0001 U	0.0001 U	10	9.86
MW-107	2026-01-14	W107260114-	2.01	2.07	0.0001 U	0.0001 U	3.15	2.92
MW-108	2026-01-14	W108260114-	0.01 U	0.013	0.0001 U	0.0001 U	10.9	11.5
MW-109	2026-01-15	W109260115-	23.1	30.9	0.0001 U	0.00113	14.8	14
MW-110	2026-01-13	W110260113-	0.169	0.326	0.0001 U	0.0001 U	39.4	40.6
MW-111	2026-01-14	W111260114-	0.012	0.106	0.0001 U	0.0001 U	2.02	1.86
MW-112	2026-01-13	W112260113-	0.01 U	0.01 U	0.0001 U	0.0001 U	22.3	22.8
MW-112	2026-01-13	W112260113D	0.01 U	0.01 U	0.0001 U	0.0001 U	22.2	23.1
MW-101	2026-01-07	W101260107-	0.283	0.489	0.0001 U	0.0001 U	27.5	28.3
FIELD BLANK	2026-01-08	W66-260108F	0.01 U	0.01 U	0.0001 U	0.0001 U	0.05 U	0.05 U
FIELD BLANK	2026-01-15	W47-260115F	0.01 U	0.01 U	0.0001 U	0.0001 U	0.05 U	0.05 U

Table A-5
Groundwater – Metals (Dissolved and Total)

Well	Sample Date	Sample ID	Manganese, Dissolved	Manganese, Total	Mercury, Dissolved	Mercury, Total	Nickel, Dissolved	Nickel, Total
			µg/L	µg/L	mg/L	mg/L	mg/L	mg/L
MW-59	2026-01-07	W59-260107-	122	116	0.00005 U	0.00005 U	0.000151	0.000191
MW-66	2026-01-08	W66-260108-	0.1 U	0.384	0.00005 U	0.00005 U	0.000176	0.000202
MW-81	2026-01-12	W81-260112-	0.103	0.282	0.00005 U	0.00005 U	0.000158	0.000229
MW-83	2026-01-12	W83-260112-	0.648	1.86	0.00005 U	0.00005 U	0.0018	0.00205
MW-84	2026-01-21	W84-260121-	0.545	0.614	0.00005 U	0.00005 U	0.000343	0.000361
MW-94	2026-01-12	W94-260112-	0.113	0.188	0.00005 U	0.00005 U	0.000609	0.000703
MW-113	2026-01-09	W113260109-	461	435	0.00005 U	0.00005 U	0.000371	0.000319
MW-114	2026-01-07	W114260107-	0.223	0.333	0.00005 U	0.00005 U	0.000275	0.00031
MW-115	2026-01-09	W115260109-	0.881	0.888	0.00005 U	0.00005 U	0.000348	0.000336
MW-68	2026-01-20	W68-260120-	263	324	0.00005 U	0.00005 U	0.000328	0.000408
MW-72	2026-01-07	W72-260107-	328	320	0.00005 U	0.00005 U	0.000107	0.000154
MW-74R	2026-01-08	W74R260108-	277	259	0.00005 U	0.00005 U	0.00218	0.00226
MW-75	2026-01-12	W75-260112-	301	312	0.00005 U	0.00005 U	0.0001 U	0.000159
MW-80	2026-01-21	W80-260121-	397	403	0.00005 U	0.00005 U	0.0001 U	0.000101
MW-85	2026-01-08	W85-260108-	0.249	0.2	0.00005 U	0.00005 U	0.000245	0.000251
MW-87	2026-01-08	W87-260108-	511 D	482	0.00005 U	0.00005 U	0.000176	0.00017
MW-93	2026-01-21	W93-260121-	268	278	0.00005 U	0.00005 U	0.000258	0.000245
MW-EB6	2026-01-13	WEB6260113-	1.04	2.78	0.00005 U	0.00005 U	0.00117	0.00213
MW-30A	2026-01-15	W30A260115-	0.351	2.63	0.00005 U	0.00005 U	0.00153	0.00167
MW-47	2026-01-15	W47-260115-	1270 D	1320 D	0.00005 U	0.00005 U	0.00177	0.00184
MW-62	2026-01-12	W62-260112-	2.34	3.27	0.00005 U	0.00005 U	0.000644	0.000558
MW-102	2026-01-14	W102260114-	0.585	2.93	0.00005 U	0.00005 U	0.000453	0.000548
MW-103	2026-01-22	W103260122-	0.104	9.46	0.00005 U	0.00005 U	0.000119	0.000219
MW-107	2026-01-14	W107260114-	876 D	926 D	0.00005 U	0.00005 U	0.00369	0.00386
MW-108	2026-01-14	W108260114-	0.755	0.225	0.00005 U	0.00005 U	0.000646	0.000615
MW-109	2026-01-15	W109260115-	3760 D	3990 D	0.00005 U	0.00005 U	0.00167	0.00345
MW-110	2026-01-13	W110260113-	3310 D	3330 D	0.00005 U	0.00005 U	0.00462	0.00484
MW-111	2026-01-14	W111260114-	1.98	3.27	0.00005 U	0.00005 U	0.00123	0.0014
MW-112	2026-01-13	W112260113-	0.262	1.22	0.00005 U	0.00005 U	0.000237	0.000276
MW-112	2026-01-13	W112260113D	0.285	1.36	0.00005 U	0.00005 U	0.000457	0.000236
MW-101	2026-01-07	W101260107-	1010 D	930 D	0.00005 U	0.00005 U	0.00283	0.00399
FIELD BLANK	2026-01-08	W66-260108F	0.1 U	0.1 U	0.00005 U	0.00005 U	0.0001 U	0.0001 U
FIELD BLANK	2026-01-15	W47-260115F	0.1 U	0.1 U	0.00005 U	0.00005 U	0.0001 U	0.0001 U

Table A-5
Groundwater – Metals (Dissolved and Total)

Well	Sample Date	Sample ID	Potassium, Dissolved	Potassium, Total	Selenium, Dissolved	Selenium, Total	Silver, Dissolved	Silver, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-59	2026-01-07	W59-260107-	1.11	1.14	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-66	2026-01-08	W66-260108-	0.988	1.04	0.00102	0.00106	0.00004 U	0.00004 U
MW-81	2026-01-12	W81-260112-	0.859	0.811	0.000797	0.000798	0.00004 U	0.00004 U
MW-83	2026-01-12	W83-260112-	4.33	4.26	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-84	2026-01-21	W84-260121-	1.1	1.09	0.000533	0.000589	0.00004 U	0.00004 U
MW-94	2026-01-12	W94-260112-	2.85	2.65	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-113	2026-01-09	W113260109-	1.91	1.97	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-114	2026-01-07	W114260107-	2.16	2.25	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-115	2026-01-09	W115260109-	1.82	1.86	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-68	2026-01-20	W68-260120-	1.38	1.42	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-72	2026-01-07	W72-260107-	1.71	1.77	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-74R	2026-01-08	W74R260108-	2.42	2.52	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-75	2026-01-12	W75-260112-	2.06	1.92	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-80	2026-01-21	W80-260121-	1.58	1.6	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-85	2026-01-08	W85-260108-	1.55	1.6	0.0009	0.000935	0.00004 U	0.00004 U
MW-87	2026-01-08	W87-260108-	2.2	2.29	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-93	2026-01-21	W93-260121-	1.37	1.37	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-EB6	2026-01-13	WEB6260113-	1.09	1.02	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-30A	2026-01-15	W30A260115-	1.84	1.7	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-47	2026-01-15	W47-260115-	4.88	4.9	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-62	2026-01-12	W62-260112-	0.696	0.653	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-102	2026-01-14	W102260114-	1.15	1.08	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-103	2026-01-22	W103260122-	2.29	2.3	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-107	2026-01-14	W107260114-	1.68	1.58	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-108	2026-01-14	W108260114-	1.49	1.41	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-109	2026-01-15	W109260115-	2.25	2.32	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-110	2026-01-13	W110260113-	3.1	2.85	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-111	2026-01-14	W111260114-	0.314	0.305	0.0005 U	0.0005 U	0.00004 U	0.00004 U
MW-112	2026-01-13	W112260113-	2.78	2.53	0.000912	0.00095	0.00004 U	0.00004 U
MW-112	2026-01-13	W112260113D	2.79	2.57	0.00091	0.000914	0.00004 U	0.00004 U
MW-101	2026-01-07	W101260107-	2.2	2.3	0.0005 U	0.0005 U	0.00004 U	0.00004 U
FIELD BLANK	2026-01-08	W66-260108F	0.1 U	0.1 U	0.0005 U	0.0005 U	0.00004 U	0.00004 U
FIELD BLANK	2026-01-15	W47-260115F	0.1 U	0.1 U	0.0005 U	0.0005 U	0.00004 U	0.00004 U

Table A-5
Groundwater – Metals (Dissolved and Total)

Well	Sample Date	Sample ID	Sodium, Dissolved	Sodium, Total	Thallium, Dissolved	Thallium, Total	Vanadium, Dissolved	Vanadium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-59	2026-01-07	W59-260107-	6.97	7.2	0.000075 U	0.000075 U	0.000075 U	0.000075 U
MW-66	2026-01-08	W66-260108-	7.15	7.5	0.000075 U	0.000075 U	0.000687	0.000768
MW-81	2026-01-12	W81-260112-	6.76	6.87	0.000075 U	0.000075 U	0.00157	0.00166
MW-83	2026-01-12	W83-260112-	16.4	17.1	0.000075 U	0.000075 U	0.000916	0.001
MW-84	2026-01-21	W84-260121-	7.71	7.43	0.000075 U	0.000075 U	0.000572	0.000551
MW-94	2026-01-12	W94-260112-	12.1	12.2	0.000075 U	0.000075 U	0.000978	0.00116
MW-113	2026-01-09	W113260109-	9.9	10.2	0.000075 U	0.000075 U	0.000097	0.000104
MW-114	2026-01-07	W114260107-	7.43	7.73	0.000075 U	0.000075 U	0.000812	0.000813
MW-115	2026-01-09	W115260109-	7.87	8.11	0.000075 U	0.000075 U	0.000567	0.000624
MW-68	2026-01-20	W68-260120-	8.67	8.8	0.000075 U	0.000075 U	0.000307	0.0013
MW-72	2026-01-07	W72-260107-	8.52	8.85	0.000075 U	0.000075 U	0.000075 U	0.000144
MW-74R	2026-01-08	W74R260108-	13.6	14.1	0.000075 U	0.000075 U	0.000374	0.00043
MW-75	2026-01-12	W75-260112-	10.1	10.2	0.000075 U	0.000075 U	0.000075 U	0.000136
MW-80	2026-01-21	W80-260121-	8.81	8.78	0.000075 U	0.000075 U	0.000097	0.000094
MW-85	2026-01-08	W85-260108-	9.98	10.2	0.000075 U	0.000075 U	0.000954	0.001
MW-87	2026-01-08	W87-260108-	11.1	11.4	0.000075 U	0.000075 U	0.000088	0.000085
MW-93	2026-01-21	W93-260121-	9.74	9.54	0.000075 U	0.000075 U	0.00212	0.00214
MW-EB6	2026-01-13	WEB6260113-	14.8	15.1	0.000075 U	0.000075 U	0.00492	0.00533
MW-30A	2026-01-15	W30A260115-	15	15.3	0.000075 U	0.000075 U	0.0022	0.00272
MW-47	2026-01-15	W47-260115-	18.1	18.8	0.000075 U	0.000075 U	0.000313	0.000373
MW-62	2026-01-12	W62-260112-	8.62	8.96	0.000075 U	0.000075 U	0.000599	0.000812
MW-102	2026-01-14	W102260114-	11.6	11.9	0.000075 U	0.000075 U	0.000991	0.00133
MW-103	2026-01-22	W103260122-	15.3	15.3	0.000075 U	0.000075 U	0.00196	0.0021
MW-107	2026-01-14	W107260114-	4.58	4.89	0.000075 U	0.000075 U	0.00132	0.00149
MW-108	2026-01-14	W108260114-	30.7	33.2	0.000075 U	0.000075 U	0.00289	0.00322
MW-109	2026-01-15	W109260115-	459 D	458	0.000075 U	0.000075 U	0.0316	0.0511
MW-110	2026-01-13	W110260113-	27.8	27.7	0.000075 U	0.000075 U	0.00083	0.00116
MW-111	2026-01-14	W111260114-	9.44	10	0.000075 U	0.000075 U	0.000932	0.00129
MW-112	2026-01-13	W112260113-	50.6	51.5	0.000075 U	0.000075 U	0.00201	0.00219
MW-112	2026-01-13	W112260113D	50.1	51.9	0.000075 U	0.000075 U	0.00202	0.00218
MW-101	2026-01-07	W101260107-	15.7	16.5	0.000075 U	0.000075 U	0.000262	0.000394
FIELD BLANK	2026-01-08	W66-260108F	0.1 U	0.1 U	0.000075 U	0.000075 U	0.000075 U	0.000085
FIELD BLANK	2026-01-15	W47-260115F	0.1 U	0.1 U	0.000075 U	0.000075 U	0.000075 U	0.000115

Table A-5
Groundwater – Metals (Dissolved and Total)

Well	Sample Date	Sample ID	Zinc, Dissolved	Zinc, Total
			mg/L	mg/L
MW-59	2026-01-07	W59-260107-	0.0005 U	0.0005 U
MW-66	2026-01-08	W66-260108-	0.0005 U	0.0005 U
MW-81	2026-01-12	W81-260112-	0.000602	0.000763
MW-83	2026-01-12	W83-260112-	0.000539	0.00093
MW-84	2026-01-21	W84-260121-	0.00362	0.00193
MW-94	2026-01-12	W94-260112-	0.0005 U	0.0005 U
MW-113	2026-01-09	W113260109-	0.0005 U	0.0005 U
MW-114	2026-01-07	W114260107-	0.0005 U	0.000537
MW-115	2026-01-09	W115260109-	0.0005 U	0.0005 U
MW-68	2026-01-20	W68-260120-	0.0005 U	0.00119
MW-72	2026-01-07	W72-260107-	0.000555	0.00247
MW-74R	2026-01-08	W74R260108-	0.000823	0.000771
MW-75	2026-01-12	W75-260112-	0.0005 U	0.0005 U
MW-80	2026-01-21	W80-260121-	0.0005 U	0.0005 U
MW-85	2026-01-08	W85-260108-	0.0005 U	0.000509
MW-87	2026-01-08	W87-260108-	0.0005 U	0.0005 U
MW-93	2026-01-21	W93-260121-	0.000872	0.000638
MW-EB6	2026-01-13	WEB6260113-	0.00165	0.00215
MW-30A	2026-01-15	W30A260115-	0.00139	0.00118
MW-47	2026-01-15	W47-260115-	0.0005 U	0.00065
MW-62	2026-01-12	W62-260112-	0.00053	0.0005 U
MW-102	2026-01-14	W102260114-	0.0005 U	0.00254
MW-103	2026-01-22	W103260122-	0.0005 U	0.000508
MW-107	2026-01-14	W107260114-	0.00245	0.00218
MW-108	2026-01-14	W108260114-	0.00653	0.000684
MW-109	2026-01-15	W109260115-	0.00321	0.00431
MW-110	2026-01-13	W110260113-	0.0005 U	0.000645
MW-111	2026-01-14	W111260114-	0.000636	0.000531
MW-112	2026-01-13	W112260113-	0.0005 U	0.0005 U
MW-112	2026-01-13	W112260113D	0.0005 U	0.0005 U
MW-101	2026-01-07	W101260107-	0.000843	0.00152
FIELD BLANK	2026-01-08	W66-260108F	0.0005 U	0.0005 U
FIELD BLANK	2026-01-15	W47-260115F	0.0005 U	0.0005 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	1,1-Dichloro-ethane	1,1-Dichloro-ethene	1,1-Dichloro-propene	1,1,1-Trichloro-ethane	1,1,1,2- Tetra-chloro-ethane	1,1,2-Trichloro-ethane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-59	2026-01-07	W59-260107-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-66	2026-01-08	W66-260108-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-81	2026-01-12	W81-260112-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-83	2026-01-12	W83-260112-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-84	2026-01-21	W84-260121-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-94	2026-01-12	W94-260112-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-113	2026-01-09	W113260109-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-114	2026-01-07	W114260107-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-115	2026-01-09	W115260109-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-68	2026-01-20	W68-260120-	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-72	2026-01-07	W72-260107-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-74R	2026-01-08	W74R260108-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-75	2026-01-12	W75-260112-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-80	2026-01-21	W80-260121-	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-85	2026-01-08	W85-260108-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-87	2026-01-08	W87-260108-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-93	2026-01-21	W93-260121-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
FIELD BLANK	2026-01-08	W66-260108F	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	1,1-Dichloro-ethane	1,1-Dichloro-ethene	1,1-Dichloro-propene	1,1,1-Trichloro-ethane	1,1,1,2- Tetra-chloro-ethane	1,1,2-Trichloro-ethane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-EB6	2026-01-13	WEB6260113-	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-30A	2026-01-15	W30A260115-	1.92	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-47	2026-01-15	W47-260115-	0.599	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-62	2026-01-12	W62-260112-	0.303	0.1 U	--	0.1 U	0.2 U	0.1 U
MW-102	2026-01-14	W102260114-	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-103	2026-01-22	W103260122-	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-107	2026-01-14	W107260114-	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-108	2026-01-14	W108260114-	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-109	2026-01-15	W109260115-	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-110	2026-01-13	W110260113-	0.243	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-111	2026-01-14	W111260114-	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-112	2026-01-13	W112260113D	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-112	2026-01-13	W112260113-	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
MW-101	2026-01-07	W101260107-	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
FIELD BLANK	2026-01-15	W47-260115F	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	1,1,2,2- Tetra-chloro-ethane	1,2- Dibromo-3- chloro-propane	1,2-Dibromo-ethane	1,2-Dichloro-benzene	1,2-Dichloro-ethane	1,2-Dichloro-propane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-59	2026-01-07	W59-260107-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-66	2026-01-08	W66-260108-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-81	2026-01-12	W81-260112-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-83	2026-01-12	W83-260112-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-84	2026-01-21	W84-260121-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-94	2026-01-12	W94-260112-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-113	2026-01-09	W113260109-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-114	2026-01-07	W114260107-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-115	2026-01-09	W115260109-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-68	2026-01-20	W68-260120-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-72	2026-01-07	W72-260107-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-74R	2026-01-08	W74R260108-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-75	2026-01-12	W75-260112-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-80	2026-01-21	W80-260121-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-85	2026-01-08	W85-260108-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-87	2026-01-08	W87-260108-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-93	2026-01-21	W93-260121-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
FIELD BLANK	2026-01-08	W66-260108F	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	1,1,2,2- Tetra-chloro-ethane	1,2- Dibromo-3- chloro-propane	1,2-Dibromo-ethane	1,2-Dichloro-benzene	1,2-Dichloro-ethane	1,2-Dichloro-propane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-EB6	2026-01-13	WEB6260113-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-30A	2026-01-15	W30A260115-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-47	2026-01-15	W47-260115-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-62	2026-01-12	W62-260112-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-102	2026-01-14	W102260114-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-103	2026-01-22	W103260122-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-107	2026-01-14	W107260114-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-108	2026-01-14	W108260114-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-109	2026-01-15	W109260115-	0.2 U	0.2 U	0.2 U	0.355	0.1 U	0.1 U
MW-110	2026-01-13	W110260113-	0.2 U	0.2 U	0.2 U	0.75	0.202	0.227
MW-111	2026-01-14	W111260114-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-112	2026-01-13	W112260113D	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-112	2026-01-13	W112260113-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
MW-101	2026-01-07	W101260107-	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
FIELD BLANK	2026-01-15	W47-260115F	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	1,2,3-Trichloro-propane	1,3-Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2-Butanone	2-Hexanone
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-59	2026-01-07	W59-260107-	0.2 U	--	--	0.1 U	4 U	4 U
MW-66	2026-01-08	W66-260108-	0.2 U	--	--	0.1 U	4 U	4 U
MW-81	2026-01-12	W81-260112-	0.2 U	--	--	0.1 U	4 U	4 U
MW-83	2026-01-12	W83-260112-	0.2 U	--	--	0.1 U	4 U	4 U
MW-84	2026-01-21	W84-260121-	0.2 U	--	--	0.1 U	4 U	4 U
MW-94	2026-01-12	W94-260112-	0.2 U	--	--	0.1 U	4 U	4 U
MW-113	2026-01-09	W113260109-	0.2 U	--	--	0.1 U	4 U	4 U
MW-114	2026-01-07	W114260107-	0.2 U	--	--	0.1 U	4 U	4 U
MW-115	2026-01-09	W115260109-	0.2 U	--	--	0.1 U	4 U	4 U
MW-68	2026-01-20	W68-260120-	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
MW-72	2026-01-07	W72-260107-	0.2 U	--	--	0.1 U	4 U	4 U
MW-74R	2026-01-08	W74R260108-	0.2 U	--	--	0.1 U	4 U	4 U
MW-75	2026-01-12	W75-260112-	0.2 U	--	--	0.1 U	4 U	4 U
MW-80	2026-01-21	W80-260121-	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
MW-85	2026-01-08	W85-260108-	0.2 U	--	--	0.1 U	4 U	4 U
MW-87	2026-01-08	W87-260108-	0.2 U	--	--	0.1 U	4 U	4 U
MW-93	2026-01-21	W93-260121-	0.2 U	--	--	0.1 U	4 U	4 U
FIELD BLANK	2026-01-08	W66-260108F	0.2 U	--	--	0.1 U	4 U	4 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	1,2,3-Trichloro-propane	1,3-Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2-Butanone	2-Hexanone
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-EB6	2026-01-13	WEB6260113-	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
MW-30A	2026-01-15	W30A260115-	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
MW-47	2026-01-15	W47-260115-	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
MW-62	2026-01-12	W62-260112-	0.2 U	--	--	0.1 U	4 U	4 U
MW-102	2026-01-14	W102260114-	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
MW-103	2026-01-22	W103260122-	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
MW-107	2026-01-14	W107260114-	0.2 U	0.1 U	0.1 U	0.19 JT	4 U	4 U
MW-108	2026-01-14	W108260114-	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
MW-109	2026-01-15	W109260115-	0.2 U	0.1 U	2 DHU	0.856	4	4 U
MW-110	2026-01-13	W110260113-	0.2 U	0.1 U	0.1 U	0.12 JT	4 U	4 U
MW-111	2026-01-14	W111260114-	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
MW-112	2026-01-13	W112260113D	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
MW-112	2026-01-13	W112260113-	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
MW-101	2026-01-07	W101260107-	0.2 U	--	--	0.1 U	4 U	4 U
FIELD BLANK	2026-01-15	W47-260115F	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	2-Methyl-1-Propanol	2,2-Dichloro-propane	3-Chloro-propene	4-Methyl-2-pentanone	Acetone	Aceto-nitrile
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-59	2026-01-07	W59-260107-	--	--	--	4 U	4 U	--
MW-66	2026-01-08	W66-260108-	--	--	--	4 U	4 U	--
MW-81	2026-01-12	W81-260112-	--	--	--	4 U	4 U	--
MW-83	2026-01-12	W83-260112-	--	--	--	4 U	4 U	--
MW-84	2026-01-21	W84-260121-	--	--	--	4 U	4 U	--
MW-94	2026-01-12	W94-260112-	--	--	--	4 U	4 U	--
MW-113	2026-01-09	W113260109-	--	--	--	4 U	4 U	--
MW-114	2026-01-07	W114260107-	--	--	--	4 U	4 U	--
MW-115	2026-01-09	W115260109-	--	--	--	4 U	4 U	--
MW-68	2026-01-20	W68-260120-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-72	2026-01-07	W72-260107-	--	--	--	4 U	4 U	--
MW-74R	2026-01-08	W74R260108-	--	--	--	4 U	4 U	--
MW-75	2026-01-12	W75-260112-	--	--	--	4 U	4 U	--
MW-80	2026-01-21	W80-260121-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-85	2026-01-08	W85-260108-	--	--	--	4 U	4 U	--
MW-87	2026-01-08	W87-260108-	--	--	--	4 U	4 U	--
MW-93	2026-01-21	W93-260121-	--	--	--	4 U	4 U	--
FIELD BLANK	2026-01-08	W66-260108F	--	--	--	4 U	4 U	--

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	2-Methyl-1-Propanol	2,2-Dichloro-propane	3-Chloro-propene	4-Methyl-2-pentanone	Acetone	Aceto-nitrile
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-EB6	2026-01-13	WEB6260113-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-30A	2026-01-15	W30A260115-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-47	2026-01-15	W47-260115-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-62	2026-01-12	W62-260112-	--	--	--	4 U	4 U	--
MW-102	2026-01-14	W102260114-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-103	2026-01-22	W103260122-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-107	2026-01-14	W107260114-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-108	2026-01-14	W108260114-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-109	2026-01-15	W109260115-	5 DU	0.2 U	0.1 U	4 U	38.2	10 DU
MW-110	2026-01-13	W110260113-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-111	2026-01-14	W111260114-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-112	2026-01-13	W112260113D	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-112	2026-01-13	W112260113-	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
MW-101	2026-01-07	W101260107-	--	--	--	4 U	4 U	--
FIELD BLANK	2026-01-15	W47-260115F	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Acrolein	Acrylo-nitrile	Benzene	Bromo-chloro-methane	Bromo-dichloro-methane	Bromoform
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-59	2026-01-07	W59-260107-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-66	2026-01-08	W66-260108-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-81	2026-01-12	W81-260112-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-83	2026-01-12	W83-260112-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-84	2026-01-21	W84-260121-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-94	2026-01-12	W94-260112-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-113	2026-01-09	W113260109-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-114	2026-01-07	W114260107-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-115	2026-01-09	W115260109-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-68	2026-01-20	W68-260120-	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-72	2026-01-07	W72-260107-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-74R	2026-01-08	W74R260108-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-75	2026-01-12	W75-260112-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-80	2026-01-21	W80-260121-	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-85	2026-01-08	W85-260108-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-87	2026-01-08	W87-260108-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-93	2026-01-21	W93-260121-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
FIELD BLANK	2026-01-08	W66-260108F	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Acrolein	Acrylo-nitrile	Benzene	Bromo-chloro-methane	Bromo-dichloro-methane	Bromoform
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-EB6	2026-01-13	WEB6260113-	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-30A	2026-01-15	W30A260115-	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-47	2026-01-15	W47-260115-	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-62	2026-01-12	W62-260112-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-102	2026-01-14	W102260114-	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-103	2026-01-22	W103260122-	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-107	2026-01-14	W107260114-	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-108	2026-01-14	W108260114-	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-109	2026-01-15	W109260115-	2.5 U	0.05 DU	1.39	0.1 U	0.2 U	0.2 U
MW-110	2026-01-13	W110260113-	2.5 U	0.05 DU	0.401	0.1 U	0.2 U	0.2 U
MW-111	2026-01-14	W111260114-	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-112	2026-01-13	W112260113D	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-112	2026-01-13	W112260113-	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
MW-101	2026-01-07	W101260107-	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
FIELD BLANK	2026-01-08	W66-260108F	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
FIELD BLANK	2026-01-15	W47-260115F	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Bromo-methane	Carbon Disulfide	Carbon Tetra-chloride	Chloro-benzene	Chloro-dibromo-methane	Chloro-ethane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-59	2026-01-07	W59-260107-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-66	2026-01-08	W66-260108-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-81	2026-01-12	W81-260112-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-83	2026-01-12	W83-260112-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-84	2026-01-21	W84-260121-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-94	2026-01-12	W94-260112-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-113	2026-01-09	W113260109-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-114	2026-01-07	W114260107-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-115	2026-01-09	W115260109-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-68	2026-01-20	W68-260120-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-72	2026-01-07	W72-260107-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-74R	2026-01-08	W74R260108-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-75	2026-01-12	W75-260112-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-80	2026-01-21	W80-260121-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-85	2026-01-08	W85-260108-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-87	2026-01-08	W87-260108-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-93	2026-01-21	W93-260121-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
FIELD BLANK	2026-01-08	W66-260108F	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Bromo-methane	Carbon Disulfide	Carbon Tetra-chloride	Chloro-benzene	Chloro-dibromo-methane	Chloro-ethane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-EB6	2026-01-13	WEB6260113-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-30A	2026-01-15	W30A260115-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-47	2026-01-15	W47-260115-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.14 JT
MW-62	2026-01-12	W62-260112-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-102	2026-01-14	W102260114-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-103	2026-01-22	W103260122-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-107	2026-01-14	W107260114-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-108	2026-01-14	W108260114-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-109	2026-01-15	W109260115-	0.1 U	0.1 U	0.2 U	0.906	0.2 U	0.1 U
MW-110	2026-01-13	W110260113-	0.1 U	0.1 U	0.2 U	0.64	0.2 U	0.1 U
MW-111	2026-01-14	W111260114-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-112	2026-01-13	W112260113D	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-112	2026-01-13	W112260113-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-101	2026-01-07	W101260107-	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.13 JT
FIELD BLANK	2026-01-15	W47-260115F	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Chloroform	Chloro-methane	Chloroprene	Cis-1,2-Dichloro-ethene	Cis-1,3-Dichloro-propene	Dibromo-methane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-59	2026-01-07	W59-260107-	0.1 U	0.2 U	--	1.69	0.2 U	0.1 U
MW-66	2026-01-08	W66-260108-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-81	2026-01-12	W81-260112-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-83	2026-01-12	W83-260112-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-84	2026-01-21	W84-260121-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-94	2026-01-12	W94-260112-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-113	2026-01-09	W113260109-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-114	2026-01-07	W114260107-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-115	2026-01-09	W115260109-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-68	2026-01-20	W68-260120-	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-72	2026-01-07	W72-260107-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-74R	2026-01-08	W74R260108-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-75	2026-01-12	W75-260112-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-80	2026-01-21	W80-260121-	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-85	2026-01-08	W85-260108-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-87	2026-01-08	W87-260108-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
MW-93	2026-01-21	W93-260121-	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
FIELD BLANK	2026-01-08	W66-260108F	0.1 U	0.201	--	0.1 U	0.2 U	0.1 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Chloroform	Chloro-methane	Chloroprene	Cis-1,2-Dichloro-ethene	Cis-1,3-Dichloro-propene	Dibromo-methane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-EB6	2026-01-13	WEB6260113-	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-30A	2026-01-15	W30A260115-	0.1 U	0.2 U	0.2 U	1.96	0.2 U	0.1 U
MW-47	2026-01-15	W47-260115-	0.1 U	0.2 U	0.2 U	1.99	0.2 U	0.1 U
MW-62	2026-01-12	W62-260112-	0.1 U	0.2 U	--	0.515	0.2 U	0.1 U
MW-102	2026-01-14	W102260114-	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-103	2026-01-22	W103260122-	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-107	2026-01-14	W107260114-	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-108	2026-01-14	W108260114-	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-109	2026-01-15	W109260115-	0.1 U	0.2 U	0.2 U	0.258	0.2 U	0.1 U
MW-110	2026-01-13	W110260113-	0.1 U	0.2 U	0.2 U	4.38	0.2 U	0.1 U
MW-111	2026-01-14	W111260114-	0.1 U	0.2 U	0.2 U	0.13 JT	0.2 U	0.1 U
MW-112	2026-01-13	W112260113D	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-112	2026-01-13	W112260113-	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
MW-101	2026-01-07	W101260107-	0.1 U	0.2 U	--	0.16 JT	0.2 U	0.1 U
FIELD BLANK	2026-01-15	W47-260115F	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Dichloro-difluoro-methane	Ethyl-benzene	M & P Xylene	Methyl Iodide	Methyl Meth-acrylate	Methyl-acrylo-nitrile
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-59	2026-01-07	W59-260107-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-66	2026-01-08	W66-260108-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-81	2026-01-12	W81-260112-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-83	2026-01-12	W83-260112-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-84	2026-01-21	W84-260121-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-94	2026-01-12	W94-260112-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-113	2026-01-09	W113260109-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-114	2026-01-07	W114260107-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-115	2026-01-09	W115260109-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-68	2026-01-20	W68-260120-	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-72	2026-01-07	W72-260107-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-74R	2026-01-08	W74R260108-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-75	2026-01-12	W75-260112-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-80	2026-01-21	W80-260121-	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-85	2026-01-08	W85-260108-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-87	2026-01-08	W87-260108-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-93	2026-01-21	W93-260121-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
FIELD BLANK	2026-01-08	W66-260108F	0.2 U	0.1 U	0.1 U	0.2 U	--	--

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Dichloro-difluoro-methane	Ethyl-benzene	M & P Xylene	Methyl Iodide	Methyl Meth-acrylate	Methyl-acrylo-nitrile
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-EB6	2026-01-13	WEB6260113-	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-30A	2026-01-15	W30A260115-	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-47	2026-01-15	W47-260115-	2.96	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-62	2026-01-12	W62-260112-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
MW-102	2026-01-14	W102260114-	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-103	2026-01-22	W103260122-	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-107	2026-01-14	W107260114-	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-108	2026-01-14	W108260114-	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-109	2026-01-15	W109260115-	0.2 U	1.75	1.43	0.2 U	0.5 U	0.5 U
MW-110	2026-01-13	W110260113-	0.2 U	0.1 U	0.11 JT	0.2 U	0.5 U	0.5 U
MW-111	2026-01-14	W111260114-	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-112	2026-01-13	W112260113D	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-112	2026-01-13	W112260113-	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
MW-101	2026-01-07	W101260107-	0.2 U	0.1 U	0.1 U	0.2 U	--	--
FIELD BLANK	2026-01-15	W47-260115F	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Methylene Chloride	O-Xylene	Propio-nitrile	Styrene	Tetra-chloro-ethene	Toluene
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-59	2026-01-07	W59-260107-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-66	2026-01-08	W66-260108-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-81	2026-01-12	W81-260112-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-83	2026-01-12	W83-260112-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-84	2026-01-21	W84-260121-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-94	2026-01-12	W94-260112-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-113	2026-01-09	W113260109-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-114	2026-01-07	W114260107-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-115	2026-01-09	W115260109-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-68	2026-01-20	W68-260120-	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
MW-72	2026-01-07	W72-260107-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-74R	2026-01-08	W74R260108-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-75	2026-01-12	W75-260112-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-80	2026-01-21	W80-260121-	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
MW-85	2026-01-08	W85-260108-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-87	2026-01-08	W87-260108-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-93	2026-01-21	W93-260121-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
FIELD BLANK	2026-01-08	W66-260108F	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Methylene Chloride	O-Xylene	Propio-nitrile	Styrene	Tetra-chloro-ethene	Toluene
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-EB6	2026-01-13	WEB6260113-	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
MW-30A	2026-01-15	W30A260115-	2 U	0.1 U	5 U	0.1 U	0.11 JT	0.1 U
MW-47	2026-01-15	W47-260115-	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 DHU
MW-62	2026-01-12	W62-260112-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
MW-102	2026-01-14	W102260114-	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
MW-103	2026-01-22	W103260122-	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
MW-107	2026-01-14	W107260114-	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 DHU
MW-108	2026-01-14	W108260114-	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
MW-109	2026-01-15	W109260115-	2 U	0.1 JT	5 U	0.1 U	0.1 U	3820 DH
MW-110	2026-01-13	W110260113-	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
MW-111	2026-01-14	W111260114-	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
MW-112	2026-01-13	W112260113D	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
MW-112	2026-01-13	W112260113-	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
MW-101	2026-01-07	W101260107-	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
FIELD BLANK	2026-01-15	W47-260115F	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 DHU

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Trans-1,2-Dichloro-ethene	Trans-1,3-Dichloro-propene	Trans-1,4-Dichloro-2-Butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-59	2026-01-07	W59-260107-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-66	2026-01-08	W66-260108-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-81	2026-01-12	W81-260112-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-83	2026-01-12	W83-260112-	0.1 U	0.2 U	2.5 U	1.44	0.1 U	0.2 U
MW-84	2026-01-21	W84-260121-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-94	2026-01-12	W94-260112-	0.1 U	0.2 U	2.5 U	1.75	0.1 U	0.2 U
MW-113	2026-01-09	W113260109-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-114	2026-01-07	W114260107-	0.1 U	0.2 U	2.5 U	8.76	0.1 U	0.2 U
MW-115	2026-01-09	W115260109-	0.1 U	0.2 U	2.5 U	4.48	0.1 U	0.2 U
MW-68	2026-01-20	W68-260120-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-72	2026-01-07	W72-260107-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-74R	2026-01-08	W74R260108-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-75	2026-01-12	W75-260112-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-80	2026-01-21	W80-260121-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-85	2026-01-08	W85-260108-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-87	2026-01-08	W87-260108-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-93	2026-01-21	W93-260121-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
FIELD BLANK	2026-01-08	W66-260108F	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Trans-1,2-Dichloro-ethene	Trans-1,3-Dichloro-propene	Trans-1,4-Dichloro-2-Butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-EB6	2026-01-13	WEB6260113-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-30A	2026-01-15	W30A260115-	0.1 U	0.2 U	2.5 U	0.709	0.1 U	0.2 U
MW-47	2026-01-15	W47-260115-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-62	2026-01-12	W62-260112-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-102	2026-01-14	W102260114-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-103	2026-01-22	W103260122-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-107	2026-01-14	W107260114-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-108	2026-01-14	W108260114-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-109	2026-01-15	W109260115-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-110	2026-01-13	W110260113-	0.16 JT	0.2 U	2.5 U	0.11 JT	0.1 U	0.2 U
MW-111	2026-01-14	W111260114-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-112	2026-01-13	W112260113D	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-112	2026-01-13	W112260113-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
MW-101	2026-01-07	W101260107-	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
FIELD BLANK	2026-01-15	W47-260115F	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Vinyl Chloride
			µg/L
MW-59	2026-01-07	W59-260107-	0.01 DU
MW-66	2026-01-08	W66-260108-	0.01 DU
MW-81	2026-01-12	W81-260112-	0.01 DU
MW-83	2026-01-12	W83-260112-	0.01 DU
MW-84	2026-01-21	W84-260121-	0.01 DU
MW-94	2026-01-12	W94-260112-	0.01 DU
MW-113	2026-01-09	W113260109-	0.01 DU
MW-114	2026-01-07	W114260107-	0.01 DU
MW-115	2026-01-09	W115260109-	0.01 DU
MW-68	2026-01-20	W68-260120-	0.01 DU
MW-72	2026-01-07	W72-260107-	0.01 DU
MW-74R	2026-01-08	W74R260108-	0.01 DU
MW-75	2026-01-12	W75-260112-	0.01 DU
MW-80	2026-01-21	W80-260121-	0.01 DU
MW-85	2026-01-08	W85-260108-	0.01 DU
MW-87	2026-01-08	W87-260108-	0.01 DU
MW-93	2026-01-21	W93-260121-	0.01 DU
FIELD BLANK	2026-01-08	W66-260108F	0.01 DU

Table A-6
Groundwater – Volatile Organic Compounds

Well	Sample Date	Sample ID	Vinyl Chloride
			µg/L
MW-30A	2026-01-15	W30A260115-	0.01 DU
MW-47	2026-01-15	W47-260115-	3.76 D
MW-62	2026-01-12	W62-260112-	0.01 DU
MW-102	2026-01-14	W102260114-	0.01 DU
MW-103	2026-01-22	W103260122-	0.01 DU
MW-107	2026-01-14	W107260114-	0.01 DU
MW-108	2026-01-14	W108260114-	0.01 DU
MW-109	2026-01-15	W109260115-	0.128 D
MW-110	2026-01-13	W110260113-	0.108 D
MW-111	2026-01-14	W111260114-	0.01 DU
MW-112	2026-01-13	W112260113D	0.01 DU
MW-112	2026-01-13	W112260113-	0.01 DU
MW-101	2026-01-07	W101260107-	0.21 D
FIELD BLANK	2026-01-15	W47-260115F	0.01 DU

-- : Not part of sampling program.

Table A-7
Groundwater – Volatile Organic Compound Trip Blanks

Well	Sample Date	Sample ID	1,1-Dichloro-ethane	1,1-Dichloro-ethene	1,1-Dichloro-propene	1,1,1-Trichloro-ethane	1,1,1,2-Tetra-chloro-ethane	1,1,2-Trichloro-ethane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
VOA TRIP BLANK	2026-01-07	VTRP260107Y	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-07	VTRP260107Z	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-08	VTRP260108Y	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-08	VTRP260108X	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-09	VTRP260109X	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112Z	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112Y	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112X	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-13	VTRP260113Z	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-13	VTRP260113X	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-14	VTRP260114X	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-14	VTRP260114Y	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-15	VTRP260115X	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-15	VTRP260115Y	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-20	VTRP260120Y	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y2	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-22	VTRP260122X	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U

Table A-7
Groundwater – Volatile Organic Compound Trip Blanks

Well	Sample Date	Sample ID	1,1,2,2-Tetra-chloro-ethane	1,2-Dibromo-3-chloro-propane	1,2-Dibromo-ethane	1,2-Dichloro-benzene	1,2-Dichloro-ethane	1,2-Dichloro-propane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
VOA TRIP BLANK	2026-01-07	VTRP260107Y	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-07	VTRP260107Z	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-08	VTRP260108Y	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-08	VTRP260108X	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-09	VTRP260109X	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112Z	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112Y	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112X	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-13	VTRP260113Z	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-13	VTRP260113X	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-14	VTRP260114X	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-14	VTRP260114Y	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-15	VTRP260115X	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-15	VTRP260115Y	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-20	VTRP260120Y	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y2	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-22	VTRP260122X	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U

Table A-7
Groundwater – Volatile Organic Compound Trip Blanks

Well	Sample Date	Sample ID	1,2,3-Trichloro-propane	1,3-Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2-Butanone	2-Hexanone
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
VOA TRIP BLANK	2026-01-07	VTRP260107Y	0.2 U	--	--	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-07	VTRP260107Z	0.2 U	--	--	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-08	VTRP260108Y	0.2 U	--	--	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-08	VTRP260108X	0.2 U	--	--	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-09	VTRP260109X	0.2 U	--	--	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-12	VTRP260112Z	0.2 U	--	--	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-12	VTRP260112Y	0.2 U	--	--	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-12	VTRP260112X	0.2 U	--	--	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-13	VTRP260113Z	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-13	VTRP260113X	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-14	VTRP260114X	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-14	VTRP260114Y	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-15	VTRP260115X	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-15	VTRP260115Y	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-20	VTRP260120Y	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y	0.2 U	--	--	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y2	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-22	VTRP260122X	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U

Table A-7
Groundwater – Volatile Organic Compound Trip Blanks

Well	Sample Date	Sample ID	2-Methyl-1-Propanol	2,2-Dichloro-propane	3-Chloro-propene	4-Methyl-2-pentanone	Acetone	Aceto-nitrile
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
VOA TRIP BLANK	2026-01-07	VTRP260107Y	--	--	--	4 U	4 U	--
VOA TRIP BLANK	2026-01-07	VTRP260107Z	--	--	--	4 U	4 U	--
VOA TRIP BLANK	2026-01-08	VTRP260108Y	--	--	--	4 U	4 U	--
VOA TRIP BLANK	2026-01-08	VTRP260108X	--	--	--	4 U	4 U	--
VOA TRIP BLANK	2026-01-09	VTRP260109X	--	--	--	4 U	4 U	--
VOA TRIP BLANK	2026-01-12	VTRP260112Z	--	--	--	4 U	4 U	--
VOA TRIP BLANK	2026-01-12	VTRP260112Y	--	--	--	4 U	4 U	--
VOA TRIP BLANK	2026-01-12	VTRP260112X	--	--	--	4 U	4 U	--
VOA TRIP BLANK	2026-01-13	VTRP260113Z	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
VOA TRIP BLANK	2026-01-13	VTRP260113X	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
VOA TRIP BLANK	2026-01-14	VTRP260114X	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
VOA TRIP BLANK	2026-01-14	VTRP260114Y	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
VOA TRIP BLANK	2026-01-15	VTRP260115X	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
VOA TRIP BLANK	2026-01-15	VTRP260115Y	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
VOA TRIP BLANK	2026-01-20	VTRP260120Y	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
VOA TRIP BLANK	2026-01-21	VTRP260121Y	--	--	--	4 U	4 U	--
VOA TRIP BLANK	2026-01-21	VTRP260121Y2	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
VOA TRIP BLANK	2026-01-22	VTRP260122X	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU

Table A-7
Groundwater – Volatile Organic Compound Trip Blanks

Well	Sample Date	Sample ID	Acrolein	Acrylo-nitrile	Benzene	Bromo-chloro-methane	Bromo-dichloro-methane	Bromoform
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
VOA TRIP BLANK	2026-01-07	VTRP260107Y	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-07	VTRP260107Z	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-08	VTRP260108Y	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-08	VTRP260108X	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-09	VTRP260109X	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-12	VTRP260112Z	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-12	VTRP260112Y	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-12	VTRP260112X	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-13	VTRP260113Z	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-13	VTRP260113X	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-14	VTRP260114X	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-14	VTRP260114Y	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-15	VTRP260115X	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-15	VTRP260115Y	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-20	VTRP260120Y	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y2	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-22	VTRP260122X	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U

Table A-7
Groundwater – Volatile Organic Compound Trip Blanks

Well	Sample Date	Sample ID	Bromo-methane	Carbon Disulfide	Carbon Tetra-chloride	Chloro-benzene	Chloro-dibromo-methane	Chloro-ethane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
VOA TRIP BLANK	2026-01-07	VTRP260107Y	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-07	VTRP260107Z	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-08	VTRP260108Y	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-08	VTRP260108X	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-09	VTRP260109X	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112Z	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112Y	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112X	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-13	VTRP260113Z	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-13	VTRP260113X	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-14	VTRP260114X	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-14	VTRP260114Y	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-15	VTRP260115X	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-15	VTRP260115Y	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-20	VTRP260120Y	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y2	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-22	VTRP260122X	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U

Table A-7
Groundwater – Volatile Organic Compound Trip Blanks

Well	Sample Date	Sample ID	Chloroform	Chloro-methane	Chloroprene	Cis-1,2-Dichloro-ethene	Cis-1,3-Dichloro-propene	Dibromo-methane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
VOA TRIP BLANK	2026-01-07	VTRP260107Y	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-07	VTRP260107Z	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-08	VTRP260108Y	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-08	VTRP260108X	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-09	VTRP260109X	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112Z	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112Y	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112X	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-13	VTRP260113Z	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-13	VTRP260113X	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-14	VTRP260114X	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-14	VTRP260114Y	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-15	VTRP260115X	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-15	VTRP260115Y	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-20	VTRP260120Y	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y2	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-22	VTRP260122X	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U

Table A-7
Groundwater – Volatile Organic Compound Trip Blanks

Well	Sample Date	Sample ID	Dichloro-difluoro-methane	Ethyl-benzene	M & P Xylene	Methyl Iodide	Methyl Meth-acrylate	Methyl-acrylo-nitrile
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
VOA TRIP BLANK	2026-01-07	VTRP260107Y	0.2 U	0.1 U	0.1 U	0.2 U	--	--
VOA TRIP BLANK	2026-01-07	VTRP260107Z	0.2 U	0.1 U	0.1 U	0.2 U	--	--
VOA TRIP BLANK	2026-01-08	VTRP260108Y	0.2 U	0.1 U	0.1 U	0.2 U	--	--
VOA TRIP BLANK	2026-01-08	VTRP260108X	0.2 U	0.1 U	0.1 U	0.2 U	--	--
VOA TRIP BLANK	2026-01-09	VTRP260109X	0.2 U	0.1 U	0.1 U	0.2 U	--	--
VOA TRIP BLANK	2026-01-12	VTRP260112Z	0.2 U	0.1 U	0.1 U	0.2 U	--	--
VOA TRIP BLANK	2026-01-12	VTRP260112Y	0.2 U	0.1 U	0.1 U	0.2 U	--	--
VOA TRIP BLANK	2026-01-12	VTRP260112X	0.2 U	0.1 U	0.1 U	0.2 U	--	--
VOA TRIP BLANK	2026-01-13	VTRP260113Z	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
VOA TRIP BLANK	2026-01-13	VTRP260113X	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
VOA TRIP BLANK	2026-01-14	VTRP260114X	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
VOA TRIP BLANK	2026-01-14	VTRP260114Y	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
VOA TRIP BLANK	2026-01-15	VTRP260115X	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
VOA TRIP BLANK	2026-01-15	VTRP260115Y	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
VOA TRIP BLANK	2026-01-20	VTRP260120Y	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y	0.2 U	0.1 U	0.1 U	0.2 U	--	--
VOA TRIP BLANK	2026-01-21	VTRP260121Y2	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
VOA TRIP BLANK	2026-01-22	VTRP260122X	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U

Table A-7
Groundwater – Volatile Organic Compound Trip Blanks

Well	Sample Date	Sample ID	Methylene Chloride	O-Xylene	Propio-nitrile	Styrene	Tetra-chloro-ethene	Toluene
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
VOA TRIP BLANK	2026-01-07	VTRP260107Y	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-07	VTRP260107Z	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-08	VTRP260108Y	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-08	VTRP260108X	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-09	VTRP260109X	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112Z	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112Y	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-12	VTRP260112X	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-13	VTRP260113Z	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-13	VTRP260113X	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-14	VTRP260114X	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-14	VTRP260114Y	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-15	VTRP260115X	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-15	VTRP260115Y	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-20	VTRP260120Y	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y2	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-22	VTRP260122X	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U

Table A-7
Groundwater – Volatile Organic Compound Trip Blanks

Well	Sample Date	Sample ID	Trans-1,2-Dichloro-ethene	Trans-1,3-Dichloro-propene	Trans-1,4-Dichloro-2-Butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
VOA TRIP BLANK	2026-01-07	VTRP260107Y	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-07	VTRP260107Z	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-08	VTRP260108Y	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-08	VTRP260108X	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-09	VTRP260109X	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-12	VTRP260112Z	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-12	VTRP260112Y	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-12	VTRP260112X	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-13	VTRP260113Z	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-13	VTRP260113X	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-14	VTRP260114X	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-14	VTRP260114Y	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-15	VTRP260115X	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-15	VTRP260115Y	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-20	VTRP260120Y	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-21	VTRP260121Y2	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
VOA TRIP BLANK	2026-01-22	VTRP260122X	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U

Table A-7
Groundwater – Volatile Organic Compound Trip Blanks

Well	Sample Date	Sample ID	Vinyl Chloride
			µg/L
VOA TRIP BLANK	2026-01-07	VTRP260107Y	0.01 DU
VOA TRIP BLANK	2026-01-07	VTRP260107Z	0.01 DU
VOA TRIP BLANK	2026-01-08	VTRP260108Y	0.01 DU
VOA TRIP BLANK	2026-01-08	VTRP260108X	0.01 DU
VOA TRIP BLANK	2026-01-09	VTRP260109X	0.01 DU
VOA TRIP BLANK	2026-01-12	VTRP260112Z	0.01 DU
VOA TRIP BLANK	2026-01-12	VTRP260112Y	0.01 DU
VOA TRIP BLANK	2026-01-12	VTRP260112X	0.01 DU
VOA TRIP BLANK	2026-01-13	VTRP260113Z	0.01 DU
VOA TRIP BLANK	2026-01-13	VTRP260113X	0.01 DU
VOA TRIP BLANK	2026-01-14	VTRP260114X	0.01 DU
VOA TRIP BLANK	2026-01-14	VTRP260114Y	0.01 DU
VOA TRIP BLANK	2026-01-15	VTRP260115X	0.01 DU
VOA TRIP BLANK	2026-01-15	VTRP260115Y	0.01 DU
VOA TRIP BLANK	2026-01-20	VTRP260120Y	0.01 DU
VOA TRIP BLANK	2026-01-21	VTRP260121Y	0.01 DU
VOA TRIP BLANK	2026-01-21	VTRP260121Y2	0.01 DU
VOA TRIP BLANK	2026-01-22	VTRP260122X	0.01 DU

-- : Not part of sampling program.

APPENDIX B

Potentiometric Surface Maps
and
Groundwater Flow Calculations

King County
Water and Land Resources Division
Department of Natural Resources and Parks
King Street Center
201 South Jackson Street, Suite 5600
Seattle, WA 98104-3855
206-477-4800 Fax 206-296-0192
TTY Relay: 711

TECHNICAL MEMORANDUM

May 14, 2026

TO: Jerome Cruz, Environmental Scientist III, Environmental Health Division, Public Health – Seattle and King County

VIA: Eric Ferguson, Water Quality Planner – Hydrogeologist, Science and Technical Support Section, Water and Land Resources Division, DNRP

FM: Adrienne Scott, Engineer III – Lead Geologist, Facility Engineering and Science Section, Solid Waste Division, DNRP

RE: Potentiometric Groundwater Surface Maps & Groundwater Velocity Calculations
First Quarter 2026 Results
Cedar Hills Regional Landfill, King County, Washington

The King County Water and Land Resources Division (WLRD) submits this memorandum report on groundwater conditions during the first quarter of 2026 for the regional aquifer beneath the Cedar Hills Regional Landfill (Landfill), in accordance with the *Scope of Work for Services to King County Solid Waste Division – Facility Engineering and Sciences Section* (WLRD, 2023). King County Solid Waste Division (SWD) personnel measured regional aquifer groundwater levels at the Landfill on January 05, 2026; the measurements were used to:

1. Evaluate the potentiometric groundwater surface elevation for the regional aquifer;
2. Determine the groundwater flow direction and horizontal gradient for the regional aquifer; and
3. Calculate the groundwater velocity of the regional aquifer.

There are no significant changes in the groundwater conditions for the regional aquifer in this quarter, when compared to the report submitted for the fourth quarter of 2025.

Groundwater Elevation Data

The SWD recorded regional aquifer groundwater level measurements during the first quarter of 2026. According to Aspect Consultants, monitoring wells with water levels within ten feet of the top of the screened interval are wells that are completed at the water table and are considered regional aquifer wells as referred to in *Potentiometric Groundwater Surface Mapping and Groundwater Velocity Calculation – Cedar Hills Landfill* (Aspect, 2010) and in *Area 8 Development, Monitoring Well Replacement Report* (HDR, 2021).

Table B-1 lists the groundwater monitoring well identifications, locations, top of well casing elevations, bottom of screen elevations, measured depth to groundwater levels, and calculated groundwater elevations for monitoring wells screened in the regional aquifer. Groundwater elevations from 25 regional aquifer wells were used to model the potentiometric surface contours. Groundwater elevations were within 6.14 feet of the last quarter measurements, and the mean water level difference was 0.86 feet lower.

Figure B-1 shows the groundwater elevation at each well location, groundwater movement arrows, and the potentiometric surface contours for the regional aquifer for the current quarter.

Direction of Groundwater Flow

Potentiometric surface maps represent the modeled groundwater surface at depth. The potentiometric maps are generated by interpolating data between the calculated groundwater elevations at the monitored wells. Each potentiometric contour represents a line of equal hydraulic head where the groundwater elevation remains constant. Groundwater is expected to flow from high elevations to low elevations, with the direction of flow perpendicular to the potentiometric contour.

Figure B-1 shows groundwater flow directions in the regional aquifer. The figure shows that groundwater in the regional aquifer generally flows to the north with minor components of flow in the following areas:

- North, north-northwest, north-northeast to northeast in the *northern portion* of the Landfill,
- north, north-northwest beneath the *central portion* of the Landfill, and
- north, northwest and north-northeast beneath the *southern portion* of the Landfill.

Table B-2 reports the flow direction for each portion of the regional aquifer. Flow directions this quarter are similar to the flow directions reported last quarter.

Groundwater Parameters

Table B-2 presents a summary of the groundwater parameters. Mean horizontal hydraulic conductivity and effective porosity values were based on the ranges referred to in *Potentiometric Groundwater Surface Mapping and Groundwater Velocity Calculation – Cedar Hills Landfill* (Aspect, 2010). The mean horizontal hydraulic conductivity for the regional aquifer beneath the Landfill is 60 feet per day (ft/d) in the northern and central portions and 0.018 ft/d in the southern portion of the regional aquifer beneath the Landfill (Aspect, 2010). Average effective porosities are 24 and 26 percent, respectively, for the same areas (Aspect, 2010).

Gradients

The hydraulic gradient for the regional aquifer was determined using potentiometric surface maps (Figure B-1). Table B-2 lists the gradients of regional aquifer for the northern, central, and southern portions beneath the Landfill.

The calculated hydraulic gradient is greatest under the southern portion of the Landfill (0.015 ft/ft) and slightly lower under the rest of the Landfill. Gradients calculated for the regional aquifer are within the range of gradients calculated last quarter.

Groundwater Velocities

Average horizontal groundwater velocities for the regional aquifer beneath the Landfill are based on spatial differences in aquifer parameters, hydraulic gradients, and calculations using the following formula:

where:

$$v = \frac{1}{n_{eff}} K \frac{\Delta H}{\Delta L}$$

v = Groundwater velocity [L/t]

n_{eff} = Effective porosity [dimensionless]

K = Hydraulic conductivity [L/t]

$\frac{\Delta H}{\Delta L}$ = Hydraulic gradient [L/L]

Table B-2 summarizes the groundwater parameters used to calculate groundwater velocities for the regional aquifer in the northern, central, and southern portions beneath the Landfill. The mean horizontal groundwater velocities are lowest under the southern portion of the Landfill (0.010 ft/d) and highest under the central portion of the Landfill (with a mean of 2.07 ft/d). The velocities calculated for the regional aquifer this quarter are within the range of groundwater velocities calculated last quarter.

References


Aspect Consulting, LLC. (Aspect). 2010. Potentiometric Groundwater Surface Mapping and Groundwater Velocity Calculation – Cedar Hills Landfill. Unpublished work. April 30.

HDR Engineering, Inc. (HDR). 2021. Area 8 Development, Monitoring Well Replacement Report. Prepared in association with Udaloy Environmental Consulting (UEC). Cedar Hills Regional Landfill. Contract No. E00284E12. July.

King County Water and Land Resources Division (WLRD). 2023. Scope of Work for Services to King County Solid Waste Division – Facility Engineering and Science Section. March.

Thank you for the opportunity to provide hydrogeologic services to SWD. If you have any questions, please contact me at 206-477-4690 or eric.ferguson@kingcounty.gov.

Sincerely,



Eric Ferguson, WA LHG
Water Quality Planner III- Hydrogeologist
King County Water and Land Resources Division

Enclosures:

Table B-1: Well Details and Groundwater Elevations – First Quarter 2026

Table B-2: Groundwater Parameters – Regional Aquifer – First Quarter 2026

Figure B-1: Groundwater Potentiometric Surface Map – First Quarter 2026 – Regional Aquifer

Table B-1: Well Details and Groundwater Elevations – First Quarter 2026
Cedar Hills Regional Landfill
King County, Washington

							January 5, 2026	
	Well Identification	Easting[1]	Northing[1]	Top of Casing Elevation[2]	Top of Screen Elevation[2]	Bottom of Screen Elevation[2]	Measured Depth to Water[3]	Groundwater Elevations[2]
		ft	ft	ft MSL	ft MSL	ft MSL	ft	ft MSL
Wells with water levels within 10 ft of the top of screen	MW-60	1701154.47	167873.20	567.15	334.81	325.81	230.68	336.47
	MW-64	1701980.27	168772.19	596.55	334.03	320.23	267.70	328.85
	MW-66	1699750.19	174250.32	531.28	294.39	280.59	240.41	290.87
	MW-67	1701776.69	172610.65	516.43	297.80	284.00	222.20	294.23
	MW-68	1701917.32	170609.35	647.07	311.29	292.29	333.45	313.62
	MW-72	1698229.92	170987.71	671.87	303.63	294.03	362.70	309.17
	MW-73	1698954.95	174995.59	485.70	288.11	278.81	192.97	292.73
	MW-74R	1700386.85	173813.79	531.26	289.90	280.40	241.87	289.39
	MW-76	1700376.23	167193.13	491.71	351.06	341.56	136.79	354.92
	MW-81	1702568.87	172113.99	493.66	309.19	300.19	185.27	308.39
	MW-82	1699553.72	167725.31	474.85	348.88	339.38	127.94	346.91
	MW-83	1697939.89	167212.27	496.81	350.19	340.69	147.41	349.40
	MW-84	1698602.89	173894.54	530.80	292.46	282.96	237.89	292.91
	MW-85	1701828.95	173694.52	531.76	282.56	273.06	247.26	284.50
	MW-86	1701331.25	174917.90	536.04	283.43	274.63	251.14	284.90
	MW-87	1700670.27	173493.76	537.31	283.68	274.38	249.74	287.57
	MW-88	1701807.87	174303.06	513.68	281.52	272.22	228.84	284.84
	MW-93	1702259.35	169851.24	632.15	319.87	310.07	310.95	321.20
	MW-94	1698674.21	167210.22	495.51	357.22	348.52	144.96	350.55
	MW-95	1697265.32	169426.92	571.54	314.60	305.90	253.28	318.26
	MW-106	1702536.99	173461.69	475.47	280.04	270.04	191.74	283.73
	MW-113	1698238.80	168478.70	531.09	334.79	325.09	190.69	340.40
	MW-114	1698892.70	167919.80	490.45	353.65	344.05	143.57	346.68
	MW-115	1698960.70	167225.80	484.87	352.87	343.27	134.21	350.66
Wells with water levels greater than 10 ft above the top of screen	MW-21	1697901.86	173876.38	420.66	263.22	255.22	126.91	293.75
	MW-22	1701844.34	173088.17	517.09	236.02	231.22	233.22	283.87
	MW-24	1699582.39	167767.76	475.99	286.76	281.76	147.73	328.26
	MW-43	1701274.23	174327.14	547.06	245.63	235.63	264.56	282.50
	MW-54	1702154.28	168435.53	580.43	250.25	228.25	279.65	300.78
	MW-56	1698980.77	167214.82	480.33	323.15	313.15	129.87	350.46
	MW-57	1699993.32	167201.99	456.64	326.65	311.65	104.25	352.39
	MW-58A	1699006.59	167207.16	479.27	270.05	260.05	151.34	327.93
	MW-59	1699983.91	167193.44	457.13	285.08	275.08	126.18	330.95
	MW-65	1701602.10	167146.55	545.83	317.71	308.91	211.50	334.33
	MW-75	1701059.70	173432.42	532.40	271.10	261.00	246.93	285.47
	MW-80	1701309.78	172964.99	530.41	279.17	269.67	240.46	289.95
	MW-89	1701799.57	174319.44	512.82	229.20	219.90	232.89	279.93
	MW-90	1702203.13	174300.67	502.22	235.16	226.16	222.42	279.80
	MW-91	1701023.09	173423.94	532.02	260.81	240.71	248.17	283.85
	MW-99	1702556.06	172098.73	493.64	221.77	212.77	201.44	292.20
	WS-NPW-1	1701906.96	171138.99	646.33	282.80	267.90	334.36	311.97
	WS-NPW-3	1701922.88	170663.28	645.81	285.00	273.90	332.58	313.23
Other	MW-69[4]	1698061.86	172400.20	653.69	293.57	279.97	NM	NM


Notes:
1. Reference datum for northing and easting coordinates is the North American Datum of 1927 (NAD 27).
2. Elevations reported in feet (ft) above mean sea level (MSL) based on the National Geodetic Vertical Datum of 1929 (NGVD 29).
3. Water level measurements made by SWD personnel.
4. MW-69 has been identified for replacement as part of the Site Wide Hydrogeologic Report Capital Improvement Project.

Table B-2: Groundwater Parameters – Regional Aquifer
First Quarter 2026
Cedar Hills Regional Landfill
King County, Washington

Regional Aquifer Zone Beneath the Landfill	Horizontal Hydraulic Conductivity[1,2] (K)			Effective Porosity[1] (n_{eff})	First Quarter 2026 - January 05, 2026		
					Horizontal Hydraulic Gradient[3] (DH/DL)	Horizontal Groundwater Velocity (v)	General Groundwater Flow Direction
	Range	cm/s	ft/d		ft/ft	ft/d	
Northern	Minimum	2.10E-03	6	24%	0.008	0.19	NNW, N, NNE, NE
	Maximum	4.20E-02	120			3.86	
	Mean	2.10E-02	60			1.93	
Central	Minimum	2.10E-03	6	24%	0.008	0.21	N, NNW
	Maximum	4.20E-02	120			4.13	
	Mean	2.10E-02	60			2.07	
Southern	Minimum	6.40E-06	0.018	26%	0.015	0.001	NW, N, NNE
	Maximum	6.40E-04	1.8			0.103	
	Mean	6.40E-05	0.18			0.010	

Notes:
1. Horizontal hydraulic conductivity values and effective porosity values from Potentiometric Groundwater Surface Mapping and Groundwater Velocity Calculation – Cedar Hills Landfill (Aspect, 2010).
2. Mean hydraulic conductivity values are the geometric mean of the high and low values.
3. Hydraulic gradients calculated using the potentiometric surface map shown on Figure A-1.

NNE north-northeast; NNW north-northwest; NE, northeast; NW northwest; N, north.



Legend

- **MW-X** XXX.XX — Well completed in Regional Aquifer with water levels within the screen or within 10 feet of the top of screen. *Elevation (feet mean sea level (MSL))*
- **MW-X** — Wells completed in Regional Aquifer with water levels more than 10 feet above the top of screen. *Elevation (feet MSL)*
- **MW-X** — Wells completed in Regional Aquifer - Data not used or no measurement this quarter.
- 300 — Regional Aquifer Groundwater Elevation Contour *(feet MSL)*.
- Inferred Horizontal Groundwater Flow Path
- Pond
- Road
- Ditch
- Fence
- King County Landfill Property
- Building

N

0 1000 2000 Feet

Contour Interval 10 Feet

Notes:

1. Groundwater measurements made on January 05, 2026.
2. Only wells completed in the Regional Aquifer with well screen tops within 10 feet of the water table were used for contouring.

Locations surveyed on North American Datum of 1927 (NAD 27).

Elevations reported in feet above mean sea level based on the National Geodetic Vertical Datum of 1929 (NGVD 29).

Basemap Layer Data: King County Solid Waste Division

King County

Groundwater Potentiometric Surface Map
First Quarter 2026 - Regional Aquifer
Cedar Hills Regional Landfill
King County, Washington

DATE: May 2026	PROJECT NO. 1126980
DESIGNED BY: AMS	
DRAWN BY: KK	FIGURE NO. B-1
REVISED BY: EWF	

CH_1Q2026.dwg

APPENDIX C

Trilinear Diagrams

Figure C-1: Trilinear Diagram

Cedar Hills Regional Landfill 1st Quarter 2026

Perched Zone Wells – EPZ




Figure C-2: Trilinear Diagram

Cedar Hills Regional Landfill 1st Quarter 2026

Perched Zone Wells – SSWAPZ




Figure C-3: Trilinear Diagram

Cedar Hills Regional Landfill 1st Quarter 2026

Regional Aquifer Wells – Upgradient





Figure C-4: Trilinear Diagram

Cedar Hills Regional Landfill 1st Quarter 2026

Regional Aquifer Wells – Crossgradient & Downgradient



APPENDIX D

Surface Water Data

ISGP Benchmarks & Effluent Limits
Laboratory Qualifiers
Unit Definitions
Surface Water Staff Gages
Field Parameters
Conventional Parameters
Dissolved & Total Metals
Volatile Organic Compounds (VOCs)
VOC Trip Blanks
Semi-volatile Organic Compounds
Pesticides & Herbicides
Polyfluoroalkyl Substances (PFAS)
Qtly Discharge Monitoring Report

Table D-i
CEDAR HILLS REGIONAL LANDFILL
Industrial Stormwater General Permit Benchmarks and Effluent Limits

Parameter	Units	Minimum Sampling Frequency	Benchmark	Effluent Limit	
				Monthly Average	Daily Maximum
pH	Std. Units	Quarterly	5.0 to 9.0	6.0 to 9.0	
Turbidity	NTU	Quarterly	25	--	--
Oil Sheen	Yes/No	Quarterly	None Visible	--	--
Copper, Total	ug/L	Quarterly	14	--	--
Zinc, Total	ug/L	Quarterly	117	110	200
BOD	mg/L	Quarterly	--	37	140
TSS	mg/L	Quarterly	--	27	88
Ammonia-N	mg/L	Quarterly	--	4.9	10
Alpha Terpineol	ug/L	Quarterly	--	16	33
Benzoic Acid	ug/L	Quarterly	--	71	120
4-Methylphenol*	ug/L	Quarterly	--	14	25
Phenol	ug/L	Quarterly	--	15	26

* Analytical result reported as the total of 3-Methylphenol (CAS RN 108-39-4) and 4-Methylphenol (CAS RN 106-44-5)

Construction Stormwater Geneneral Permit
Benchmarks

Parameter	Units	Minimum Sampling Frequency	Benchmark
Turbidity	NTU	Weekly	25

Table D-ii
KING COUNTY SOLID WASTE DIVISION
LABORATORY QUALIFIERS
(Updated 8/27/2015)

QUAL	QUALIFIER DESCRIPTION
U	Undetected; Analyte Concentration Less than Method Detection Limit (< MDL)
T	Estimated; Less than Reporting Detection Limit (<RDL) but Greater than Method Detection Limit (> MDL)
J	Reported Value is an Estimate
B	Matrix Target Analyte Present in Blank, AND, Sample Result Less than or Equal to 10x Blank Detection
C	Confluent Growth
E	Estimated; Outside Expected Accuracy
H	Exceeds Holding Time
R	Data Rejected
S	Sample Handling Errors
X	Too Numerous to Count
D	Re-analysis Due to Dilution
P	PASS – Qualitative Result Acceptable
F	FAIL – Qualitative Result is not Acceptable
G	Estimated with Low Bias (Coliform; BOD; All Other Chemistry Parameters)
L	Estimated with High Bias (BOD; All Other Chemistry Parameters)

Table D-iii

KING COUNTY SOLID WASTE DIVISION
UNIT DEFINITIONS

UNIT ABBREVIATION	UNIT DEFINITION
°C	degrees celcius
CFU/100 mL	colony forming units/100 millileters
g/mol	grams/mole
meq/L	milliequivalents per litre
mg/L	milligram/liter
mV	millivolt
ntu	nephelometric turbidity unit
std. pH units	standard pH units
ug/L	microgram/liter
umhos/cm	microsiemens/centimeter

Table D-1
Surface Water – Staff Gages

Location ID	Sample Date	Reference Elevation Staff Gage 0'	Reference Elevation Top of Piezometer	Depth to Water (Piezometer)	Staff Gage Reading	Surface Water Elevation	Comments
		msl	msl	feet	feet	msl	
SW-G1	2026-01-05	415.38	418.84	2.96	NM	415.88	
SW-G1	2026-02-19	415.38	418.84	NM	NM	<415.68	Access road closed
SW-G1	DL	415.38	418.84	DL	DL	DL	
SW-G2	NM	355.68	358.21	NM	NM	NM	Inaccessible due to safety concerns near road at North 1.
SW-G2	NM	355.68	358.21	NM	NM	NM	
SW-G2	NM	355.68	358.21	NM	NM	NM	
SW-G3	2026-01-05	466.46	469.88	3.61	NM	466.27	
SW-G3	2026-02-19	466.46	469.88	DRY	DRY	<464.44	Bottom @ ~5.46'
SW-G3	DL	466.46	469.88	DL	DL	DL	
SW-G4	2026-01-05	502.41	505.85	2.93	NM	502.92	
SW-G4	2026-02-19	502.41	505.85	3.20	NM	502.65	
SW-G4	DL	502.41	505.85	DL	DL	DL	
SW-G5	2026-01-05	486.92	490.34	2.67	NM	487.67	
SW-G5	2026-02-19	486.92	490.34	NM	0.58	487.50	
SW-G5	DL	486.92	490.34	DL	DL	DL	
SW-G6	2026-01-05	490.72	494.12	NM	1.15	491.87	
SW-G6	2026-02-19	490.72	494.12	3.56	NM	490.56	blackberry overgrown
SW-G6	DL	490.72	494.12	DL	DL	DL	
SW-G7	2026-01-05	453.03	456.41	NM	0.74	453.77	
SW-G7	2026-02-19	453.03	456.41	NM	0.16	453.19	Value is best estimate; gage needs replaced.
SW-G7	DL	453.03	456.41	DL	DL	DL	
SW-G8	2026-01-05	510.61	515.56	NM	0.74	511.35	
SW-G8	2026-02-19	510.61	515.56	NM	0.22	510.83	
SW-G8	DL	510.61	515.56	DL	DL	DL	
SW-G9	2026-01-05	490.93	494.35	NM	1.02	491.95	
SW-G9	2026-02-19	490.93	494.35	NM	0.66	491.59	
SW-G9	DL	490.93	494.35	DL	DL	DL	

NM : Not measured.
DL : Data lost due to technical error.

Table D-2
Surface Water – Field Parameters

Location	Sample Date	Sample ID	Dissolved Oxygen, Field	ORP, Field	pH, Field	Specific Conductance, Field	Temperature, Field	Turbidity, Field
			mg/L	mV	pH units	µmhos/cm	deg C	NTU
SW-GS1	2026-03-04	SGS1260304P	--	--	6.58	--	8.484	--
SW-N4	2026-03-04	SN4-260304P	--	--	7.23	--	9.111	9.86
SW-SL3	2026-03-04	SSL3260304P	--	--	6.81	--	8.436	--
SW-E1	2026-01-14	SE1-260114Q	8.65	--	6.54	37.7	7.323	1.67
EMER	2026-03-23	SP1A260323E	9.65	198.6	6.25	99.8	10	0.42
SW-TD1	2026-01-29	STD1260129-	11.12	--	7.11	99.4	8.299	30.7

-- : Not part of sampling program.

Table D-3
Surface Water – Conventionals

Location	Sample Date	Sample ID	Alkalinity, Bicarbonate	Alkalinity, Total (as CaCO3)	Ammonia as N	Biological Oxygen Demand (5-day)	Chemical Oxygen Demand	Chloride
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	0.0023 T	2.42	--	--
SW-N4	2026-03-04	SN4-260304P	--	--	0.0272	2 U	--	--
SW-SL3	2026-03-04	SSL3260304P	--	--	0.0061 T	2 U	--	--
SW-E1	2026-01-14	SE1-260114Q	13.7	13.7	0.0041 T	--	--	2.02
EMER	2026-03-23	SP1A260323E	--	29.2	0.605	2 U	5.7 ST	6.98
SW-TD1	2026-01-29	STD1260129-	--	35	--	--	21	1.41

Location	Sample Date	Sample ID	Coliforms, Fecal	Coliforms, Total	Cyanide	Fluoride	Hardness, Total	Nitrate + Nitrite as N
			cfu/100ml	cfu/100ml	mg/L	mg/L	mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	--	--	--
SW-N4	2026-03-04	SN4-260304P	--	--	--	--	--	--
SW-SL3	2026-03-04	SSL3260304P	--	--	--	--	--	--
SW-E1	2026-01-14	SE1-260114Q	--	--	--	--	--	--
EMER	2026-03-23	SP1A260323E	1	8	0.002 U	0.033 T	31.7 S	1.3
SW-TD1	2026-01-29	STD1260129-	--	--	--	--	--	--

Location	Sample Date	Sample ID	Nitrate	Phosphorus, Soluble Reactive	Phosphorus, Total (As P)	Specific Conductance	Sulfate	Sulfide
			mg/L	mg/L	mg/L	µmhos/cm	mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	--	--	--
SW-N4	2026-03-04	SN4-260304P	--	--	--	--	--	--
SW-SL3	2026-03-04	SSL3260304P	--	--	--	--	--	--
SW-E1	2026-01-14	SE1-260114Q	0.124	--	--	42.4	1.48	--
EMER	2026-03-23	SP1A260323E	--	0.00365 H	0.0077 T	106	5.85	0.01 U
SW-TD1	2026-01-29	STD1260129-	--	--	--	--	13.2	--

Table D-2
Surface Water – Conventionals

Location	Sample Date	Sample ID	Total Dissolved Solids	Total Fats, Oils & Grease	Total Kjeldahl Nitrogen	Total Organic Carbon	Total Solids	Total Suspended Solids
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	--	--	2.55
SW-N4	2026-03-04	SN4-260304P	--	--	--	--	--	1 U
SW-SL3	2026-03-04	SSL3260304P	--	--	--	--	--	0.82 T
SW-E1	2026-01-14	SE1-260114Q	40 T	--	--	4.02	50	2.3
EMER	2026-03-23	SP1A260323E	--	3 U	0.832 S	2.1	--	1 U
SW-TD1	2026-01-29	STD1260129-	--	--	--	6.69	--	--

Location	Sample Date	Sample ID	Total Volatile Solids	Volatile Suspended Solids
			mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--
SW-N4	2026-03-04	SN4-260304P	--	--
SW-SL3	2026-03-04	SSL3260304P	--	--
SW-E1	2026-01-14	SE1-260114Q	--	--
EMER	2026-03-23	SP1A260323E	29 T	1 U
SW-TD1	2026-01-29	STD1260129-	--	--

-- : Not part of sampling program.

Table D-4
Surface Water – Metals (Dissolved and Total)

Location	Sample Date	Sample ID	Aluminum, Dissolved	Aluminum, Total	Antimony, Dissolved	Antimony, Total	Arsenic, Dissolved	Arsenic, Total
			mg/L	mg/L	mg/L	mg/L	µg/L	µg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	--	--	--
SW-N4	2026-03-04	SN4-260304P	--	--	--	--	--	--
SW-SL3	2026-03-04	SSL3260304P	--	--	--	--	--	--
SW-E1	2026-01-14	SE1-260114Q	--	--	0.0003 U	0.0003 U	0.159	0.197
EMER	2026-03-23	SP1A260323E	0.00677 HS	0.0229 S	0.0003 HSU	0.0003 SU	0.332 HS	0.349 S
SW-TD1	2026-01-29	STD1260129-	--	--	--	--	--	--

Location	Sample Date	Sample ID	Barium, Dissolved	Barium, Total	Beryllium, Dissolved	Beryllium, Total	Cadmium, Dissolved	Cadmium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	--	--	--
SW-N4	2026-03-04	SN4-260304P	--	--	--	--	--	--
SW-SL3	2026-03-04	SSL3260304P	--	--	--	--	--	--
SW-E1	2026-01-14	SE1-260114Q	0.00287	0.00298	0.0001 U	0.0001 U	0.00005 U	0.00005 U
EMER	2026-03-23	SP1A260323E	0.00582 HS	0.00596 S	0.0001 HSU	0.0001 SU	0.00005 HSU	0.00005 SU
SW-TD1	2026-01-29	STD1260129-	--	--	--	--	--	--

Location	Sample Date	Sample ID	Calcium, Dissolved	Calcium, Total	Chromium, Dissolved	Chromium, Total	Cobalt, Dissolved	Cobalt, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	--	--	--
SW-N4	2026-03-04	SN4-260304P	--	--	--	--	--	--
SW-SL3	2026-03-04	SSL3260304P	--	--	--	--	--	--
SW-E1	2026-01-14	SE1-260114Q	4.17	4.37	0.0002 U	0.00031	0.00005 U	0.00005 U
EMER	2026-03-23	SP1A260323E	8.88 HS	8.97 S	0.000226 HS	0.000267 S	0.000077 HS	0.00009 S
SW-TD1	2026-01-29	STD1260129-	--	--	--	--	--	--

Table D-3
Surface Water – Metals (Dissolved and Total)

Location	Sample Date	Sample ID	Copper, Dissolved	Copper, Total	Iron, Dissolved	Iron, Total	Lead, Dissolved	Lead, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	--	--	--
SW-N4	2026-03-04	SN4-260304P	--	--	--	--	--	--
SW-SL3	2026-03-04	SSL3260304P	--	--	--	--	--	--
SW-E1	2026-01-14	SE1-260114Q	0.00058	0.00061	0.0298	0.0655	0.0001 U	0.0001 U
EMER	2026-03-23	SP1A260323E	0.00116 HS	0.0012 S	0.01 HSU	0.0218 S	0.0001 HSU	0.0001 SU
SW-TD1	2026-01-29	STD1260129-	--	--	0.0489	1.05	--	--

Location	Sample Date	Sample ID	Magnesium, Dissolved	Magnesium, Total	Manganese, Dissolved	Manganese, Total	Mercury, Dissolved	Mercury, Total
			mg/L	mg/L	µg/L	µg/L	mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	--	--	--
SW-N4	2026-03-04	SN4-260304P	--	--	--	--	--	--
SW-SL3	2026-03-04	SSL3260304P	--	--	--	--	--	--
SW-E1	2026-01-14	SE1-260114Q	0.922	0.864	2.78	10.6	0.00005 U	0.00005 U
EMER	2026-03-23	SP1A260323E	2.23 HS	2.25 S	0.899 HS	3.78 S	--	0.00005 SU
SW-TD1	2026-01-29	STD1260129-	--	--	--	--	--	--

Location	Sample Date	Sample ID	Nickel, Dissolved	Nickel, Total	Potassium, Dissolved	Potassium, Total	Selenium, Dissolved	Selenium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	--	--	--
SW-N4	2026-03-04	SN4-260304P	--	--	--	--	--	--
SW-SL3	2026-03-04	SSL3260304P	--	--	--	--	--	--
SW-E1	2026-01-14	SE1-260114Q	0.000183	0.000268	0.431	0.403	0.0005 U	0.0005 U
EMER	2026-03-23	SP1A260323E	0.000594 HS	0.000623 S	1.67 HS	1.66 S	0.0005 HSU	0.0005 SU
SW-TD1	2026-01-29	STD1260129-	--	--	--	--	--	--

Table D-3
Surface Water – Metals (Dissolved and Total)

Location	Sample Date	Sample ID	Silver, Dissolved	Silver, Total	Sodium, Dissolved	Sodium, Total	Thallium, Dissolved	Thallium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	--	--	--
SW-N4	2026-03-04	SN4-260304P	--	--	--	--	--	--
SW-SL3	2026-03-04	SSL3260304P	--	--	--	--	--	--
SW-E1	2026-01-14	SE1-260114Q	0.00004 U	0.00004 U	2.51	2.57	0.000075 U	0.000075 U
EMER	2026-03-23	SP1A260323E	0.00004 HSU	0.00004 SU	8.1 HS	7.99 S	0.000075 HSU	0.000075 SU
SW-TD1	2026-01-29	STD1260129-	--	--	--	--	--	--

Location	Sample Date	Sample ID	Tin, Dissolved	Tin, Total	Vanadium, Dissolved	Vanadium, Total	Zinc, Dissolved	Zinc, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	--	--	0.0014 T
SW-N4	2026-03-04	SN4-260304P	--	--	--	--	--	0.0128
SW-SL3	2026-03-04	SSL3260304P	--	--	--	--	--	0.00335
SW-E1	2026-01-14	SE1-260114Q	--	--	0.000363	0.000585	0.00117	0.0014
EMER	2026-03-23	SP1A260323E	0.0005 HSU	0.0005 SU	0.000335 HS	0.000389 S	0.00533 HS	0.00541 S
SW-TD1	2026-01-29	STD1260129-	--	--	--	--	--	--

-- : Not part of sampling program.

Table D-5
Surface Water – Volatile Organic Compounds

Location	Sample Date	Sample ID	1,1-Dichloro-ethane	1,1-Dichloro-ethene	1,1-Dichloro-propene	1,1,1-Trichloro-ethane	1,1,1,2- Tetra-chloro-ethane	1,1,2-Trichloro-ethane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
SW-E1	2026-01-14	SE1-260114Q	0.1 U	0.1 U	--	0.1 U	0.2 U	0.1 U
EMER	2026-03-23	SP1A260323E	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U

Location	Sample Date	Sample ID	1,1,2,2-Tetra-chloro-ethane	1,2-Dibromo-3-chloro-propane	1,2-Dibromo-ethane	1,2-Dichloro-benzene	1,2-Dichloro-ethane	1,2-Dichloro-propane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
SW-E1	2026-01-14	SE1-260114Q	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
EMER	2026-03-23	SP1A260323E	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U

Location	Sample Date	Sample ID	1,2,3-Trichloro-propane	1,3-Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2-Butanone	2-Hexanone
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
SW-E1	2026-01-14	SE1-260114Q	0.2 U	--	--	0.1 U	4 U	4 U
EMER	2026-03-23	SP1A260323E	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U

Location	Sample Date	Sample ID	2-Methyl-1-Propanol	2,2-Dichloro-propane	3-Chloro-propene	4-Methyl-2-pentanone	Acetone	Aceto-nitrile
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
SW-E1	2026-01-14	SE1-260114Q	--	--	--	4 U	4 U	--
EMER	2026-03-23	SP1A260323E	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU

Table D-4
Surface Water – Volatile Organic Compounds

Location	Sample Date	Sample ID	Acrolein	Acrylo-nitrile	Benzene	Bromo-chloro-methane	Bromo-dichloro-methane	Bromoform
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
SW-E1	2026-01-14	SE1-260114Q	--	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U
EMER	2026-03-23	SP1A260323E	2.5 U	0.05 DU	0.1 U	0.1 U	0.2 U	0.2 U

Location	Sample Date	Sample ID	Bromo-methane	Carbon Disulfide	Carbon Tetra-chloride	Chloro-benzene	Chloro-dibromo-methane	Chloro-ethane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
SW-E1	2026-01-14	SE1-260114Q	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
EMER	2026-03-23	SP1A260323E	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U

Location	Sample Date	Sample ID	Chloroform	Chloro-methane	Chloroprene	Cis-1,2-Dichloro-ethene	Cis-1,3-Dichloro-propene	Dibromo-methane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
SW-E1	2026-01-14	SE1-260114Q	0.1 U	0.2 U	--	0.1 U	0.2 U	0.1 U
EMER	2026-03-23	SP1A260323E	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U

Location	Sample Date	Sample ID	Dichloro-difluoro-methane	Ethyl-benzene	M & P Xylene	Methyl Iodide	Methyl Meth-acrylate	Methyl-acrylo-nitrile
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
SW-E1	2026-01-14	SE1-260114Q	0.2 U	0.1 U	0.1 U	0.2 U	--	--
EMER	2026-03-23	SP1A260323E	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U

Table D-4
Surface Water – Volatile Organic Compounds

Location	Sample Date	Sample ID	Methylene Chloride	O-Xylene	Propio-nitrile	Styrene	Tetra-chloro-ethene	Toluene
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
SW-E1	2026-01-14	SE1-260114Q	2 U	0.1 U	--	0.1 U	0.1 U	0.1 U
EMER	2026-03-23	SP1A260323E	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U

Location	Sample Date	Sample ID	Trans-1,2-Dichloro-ethene	Trans-1,3-Dichloro-propene	Trans-1,4-Dichloro-2-Butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
SW-E1	2026-01-14	SE1-260114Q	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U
EMER	2026-03-23	SP1A260323E	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U

Location	Sample Date	Sample ID	Vinyl Chloride
			µg/L
SW-E1	2026-01-14	SE1-260114Q	0.01 DU
EMER	2026-03-23	SP1A260323E	0.01 DU

-- : Not part of sampling program.

Table D-6
Surface Water - Semi-volatile Organic Compounds

Location	Sample Date	Sample ID	1,2-Dichloro-benzene	1,3-Dichloro-benzene	1,4-Dichloro-benzene	Benzoic Acid	Phenol
			µg/L	µg/L	µg/L	µg/L	µg/L
SW-GS1	2026-03-04	SGS1260304P	--	--	--	11 U	0.53 U
SW-N4	2026-03-04	SN4-260304P	--	--	--	11 U	0.53 U
SW-SL3	2026-03-04	SSL3260304P	--	--	--	11 U	0.53 U
SW-E1	2026-01-14	SE1-260114Q	0.1 U	--	0.1 U	--	--
EMER	2026-03-23	SP1A260323E	0.1 U	0.1 U	0.1 U	--	--

-- : Not part of sampling program.

Table D-7
Surface Water – Pesticides, Herbicides & PCBs

Location	Sample Date	Sample ID	2,4-D	2,4,5-T	2,4,5-TP Silvex	4,4'DDD	4,4'DDE	4,4'DDT
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EMER	2026-03-23	SP1A260323E	0.051 U	0.051 U	0.051 U	0.005 U	0.005 U	0.005 U

Location	Sample Date	Sample ID	Aldrin	Alpha BHC	Alpha Chlordane	Aroclor 1016	Aroclor 1221	Aroclor 1232
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EMER	2026-03-23	SP1A260323E	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.025 U

Location	Sample Date	Sample ID	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Beta BHC	Delta BHC
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EMER	2026-03-23	SP1A260323E	0.025 U	0.025 U	0.025 U	0.025 U	0.005 U	0.005 U

Location	Sample Date	Sample ID	Dieldrin	Dinoseb	Endosulfan I	Endosulfan II	Endosulfan Sulfate	Endrin Aldehyde
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EMER	2026-03-23	SP1A260323E	0.005 U	0.051 U	0.005 U	0.005 U	0.005 U	0.005 U

Location	Sample Date	Sample ID	Endrin	Heptachlor Epoxide	Heptachlor	Isodrin	Lindane (Gamma BHC)	Methoxy-chlor
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EMER	2026-03-23	SP1A260323E	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U

Location	Sample Date	Sample ID	Total Aroclors	Toxaphene	Trans-Chlordane
			µg/L	µg/L	µg/L
EMER	2026-03-23	SP1A260323E	0.025 U	0.25 U	0.005 U

Table D-8
Surface Water – Polyfluoroalkyl Substances (PFAS)

Location	Sample Date	Sample ID	Hfpo-Da	Pfbs	Pfhxs	Pfna	Pfoa	Pfos
			ng/L	ng/L	ng/L	ng/L	ng/L	ng/L
SW-GS1	2026-03-04	SGS1260304P	1.97 U	12.2	6.29	2.18	34.5	8.24
SW-N4	2026-03-04	SN4-260304P	1.97 U	3.16	5.84	5.96	70.7	54.6
SW-SL3	2026-03-04	SSL3260304P	1.97 U	3.43	2.06	5.47	50.2	13.8
SW-IN1	2026-03-04	SIN1260304P	1.97 U	1.4 T	0.98 U	5.02	95	8.57
SW-IS1	2026-03-12	SIS1260312P	1.99 U	2.88	1 U	1 U	7.64	1.8 T
SW-IS2	2026-03-04	SIS2260304P	1.97 U	4.61	2.44	7.84	72.5	14.7

Washington Department of Ecology
Electronic Submission Cover Letter

WQWebDMR - Permit# WAR000756 - DMR Submission Id: 2038991 - 5/5/2026 8:50:25 AM

Company Name	Signer Name	System Name
King County Solid Waste Division	Jennifer Keune	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for King County Solid Waste Division	Copy of Record KingCountySolidWasteDivision Tuesday May 5 2026

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



LcaphHTAsq6Iv0Q+XIlvfiD6FWkpRS2DSGAKW
+9TlblaquPHPvK4vD6IRI9rToHofD6bkz9IHLT1AGrnuOeM/NnUWVFW74lW6WNH46rJU0A=

Washington State Department of Ecology **Discharge Monitoring Report (DMR)**

Permit Number: WAR000756 **Permittee:** CEDAR HILLS REGIONAL LANDFILL

Facility County: King **Receiving Waterbody:** Unnamed stream

Monitoring Period: 01/01/2026 - 03/31/2026 **Outfall:** GS1 - Discharge to unnamed stream (wetland) **Version:** 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	PFOA Nanograms/L (ng/L) Quarterly Grab	PFOS Nanograms/L (ng/L) Quarterly Grab	Perfluorohexanesulfonic acid (PFHxS) Nanograms/L (ng/L) Quarterly Grab	PFNA Nanograms/L (ng/L) Quarterly Grab	HFPO-DA Nanograms/L (ng/L) Quarterly Grab	PFBS Nanograms/L (ng/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab
		GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1
Limit Set		ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit
10-W	**3/4/26**	A	n	A	34.5	8.24	6.29	2.18	<2	12.2	2.42	2.55
Minimum												
Average		A		A	34.5	8.24	6.29	2.18	<2	12.2		
		BM: <= 25		BM: <= 14								
Maximum												
Month 1 Average											2.42	2.55
											<= 37	<= 27
Month 2 Average											2.42	2.55
											<= 37	<= 27
Month 3 Average											2.42	2.55
											<= 37	<= 27

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP

Week	Monitoring Point	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	4-methylphenol (p-cresol) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol, alpha, alpha, trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab	pH Standard Units Quarterly Grab
		GS1	GS1	GS1	GS1	GS1	GS1	GS1
Limit Set		ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit
10-W	**3/4/26**	0.0023	<0.53	<11	<0.53	<0.53	1.4	6.58
Minimum								6.58
								>= 6.0 (RO)
Average								
Maximum								6.58
								<= 9.0 (RO)
Month 1 Average		0.0023	<0.53	<11	<0.53	<0.53	1.4	
		<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 2 Average		0.0023	<0.53	<11	<0.53	<0.53	1.4	
		<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 3 Average		0.0023	<0.53	<11	<0.53	<0.53	1.4	
		<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	

Washington State Department of Ecology **Discharge Monitoring Report (DMR)**

Permit Number: WAR000756 **Permittee:** CEDAR HILLS REGIONAL LANDFILL

Facility County: King **Receiving Waterbody:** Unnamed stream

Monitoring Period: 01/01/2026 - 03/31/2026 **Outfall:** N4 - Discharge to unnamed stream (McDonald Cr) **Version:** 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	PFOA Nanograms/L (ng/L) Quarterly Grab	PFOS Nanograms/L (ng/L) Quarterly Grab	Perfluorohexanesulfonic acid (PFHxS) Nanograms/L (ng/L) Quarterly Grab	PFNA Nanograms/L (ng/L) Quarterly Grab	HFPO-DA Nanograms/L (ng/L) Quarterly Grab	PFBS Nanograms/L (ng/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab
		N4	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4
Limit Set		ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit
10-W	**3/4/26**	9.86	n	A	70.7	54.6	5.84	5.96	<2	3.16	<2	<1
Minimum												
Average		9.86		A	70.7	54.6	5.84	5.96	<2	3.16		
		BM: <= 25		BM: <= 14								
Maximum												
Month 1 Average											<2	<1
											<= 37	<= 27
Month 2 Average											<2	<1
											<= 37	<= 27
Month 3 Average											<2	<1
											<= 37	<= 27

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP

Week	Monitoring Point	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	4-methylphenol (p-cresol) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	Alpha-terpineol [3-Cyclohexene-1-methanol, alpha, alpha, trimethyl-] Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab	pH Standard Units Quarterly Grab
		N4	N4	N4	N4	N4	N4	N4
	Limit Set	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit
10-W	**3/4/26**	0.0272	<0.53	<11	<0.53	<0.53	12.8	7.23
Minimum								7.23
								>= 6.0 (RO)
Average								
Maximum								7.23
								<= 9.0 (RO)
Month 1 Average		0.0272	<0.53	<11	<0.53	<0.53	12.8	
		<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 2 Average		0.0272	<0.53	<11	<0.53	<0.53	12.8	
		<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 3 Average		0.0272	<0.53	<11	<0.53	<0.53	12.8	
		<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	

Washington State Department of Ecology **Discharge Monitoring Report (DMR)**

Permit Number: WAR000756 **Permittee:** CEDAR HILLS REGIONAL LANDFILL

Facility County: King **Receiving Waterbody:** North Siltation Pond

Monitoring Period: 01/01/2026 - 03/31/2026 **Outfall:** Nort **Version:** 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	pH Standard Units Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab	PFOA Nanograms/L (ng/L) Quarterly Grab	PFOS Nanograms/L (ng/L) Quarterly Grab	Perfluorohexanesulfonic acid (PFHxS) Nanograms/L (ng/L) Quarterly Grab	PFNA Nanograms/L (ng/L) Quarterly Grab	HFPO-DA Nanograms/L (ng/L) Quarterly Grab	PFBS Nanograms/L (ng/L) Quarterly Grab
		IN1	IN1	IN1	IN1	IN1	IN1	IN1	IN1	IN1	IN1	IN1
Limit Set		ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit
10-W	3/4/26	M*	M*	M*	M*	M*	95	8.57	<0.98	5.02	<2	1.4
Minimum			M*									
			BM: >= 5.0 (RO)									
Average		M*			M*	M*	95	8.57	<0.98	5.02	<2	1.4
		BM: <= 25			BM: <= 14	BM: <= 117						
Maximum			M*									
			BM: <= 9.0 (RO)									
Month 1 Average												
Month 2 Average												
Month 3 Average												

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP

Outfall: Nort -

Monitoring Point	Parameter	Sample Date/ Statistical Base	Value	Notes/Comment
IN1	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY

Week	Monitoring Point	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	4-methylphenol (p-cresol) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,.alpha.,alpha.,4-trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab	pH Standard Units Quarterly Grab
		IN1	IN1	IN1	IN1	IN1	IN1	IN1	IN1	IN1
Limit Set		ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit
10-W	3/4/26	M*	M*	M*	M*	M*	M*	M*	M*	M*
Minimum										M*
										>= 6.0 (RO)
Average										
Maximum										M*
										<= 9.0 (RO)
Month 1 Average		M*	M*	M*	M*	M*	M*	M*	M*	
		<= 37	<= 27	<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 2 Average		M*	M*	M*	M*	M*	M*	M*	M*	
		<= 37	<= 27	<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 3 Average		M*	M*	M*	M*	M*	M*	M*	M*	
		<= 37	<= 27	<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	

IN1	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	3/4/2026	M|M	Infiltration location - PFAS ONLY
IN1	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	3/4/2026	M|M	Infiltration location - PFAS ONLY
IN1	Ammonia Total Milligrams/L (mg/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Ammonia Total Milligrams/L (mg/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Ammonia Total Milligrams/L (mg/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Ammonia Total Milligrams/L (mg/L)	3/4/2026	M|M	Infiltration location - PFAS ONLY
IN1	4-methylphenol (p-cresol) Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	4-methylphenol (p-cresol) Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	4-methylphenol (p-cresol) Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	4-methylphenol (p-cresol) Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration location - PFAS ONLY
IN1	Benzoic Acid Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Benzoic Acid Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Benzoic Acid Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Benzoic Acid Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration location - PFAS ONLY
IN1	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY

IN1	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration location - PFAS ONLY
IN1	Phenol Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Phenol Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Phenol Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Phenol Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration location - PFAS ONLY
IN1	Zinc Total Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Zinc Total Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Zinc Total Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Zinc Total Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration location - PFAS ONLY
IN1	pH (Hydrogen Ion) Standard Units	Minimum	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	pH (Hydrogen Ion) Standard Units	Maximum	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	pH (Hydrogen Ion) Standard Units	3/4/2026	M|M	Infiltration location - PFAS ONLY
IN1	Turbidity (Nephelometric) Measured NTU	Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Turbidity (Nephelometric) Measured NTU	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	pH (Hydrogen Ion) Standard Units	Minimum	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	pH (Hydrogen Ion) Standard Units	Maximum	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	pH (Hydrogen Ion) Standard Units	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Oil & Grease Yes/No	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY

IN1	Copper Total Micrograms/L (ug/L)	Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Copper Total Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Zinc Total Micrograms/L (ug/L)	Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IN1	Zinc Total Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY

Washington State Department of Ecology **Discharge Monitoring Report (DMR)**

Permit Number: WAR000756 **Permittee:** CEDAR HILLS REGIONAL LANDFILL

Facility County: King **Receiving Waterbody:** Unnamed stream

Monitoring Period: 01/01/2026 - 03/31/2026 **Outfall:** SL3 - Discharge to unnamed stream (ditch) **Version:** 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	PFOA Nanograms/L (ng/L) Quarterly Grab	PFOS Nanograms/L (ng/L) Quarterly Grab	Perfluorohexanesulfonic acid (PFHxS) Nanograms/L (ng/L) Quarterly Grab	PFNA Nanograms/L (ng/L) Quarterly Grab	HFPO-DA Nanograms/L (ng/L) Quarterly Grab	PFBS Nanograms/L (ng/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab
		SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3
Limit Set		ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit
10-W	3/4/26	A	n	A	50.2	13.8	2.06	5.47	<2	3.43	<2	0.82
Minimum												
Average		A		A	50.2	13.8	2.06	5.47	<2	3.43		
		BM: <= 25		BM: <= 14								
Maximum												
Month 1 Average											<2	0.82
											<= 37	<= 27
Month 2 Average											<2	0.82
											<= 37	<= 27
Month 3 Average											<2	0.82
											<= 37	<= 27

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP

Week	Monitoring Point	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	4-methylphenol (p-cresol) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol, alpha, alpha, trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab	pH Standard Units Quarterly Grab
		SL3	SL3	SL3	SL3	SL3	SL3	SL3
Limit Set		ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit
10-W	**3/4/26**	0.0061	<0.53	<11	<0.53	<0.53	3.35	6.81
Minimum								6.81
								>= 6.0 (RO)
Average								
Maximum								6.81
								<= 9.0 (RO)
Month 1 Average		0.0061	<0.53	<11	<0.53	<0.53	3.35	
		<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 2 Average		0.0061	<0.53	<11	<0.53	<0.53	3.35	
		<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 3 Average		0.0061	<0.53	<11	<0.53	<0.53	3.35	
		<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	

Washington State Department of Ecology **Discharge Monitoring Report (DMR)**

Permit Number: WAR000756 **Permittee:** CEDAR HILLS REGIONAL LANDFILL

Facility County: King **Receiving Waterbody:** South Stormwater Lagoon

Monitoring Period: 01/01/2026 - 03/31/2026 **Outfall:** Sout **Version:** 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	PFOA Nanograms/L (ng/L) Quarterly Grab	PFOS Nanograms/L (ng/L) Quarterly Grab	Perfluorohexanesulfonic acid (PFHxS) Nanograms/L (ng/L) Quarterly Grab	PFNA Nanograms/L (ng/L) Quarterly Grab	HFPO-DA Nanograms/L (ng/L) Quarterly Grab	PFBS Nanograms/L (ng/L) Quarterly Grab	6PPD-quinone Nanograms/L (ng/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab
		IS2	IS2	IS2	IS2	IS2	IS2	IS2	IS2	IS2	IS2	IS2
Limit Set		ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit
10-W	3/4/26	M*	M*	M*	72.5	14.7	2.44	7.84	<2	4.61	M*	M*
Minimum												
Average		M*		M*	72.5	14.7	2.44	7.84	<2	4.61	M*	
		BM: <= 25		BM: <= 14							Report Only	
Maximum												
Month 1 Average												M*
												<= 37
Month 2 Average												M*
												<= 37
Month 3 Average												M*
												<= 37

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP

Outfall: Sout -

Monitoring Point	Parameter	Sample Date/ Statistical Base	Value	Notes/Comment
IS2	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY

Week	Monitoring Point	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	4-methylphenol (p-cresol) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol, alpha, alpha, trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab	pH Standard Units Quarterly Grab
		IS2	IS2	IS2	IS2	IS2	IS2	IS2	IS2
Limit Set		ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit
10-W	**3/4/26**	M*	M*	M*	M*	M*	M*	M*	M*
Minimum									M*
									>= 6.0 (RO)
Average									
Maximum									M*
									<= 9.0 (RO)
Month 1 Average		M*	M*	M*	M*	M*	M*	M*	
		<= 27	<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 2 Average		M*	M*	M*	M*	M*	M*	M*	
		<= 27	<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 3 Average		M*	M*	M*	M*	M*	M*	M*	
		<= 27	<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	

IS2	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Ammonia Total Milligrams/L (mg/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Ammonia Total Milligrams/L (mg/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Ammonia Total Milligrams/L (mg/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Ammonia Total Milligrams/L (mg/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	4-methylphenol (p-cresol) Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	4-methylphenol (p-cresol) Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	4-methylphenol (p-cresol) Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	4-methylphenol (p-cresol) Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Benzoic Acid Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Benzoic Acid Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Benzoic Acid Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Benzoic Acid Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY

IS2	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Phenol Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Phenol Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Phenol Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Phenol Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Zinc Total Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Zinc Total Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Zinc Total Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Zinc Total Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	pH (Hydrogen Ion) Standard Units	Minimum	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	pH (Hydrogen Ion) Standard Units	Maximum	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	pH (Hydrogen Ion) Standard Units	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	6PPD-quinone Nanograms/L (ng/L)	Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	6PPD-quinone Nanograms/L (ng/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Turbidity (Nephelometric) Measured NTU	Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Turbidity (Nephelometric) Measured NTU	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Oil & Grease Yes/No	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS2	Copper Total Micrograms/L (ug/L)	Average	M|M	Infiltration/discharge to ground location - PFAS ONLY

IS2	Copper Total Micrograms/L (ug/L)	3/4/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY

Washington State Department of Ecology **Discharge Monitoring Report (DMR)**

Permit Number: WAR000756 **Permittee:** CEDAR HILLS REGIONAL LANDFILL

Facility County: King **Receiving Waterbody:** SW Siltation Ponds

Monitoring Period: 01/01/2026 - 03/31/2026 **Outfall:** SW S **Version:** 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	PFOA Nanograms/L (ng/L) Quarterly Grab	PFOS Nanograms/L (ng/L) Quarterly Grab	Perfluorohexanesulfonic acid (PFHxS) Nanograms/L (ng/L) Quarterly Grab	PFNA Nanograms/L (ng/L) Quarterly Grab	HFPO-DA Nanograms/L (ng/L) Quarterly Grab	PFBS Nanograms/L (ng/L) Quarterly Grab	6PPD-quinone Nanograms/L (ng/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab
		IS1	IS1	IS1	IS1	IS1	IS1	IS1	IS1	IS1	IS1	IS1
Limit Set		ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Western WA - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Waste Management & Remediation Services - 2025 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit
11-Th	3/12/26	M*	M*	M*	7.64	1.8	<1	<1	<2	2.88	M*	M*
Minimum												
Average		M*		M*	7.64	1.8	<1	<1	<2	2.88	M*	
		BM: <= 25		BM: <= 14							Report Only	
Maximum												
Month 1 Average												M*
												<= 37
Month 2 Average												M*
												<= 37
Month 3 Average												M*
												<= 37

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP

Outfall: SW S -

Monitoring Point	Parameter	Sample Date/ Statistical Base	Value	Notes/Comment
IS1	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY

Week	Monitoring Point	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	4-methylphenol (p-cresol) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol, alpha, alpha, trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab	pH Standard Units Quarterly Grab
		IS1	IS1	IS1	IS1	IS1	IS1	IS1	IS1
Limit Set		ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2025 permit
11-Th	**3/12/26**	M*	M*	M*	M*	M*	M*	M*	M*
Minimum									M*
									>= 6.0 (RO)
Average									
Maximum									M*
									<= 9.0 (RO)
Month 1 Average		M*	M*	M*	M*	M*	M*	M*	
		<= 27	<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 2 Average		M*	M*	M*	M*	M*	M*	M*	
		<= 27	<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	
Month 3 Average		M*	M*	M*	M*	M*	M*	M*	
		<= 27	<= 4.9	<= 14	<= 71	<= 16	<= 15	<= 110	

IS1	Biochemical Oxygen Demand (BOD5) Total Milligrams/L (mg/L)	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L)	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Ammonia Total Milligrams/L (mg/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Ammonia Total Milligrams/L (mg/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Ammonia Total Milligrams/L (mg/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Ammonia Total Milligrams/L (mg/L)	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	4-methylphenol (p-cresol) Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	4-methylphenol (p-cresol) Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	4-methylphenol (p-cresol) Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	4-methylphenol (p-cresol) Micrograms/L (ug/L)	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Benzoic Acid Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Benzoic Acid Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Benzoic Acid Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Benzoic Acid Micrograms/L (ug/L)	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY

IS1	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Alpha-terpineol (3-Cyclohexene-1-methanol.,.alpha.,alpha.,trimethyl-) Micrograms/L (ug/L)	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Phenol Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Phenol Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Phenol Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Phenol Micrograms/L (ug/L)	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Zinc Total Micrograms/L (ug/L)	Month 1 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Zinc Total Micrograms/L (ug/L)	Month 2 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Zinc Total Micrograms/L (ug/L)	Month 3 Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Zinc Total Micrograms/L (ug/L)	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	pH (Hydrogen Ion) Standard Units	Minimum	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	pH (Hydrogen Ion) Standard Units	Maximum	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	pH (Hydrogen Ion) Standard Units	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	6PPD-quinone Nanograms/L (ng/L)	Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	6PPD-quinone Nanograms/L (ng/L)	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Turbidity (Nephelometric) Measured NTU	Average	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Turbidity (Nephelometric) Measured NTU	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Oil & Grease Yes/No	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY
IS1	Copper Total Micrograms/L (ug/L)	Average	M|M	Infiltration/discharge to ground location - PFAS ONLY

IS1	Copper Total Micrograms/L (ug/L)	3/12/2026	M|M	Infiltration/discharge to ground location - PFAS ONLY

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Jennifer Keune
Signature

5/5/2026 8:50:22 AM
Date

APPENDIX E

Leachate Data

Laboratory Qualifiers
Unit Definitions
Field Parameters
Conventional Parameters
Dissolved and Total Metals
Volatile Organic Compounds (VOCs)
Pesticides, Herbicides, PCBs

Table E-i
KING COUNTY SOLID WASTE DIVISION
LABORATORY QUALIFIERS
(Updated 8/27/2015)

QUAL	QUALIFIER DESCRIPTION
U	Undetected; Analyte Concentration Less than Method Detection Limit (< MDL)
T	Estimated; Less than Reporting Detection Limit (<RDL) but Greater than Method Detection Limit (> MDL)
J	Reported Value is an Estimate
B	Matrix Target Analyte Present in Blank, AND, Sample Result Less than or Equal to 10x Blank Detection
C	Confluent Growth
E	Estimated; Outside Expected Accuracy
H	Exceeds Holding Time
R	Data Rejected
S	Sample Handling Errors
X	Too Numerous to Count
D	Re-analysis Due to Dilution
P	PASS – Qualitative Result Acceptable
F	FAIL – Qualitative Result is not Acceptable
G	Estimated with Low Bias (Coliform; BOD; All Other Chemistry Parameters)
L	Estimated with High Bias (BOD; All Other Chemistry Parameters)

Table E-ii

KING COUNTY SOLID WASTE DIVISION
UNIT DEFINITIONS

UNIT ABBREVIATION	UNIT DEFINITION
°C	degrees celcius
CFU/100 mL	colony forming units/100 millileters
g/mol	grams/mole
meq/L	milliequivalents per litre
mg/L	milligram/liter
mV	millivolt
ntu	nephelometric turbidity unit
std. pH units	standard pH units
ug/L	microgram/liter
umhos/cm	microsiemens/centimeter

Table E-1
Leachate – Field Parameters

Location	Sample Date	Sample ID	Dissolved Oxygen, Field	ORP, Field	pH, Field	Specific Conductance, Field	Temperature, Field	Turbidity, Field
			mg/L	mV	pH units	µmhos/cm	deg C	NTU
LS-LEPS	2026-01-05	LEPS260105P	--	--	8.54	5039	8	--
LS-LEPS	2026-01-06	LEPS260106MG	2.13	--	8.54	5039	8	--
LS-LEPS	2026-01-12	LEPS260112P	--	--	8.38	5398	12.4	--
LS-LEPS	2026-01-19	LEPS260119P	--	--	8.69	5754	3.6	--
LS-LEPS	2026-01-26	LEPS260126P	--	--	8.67	6789	7.1	--
LS-LEPS	2026-02-03	LEPS260203MG	0.07	--	8.59	8221	11.3	--
LS-LEPS	2026-02-03	LEPS260203P	--	--	8.59	8221	11.3	--
LS-LEPS	2026-02-10	LEPS260210P	--	--	8.41	8099	13.4	--
LS-LEPS	2026-02-19	LEPS260219P	--	--	8.64	7815	7.6	--
LS-LEPS	2026-02-24	LEPS260224P	--	--	8.8	8382	8.6	--
LS-LEPS	2026-03-04	LEPS260304MG	3.76	--	8.54	8192	11.2	--
LS-LEPS	2026-03-04	LEPS260304P	--	--	8.54	8192	11.2	--
LS-LEPS	2026-03-10	LEPS260310P	--	--	8.42	7536	10.5	--
LS-LEPS	2026-03-17	LEPS260317P	--	--	8.41	5149	10.6	--
LS-LEPS	2026-03-24	LEPS260324P	--	--	8.32	3579	10.3	--
LS-LEPS	2026-03-31	LEPS260331P	--	--	8.47	4117	10.6	--
LS-V1A	2026-01-06	LV1A260106MG	6.54	--	8.16	3228	9.6	--
LS-V1A	2026-02-03	LV1A260203MG	7.95	--	8.17	4082	13.4	--
LS-V1A	2026-03-04	LV1A260304MG	5.36	--	8.25	13002	16.7	--

Table E-1
Leachate – Field Parameters

Location	Sample Date	Sample ID	Dissolved Oxygen, Field	ORP, Field	pH, Field	Specific Conductance, Field	Temperature, Field	Turbidity, Field
			mg/L	mV	pH units	µmhos/cm	deg C	NTU
LS-CSW	2026-02-02	LCSW260202I	6.75	163.3	7.57	459.5	8.4	187
LS-CSW	2026-03-02	LCSW260302I	7.46	102.6	7.77	574	8.2	20.6
LS-PS4	2026-02-02	LP4-260202I	10.43	-6	7.48	137.4	10.4	33.5
LS-PS4	2026-03-02	LP4-260302I	9.05	31.9	7.68	3380	13.6	26
LS-PS1A	2026-01-07	LP1A260107I	8.3	59.9	6.8	842	11.4	4.83
LS-PS1A	2026-02-02	LP1A260202I	8	177	7.25	1272	13	3.87
LS-PS1A	2026-03-02	LP1A260302I	6.86	102.1	7.42	1774	13.7	3.33
LS-PS2A	2026-01-06	LP2A260106M	9.79	--	6.12	102.6	10	--
LS-PS2A	2026-02-03	LP2A260203M	10.01	--	6.09	89	10.5	--
LS-PS2A	2026-03-04	LP2A260304M	9.43	--	6.02	101.1	10.2	--
LS-A567	2026-01-07	L567260107I	1.02	-28.4	7.94	20036	28.3	143
LS-A567	2026-02-02	L567260202I	0.22	-249	8.02	22449	30.4	180
LS-A567	2026-03-02	L567260302I	0.16	-257.5	7.62	22986	30.7	180
LS-MH46N	2026-01-06	L46N260106M	4.71	--	7.31	5796	21.2	--
LS-MH46N	2026-02-03	L46N260203M	3.03	--	7.06	6775	21.4	--
LS-MH46N	2026-03-04	L46N260304M	3.15	--	7.13	7063	22	--
FIELD BLANK	2026-01-07	LP1A260107F	--	--	5.57	1	12.5	--
FIELD BLANK	2026-02-03	L46N260203F	--	--	5.47	1.2	10.5	--
FIELD BLANK	2026-03-02	L567260302F	--	--	6.32	0.8	8.3	--
FIELD BLANK	2026-03-26	LEPS260326F	--	--	6.54	1.5	5.8	--

-- : Not part of sampling program.

Table E-2
Leachate – Conventionals

Location	Sample Date	Sample ID	Alkalinity, Bicarbonate	Alkalinity, Carbonate	Alkalinity, Total (as CaCO3)	Ammonia as N	Biological Oxygen Demand (5-day)	Chemical Oxygen Demand
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	--	--	2130	--	148	1030
LS-LEPS	2026-01-05	LEPS260105P	--	--	--	392	--	--
LS-LEPS	2026-01-06	LEPS260106MG	--	--	--	--	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	--	--	--	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	--	--	--	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203MC	--	--	3610	--	171	1640
LS-LEPS	2026-02-03	LEPS260203MG	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	--	--	686	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	--	--	--	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	--	--	--	--	--
LS-LEPS	2026-02-24	LEPS260224P	--	--	--	--	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	--	--	534	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	--	--	--	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	--	--	--	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	--	--	--	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	--	--	--	--	--
LS-V1A	2026-01-06	LV1A260106MG	--	--	1170	212 H	488	1320
LS-V1A	2026-02-03	LV1A260203MC	--	--	3660	761	1830	3530
LS-V1A	2026-02-03	LV1A260203MG	--	--	--	--	--	--
LS-V1A	2026-03-04	LV1A260304MC	--	--	3930	794	2300	4590
LS-V1A	2026-03-04	LV1A260304MG	--	--	--	--	--	--

Table E-2
Leachate – Conventionals

Location	Sample Date	Sample ID	Alkalinity, Bicarbonate	Alkalinity, Carbonate	Alkalinity, Total (as CaCO3)	Ammonia as N	Biological Oxygen Demand (5-day)	Chemical Oxygen Demand
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-CSW	2026-02-02	LCSW260202I	175	1 U	175	18.2	17	62.9
LS-CSW	2026-03-02	LCSW260302I	237	1 U	237	20.6	17.3	64.6
LS-PS4	2026-02-02	LP4-260202I	415	1 U	415	69.6	239	401
LS-PS4	2026-03-02	LP4-260302I	1140	1 U	1140	173	974	1350
LS-PS1A	2026-01-07	LP1A260107I	270	1 U	270	33.8	16.1	100
LS-PS1A	2026-02-02	LP1A260202I	393	1 U	393	70.1	22	144
LS-PS1A	2026-03-02	LP1A260302I	581	1 U	581	102	25.7	254
LS-PS2A	2026-01-06	LP2A260106M	--	--	43.4	1.19 H	2 U	19 T
LS-PS2A	2026-02-03	LP2A260203M	--	--	29.1	2.37	2 U	17 T
LS-A567	2026-01-07	L567260107I	9120	1 U	9120	1600	1030	4510
LS-A567	2026-02-02	L567260202I	10300	1 U	10300	1940	954	4770 S
LS-A567	2026-03-02	L567260302I	10800	1 U	10800	1580	709	4940 S
LS-MH46N	2026-01-06	L46N260106M	--	--	1810	275 H	39.9	877
LS-MH46N	2026-02-03	L46N260203M	--	--	2140	414	49.8	1040
FIELD BLANK	2026-01-07	LP1A260107F	1.5 T	1 U	1.5 T	0.0219	2 U	5 U
FIELD BLANK	2026-02-03	L46N260203F	--	--	1 U	0.01 T	2 U	5 U
FIELD BLANK	2026-03-02	L567260302F	1 U	1 U	1 U	0.01 T	2 U	5 U

Table E-2
Leachate – Conventionals

Location	Sample Date	Sample ID	Chloride	Coliforms, Fecal	Coliforms, Total	Cyanide	Fixed Suspended Solids	Fluoride
			mg/L	cfu/100ml	cfu/100ml	mg/L	mg/L	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	448	--	--	--	--	1.1 T
LS-LEPS	2026-01-05	LEPS260105P	--	--	--	--	--	--
LS-LEPS	2026-01-06	LEPS260106MG	--	10000	450000	0.011 ST	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	--	--	--	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	--	--	--	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203MC	764	--	--	--	--	1.6 T
LS-LEPS	2026-02-03	LEPS260203MG	--	3200	17000 C	0.008 HSU	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	--	--	--	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	--	--	--	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	--	--	--	--	--
LS-LEPS	2026-02-24	LEPS260224P	--	--	--	--	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	--	--	--	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	--	--	--	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	--	--	--	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	--	--	--	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	--	--	--	--	--
LS-V1A	2026-01-06	LV1A260106MG	268	--	--	--	--	5 U
LS-V1A	2026-02-03	LV1A260203MC	767	--	--	--	--	20 U
LS-V1A	2026-02-03	LV1A260203MG	--	8900 C	60000 C	0.008 HSU	--	--
LS-V1A	2026-03-04	LV1A260304MC	875	--	--	--	--	20 U
LS-V1A	2026-03-04	LV1A260304MG	--	11000	150000 C	0.011 ST	--	--

Table E-2
Leachate – Conventionals

Location	Sample Date	Sample ID	Chloride	Coliforms, Fecal	Coliforms, Total	Cyanide	Fixed Suspended Solids	Fluoride
			mg/L	cfu/100ml	cfu/100ml	mg/L	mg/L	mg/L
LS-CSW	2026-02-02	LCSW260202I	32.3	--	--	--	107	0.081 T
LS-CSW	2026-03-02	LCSW260302I	30.3	--	--	--	6 T	0.098 T
LS-PS4	2026-02-02	LP4-260202I	68.8	--	--	--	20	0.4 U
LS-PS4	2026-03-02	LP4-260302I	173	--	--	--	18	5 U
LS-PS1A	2026-01-07	LP1A260107I	88.1	--	--	--	1.3 T	0.13 T
LS-PS1A	2026-02-02	LP1A260202I	136	--	--	--	1 T	0.28 T
LS-PS1A	2026-03-02	LP1A260302I	224	--	--	--	1 U	0.44 T
LS-PS2A	2026-01-06	LP2A260106M	1.1	1 U	210	0.0024 T	--	0.072 T
LS-PS2A	2026-02-03	LP2A260203M	0.711	1 U	30 C	0.002 HU	--	0.074 T
LS-A567	2026-01-07	L567260107I	2120	--	--	--	25 U	1 U
LS-A567	2026-02-02	L567260202I	2380	--	--	--	3 T	10 U
LS-A567	2026-03-02	L567260302I	2500	--	--	--	2.5 U	10 U
LS-MH46N	2026-01-06	L46N260106M	1610	12	900	0.0099 ST	--	2 U
LS-MH46N	2026-02-03	L46N260203M	1010	1 U	1 U	0.008 HSU	--	2.4 T
FIELD BLANK	2026-01-07	LP1A260107F	0.05 U	--	--	--	1 U	0.02 U
FIELD BLANK	2026-02-03	L46N260203F	0.05 U	1 U	1 U	0.002 HU	--	0.02 U
FIELD BLANK	2026-03-02	L567260302F	0.05 U	--	--	--	0.5 U	0.02 U

Table E-2
Leachate – Conventionals

Location	Sample Date	Sample ID	Hardness, Total	Nitrate + Nitrite as N	Phosphorus, Soluble Reactive	Phosphorus, Total (As P), Total	Specific Conductance	Sulfate
			mg/L	mg/L	mg/L	mg/L	µmhos/cm	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	--	--	0.1 U	--	5500	25.5
LS-LEPS	2026-01-05	LEPS260105P	--	0.1 U	--	2.66	--	--
LS-LEPS	2026-01-06	LEPS260106MG	--	--	--	--	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	--	--	2.81	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	--	--	3.19	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	--	--	3.22	--	--
LS-LEPS	2026-02-03	LEPS260203MC	--	--	0.213	--	8810	37.6
LS-LEPS	2026-02-03	LEPS260203MG	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	0.1 U	--	3.8	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	--	--	3.22	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	--	--	3.57	--	--
LS-LEPS	2026-02-24	LEPS260224P	--	--	--	3.61	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	0.21 T	--	3.64	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	--	--	3.62	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	--	--	2.78	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	--	--	1.97	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	--	--	2.2	--	--
LS-V1A	2026-01-06	LV1A260106MG	--	0.236	1.16	2.33	3230	13.1
LS-V1A	2026-02-03	LV1A260203MC	--	0.39 T	3	4.31	9440	39.2
LS-V1A	2026-02-03	LV1A260203MG	--	--	--	--	--	--
LS-V1A	2026-03-04	LV1A260304MC	--	0.49 T	2.22	5.06	10200	49.2
LS-V1A	2026-03-04	LV1A260304MG	--	--	--	--	--	--

Table E-2
Leachate – Conventionals

Location	Sample Date	Sample ID	Hardness, Total	Nitrate + Nitrite as N	Phosphorus, Soluble Reactive	Phosphorus, Total (As P), Total	Specific Conductance	Sulfate
			mg/L	mg/L	mg/L	mg/L	µmhos/cm	mg/L
LS-CSW	2026-02-02	LCSW260202I	114	0.517	--	--	510	18.3
LS-CSW	2026-03-02	LCSW260302I	142	0.498	--	--	619	23.1
LS-PS4	2026-02-02	LP4-260202I	87.1	0.516	--	--	1190	8.92
LS-PS4	2026-03-02	LP4-260302I	155	1.09	--	--	3330	16.5
LS-PS1A	2026-01-07	LP1A260107I	78	1.24	--	--	907	9.67
LS-PS1A	2026-02-02	LP1A260202I	94.6	0.217	--	--	1300	9.15
LS-PS1A	2026-03-02	LP1A260302I	118	1.3	--	--	1950	9.91
LS-PS2A	2026-01-06	LP2A260106M	--	0.474	0.05 U	0.973 U	114	5.21
LS-PS2A	2026-02-03	LP2A260203M	--	0.642	0.05 U	0.994 U	97.5	7.77
LS-A567	2026-01-07	L567260107I	435	0.27 T	--	--	21200	18 T
LS-A567	2026-02-02	L567260202I	432	0.2 U	--	--	23800	10 T
LS-A567	2026-03-02	L567260302I	432	0.2 U	--	--	24300	8.7 T
LS-MH46N	2026-01-06	L46N260106M	--	0.038 T	2.04	2.71	5960	3.5 T
LS-MH46N	2026-02-03	L46N260203M	--	0.05 U	2.94	2.89	7400	2 U
FIELD BLANK	2026-01-07	LP1A260107F	3.29 U	0.01 U	--	--	2 T	0.1 U
FIELD BLANK	2026-02-03	L46N260203F	--	0.01 U	0.05 U	0.992 U	2.2 T	0.1 U
FIELD BLANK	2026-03-02	L567260302F	3.32 U	0.01 U	--	--	1.3 T	0.1 U

Table E-2
Leachate – Conventionals

Location	Sample Date	Sample ID	Sulfide	Total Dissolved Solids	Total Fats, Oils & Grease	Total Kjeldahl Nitrogen	Total Organic Carbon	Total Solids
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	--	--	--	456	333	--
LS-LEPS	2026-01-05	LEPS260105P	--	--	--	--	--	--
LS-LEPS	2026-01-06	LEPS260106MG	0.14 T	--	2.9 U	--	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	--	--	--	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	--	--	--	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203MC	0.16 T	--	--	767	457	--
LS-LEPS	2026-02-03	LEPS260203MG	--	--	2.8 U	--	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	--	--	--	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	--	--	--	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	--	--	--	--	--
LS-LEPS	2026-02-24	LEPS260224P	--	--	--	--	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	--	--	--	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	--	--	--	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	--	--	--	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	--	--	--	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	--	--	--	--	--
LS-V1A	2026-01-06	LV1A260106MG	--	--	--	276	534	--
LS-V1A	2026-02-03	LV1A260203MC	0.068 T	--	--	857	1150	--
LS-V1A	2026-02-03	LV1A260203MG	--	--	2.7 U	--	--	--
LS-V1A	2026-03-04	LV1A260304MC	0.427	--	--	910	1570	--
LS-V1A	2026-03-04	LV1A260304MG	--	--	2.9 U	--	--	--

Table E-2
Leachate – Conventionals

Location	Sample Date	Sample ID	Sulfide	Total Dissolved Solids	Total Fats, Oils & Grease	Total Kjeldahl Nitrogen	Total Organic Carbon	Total Solids
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-CSW	2026-02-02	LCSW260202I	0.01 U	262	--	20.5	24.2	386
LS-CSW	2026-03-02	LCSW260302I	0.01 U	307	--	24.3	23.5	358
LS-PS4	2026-02-02	LP4-260202I	0.018 T	656	--	90.3	127	678
LS-PS4	2026-03-02	LP4-260302I	0.0465	1670	--	221	351	1820
LS-PS1A	2026-01-07	LP1A260107I	0.03 T	377	--	48.2	40	397
LS-PS1A	2026-02-02	LP1A260202I	0.024 T	524	--	71.2	50.2	577
LS-PS1A	2026-03-02	LP1A260302I	0.025 T	786	--	112	73.8	865
LS-PS2A	2026-01-06	LP2A260106M	0.01 U	--	6.8 T	2.07	9.59	--
LS-PS2A	2026-02-03	LP2A260203M	0.01 U	--	3.5 T	2.97	6.6	--
LS-A567	2026-01-07	L567260107I	0.589	9100	--	2100	1520 S	9090
LS-A567	2026-02-02	L567260202I	3.93	10300	--	2310 S	1500 S	10800
LS-A567	2026-03-02	L567260302I	3.75	10200	--	2390 S	1430 S	11400
LS-MH46N	2026-01-06	L46N260106M	0.603	--	5.7 T	355	290	--
LS-MH46N	2026-02-03	L46N260203M	1.05	--	2.7 U	429	321	--
FIELD BLANK	2026-01-07	LP1A260107F	0.01 U	10 U	--	0.1 U	0.53 T	10 U
FIELD BLANK	2026-02-03	L46N260203F	0.01 U	--	4.4 T	0.33 T	0.5 U	--
FIELD BLANK	2026-03-02	L567260302F	0.01 U	10 U	--	0.1 U	0.5 U	10 U

Table E-2
Leachate – Conventionals

Location	Sample Date	Sample ID	Total Suspended Solids	Total Volatile Solids	Volatile Suspended Solids
			mg/L	mg/L	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	183	945	160
LS-LEPS	2026-01-05	LEPS260105P	--	--	--
LS-LEPS	2026-01-06	LEPS260106MG	--	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	--	--
LS-LEPS	2026-02-03	LEPS260203MC	348	1590	308
LS-LEPS	2026-02-03	LEPS260203MG	--	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	--	--
LS-LEPS	2026-02-24	LEPS260224P	--	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	--	--
LS-V1A	2026-01-06	LV1A260106MG	36.4	647	22 T
LS-V1A	2026-02-03	LV1A260203MC	36	2150	21.5
LS-V1A	2026-02-03	LV1A260203MG	--	--	--
LS-V1A	2026-03-04	LV1A260304MC	81	2750	47
LS-V1A	2026-03-04	LV1A260304MG	--	--	--

Table E-2
Leachate – Conventionals

Location	Sample Date	Sample ID	Total Suspended Solids	Total Volatile Solids	Volatile Suspended Solids
			mg/L	mg/L	mg/L
LS-CSW	2026-02-02	LCSW260202I	127	89 T	20
LS-CSW	2026-03-02	LCSW260302I	15.6	136	9.6
LS-PS4	2026-02-02	LP4-260202I	33.7	338	13.7
LS-PS4	2026-03-02	LP4-260302I	46	954	28
LS-PS1A	2026-01-07	LP1A260107I	4 T	108	2.8 T
LS-PS1A	2026-02-02	LP1A260202I	3.88	147	2.88
LS-PS1A	2026-03-02	LP1A260302I	2.7 T	241	2.9 T
LS-PS2A	2026-01-06	LP2A260106M	3.39	49 T	2.2 T
LS-PS2A	2026-02-03	LP2A260203M	0.62 T	27 T	0.51 U
LS-A567	2026-01-07	L567260107I	75 T	3290	65 T
LS-A567	2026-02-02	L567260202I	38	3050	35
LS-A567	2026-03-02	L567260302I	20	4160	19.5
LS-MH46N	2026-01-06	L46N260106M	0.5 U	716	0.5 U
LS-MH46N	2026-02-03	L46N260203M	0.5 U	757	0.5 U
FIELD BLANK	2026-01-07	LP1A260107F	1.2 T	10 U	1 U
FIELD BLANK	2026-02-03	L46N260203F	0.5 U	10 U	0.5 U
FIELD BLANK	2026-03-02	L567260302F	0.5 U	10 U	0.5 U

-- : Not part of sampling program.

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Aluminum, Dissolved	Aluminum, Total	Antimony, Dissolved	Antimony, Total	Arsenic, Dissolved	Arsenic, Total
			mg/L	mg/L	mg/L	mg/L	µg/L	µg/L
LS-LEPS	2026-01-05	LEPS260105MC	0.144	--	0.00471	--	42.6	--
LS-LEPS	2026-01-05	LEPS260105P	--	0.816	--	0.0047 T	--	43.6
LS-LEPS	2026-01-07	LEPS260107D	--	--	--	--	--	45.2
LS-LEPS	2026-01-07	LEPS260107P	--	--	--	--	--	44.5
LS-LEPS	2026-01-12	LEPS260112P	--	0.958	--	0.0048 T	--	44.8
LS-LEPS	2026-01-14	LEPS260114D	--	--	--	--	--	45.2
LS-LEPS	2026-01-14	LEPS260114P	--	--	--	--	--	45.3
LS-LEPS	2026-01-19	LEPS260119P	--	1.04	--	0.0051 T	--	48.3
LS-LEPS	2026-01-21	LEPS260121P	--	--	--	--	--	48.2
LS-LEPS	2026-01-26	LEPS260126P	--	0.814	--	0.0063 T	--	58.3
LS-LEPS	2026-01-28	LEPS260128P	--	--	--	--	--	60.9
LS-LEPS	2026-02-03	LEPS260203P	--	0.957	--	0.0078 T	--	73.5
LS-LEPS	2026-02-03	LEPS260203MC	0.206	--	0.00813	--	71.3	--
LS-LEPS	2026-02-06	LEPS260206P	--	--	--	--	--	74.9
LS-LEPS	2026-02-10	LEPS260210P	--	0.566	--	0.0078 T	--	70.6
LS-LEPS	2026-02-12	LEPS260212P	--	--	--	--	--	68.8
LS-LEPS	2026-02-17	LEPS260217P	--	--	--	--	--	66.5
LS-LEPS	2026-02-19	LEPS260219P	--	0.788	--	0.0076 T	--	69
LS-LEPS	2026-02-24	LEPS260224P	--	0.737	--	0.008 T	--	74.7
LS-LEPS	2026-02-26	LEPS260226P	--	--	--	--	--	72.3
LS-LEPS	2026-03-04	LEPS260304P	--	0.98	--	0.0075 T	--	73.3
LS-LEPS	2026-03-05	LEPS260305P	--	--	--	--	--	73.2
LS-LEPS	2026-03-10	LEPS260310P	--	0.994	--	0.0072 T	--	68.5
LS-LEPS	2026-03-12	LEPS260312P	--	--	--	--	--	65.3
LS-LEPS	2026-03-17	LEPS260317P	--	1.17	--	0.0054 T	--	44.6
LS-LEPS	2026-03-19	LEPS260319P	--	--	--	--	--	38.4
LS-LEPS	2026-03-24	LEPS260324P	--	0.835	--	0.0034 T	--	24.3
LS-LEPS	2026-03-27	LEPS260326P	--	--	--	--	--	27
LS-LEPS	2026-03-31	LEPS260331P	--	0.584	--	0.0038 T	--	31.7
LS-V1A	2026-01-06	LV1A260106MG	0.113	2.25	0.00349	0.0041	29	31.8
LS-V1A	2026-02-03	LV1A260203MC	0.285	1.11	0.00763	0.00762	74.5	75.1
LS-V1A	2026-03-04	LV1A260204MC	0.352	2.25	0.00976	0.0111	94	107

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Aluminum, Dissolved	Aluminum, Total	Antimony, Dissolved	Antimony, Total	Arsenic, Dissolved	Arsenic, Total
			mg/L	mg/L	mg/L	mg/L	µg/L	µg/L
LS-CSW	2026-02-02	LCSW260202I	0.0497 U	5.13	0.00298 U	0.00294 U	2.5	3.56
LS-CSW	2026-03-02	LCSW260302I	0.0498 U	0.387	0.00299 U	0.00295 U	3.02	3.39
LS-PS4	2026-02-02	LP4-260202I	0.0496 U	1.18	0.00298 U	0.00296 U	9.92	10
LS-PS4	2026-03-02	LP4-260302I	0.0698	0.12	0.00373	0.00364	21.5	22
LS-PS1A	2026-01-07	LP1A260107I	0.05 U	0.119	0.003 U	0.00299 U	10.4	11.6
LS-PS1A	2026-02-02	LP1A260202I	0.0498 U	0.0854	0.00419	0.00395	19.7	19.5
LS-PS1A	2026-03-02	LP1A260302I	0.0505 U	0.0501 U	0.00605	0.006	31.1	32.6
LS-PS2A	2026-01-06	LP2A260106M	--	0.219	--	0.00292 U	--	0.927
LS-PS2A	2026-02-03	LP2A260203M	--	0.127	--	0.00298 U	--	1.88
LS-A567	2026-01-07	L567260107I	0.818	0.859	0.0129	0.0139	251	255
LS-A567	2026-02-02	L567260202I	0.948	0.952	0.0134	0.015	284	274
LS-A567	2026-03-02	L567260302I	1.18	1.03	0.0139	0.0145	289	301
LS-MH46N	2026-01-06	L46N260106M	--	2.16	--	0.00304 U	--	62.5
LS-MH46N	2026-02-03	L46N260203M	--	0.0507 U	--	0.00304 U	--	79.3
FIELD BLANK	2026-01-07	LP1A260107F	0.0502 U	0.0498 U	0.00301 U	0.00299 U	0.502 U	0.498 U
FIELD BLANK	2026-02-03	L46N260203F	--	0.0496 U	--	0.00298 U	--	0.496 U
FIELD BLANK	2026-03-02	L567260302F	0.0497 U	0.0502 U	0.00298 U	0.00301 U	0.497 U	0.502 U
FIELD BLANK	2026-03-26	LEPS260326F	--	--	--	--	--	0.49 U

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Barium, Dissolved	Barium, Total	Beryllium, Dissolved	Beryllium, Total	Cadmium, Dissolved	Cadmium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	0.0675	--	0.001 U	--	0.000502 U	--
LS-LEPS	2026-01-05	LEPS260105P	--	0.0664	--	0.001 U	--	0.0005 U
LS-LEPS	2026-01-07	LEPS260107D	--	--	--	--	--	--
LS-LEPS	2026-01-07	LEPS260107P	--	--	--	--	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	0.0676	--	0.001 U	--	0.0005 U
LS-LEPS	2026-01-14	LEPS260114D	--	--	--	--	--	--
LS-LEPS	2026-01-14	LEPS260114P	--	--	--	--	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	0.0673	--	0.001 U	--	0.0005 U
LS-LEPS	2026-01-21	LEPS260121P	--	--	--	--	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	0.0882	--	0.001 U	--	0.0005 U
LS-LEPS	2026-01-28	LEPS260128P	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	0.0933	--	0.001 U	--	0.0005 U
LS-LEPS	2026-02-03	LEPS260203MC	0.088	--	0.00102 U	--	0.000509 U	--
LS-LEPS	2026-02-06	LEPS260206P	--	--	--	--	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	0.0833	--	0.001 U	--	0.00051 U
LS-LEPS	2026-02-12	LEPS260212P	--	--	--	--	--	--
LS-LEPS	2026-02-17	LEPS260217P	--	--	--	--	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	0.0752	--	0.001 U	--	0.0005 U
LS-LEPS	2026-02-24	LEPS260224P	--	0.0894	--	0.001 U	--	0.0005 U
LS-LEPS	2026-02-26	LEPS260226P	--	--	--	--	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	0.0917	--	0.00099 U	--	0.0005 U
LS-LEPS	2026-03-05	LEPS260305P	--	--	--	--	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	0.0852	--	0.001 U	--	0.0005 U
LS-LEPS	2026-03-12	LEPS260312P	--	--	--	--	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	0.065	--	0.001 U	--	0.0005 U
LS-LEPS	2026-03-19	LEPS260319P	--	--	--	--	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	0.0465	--	0.001 U	--	0.0005 U
LS-LEPS	2026-03-27	LEPS260326P	--	--	--	--	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	0.0506	--	0.001 U	--	0.0005 U
LS-V1A	2026-01-06	LV1A260106MG	0.0477	0.0589	0.001 U	0.00101 U	0.000501 U	0.000505 U
LS-V1A	2026-02-03	LV1A260203MC	0.0921	0.0959	0.00102 U	0.00101 U	0.000508 U	0.000505 U
LS-V1A	2026-03-04	LV1A260204MC	0.107	0.126	0.00101 U	0.00102 U	0.000506 U	0.000508 U

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Barium, Dissolved	Barium, Total	Beryllium, Dissolved	Beryllium, Total	Cadmium, Dissolved	Cadmium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-CSW	2026-02-02	LCSW260202I	0.0197	0.0447	0.000994 U	0.000979 U	0.000497 U	0.00049 U
LS-CSW	2026-03-02	LCSW260302I	0.0207	0.023	0.000996 U	0.000985 U	0.000498 U	0.000492 U
LS-PS4	2026-02-02	LP4-260202I	0.0175	0.024	0.000992 U	0.000988 U	0.000496 U	0.000494 U
LS-PS4	2026-03-02	LP4-260302I	0.0476	0.048	0.00102 U	0.00101 U	0.000508 U	0.000505 U
LS-PS1A	2026-01-07	LP1A260107I	0.0309	0.0329	0.001 U	0.000996 U	0.0005 U	0.000498 U
LS-PS1A	2026-02-02	LP1A260202I	0.0454	0.0458	0.000996 U	0.000998 U	0.000498 U	0.000499 U
LS-PS1A	2026-03-02	LP1A260302I	0.0678	0.0639	0.00101 U	0.001 U	0.000505 U	0.000501 U
LS-PS2A	2026-01-06	LP2A260106M	--	0.00598	--	0.000973 U	--	0.000487 U
LS-PS2A	2026-02-03	LP2A260203M	--	0.00497 U	--	0.000994 U	--	0.000497 U
LS-A567	2026-01-07	L567260107I	0.239	0.23	0.001 U	0.00102 U	0.000501 U	0.000508 U
LS-A567	2026-02-02	L567260202I	0.315	0.298	0.00101 U	0.00101 U	0.000507 U	0.000504 U
LS-A567	2026-03-02	L567260302I	0.303	0.273	0.00101 U	0.00101 U	0.000506 U	0.000503 U
LS-MH46N	2026-01-06	L46N260106M	--	0.19	--	0.00101 U	--	0.000507 U
LS-MH46N	2026-02-03	L46N260203M	--	0.253	--	0.00101 U	--	0.000507 U
FIELD BLANK	2026-01-07	LP1A260107F	0.00502 U	0.00498 U	0.001 U	0.000996 U	0.000502 U	0.000498 U
FIELD BLANK	2026-02-03	L46N260203F	--	0.00496 U	--	0.000992 U	--	0.000496 U
FIELD BLANK	2026-03-02	L567260302F	0.00497 U	0.00502 U	0.000994 U	0.001 U	0.000497 U	0.000502 U
FIELD BLANK	2026-03-26	LEPS260326F	--	--	--	--	--	--

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Calcium, Dissolved	Calcium, Total	Chromium, Dissolved	Chromium, Total	Cobalt, Dissolved	Cobalt, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	58.3	--	0.0489	--	0.0113	--
LS-LEPS	2026-01-05	LEPS260105P	--	57.6	--	0.0495	--	0.0119
LS-LEPS	2026-01-07	LEPS260107D	--	--	--	--	--	--
LS-LEPS	2026-01-07	LEPS260107P	--	--	--	--	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	54.8	--	0.0569	--	0.0122
LS-LEPS	2026-01-14	LEPS260114D	--	--	--	--	--	--
LS-LEPS	2026-01-14	LEPS260114P	--	--	--	--	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	56.9	--	0.0621	--	0.0131
LS-LEPS	2026-01-21	LEPS260121P	--	--	--	--	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	59.9	--	0.078	--	0.016
LS-LEPS	2026-01-28	LEPS260128P	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	64.1	--	0.0927	--	0.0191
LS-LEPS	2026-02-03	LEPS260203MC	63.4	--	0.0951	--	0.0187	--
LS-LEPS	2026-02-06	LEPS260206P	--	--	--	--	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	62.8	--	0.0911	--	0.0183
LS-LEPS	2026-02-12	LEPS260212P	--	--	--	--	--	--
LS-LEPS	2026-02-17	LEPS260217P	--	--	--	--	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	63.8	--	0.0799	--	0.0167
LS-LEPS	2026-02-24	LEPS260224P	--	66.5	--	0.098	--	0.0184
LS-LEPS	2026-02-26	LEPS260226P	--	--	--	--	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	66.2	--	0.0987	--	0.0181
LS-LEPS	2026-03-05	LEPS260305P	--	--	--	--	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	62.1	--	0.0892	--	0.0168
LS-LEPS	2026-03-12	LEPS260312P	--	--	--	--	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	59	--	0.0595	--	0.0116
LS-LEPS	2026-03-19	LEPS260319P	--	--	--	--	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	52.1	--	0.034	--	0.0077
LS-LEPS	2026-03-27	LEPS260326P	--	--	--	--	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	59.2	--	0.0382	--	0.00858
LS-V1A	2026-01-06	LV1A260106MG	59.3	61.2	0.0275	0.0319	0.00719	0.0088
LS-V1A	2026-02-03	LV1A260203MC	83.9	80.6	0.102	0.104	0.0186	0.0195
LS-V1A	2026-03-04	LV1A260204MC	97.3	90.4	0.111	0.103	0.0207	0.0201

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Calcium, Dissolved	Calcium, Total	Chromium, Dissolved	Chromium, Total	Cobalt, Dissolved	Cobalt, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-CSW	2026-02-02	LCSW260202I	27	27.9	0.00405	0.011	0.00153	0.00395
LS-CSW	2026-03-02	LCSW260302I	38.1	36.7	0.00321	0.00285	0.00124	0.00126
LS-PS4	2026-02-02	LP4-260202I	19.4	19.4	0.00578	0.00787	0.00127	0.00196
LS-PS4	2026-03-02	LP4-260302I	35.4	35	0.0223	0.0219	0.00408	0.00381
LS-PS1A	2026-01-07	LP1A260107I	20.2	20.8	0.00378	0.00414	0.00224	0.00249
LS-PS1A	2026-02-02	LP1A260202I	23.4	22.7	0.00635	0.00614	0.00335	0.00333
LS-PS1A	2026-03-02	LP1A260302I	28.6	28.1	0.00902	0.00862	0.00521	0.00468
LS-PS2A	2026-01-06	LP2A260106M	--	11.8	--	0.0022	--	0.000487 U
LS-PS2A	2026-02-03	LP2A260203M	--	7.84	--	0.00199 U	--	0.000497 U
LS-A567	2026-01-07	L567260107I	54.5	55.9	0.222	0.227	0.0549	0.0572
LS-A567	2026-02-02	L567260202I	48.7	46.6	0.289	0.285	0.0618	0.0613
LS-A567	2026-03-02	L567260302I	52.7	42.8	0.332	0.284	0.0618	0.0536
LS-MH46N	2026-01-06	L46N260106M	--	60.6	--	0.0379	--	0.019
LS-MH46N	2026-02-03	L46N260203M	--	78.8	--	0.0524	--	0.0225
FIELD BLANK	2026-01-07	LP1A260107F	0.502 U	0.498 U	0.00201 U	0.00199 U	0.000502 U	0.000498 U
FIELD BLANK	2026-02-03	L46N260203F	--	0.496 U	--	0.00198 U	--	0.000496 U
FIELD BLANK	2026-03-02	L567260302F	0.497 U	0.502 U	0.00199 U	0.00201 U	0.000497 U	0.000502 U
FIELD BLANK	2026-03-26	LEPS260326F	--	--	--	--	--	--

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Copper, Dissolved	Copper, Total	Iron, Dissolved	Iron, Total	Lead, Dissolved	Lead, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	0.00203	--	3.26	--	0.001 U	--
LS-LEPS	2026-01-05	LEPS260105P	--	0.0067 T	--	4.05	--	0.001 U
LS-LEPS	2026-01-07	LEPS260107D	--	--	--	--	--	--
LS-LEPS	2026-01-07	LEPS260107P	--	--	--	--	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	0.0073 T	--	4.05	--	0.001 U
LS-LEPS	2026-01-14	LEPS260114D	--	--	--	--	--	--
LS-LEPS	2026-01-14	LEPS260114P	--	--	--	--	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	0.0077 T	--	4.78	--	0.001 U
LS-LEPS	2026-01-21	LEPS260121P	--	--	--	--	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	0.0076 T	--	5.78	--	0.0011 T
LS-LEPS	2026-01-28	LEPS260128P	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	0.0069 T	--	7.15	--	0.0012 T
LS-LEPS	2026-02-03	LEPS260203MC	0.00336	--	6.1	--	0.00102 U	--
LS-LEPS	2026-02-06	LEPS260206P	--	--	--	--	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	0.005 T	--	7.51	--	0.001 U
LS-LEPS	2026-02-12	LEPS260212P	--	--	--	--	--	--
LS-LEPS	2026-02-17	LEPS260217P	--	--	--	--	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	0.0068 T	--	9.03	--	0.001 T
LS-LEPS	2026-02-24	LEPS260224P	--	0.0071 T	--	9.05	--	0.0012 T
LS-LEPS	2026-02-26	LEPS260226P	--	--	--	--	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	0.0077 T	--	9.67	--	0.0012 T
LS-LEPS	2026-03-05	LEPS260305P	--	--	--	--	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	0.0074 T	--	9.01	--	0.0012 T
LS-LEPS	2026-03-12	LEPS260312P	--	--	--	--	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	0.0079 T	--	7.38	--	0.001 T
LS-LEPS	2026-03-19	LEPS260319P	--	--	--	--	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	0.0056 T	--	5.02	--	0.001 U
LS-LEPS	2026-03-27	LEPS260326P	--	--	--	--	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	0.0047 T	--	5.34	--	0.001 U
LS-V1A	2026-01-06	LV1A260106MG	0.002 U	0.00964	1.92	5.05	0.001 U	0.00128
LS-V1A	2026-02-03	LV1A260203MC	0.00782	0.00762	5.92	7.57	0.00102 U	0.00107
LS-V1A	2026-03-04	LV1A260204MC	0.00275	0.0106	11.5	16.4	0.00101 U	0.00222 U

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Copper, Dissolved	Copper, Total	Iron, Dissolved	Iron, Total	Lead, Dissolved	Lead, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-CSW	2026-02-02	LCSW260202I	0.00235	0.0152	0.156	5.58	0.000994 U	0.00195
LS-CSW	2026-03-02	LCSW260302I	0.00416	0.00538	0.281	0.978	0.000996 U	0.000985 DU
LS-PS4	2026-02-02	LP4-260202I	0.00307	0.0286	0.551	2.22	0.000992 U	0.00109
LS-PS4	2026-03-02	LP4-260302I	0.00251	0.00453	4.75	6.09	0.00102 U	0.00101 DU
LS-PS1A	2026-01-07	LP1A260107I	0.00633	0.00768	0.637	0.947	0.001 U	0.000996 U
LS-PS1A	2026-02-02	LP1A260202I	0.00641	0.00777	0.412	0.603	0.000996 U	0.000998 U
LS-PS1A	2026-03-02	LP1A260302I	0.00465	0.00512	0.603	0.68	0.00101 U	0.001 DU
LS-PS2A	2026-01-06	LP2A260106M	--	0.0235	--	0.523	--	0.000973 U
LS-PS2A	2026-02-03	LP2A260203M	--	0.0203	--	0.215	--	0.000994 U
LS-A567	2026-01-07	L567260107I	0.002 U	0.00292	6.12	7.42	0.001 U	0.00209
LS-A567	2026-02-02	L567260202I	0.00203 U	0.00318	2.68	5.4	0.00101 U	0.00225
LS-A567	2026-03-02	L567260302I	0.00202 U	0.00317	3.13	6.03	0.00101 U	0.00167 D
LS-MH46N	2026-01-06	L46N260106M	--	0.00701	--	3.52	--	0.00101 U
LS-MH46N	2026-02-03	L46N260203M	--	0.00203 U	--	1.87	--	0.00101 U
FIELD BLANK	2026-01-07	LP1A260107F	0.00201 U	0.00199 U	0.1 U	0.0996 U	0.001 U	0.000996 U
FIELD BLANK	2026-02-03	L46N260203F	--	0.00198 U	--	0.0992 U	--	0.000992 U
FIELD BLANK	2026-03-02	L567260302F	0.00199 U	0.00201 U	0.0994 U	0.1 U	0.000994 U	0.001 DU
FIELD BLANK	2026-03-26	LEPS260326F	--	--	--	--	--	--

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Magnesium, Dissolved	Magnesium, Total	Manganese, Dissolved	Manganese, Total	Mercury, Dissolved	Mercury, Total
			mg/L	mg/L	µg/L	µg/L	mg/L	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	28.1	--	516	--	0.0001 U	--
LS-LEPS	2026-01-05	LEPS260105P	--	27.7	--	485	--	0.0001 U
LS-LEPS	2026-01-07	LEPS260107D	--	--	--	--	--	--
LS-LEPS	2026-01-07	LEPS260107P	--	--	--	--	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	27.2	--	522	--	0.0001 U
LS-LEPS	2026-01-14	LEPS260114D	--	--	--	--	--	--
LS-LEPS	2026-01-14	LEPS260114P	--	--	--	--	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	29.9	--	514	--	0.0001 U
LS-LEPS	2026-01-21	LEPS260121P	--	--	--	--	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	39.1	--	559	--	0.0001 U
LS-LEPS	2026-01-28	LEPS260128P	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	47.3	--	496	--	0.0001 U
LS-LEPS	2026-02-03	LEPS260203MC	49.4	--	416	--	0.0001 U	--
LS-LEPS	2026-02-06	LEPS260206P	--	--	--	--	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	46.3	--	396	--	0.0001 U
LS-LEPS	2026-02-12	LEPS260212P	--	--	--	--	--	--
LS-LEPS	2026-02-17	LEPS260217P	--	--	--	--	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	47.1	--	439	--	0.0001 U
LS-LEPS	2026-02-24	LEPS260224P	--	49.3	--	479	--	0.0001 U
LS-LEPS	2026-02-26	LEPS260226P	--	--	--	--	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	50.7	--	522	--	0.0001 U
LS-LEPS	2026-03-05	LEPS260305P	--	--	--	--	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	44.9	--	490	--	0.0001 U
LS-LEPS	2026-03-12	LEPS260312P	--	--	--	--	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	32.3	--	523	--	0.0001 U
LS-LEPS	2026-03-19	LEPS260319P	--	--	--	--	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	22.4	--	407	--	0.00005 U
LS-LEPS	2026-03-27	LEPS260326P	--	--	--	--	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	25.9	--	439	--	0.0001 U
LS-V1A	2026-01-06	LV1A260106MG	20.6	21.4	625	634	0.0001 U	0.0001 U
LS-V1A	2026-02-03	LV1A260203MC	53.4	50.9	654	654	0.0001 U	0.0001 U
LS-V1A	2026-03-04	LV1A260204MC	61.3	60.9	797	772	0.0001 U	0.0001 U

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Magnesium, Dissolved	Magnesium, Total	Manganese, Dissolved	Manganese, Total	Mercury, Dissolved	Mercury, Total
			mg/L	mg/L	µg/L	µg/L	mg/L	mg/L
LS-CSW	2026-02-02	LCSW260202I	9.18	10.8	157	245	0.0001 U	0.0001 U
LS-CSW	2026-03-02	LCSW260302I	12.7	12.1	263	269	0.0001 U	0.0001 U
LS-PS4	2026-02-02	LP4-260202I	9.2	9.41	232	249	0.0001 U	0.0001 U
LS-PS4	2026-03-02	LP4-260302I	16.3	16.5	416	401	0.0001 U	0.0001 U
LS-PS1A	2026-01-07	LP1A260107I	6.06	6.31	125	125	0.0001 U	0.0001 U
LS-PS1A	2026-02-02	LP1A260202I	9.44	9.23	169	162	0.0001 U	0.0001 U
LS-PS1A	2026-03-02	LP1A260302I	11.2	11.5	195	190	0.0001 U	0.0001 U
LS-PS2A	2026-01-06	LP2A260106M	--	3.03	--	43.3	--	0.0001 U
LS-PS2A	2026-02-03	LP2A260203M	--	3.04	--	14.7	--	0.0001 U
LS-A567	2026-01-07	L567260107I	71.7	71.6	331	312	0.0001 U	0.0001 U
LS-A567	2026-02-02	L567260202I	82.5	76.6	286	275	0.0001 U	0.0001 U
LS-A567	2026-03-02	L567260302I	94	79	286	247	0.0001 U	0.0001 U
LS-MH46N	2026-01-06	L46N260106M	--	29.7	--	419	--	0.0001 U
LS-MH46N	2026-02-03	L46N260203M	--	40.7	--	577	--	0.0001 U
FIELD BLANK	2026-01-07	LP1A260107F	0.502 U	0.498 U	1.11	0.996 U	0.0001 U	0.0001 U
FIELD BLANK	2026-02-03	L46N260203F	--	0.496 U	--	0.992 U	--	0.0001 U
FIELD BLANK	2026-03-02	L567260302F	0.497 U	0.502 U	0.994 U	1 U	0.0001 U	0.0001 U
FIELD BLANK	2026-03-26	LEPS260326F	--	--	--	--	--	--

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Nickel, Dissolved	Nickel, Total	Potassium, Dissolved	Potassium, Total	Selenium, Dissolved	Selenium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	0.0481	--	172	--	0.00502 U	--
LS-LEPS	2026-01-05	LEPS260105P	--	0.0483	--	165	--	0.005 U
LS-LEPS	2026-01-07	LEPS260107D	--	--	--	--	--	--
LS-LEPS	2026-01-07	LEPS260107P	--	--	--	--	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	0.0502	--	177	--	0.005 U
LS-LEPS	2026-01-14	LEPS260114D	--	--	--	--	--	--
LS-LEPS	2026-01-14	LEPS260114P	--	--	--	--	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	0.0535	--	190	--	0.005 U
LS-LEPS	2026-01-21	LEPS260121P	--	--	--	--	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	0.0639	--	226	--	0.005 U
LS-LEPS	2026-01-28	LEPS260128P	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	0.0766	--	288	--	0.005 U
LS-LEPS	2026-02-03	LEPS260203MC	0.079	--	297	--	0.00509 U	--
LS-LEPS	2026-02-06	LEPS260206P	--	--	--	--	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	0.073	--	278	--	0.0051 U
LS-LEPS	2026-02-12	LEPS260212P	--	--	--	--	--	--
LS-LEPS	2026-02-17	LEPS260217P	--	--	--	--	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	0.0723	--	268	--	0.005 U
LS-LEPS	2026-02-24	LEPS260224P	--	0.073	--	293	--	0.005 U
LS-LEPS	2026-02-26	LEPS260226P	--	--	--	--	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	0.0729	--	296	--	0.005 U
LS-LEPS	2026-03-05	LEPS260305P	--	--	--	--	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	0.067	--	262	--	0.005 U
LS-LEPS	2026-03-12	LEPS260312P	--	--	--	--	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	0.0453	--	171	--	0.005 U
LS-LEPS	2026-03-19	LEPS260319P	--	--	--	--	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	0.0283	--	110	--	0.005 U
LS-LEPS	2026-03-27	LEPS260326P	--	--	--	--	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	0.031	--	129	--	0.005 U
LS-V1A	2026-01-06	LV1A260106MG	0.0297	0.0346	103	104	0.00501 U	0.00505 U
LS-V1A	2026-02-03	LV1A260203MC	0.0786	0.0769	315	304	0.00508 U	0.00505 U
LS-V1A	2026-03-04	LV1A260204MC	0.0808	0.0793	354	342	0.00506 U	0.00508 U

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Nickel, Dissolved	Nickel, Total	Potassium, Dissolved	Potassium, Total	Selenium, Dissolved	Selenium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-CSW	2026-02-02	LCSW260202I	0.00647	0.013	11.5	10.9	0.00497 U	0.0049 U
LS-CSW	2026-03-02	LCSW260302I	0.00556	0.00577	14.6	13.5	0.00498 U	0.00492 U
LS-PS4	2026-02-02	LP4-260202I	0.00507	0.00671	23.4	23.7	0.00496 U	0.00494 U
LS-PS4	2026-03-02	LP4-260302I	0.014	0.0135	66.3	68.9	0.00508 U	0.00505 U
LS-PS1A	2026-01-07	LP1A260107I	0.00954	0.0108	18	19.2	0.005 U	0.00498 U
LS-PS1A	2026-02-02	LP1A260202I	0.0148	0.0143	31.3	32	0.00498 U	0.00499 U
LS-PS1A	2026-03-02	LP1A260302I	0.0211	0.0197	47.6	50	0.00505 U	0.00501 U
LS-PS2A	2026-01-06	LP2A260106M	--	0.00671	--	1.89	--	0.00487 U
LS-PS2A	2026-02-03	LP2A260203M	--	0.00554	--	1.06	--	0.00497 U
LS-A567	2026-01-07	L567260107I	0.217	0.218	712	710	0.00501 U	0.00508 U
LS-A567	2026-02-02	L567260202I	0.24	0.229	839	768 D	0.00507 U	0.00504 U
LS-A567	2026-03-02	L567260302I	0.243	0.219	997	866	0.00506 U	0.00503 U
LS-MH46N	2026-01-06	L46N260106M	--	0.0719	--	180	--	0.00507 U
LS-MH46N	2026-02-03	L46N260203M	--	0.0828	--	218	--	0.00507 U
FIELD BLANK	2026-01-07	LP1A260107F	0.001 U	0.000996 U	1 U	0.996 U	0.00502 U	0.00498 U
FIELD BLANK	2026-02-03	L46N260203F	--	0.000992 U	--	0.992 U	--	0.00496 U
FIELD BLANK	2026-03-02	L567260302F	0.000994 U	0.001 U	0.994 U	1 U	0.00497 U	0.00502 U
FIELD BLANK	2026-03-26	LEPS260326F	--	--	--	--	--	--

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Silver, Dissolved	Silver, Total	Sodium, Dissolved	Sodium, Total	Thallium, Dissolved	Thallium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	0.000402 U	--	468	--	0.000753 U	--
LS-LEPS	2026-01-05	LEPS260105P	--	0.0004 U	--	453	--	0.00075 U
LS-LEPS	2026-01-07	LEPS260107D	--	--	--	--	--	--
LS-LEPS	2026-01-07	LEPS260107P	--	--	--	--	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	0.0004 U	--	471	--	0.00075 U
LS-LEPS	2026-01-14	LEPS260114D	--	--	--	--	--	--
LS-LEPS	2026-01-14	LEPS260114P	--	--	--	--	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	0.0004 U	--	508	--	0.00075 U
LS-LEPS	2026-01-21	LEPS260121P	--	--	--	--	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	0.0004 U	--	608	--	0.00076 U
LS-LEPS	2026-01-28	LEPS260128P	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	0.0004 U	--	771	--	0.00075 U
LS-LEPS	2026-02-03	LEPS260203MC	0.000407 U	--	803	--	0.000763 U	--
LS-LEPS	2026-02-06	LEPS260206P	--	--	--	--	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	0.00041 U	--	750	--	0.00076 U
LS-LEPS	2026-02-12	LEPS260212P	--	--	--	--	--	--
LS-LEPS	2026-02-17	LEPS260217P	--	--	--	--	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	0.0004 U	--	724	--	0.00075 U
LS-LEPS	2026-02-24	LEPS260224P	--	0.0004 U	--	788	--	0.00075 U
LS-LEPS	2026-02-26	LEPS260226P	--	--	--	--	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	0.0004 U	--	797	--	0.00074 U
LS-LEPS	2026-03-05	LEPS260305P	--	--	--	--	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	0.0004 U	--	704	--	0.00075 U
LS-LEPS	2026-03-12	LEPS260312P	--	--	--	--	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	0.0004 U	--	457	--	0.00075 U
LS-LEPS	2026-03-19	LEPS260319P	--	--	--	--	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	0.0004 U	--	288	--	0.00075 U
LS-LEPS	2026-03-27	LEPS260326P	--	--	--	--	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	0.0004 U	--	352	--	0.00076 U
LS-V1A	2026-01-06	LV1A260106MG	0.000401 U	0.000404 U	288	288	0.000751 U	0.000758 U
LS-V1A	2026-02-03	LV1A260203MC	0.000406 U	0.000404 U	840	796	0.000762 U	0.000757 U
LS-V1A	2026-03-04	LV1A260204MC	0.000405 U	0.000406 U	949	948	0.000759 U	0.000762 U

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Silver, Dissolved	Silver, Total	Sodium, Dissolved	Sodium, Total	Thallium, Dissolved	Thallium, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-CSW	2026-02-02	LCSW260202I	0.000397 U	0.000392 U	33.5	32.9	0.000745 U	0.000734 U
LS-CSW	2026-03-02	LCSW260302I	0.000398 U	0.000394 U	34.7	38	0.000747 U	0.000739 U
LS-PS4	2026-02-02	LP4-260202I	0.000397 U	0.000395 U	63.9	63.8	0.000744 U	0.000741 U
LS-PS4	2026-03-02	LP4-260302I	0.000406 U	0.000404 U	191	211	0.000762 U	0.000758 U
LS-PS1A	2026-01-07	LP1A260107I	0.0004 U	0.000399 U	74.4	79.6	0.000751 U	0.000747 U
LS-PS1A	2026-02-02	LP1A260202I	0.000399 U	0.000399 U	125	122	0.000747 U	0.000748 U
LS-PS1A	2026-03-02	LP1A260302I	0.000404 U	0.000401 U	175	204	0.000758 U	0.000752 U
LS-PS2A	2026-01-06	LP2A260106M	--	0.000389 U	--	2.47	--	0.00073 U
LS-PS2A	2026-02-03	LP2A260203M	--	0.000397 U	--	2.15	--	0.000745 U
LS-A567	2026-01-07	L567260107I	0.000401 U	0.000407 U	2150	2150	0.000751 U	0.000762 U
LS-A567	2026-02-02	L567260202I	0.000406 U	0.000404 U	2520	2330 D	0.000761 U	0.000757 U
LS-A567	2026-03-02	L567260302I	0.000405 U	0.000402 U	2500 D	2530 D	0.000759 U	0.000754 U
LS-MH46N	2026-01-06	L46N260106M	--	0.000406 U	--	622	--	0.00076 U
LS-MH46N	2026-02-03	L46N260203M	--	0.000405 U	--	778	--	0.00076 U
FIELD BLANK	2026-01-07	LP1A260107F	0.000401 U	0.000398 U	1 U	0.996 U	0.000753 U	0.000747 U
FIELD BLANK	2026-02-03	L46N260203F	--	0.000397 U	--	0.992 U	--	0.000744 U
FIELD BLANK	2026-03-02	L567260302F	0.000398 U	0.000401 U	0.994 U	1 U	0.000746 U	0.000752 U
FIELD BLANK	2026-03-26	LEPS260326F	--	--	--	--	--	--

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Tin, Dissolved	Tin, Total	Vanadium, Dissolved	Vanadium, Total	Zinc, Dissolved	Zinc, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-LEPS	2026-01-05	LEPS260105MC	0.0053	--	0.017	--	0.0576	--
LS-LEPS	2026-01-05	LEPS260105P	--	0.0051 T	--	0.0182	--	0.133
LS-LEPS	2026-01-07	LEPS260107D	--	--	--	--	--	--
LS-LEPS	2026-01-07	LEPS260107P	--	--	--	--	--	--
LS-LEPS	2026-01-12	LEPS260112P	--	0.0056 T	--	0.019	--	0.131
LS-LEPS	2026-01-14	LEPS260114D	--	--	--	--	--	--
LS-LEPS	2026-01-14	LEPS260114P	--	--	--	--	--	--
LS-LEPS	2026-01-19	LEPS260119P	--	0.005 U	--	0.0201	--	0.132
LS-LEPS	2026-01-21	LEPS260121P	--	--	--	--	--	--
LS-LEPS	2026-01-26	LEPS260126P	--	0.0068 T	--	0.0239	--	0.124
LS-LEPS	2026-01-28	LEPS260128P	--	--	--	--	--	--
LS-LEPS	2026-02-03	LEPS260203P	--	0.0073 T	--	0.0278	--	0.139
LS-LEPS	2026-02-03	LEPS260203MC	0.00864	--	0.0279 D	--	0.0531	--
LS-LEPS	2026-02-06	LEPS260206P	--	--	--	--	--	--
LS-LEPS	2026-02-10	LEPS260210P	--	0.007 T	--	0.0253 D	--	0.101
LS-LEPS	2026-02-12	LEPS260212P	--	--	--	--	--	--
LS-LEPS	2026-02-17	LEPS260217P	--	--	--	--	--	--
LS-LEPS	2026-02-19	LEPS260219P	--	0.0065 T	--	0.0251	--	0.123
LS-LEPS	2026-02-24	LEPS260224P	--	0.0079 T	--	0.0273 D	--	0.126
LS-LEPS	2026-02-26	LEPS260226P	--	--	--	--	--	--
LS-LEPS	2026-03-04	LEPS260304P	--	0.0071 T	--	0.0272	--	0.152
LS-LEPS	2026-03-05	LEPS260305P	--	--	--	--	--	--
LS-LEPS	2026-03-10	LEPS260310P	--	0.0081 T	--	0.0248	--	0.141
LS-LEPS	2026-03-12	LEPS260312P	--	--	--	--	--	--
LS-LEPS	2026-03-17	LEPS260317P	--	0.005 U	--	0.0172	--	0.131
LS-LEPS	2026-03-19	LEPS260319P	--	--	--	--	--	--
LS-LEPS	2026-03-24	LEPS260324P	--	0.005 U	--	0.0114	--	0.123
LS-LEPS	2026-03-27	LEPS260326P	--	--	--	--	--	--
LS-LEPS	2026-03-31	LEPS260331P	--	0.005 U	--	0.0128	--	0.125
LS-V1A	2026-01-06	LV1A260106MG	0.00501 U	0.00505 U	0.0102	0.0149	0.0472	0.155
LS-V1A	2026-02-03	LV1A260203MC	0.00956	0.00829	0.0254 D	0.0275	0.0955	0.143
LS-V1A	2026-03-04	LV1A260204MC	0.0113	0.0112	0.0275	0.0315	0.0936	0.242

Table E-3
Leachate – Metals (Total)

Location	Sample Date	Sample ID	Tin, Dissolved	Tin, Total	Vanadium, Dissolved	Vanadium, Total	Zinc, Dissolved	Zinc, Total
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LS-CSW	2026-02-02	LCSW260202I	0.00497 U	0.0049 U	0.00454 D	0.0138	0.00497 U	0.0234
LS-CSW	2026-03-02	LCSW260302I	0.00498 U	0.00492 U	0.00287	0.00433	0.00858	0.0145
LS-PS4	2026-02-02	LP4-260202I	0.00496 U	0.00494 U	0.00238 D	0.00394	0.0142	0.064
LS-PS4	2026-03-02	LP4-260302I	0.00508 U	0.00505 U	0.00563	0.00655	0.0128	0.0285
LS-PS1A	2026-01-07	LP1A260107I	0.005 U	0.00498 U	0.00507	0.00509	0.0115	0.0164
LS-PS1A	2026-02-02	LP1A260202I	0.00498 U	0.00499 U	0.00646 D	0.00691	0.0148	0.0162
LS-PS1A	2026-03-02	LP1A260302I	0.00505 U	0.00501 U	0.0109	0.0116	0.0186	0.0209
LS-PS2A	2026-01-06	LP2A260106M	--	0.00487 U	--	0.00271	--	0.00833
LS-PS2A	2026-02-03	LP2A260203M	--	0.00497 U	--	0.0016	--	0.00931
LS-A567	2026-01-07	L567260107I	0.0347	0.0354	0.097	0.0991	0.193	0.458
LS-A567	2026-02-02	L567260202I	0.0383	0.0388	0.116 D	0.11	0.0632	0.248
LS-A567	2026-03-02	L567260302I	0.0369	0.0362	0.126	0.117	0.0733	0.285
LS-MH46N	2026-01-06	L46N260106M	--	0.00507 U	--	0.0497	--	0.0115
LS-MH46N	2026-02-03	L46N260203M	--	0.00507 U	--	0.0589	--	0.00507 U
FIELD BLANK	2026-01-07	LP1A260107F	0.00502 U	0.00498 U	0.000753 U	0.000747 U	0.00502 U	0.00498 U
FIELD BLANK	2026-02-03	L46N260203F	--	0.00496 U	--	0.000744 U	--	0.00496 U
FIELD BLANK	2026-03-02	L567260302F	0.00497 U	0.00502 U	0.000746 U	0.000752 U	0.00497 U	0.00502 U
FIELD BLANK	2026-03-26	LEPS260326F	--	--	--	--	--	--

-- : Not part of sampling program.

Table E-4
Leachate – Volatile Organic Compounds

Location	Sample Date	Sample ID	1,1-Dichloro-ethane	1,1-Dichloro-ethene	1,1-Dichloro-propene	1,1,1-Trichloro-ethane	1,1,1,2-Tetra-chloro-ethane	1,1,2-Trichloro-ethane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-06	LEPS260106MG	2 U	2 U	2 U	2 U	4 U	2 U
LS-LEPS	2026-02-03	LEPS260203MG	2 U	2 U	2 U	2 U	4 U	2 U
LS-V1A	2026-02-03	LV1A260203MG	2 U	2 U	2 U	2 U	4 U	2 U
LS-V1A	2026-03-04	LV1A260304MG	2 U	2 U	2 U	2 U	4 U	2 U
LS-PS2A	2026-01-06	LP2A260106M	1 U	1 U	1 U	1 U	2 U	1 U
LS-PS2A	2026-02-03	LP2A260203M	1 U	1 U	1 U	1 U	2 U	1 U
LS-MH46N	2026-01-06	L46N260106M	1 U	1 U	1 U	1 U	2 U	1 U
LS-MH46N	2026-02-03	L46N260203M	1 U	1 U	1 U	1 U	2 U	1 U
FIELD BLANK	2026-02-03	L46N260203F	1 U	1 U	1 U	1 U	2 U	1 U
VOA TRIP BLANK	2026-01-06	VTRP260106X	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-06	VTRP260106Y	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-06	VTRP260106Z	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-02-03	VTRP260203X	0.1 U	0.1 U	0.1 U	0.1 U	0.2 U	0.1 U

Table E-4
Leachate – Volatile Organic Compounds

Location	Sample Date	Sample ID	1,1,2,2-Tetra-chloro-ethane	1,2-Dibromo-3-chloro-propane	1,2-Dibromo-ethane	1,2-Dichloro-benzene	1,2-Dichloro-ethane	1,2-Dichloro-propane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-06	LEPS260106MG	4 U	4 U	4 U	2 U	2 U	2 U
LS-LEPS	2026-02-03	LEPS260203MG	4 U	4 U	4 U	2 U	2 U	2 U
LS-V1A	2026-02-03	LV1A260203MG	4 U	4 U	4 U	2 U	2 U	2 U
LS-V1A	2026-03-04	LV1A260304MG	4 U	4 U	4 U	2 U	2 U	2 U
LS-PS2A	2026-01-06	LP2A260106M	2 U	2 U	2 U	1 U	1 U	1 U
LS-PS2A	2026-02-03	LP2A260203M	2 U	2 U	2 U	1 U	1 U	1 U
LS-MH46N	2026-01-06	L46N260106M	2 U	2 U	2 U	1.5 JT	1 U	1 U
LS-MH46N	2026-02-03	L46N260203M	2 U	2 U	2 U	1.4 JT	1 U	1 U
FIELD BLANK	2026-02-03	L46N260203F	2 U	2 U	2 U	1 U	1 U	1 U
VOA TRIP BLANK	2026-01-06	VTRP260106X	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-06	VTRP260106Y	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-06	VTRP260106Z	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-02-03	VTRP260203X	0.2 U	0.2 U	0.2 U	0.1 U	0.1 U	0.1 U

Table E-4
Leachate – Volatile Organic Compounds

Location	Sample Date	Sample ID	1,2,3-Trichloro-propane	1,3-Dichloro-benzene	1,3-Dichloro-propane	1,4-Dichloro-benzene	2-Butanone	2-Hexanone
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-06	LEPS260106MG	4 U	2 U	2 U	2 U	80 U	80 U
LS-LEPS	2026-02-03	LEPS260203MG	4 U	2 U	2 U	2 U	80 U	80 U
LS-V1A	2026-02-03	LV1A260203MG	4 U	2 U	2 U	2 U	895	80 U
LS-V1A	2026-03-04	LV1A260304MG	4 U	2 U	2 U	2 U	2800 D	80 U
LS-PS2A	2026-01-06	LP2A260106M	2 U	1 U	1 U	1 U	40 U	40 U
LS-PS2A	2026-02-03	LP2A260203M	2 U	1 U	1 U	1 U	40 U	40 U
LS-MH46N	2026-01-06	L46N260106M	2 U	1 U	1 U	6.24	40 U	40 U
LS-MH46N	2026-02-03	L46N260203M	2 U	1 U	1 U	5.1	40 U	40 U
FIELD BLANK	2026-02-03	L46N260203F	2 U	1 U	1 U	1 U	40 U	40 U
VOA TRIP BLANK	2026-01-06	VTRP260106X	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-06	VTRP260106Y	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-01-06	VTRP260106Z	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U
VOA TRIP BLANK	2026-02-03	VTRP260203X	0.2 U	0.1 U	0.1 U	0.1 U	4 U	4 U

Table E-4
Leachate – Volatile Organic Compounds

Location	Sample Date	Sample ID	2-Methyl-1-Propanol	2,2-Dichloro-propane	3-Chloro-propene	4-Methyl-2-pentanone	Acetone	Aceto-nitrile
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-06	LEPS260106MG	100 DU	4 U	2 U	80 U	80 U	200 DU
LS-LEPS	2026-02-03	LEPS260203MG	100 DU	4 U	2 U	80 U	635 B	200 DU
LS-V1A	2026-02-03	LV1A260203MG	100 DU	4 U	2 U	80 U	1340	200 DU
LS-V1A	2026-03-04	LV1A260304MG	100 DU	4 U	2 U	80 U	3590 D	200 DU
LS-PS2A	2026-01-06	LP2A260106M	50 DU	2 U	1 U	40 U	40 U	100 DU
LS-PS2A	2026-02-03	LP2A260203M	50 DU	2 U	1 U	40 U	40 U	100 DU
LS-MH46N	2026-01-06	L46N260106M	50 DU	2 U	1 U	40 U	40 U	100 DU
LS-MH46N	2026-02-03	L46N260203M	50 DU	2 U	1 U	40 U	48.5 B	100 DU
FIELD BLANK	2026-02-03	L46N260203F	50 DU	2 U	1 U	40 U	40 U	100 DU
VOA TRIP BLANK	2026-01-06	VTRP260106X	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
VOA TRIP BLANK	2026-01-06	VTRP260106Y	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
VOA TRIP BLANK	2026-01-06	VTRP260106Z	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU
VOA TRIP BLANK	2026-02-03	VTRP260203X	5 DU	0.2 U	0.1 U	4 U	4 U	10 DU

Table E-4
Leachate – Volatile Organic Compounds

Location	Sample Date	Sample ID	Acrolein	Acrylo-nitrile	Benzene	Bromo-chloro-methane	Bromo-dichloro-methane	Bromoform
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-06	LEPS260106MG	50 U	10 DU	2 U	2 U	4 U	4 U
LS-LEPS	2026-02-03	LEPS260203MG	50 U	10 DU	2 U	2 U	4 U	4 U
LS-V1A	2026-02-03	LV1A260203MG	50 U	10 DU	2 U	2 U	4 U	4 U
LS-V1A	2026-03-04	LV1A260304MG	50 U	10 DU	2 U	2 U	4 U	4 U
LS-PS2A	2026-01-06	LP2A260106M	25 U	5 DU	1 U	1 U	2 U	2 U
LS-PS2A	2026-02-03	LP2A260203M	25 U	5 DU	1 U	1 U	2 U	2 U
LS-MH46N	2026-01-06	L46N260106M	25 U	5 DU	2.39	1 U	2 U	2 U
LS-MH46N	2026-02-03	L46N260203M	25 U	5 DU	2.1	1 U	2 U	2 U
FIELD BLANK	2026-02-03	L46N260203F	25 U	5 DU	1 U	1 U	2 U	2 U
VOA TRIP BLANK	2026-01-06	VTRP260106X	2.5 U	0.5 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-06	VTRP260106Y	2.5 U	0.5 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-01-06	VTRP260106Z	2.5 U	0.5 DU	0.1 U	0.1 U	0.2 U	0.2 U
VOA TRIP BLANK	2026-02-03	VTRP260203X	2.5 U	0.5 DU	0.1 U	0.1 U	0.2 U	0.2 U

Table E-4
Leachate – Volatile Organic Compounds

Location	Sample Date	Sample ID	Bromo-methane	Carbon Disulfide	Carbon Tetra-chloride	Chloro-benzene	Chloro-dibromo-methane	Chloro-ethane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-06	LEPS260106MG	2 U	2 U	4 U	2 U	4 U	2 U
LS-LEPS	2026-02-03	LEPS260203MG	2 U	2 U	4 U	2 U	4 U	2 U
LS-V1A	2026-02-03	LV1A260203MG	2 U	2 U	4 U	2 U	4 U	2 U
LS-V1A	2026-03-04	LV1A260304MG	2 U	2 U	4 U	2 U	4 U	2 U
LS-PS2A	2026-01-06	LP2A260106M	1 U	1 U	2 U	1 U	2 U	1 U
LS-PS2A	2026-02-03	LP2A260203M	1 U	1 U	2 U	1 U	2 U	1 U
LS-MH46N	2026-01-06	L46N260106M	1 U	1 U	2 U	1.2 JT	2 U	1 U
LS-MH46N	2026-02-03	L46N260203M	1 U	1 U	2 U	1.1 JT	2 U	1 U
FIELD BLANK	2026-02-03	L46N260203F	1 U	1 U	2 U	1 U	2 U	1 U
VOA TRIP BLANK	2026-01-06	VTRP260106X	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-06	VTRP260106Y	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-06	VTRP260106Z	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-02-03	VTRP260203X	0.1 U	0.1 U	0.2 U	0.1 U	0.2 U	0.1 U

Table E-4
Leachate – Volatile Organic Compounds

Location	Sample Date	Sample ID	Chloroform	Chloro-methane	Chloroprene	Cis-1,2-Dichloro-ethene	Cis-1,3-Dichloro-propene	Dibromo-methane
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-06	LEPS260106MG	2 U	4 U	4 U	2 U	4 U	2 U
LS-LEPS	2026-02-03	LEPS260203MG	2 U	4 U	4 U	2 U	4 U	2 U
LS-V1A	2026-02-03	LV1A260203MG	2 U	4 U	4 U	2 U	4 U	2 U
LS-V1A	2026-03-04	LV1A260304MG	2 U	2 U	4 U	2 U	4 U	2 U
LS-PS2A	2026-01-06	LP2A260106M	1 U	2 U	2 U	1 U	2 U	1 U
LS-PS2A	2026-02-03	LP2A260203M	1 U	2 U	2 U	1 U	2 U	1 U
LS-MH46N	2026-01-06	L46N260106M	1 U	2 U	2 U	4.17	2 U	1 U
LS-MH46N	2026-02-03	L46N260203M	1 U	2 U	2 U	1.8 JT	2 U	1 U
FIELD BLANK	2026-02-03	L46N260203F	1 U	2 U	2 U	1 U	2 U	1 U
VOA TRIP BLANK	2026-01-06	VTRP260106X	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-06	VTRP260106Y	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-01-06	VTRP260106Z	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U
VOA TRIP BLANK	2026-02-03	VTRP260203X	0.1 U	0.2 U	0.2 U	0.1 U	0.2 U	0.1 U

Table E-4
Leachate – Volatile Organic Compounds

Location	Sample Date	Sample ID	Dichloro-difluoro-methane	Ethyl-benzene	M & P Xylene	Methyl Iodide	Methyl Meth-acrylate	Methyl-acrylo-nitrile
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-06	LEPS260106MG	4 U	2 U	2 U	4 U	10 U	10 U
LS-LEPS	2026-02-03	LEPS260203MG	4 U	2 U	2 U	4 U	10 U	10 U
LS-V1A	2026-02-03	LV1A260203MG	4 U	2 U	3.7 JT	4 U	10 U	10 U
LS-V1A	2026-03-04	LV1A260304MG	4 U	3.7 JT	6.51	4 U	10 U	10 U
LS-PS2A	2026-01-06	LP2A260106M	2 U	1 U	1.1 JT	2 U	5 U	5 U
LS-PS2A	2026-02-03	LP2A260203M	2 U	1 U	1 U	2 U	5 U	5 U
LS-MH46N	2026-01-06	L46N260106M	2 U	25.4	30.9	2 U	5 U	5 U
LS-MH46N	2026-02-03	L46N260203M	2 U	20.7	18.2	2 U	5 U	5 U
FIELD BLANK	2026-02-03	L46N260203F	2 U	1 U	1 U	2 U	5 U	5 U
VOA TRIP BLANK	2026-01-06	VTRP260106X	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
VOA TRIP BLANK	2026-01-06	VTRP260106Y	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
VOA TRIP BLANK	2026-01-06	VTRP260106Z	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U
VOA TRIP BLANK	2026-02-03	VTRP260203X	0.2 U	0.1 U	0.1 U	0.2 U	0.5 U	0.5 U

Table E-4
Leachate – Volatile Organic Compounds

Location	Sample Date	Sample ID	Methylene Chloride	O-Xylene	Propio-nitrile	Styrene	Tetra-chloro-ethene	Toluene
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-06	LEPS260106MG	40 U	2 U	100 U	2 U	2 U	2 U
LS-LEPS	2026-02-03	LEPS260203MG	40 U	2 U	100 U	2 U	2 U	2 U
LS-V1A	2026-02-03	LV1A260203MG	40 U	2 U	100 U	2 U	2 U	3.7 JT
LS-V1A	2026-03-04	LV1A260304MG	40 U	4.01	100 U	2 U	2 U	11
LS-PS2A	2026-01-06	LP2A260106M	20 U	1 U	50 U	1 U	1 U	1 U
LS-PS2A	2026-02-03	LP2A260203M	20 U	1 U	50 U	1 U	1 U	1 U
LS-MH46N	2026-01-06	L46N260106M	20 U	1.2 JT	50 U	1 U	1 U	1.8 JT
LS-MH46N	2026-02-03	L46N260203M	20 U	1 U	50 U	1 U	1 U	1.3 JT
FIELD BLANK	2026-02-03	L46N260203F	20 U	1 U	50 U	1 U	1 U	1 U
VOA TRIP BLANK	2026-01-06	VTRP260106X	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-06	VTRP260106Y	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-01-06	VTRP260106Z	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U
VOA TRIP BLANK	2026-02-03	VTRP260203X	2 U	0.1 U	5 U	0.1 U	0.1 U	0.1 U

Table E-4
Leachate – Volatile Organic Compounds

Location	Sample Date	Sample ID	Trans-1,2-Dichloro-ethene	Trans-1,3-Dichloro-propene	Trans-1,4-Dichloro-2-Butene	Trichloro-ethene	Trichloro-fluoro-methane	Vinyl Acetate	Vinyl Chloride
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-06	LEPS260106MG	2 U	4 U	50 U	2 U	2 U	4 U	0.2 DU
LS-LEPS	2026-02-03	LEPS260203MG	2 U	4 U	50 U	2 U	2 U	4 U	0.2 DU
LS-V1A	2026-02-03	LV1A260203MG	2 U	4 U	50 U	2 U	2 U	4 U	0.2 DU
LS-V1A	2026-03-04	LV1A260304MG	2 U	4 U	50 U	2 U	2 U	4 U	0.2 DU
LS-PS2A	2026-01-06	LP2A260106M	1 U	2 U	25 U	1 U	1 U	2 U	0.1 DU
LS-PS2A	2026-02-03	LP2A260203M	1 U	2 U	25 U	1 U	1 U	2 U	0.1 DU
LS-MH46N	2026-01-06	L46N260106M	1 U	2 U	25 U	1 U	1 U	2 U	5.3 D
LS-MH46N	2026-02-03	L46N260203M	1 U	2 U	25 U	1 U	1 U	2 U	3.38 D
FIELD BLANK	2026-02-03	L46N260203F	1 U	2 U	25 U	1 U	1 U	2 U	0.1 DU
VOA TRIP BLANK	2026-01-06	VTRP260106X	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U	0.01 DU
VOA TRIP BLANK	2026-01-06	VTRP260106Y	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U	0.01 DU
VOA TRIP BLANK	2026-01-06	VTRP260106Z	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U	0.01 DU
VOA TRIP BLANK	2026-02-03	VTRP260203X	0.1 U	0.2 U	2.5 U	0.1 U	0.1 U	0.2 U	0.01 DU

Table E-5
Leachate – Pesticides, Herbicides, & PCBs

Location	Sample Date	Sample ID	2,4-D	2,4,5-T	2,4,5-TP Silvex	4,4'DDD	4,4'DDE	4,4'DDT
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-05	LEPS260105MC	1 U	1 U	1 U	0.025 U	0.025 U	0.025 U
LS-LEPS	2026-02-03	LEPS260203MC	1.74	1 U	1 U	0.1 DGU	0.1 DGU	0.1 DU
LS-V1A	2026-01-06	LV1A260106MG	1 U	1 U	1 U	0.025 U	0.025 U	0.025 U
LS-V1A	2026-02-03	LV1A260203MC	2.03	1 U	1 U	0.1 DGU	0.1 DGU	0.1 DU
LS-V1A	2026-02-03	LV1A260304MC	3.48	1 U	1 U	0.025 U	0.025 U	0.1 DU
LS-PS2A	2026-01-06	LP2A260106M	1 GU	1 GU	1 GU	0.01 U	0.01 U	0.01 U
LS-PS2A	2026-02-03	LP2A260203M	1 U	1 U	1 U	0.01 U	0.01 U	0.01 U
LS-MH46N	2026-01-06	L46N260106M	2.13	1 U	1 U	0.025 U	0.025 U	0.025 U
LS-MH46N	2026-02-03	L46N260203M	2.25	1 U	1 U	0.025 U	0.025 U	0.025 U
FIELD BLANK	2026-02-03	L46N260203F	1 U	1 U	1 U	0.01 U	0.01 U	0.01 U

Table E-5
Leachate – Pesticides, Herbicides, & PCBs

Location	Sample Date	Sample ID	Aldrin	Alpha BHC	Alpha Chlordane	Aroclor 1016	Aroclor 1221	Aroclor 1232
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-05	LEPS260105MC	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U
LS-LEPS	2026-02-03	LEPS260203MC	0.1 DU	0.1 DU	0.1 DGU	0.025 U	0.025 U	0.025 U
LS-V1A	2026-01-06	LV1A260106MG	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U
LS-V1A	2026-02-03	LV1A260203MC	0.1 DU	0.1 DU	0.1 DGU	0.025 U	0.025 U	0.025 U
LS-V1A	2026-02-03	LV1A260304MC	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U
LS-PS2A	2026-01-06	LP2A260106M	0.01 U	0.01 U	0.01 U	0.025 U	0.025 U	0.025 U
LS-PS2A	2026-02-03	LP2A260203M	0.01 U	0.01 U	0.01 U	0.025 U	0.025 U	0.025 U
LS-MH46N	2026-01-06	L46N260106M	0.025 U	0.025 U	0.025 U	0.025 U	0.0565	0.025 U
LS-MH46N	2026-02-03	L46N260203M	0.025 U	0.025 U	0.025 U	0.025 U	0.0434	0.025 U
FIELD BLANK	2026-02-03	L46N260203F	0.01 U	0.01 U	0.01 U	0.025 U	0.025 U	0.025 U

Table E-5
Leachate – Pesticides, Herbicides, & PCBs

Location	Sample Date	Sample ID	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Beta BHC	Delta BHC
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-05	LEPS260105MC	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U
LS-LEPS	2026-02-03	LEPS260203MC	0.025 U	0.025 U	0.025 U	0.025 GU	0.1 DU	0.1 DU
LS-V1A	2026-01-06	LV1A260106MG	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U
LS-V1A	2026-02-03	LV1A260203MC	0.046	0.025 U	0.025 U	0.025 U	0.1 DU	0.1 DU
LS-V1A	2026-02-03	LV1A260304MC	0.0364	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U
LS-PS2A	2026-01-06	LP2A260106M	0.025 U	0.025 U	0.025 U	0.025 U	0.01 U	0.01 U
LS-PS2A	2026-02-03	LP2A260203M	0.025 U	0.025 U	0.025 U	0.025 U	0.01 U	0.01 U
LS-MH46N	2026-01-06	L46N260106M	0.0744	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U
LS-MH46N	2026-02-03	L46N260203M	0.0905	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U
FIELD BLANK	2026-02-03	L46N260203F	0.025 U	0.025 U	0.025 U	0.025 U	0.01 U	0.01 U

Table E-5
Leachate – Pesticides, Herbicides, & PCBs

Location	Sample Date	Sample ID	Dieldrin	Dinoseb	Endosulfan I	Endosulfan II	Endosulfan Sulfate	Endrin Aldehyde
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-05	LEPS260105MC	0.025 U	1 U	0.025 U	0.025 U	0.025 U	0.025 GU
LS-LEPS	2026-02-03	LEPS260203MC	0.1 DGU	1 U	0.1 DU	0.1 DU	0.1 DU	0.1 DGU
LS-V1A	2026-01-06	LV1A260106MG	0.025 U	1 U	0.025 U	0.025 U	0.025 U	0.025 GU
LS-V1A	2026-02-03	LV1A260203MC	0.1 DGU	1 U	0.1 DU	0.1 DU	0.1 DU	0.1 DGU
LS-V1A	2026-02-03	LV1A260304MC	0.025 U	1 U	0.025 U	0.025 U	0.025 U	0.025 GU
LS-PS2A	2026-01-06	LP2A260106M	0.01 U	1 U	0.01 U	0.01 U	0.01 U	0.01 U
LS-PS2A	2026-02-03	LP2A260203M	0.01 U	1 U	0.01 U	0.01 U	0.01 U	0.01 U
LS-MH46N	2026-01-06	L46N260106M	0.025 U	1 U	0.025 U	0.025 U	0.025 U	0.025 GU
LS-MH46N	2026-02-03	L46N260203M	0.025 U	1 U	0.025 U	0.025 U	0.025 U	0.025 GU
FIELD BLANK	2026-02-03	L46N260203F	0.01 U	1 U	0.01 U	0.01 U	0.01 U	0.01 U

Table E-5
Leachate – Pesticides, Herbicides, & PCBs

Location	Sample Date	Sample ID	Endrin	Heptachlor Epoxide	Heptachlor	Isodrin	Lindane (Gamma BHC)	Methoxy-chlor
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LS-LEPS	2026-01-05	LEPS260105MC	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.125 U
LS-LEPS	2026-02-03	LEPS260203MC	0.1 DU	0.1 DU	0.1 DGU	0.025 U	0.1 DU	0.5 DU
LS-V1A	2026-01-06	LV1A260106MG	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.125 U
LS-V1A	2026-02-03	LV1A260203MC	0.1 DU	0.1 DU	0.1 DGU	0.025 U	0.1 DU	0.5 DU
LS-V1A	2026-02-03	LV1A260304MC	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.125 U
LS-PS2A	2026-01-06	LP2A260106M	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.05 U
LS-PS2A	2026-02-03	LP2A260203M	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.05 U
LS-MH46N	2026-01-06	L46N260106M	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.125 U
LS-MH46N	2026-02-03	L46N260203M	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.125 U
FIELD BLANK	2026-02-03	L46N260203F	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.05 U

Table E-5
Leachate – Pesticides, Herbicides, & PCBs


Location	Sample Date	Sample ID	Total Aroclors	Toxaphene	Trans-Chlordane
			µg/L	µg/L	µg/L
LS-LEPS	2026-01-05	LEPS260105MC	0.025 U	1.25 U	0.025 U
LS-LEPS	2026-02-03	LEPS260203MC	0.025 U	1.25 U	0.1 DU
LS-V1A	2026-01-06	LV1A260106MG	0.025 U	1.25 U	0.025 U
LS-V1A	2026-02-03	LV1A260203MC	0.046	1.25 U	0.1 DU
LS-V1A	2026-02-03	LV1A260304MC	0.0364	1.25 U	0.025 U
LS-PS2A	2026-01-06	LP2A260106M	0.025 U	0.5 U	0.01 U
LS-PS2A	2026-02-03	LP2A260203M	0.025 U	0.5 U	0.01 U
LS-MH46N	2026-01-06	L46N260106M	0.1309	1.25 U	0.025 U
LS-MH46N	2026-02-03	L46N260203M	0.1339	1.25 U	0.025 U
FIELD BLANK	2026-02-03	L46N260203F	0.025 U	0.5 U	0.01 U

APPENDIX F

Landfill Gas Data

Compliance & Interior Probe Map
Compliance Monitoring Probe Data
Interior Monitoring Probe Data
Migration Monitoring Probe Map
Migration Monitoring Probe Data
Building Monitoring Map
Building Monitoring Data

Figure F-1
Cedar Hills Regional Landfill
Landfill Gas Monitoring Probe Map - Perimeter & Interior Probes



DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

CEDAR HILLS REGIONAL LANDFILL - January

Bar.Start: 30.23
Bar Stop: 30.25
Amb. Temp: 37
Tech: JS

Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
GB-4one	1/16/2026 0:32	0.0	8.0	5.2	0	-2.36	
GB-4two	1/16/2026 0:34	0.0	2.7	9.7	0	-0.85	
GP-03	1/16/2026 0:26	0.0	0.9	19.0	0	-0.32	Pump fail @ 40 seconds
GP-07	1/15/2026 23:25	0.0	0.1	20.7	0	-0.89	
GP-08	1/15/2026 23:21	0.0	0.1	20.7	0	-0.91	
GP-09	1/15/2026 22:46	0.0	0.1	21.0	0	-1.14	
GP-1A	1/15/2026 23:33	0.0	0.1	20.7	0	-0.09	
GP-1B	1/15/2026 23:31	0.0	3.7	12.0	0	-0.76	
GP-2A	1/15/2026 23:54	0.0	2.8	17.8	0	-0.32	
GP-2B	1/15/2026 23:56	0.0	0.1	20.9	0	-0.21	
GP-4A	1/16/2026 0:02	0.0	0.1	20.8	0	-0.80	
GP-4B	1/16/2026 0:04	0.0	0.1	20.7	0	-0.66	
GP-55	1/15/2026 23:12	0.0	0.3	21.0	0	-0.31	
GP-56	1/15/2026 23:14	0.0	0.8	21.0	0	-0.20	
GP-57	1/15/2026 23:04	0.0	0.1	21.0	0	-0.19	
GP-58	1/15/2026 23:06	0.2	11.9	7.0	4	-3.18	
GP-59	1/15/2026 22:56	0.0	0.1	21.0	0	-0.15	
GP-60	1/15/2026 22:58	0.0	0.1	21.0	0	2.30	
GP-61	1/15/2026 22:36	0.0	0.1	21.0	0	-1.24	
GP-62	1/15/2026 22:38	0.0	1.5	19.7	0	-0.77	
GP-6A	1/15/2026 23:38	0.0	0.1	20.8	0	-0.94	
GP-6B	1/15/2026 23:39	0.0	0.1	20.8	0	-1.51	
GP-6C	1/15/2026 23:41	0.0	0.1	20.8	0	-0.87	
GP-6D	1/15/2026 23:42	0.0	0.1	20.8	0	-1.35	
GP-6E	1/15/2026 23:44	0.0	0.1	20.8	0	-1.46	
GP-6F	1/15/2026 23:45	0.0	0.1	20.8	0	-1.32	
GP-6G	1/15/2026 23:47	0.0	0.1	20.8	0	-1.32	
GP-6H	1/15/2026 23:48	0.0	0.1	20.9	0	-1.72	
GP-46D	1/16/2026 0:15	0.0	0.1	20.5	0	-0.61	
GP-46I	1/16/2026 0:14	0.0	0.1	20.5	0	-1.62	
GP-46S	1/16/2026 0:12	0.0	0.1	19.6	0	-0.97	

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

CEDAR HILLS REGIONAL LANDFILL - January

Bar.Start: 30.06
Bar Stop: 30.06
Amb. Temp: 45
Tech: B.B.

Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
ATC-01D	1/21/2026 10:33	0	0.1	19.6	0	-0.33	
ATC-01S	1/21/2026 10:33	0	0.1	20.6	0	-0.18	
ATC-03D	1/21/2026 10:07	0	2.2	17.7	0	0.04	
ATC-03S	1/21/2026 10:06	0	0.1	21	0	-5.85	
ATC-06D	1/21/2026 9:52	0	0.8	9.2	0	2.12	
ATC-06S	1/21/2026 9:51	0	0.1	21	0	-0.05	
ATC-08D	1/21/2026 9:44	0	0.2	19.7	0	-0.04	
ATC-08S	1/21/2026 9:43	0	0.9	19.5	0	-0.03	
GP-25	1/21/2026 14:05	0	1.5	16	0	-0.01	
GP-26	1/21/2026 14:08	0	0.3	19.6	0	0.72	
GP-27	1/21/2026 14:16	0	4.9	13.8	0	0	
GP-39	1/21/2026 12:18	0	0.7	17.9	0	-0.04	
GP-40	1/21/2026 12:22	0	0.1	19.7	0	0	
GP-52	1/21/2026 9:17	0	0.1	20.5	0	-0.02	
GP-53	1/21/2026 9:15	0	0.4	19	0	0.05	
GP-54	1/21/2026 9:18	0	0.1	20.6	0	-0.02	
GP-5A	1/21/2026 10:18	0	0.4	15.8	0	0.77	
GP-11A	1/21/2026 10:59	0	0.1	20.7	0	-0.09	
GP-11B	1/21/2026 11:00	0	0.7	16	0	-0.07	
GP-11C	1/21/2026 11:01	0	0.1	20.6	0	-0.08	
GP-11D	1/21/2026 11:02	0	0.1	19.9	0	-0.08	
GP-12A	1/21/2026 10:43	0	0.1	20.6	0	-0.1	
GP-12B	1/21/2026 10:44	0	0.1	20.6	0	-0.1	
GP-12C	1/21/2026 10:45	0	0.1	17.7	0	-0.14	
GP-12D	1/21/2026 10:46	0	0.1	20.5	0	0.35	
GP-13A	1/21/2026 10:37	0	0.1	20.7	0	-0.05	
GP-13B	1/21/2026 10:38	0	0.1	20.6	0	-0.05	
GP-13C	1/21/2026 10:39	0	0.1	20.3	0	-0.06	
GP-13D	1/21/2026 10:40	0	0.1	20.1	0	0.01	
GP-14A	1/21/2026 10:51	0	0.1	20.1	0	0.08	
GP-14B	1/21/2026 10:52	0	0.1	20.1	0	-0.08	
GP-15A	1/21/2026 10:11	0	0.1	21	0	-0.06	
GP-15C	1/21/2026 10:12	0	0.3	21	0	-0.07	
GP-15D	1/21/2026 10:12	0	0.1	21	0	-0.11	
GP-16A	1/21/2026 9:46	0	0.1	21	0	-0.38	
GP-16B	1/21/2026 9:47	0	0.1	21	0	-0.05	
GP-16C	1/21/2026 9:48	0	0.2	20.3	0	0.54	
GP-17A	1/21/2026 13:23	0	0.1	19.7	0	-0.18	
GP-17B	1/21/2026 13:24	0	0.4	17.3	0	0.08	
GP-17C	1/21/2026 13:25	0	0.1	19.6	0	0.02	
GP-18A	1/21/2026 13:29	0	0.1	19.7	0	0.02	
GP-18B	1/21/2026 13:30	0	0.1	19.2	0	0.02	
GP-18C	1/21/2026 13:30	0	0.1	18.4	0	0.43	
GP-19A	1/21/2026 13:33	0	0.1	19.7	0	0.03	

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

Probe ID	Date/Time	%vol	%vol	%vol	Limit %LEL	in INWC	Comments
GP-19B	1/21/2026 13:34	0	0.5	16.3	0	-0.02	
GP-19C	1/21/2026 13:35	0	0.1	19.7	0	0.02	
GP-20A	1/21/2026 13:39	0	0.1	19.8	0	-0.01	
GP-20B	1/21/2026 13:40	0	0.2	19.3	0	0.01	
GP-20C	1/21/2026 13:41	0	0.1	19.5	0	-0.01	
GP-21A	1/21/2026 13:44	0	0.2	19.6	0	0	
GP-21B	1/21/2026 13:45	0	0.2	12	0	-0.48	
GP-21C	1/21/2026 13:46	0	0.1	19.9	0	-0.04	
GP-22A	1/21/2026 13:50	0	0.1	20.2	0	-9.45	
GP-22C	1/21/2026 13:51	0	0.7	7.4	0	0	
GP-23A	1/21/2026 13:55	0	0.1	20.2	0	0.02	
GP-23B	1/21/2026 13:57	0	0.1	20.3	0	-0.54	
GP-23C	1/21/2026 13:58	0	0.1	20.3	0	0.03	
GP-24A	1/21/2026 14:01	0	4.5	8.9	0	0	
GP-24B	1/21/2026 14:02	0	2.7	12.6	0	0	
GP-29A	1/21/2026 14:26	0	3.9	14.8	0	-0.01	
GP-29B	1/21/2026 14:27	0	0.3	20	0	-3.61	
GP-30A	1/21/2026 11:26	0	1.6	18.8	0	-0.08	
GP-30B	1/21/2026 11:27	0	0.1	19.6	0	-0.18	
GP-31A	1/21/2026 11:31	0	0.1	20	0	-0.06	
GP-31B	1/21/2026 11:31	0	0.3	18.3	0	-0.08	
GP-31C	1/21/2026 11:32	0	0.3	18.9	0	-0.08	
GP-32A	1/21/2026 11:35	0	1	18.6	0	-0.06	
GP-32B	1/21/2026 11:36	0	0.3	19.4	0	-0.12	
GP-32C	1/21/2026 11:36	0	0.2	19.6	0	-0.05	
GP-33A	1/21/2026 11:39	0	0.1	19.7	0	-4.78	
GP-33B	1/21/2026 11:40	0	0.1	19.7	0	-0.07	
GP-33C	1/21/2026 11:41	0	0.3	18.8	0	-0.12	
GP-34A	1/21/2026 11:50	0	0.2	19.3	0	-0.07	
GP-34B	1/21/2026 11:51	0	0.2	19.3	0	-0.06	
GP-34C	1/21/2026 11:51	0	0.2	19.5	0	0.12	
GP-35A	1/21/2026 11:54	0	0.2	19.4	0	-1.07	
GP-35B	1/21/2026 11:54	0	0.4	4.8	0	1.19	
GP-35C	1/21/2026 11:55	0	0.1	19.6	0	-0.02	
GP-36A	1/21/2026 11:58	0	0.2	15.3	0	0.05	
GP-36B	1/21/2026 11:59	0	0.1	19.5	0	-0.04	
GP-36C	1/21/2026 12:00	0	0.1	18.9	0	-0.01	
GP-37A	1/21/2026 12:03	0	0.1	19.7	0	-0.05	
GP-37B	1/21/2026 12:04	0	0.1	19.8	0	-0.05	
GP-37C	1/21/2026 12:04	0	0.4	12.5	0	0.41	
GP-41A	1/21/2026 12:25	0	0.1	19.7	0	0	
GP-41B	1/21/2026 12:26	0	0.1	19.6	0	-0.02	
GP-41C	1/21/2026 12:27	0	0.1	19.7	0	-0.02	
GP-42A	1/21/2026 12:30	0	0.1	19.7	0	-0.13	
GP-42B	1/21/2026 12:32	0	0.4	18.3	0	0.07	
GP-43A	1/21/2026 12:35	0	0.1	19.7	0	0	
GP-43B	1/21/2026 12:36	0	0.1	19.7	0	0.02	
GP-43C	1/21/2026 12:37	0	0.1	19.6	0	0	
GP-44A	1/21/2026 12:42	0	0.1	19.7	0	-0.25	
GP-44B	1/21/2026 12:43	0	0.8	11.8	0	1.4	
GP-44C	1/21/2026 12:44	0	0.1	19.4	0	0.02	

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

Probe ID	Date/Time	%vol	%vol	%vol	Limit %LEL	in INWC	Comments
GP-45D	1/21/2026 11:04	0	0.1	20.2	0	-0.04	
GP-45I	1/21/2026 11:04	0	0.1	19.4	0	-0.05	
GP-45S	1/21/2026 11:03	0	0.1	20.7	0	-0.08	
GP-47D	1/21/2026 9:26	0.1	0.9	18	2	-0.01	
GP-47I	1/21/2026 9:25	15.1	14.3	0.3	>>>>	0.72	
GP-47S	1/21/2026 9:24	51.6	11.9	0.6	>>>>	0.94	
GP-5BA	1/21/2026 10:20	0	0.3	20.4	0	-6.94	
GP-5BB	1/21/2026 10:21	0	2.1	16	0	0.74	
GP-5BC	1/21/2026 10:22	0	0.8	18.1	0	0.74	
GP-5BD	1/21/2026 10:23	0	1	11.6	0	0.45	
GP-63A	1/21/2026 9:35	0	0.1	21	0	-0.15	
GP-63B	1/21/2026 9:36	0	0.1	21	0	-0.02	
GP-63C	1/21/2026 9:38	0	0.2	21	0	0.11	
GP-64A	1/21/2026 9:55	0	0.1	19.1	0	-0.07	
GP-64B	1/21/2026 9:58	0	0.9	20.7	0	-0.04	
GP-64C	1/21/2026 10:00	0	0.4	21	0	0.01	

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

CEDAR HILLS REGIONAL LANDFILL - February

Bar.Start: 29.98
Bar Stop: 30.00
Amb. Temp: 51°F
Tech: GC

Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
ATC-01D	2/11/2026 14:02	0	0.1	20.5	0	4.50	
ATC-01S	2/11/2026 14:00	0	0.5	20.2	0	-0.90	
ATC-03D	2/11/2026 11:24	0	1.1	18.8	0	0.00	
ATC-03S	2/11/2026 11:22	0	0.6	19.6	0	-6.60	
ATC-06D	2/11/2026 14:12	0	0.8	2.3	0	1.50	
ATC-06S	2/11/2026 14:10	0	0.1	20.5	0	-0.10	
ATC-08D	2/11/2026 12:00	0	0.3	15.6	0	-0.50	
ATC-08S	2/11/2026 11:59	0	0.1	21	0	-0.10	
GP-03	2/11/2026 12:37	0	1.5	19.1	0	-1.10	
GP-39	2/11/2026 8:42	0	1	18.5	0	0.00	
GP-40	2/11/2026 8:45	0	0.1	20.7	0	-1.80	
GP-52	2/11/2026 9:32	0	0.2	21	0	-8.60	
GP-53	2/11/2026 9:31	0	0.3	20.8	0	-0.10	
GP-54	2/11/2026 9:34	0	0.1	21	0	0.50	
GP-5A	2/11/2026 10:27	0	0.6	10.6	0	-0.30	
GP-11A	2/11/2026 9:51	0	0.1	21	0	0.20	
GP-11B	2/11/2026 9:52	0	0.8	11.8	0	-0.20	
GP-11C	2/11/2026 9:54	0	0.2	10.6	0	-0.20	
GP-11D	2/11/2026 9:55	0	0.1	21	0	0.10	
GP-12A	2/11/2026 10:10	0	0.1	21	0	-0.20	
GP-12B	2/11/2026 10:11	0	0.1	21	0	-0.90	
GP-12C	2/11/2026 10:13	0	0.2	13.8	0	-1.10	
GP-12D	2/11/2026 10:14	0	0.1	21	0	0.00	
GP-13A	2/11/2026 10:04	0	0.1	21	0	-1.10	
GP-13B	2/11/2026 10:05	0	0.1	21	0	0.10	
GP-13C	2/11/2026 10:06	0	0.1	21	0	0.00	
GP-13D	2/11/2026 10:07	0	0.1	21	0	-0.40	
GP-14A	2/11/2026 10:20	0	0.1	21	0	-0.20	
GP-14B	2/11/2026 10:21	0	0.1	21	0	-0.30	
GP-15A	2/11/2026 11:27	0	0.3	21	0	0.00	
GP-15C	2/11/2026 11:29	0	0.8	18.1	0	0.00	
GP-15D	2/11/2026 11:30	0	0.1	21	0	-0.40	
GP-16A	2/11/2026 11:50	0	0.3	21	0	0.20	
GP-16B	2/11/2026 11:52	0	0.2	20.8	0	-0.30	
GP-16C	2/11/2026 11:53	0	0.5	17.7	0	-0.20	
GP-17A	2/11/2026 12:48	0	0.2	19.9	0	-2.40	
GP-17B	2/11/2026 12:50	0	0.8	15.6	0	-0.10	
GP-17C	2/11/2026 12:52	0	0.1	20.7	0	-0.20	
GP-18A	2/11/2026 14:36	0	0	0	0	0.00	No Read Water
GP-18B	2/11/2026 14:37	0	0.4	12.6	0	0.10	
GP-18C	2/11/2026 14:39	0	0.2	17.4	0	0.10	
GP-19A	2/11/2026 14:41	0	0.1	20.7	0	0.00	
GP-19B	2/11/2026 14:43	0	0.7	15.7	0	0.00	
GP-19C	2/11/2026 14:44	0	0.1	20.7	0	0.00	

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

Probe ID	Date/Time	%vol	%vol	%vol	Limit %LEL	in INWC	Comments
GP-20A	2/11/2026 14:47	0	0.1	20.8	0	1.40	
GP-20B	2/11/2026 14:49	0	0.4	15	0	0.00	
GP-20C	2/11/2026 14:51	0	0.2	4.6	0	0.10	
GP-21A	2/11/2026 14:54	0	0.2	20.8	0	0.70	
GP-21B	2/11/2026 14:55	0	0.2	9.7	0	-9.10	
GP-21C	2/11/2026 14:57	0	0.2	11.2	0	0.90	Pump fail @ 4 seconds
GP-22A	2/11/2026 15:00	0	0.6	20.7	0	-8.30	
GP-22C	2/11/2026 15:02	0	0.7	5.8	0	-0.20	
GP-23A	2/11/2026 15:11	0	0.1	21	0	0.00	
GP-23B	2/11/2026 15:12	0	0.1	21	0	1.10	
GP-23C	2/11/2026 15:14	0	0.1	21	0	0.40	
GP-24A	2/11/2026 15:06	0	4.4	9.6	0	0.00	
GP-24B	2/11/2026 15:08	0	2.7	12.1	0	0.00	
GP-30A	2/11/2026 7:38	0	2.7	17	0	0.10	
GP-30B	2/11/2026 7:40	0	0.3	21	0	-0.90	
GP-31A	2/11/2026 7:43	0.2	0.7	21	4	0.80	
GP-31B	2/11/2026 7:46	0	0.4	15.8	0	0.00	
GP-31C	2/11/2026 7:48	0	0.1	21	0	0.10	
GP-32A	2/11/2026 7:51	0	0.8	20.7	0	0.00	
GP-32B	2/11/2026 7:53	0	0.6	21	0	0.00	
GP-32C	2/11/2026 7:54	0	0.8	20.7	0	0.00	
GP-33A	2/11/2026 7:57	0	0.6	21	0	2.10	
GP-33B	2/11/2026 7:59	0	0.1	21	0	0.00	
GP-33C	2/11/2026 8:00	0	0.1	21	0	-1.10	
GP-34A	2/11/2026 8:04	0	0.9	21	0	-0.40	
GP-34B	2/11/2026 8:06	0	0.3	19.2	0	0.00	
GP-34C	2/11/2026 8:08	0	0.3	9.6	0	0.20	
GP-35A	2/11/2026 8:15	0	0.3	21	0	0.10	
GP-35B	2/11/2026 8:17	0	0.1	21	0	1.30	
GP-35C	2/11/2026 8:19	0	0.1	21	0	0.00	
GP-36A	2/11/2026 8:23	0	0.3	14.2	0	0.00	
GP-36B	2/11/2026 8:25	0	0.1	21	0	0.00	
GP-36C	2/11/2026 8:27	0	0.3	16	0	0.70	
GP-37A	2/11/2026 8:30	0	0.2	16.2	0	-4.90	
GP-37B	2/11/2026 8:34	0	0.2	20.3	0	0.00	
GP-37C	2/11/2026 8:36	0	0.7	1.6	0	0.50	
GP-41A	2/11/2026 8:49	0	0.1	21	0	0.00	
GP-41B	2/11/2026 8:51	0	0.1	21	0	0.00	
GP-41C	2/11/2026 8:52	0	0.1	21	0	0.00	
GP-42A	2/11/2026 8:57	0	0.2	21	0	-1.90	
GP-42B	2/11/2026 8:59	0	0.5	17.2	0	-0.20	
GP-43A	2/11/2026 9:06	0	0.1	21	0	0.00	Pump flow fail @ 7 Seconds
GP-43B	2/11/2026 9:07	0	0.2	21	0	0.00	Pump flow fail @ 7 Seconds
GP-43C	2/11/2026 9:09	0	0.2	17.6	0	0.00	
GP-44A	2/11/2026 9:13	0	1.1	20.4	0	-0.20	
GP-44B	2/11/2026 9:16	0	1.1	10.6	0	4.40	
GP-44C	2/11/2026 9:17	0	0.1	21	0	0.00	
GP-45D	2/11/2026 9:49	0	0.1	21	0	-0.20	
GP-45I	2/11/2026 9:48	0	0.1	21	0	0.00	
GP-45S	2/11/2026 9:47	0	0.1	21	0	0.10	
GP-47D	2/11/2026 11:13	0.1	0.7	17.5	2	-0.20	

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

Probe ID	Date/Time	%vol	%vol	%vol	Limit %LEL	in INWC	Comments
GP-47I	2/11/2026 11:12	23.4	15.6	0	>>>>	0.00	
GP-47S	2/11/2026 11:10	26.7	10	5.7	>>>>	0.00	
GP-5BA	2/11/2026 10:29	0	0.3	21	0	0.10	
GP-5BB	2/11/2026 10:30	0	2	14.4	0	-0.30	
GP-5BC	2/11/2026 10:31	0	0.1	21	0	-0.10	
GP-5BD	2/11/2026 10:32	0	0.1	21	0	-0.50	
GP-63A	2/11/2026 12:15	0	0.2	21	0	0.20	
GP-63B	2/11/2026 12:17	0	0.1	21	0	0.00	
GP-63C	2/11/2026 12:18	0	0.1	21	0	-0.60	
GP-64A	2/11/2026 11:46	0	0.1	21	0	0.00	
GP-64B	2/11/2026 11:43	0	1.1	19.9	0	0.00	
GP-64C	2/11/2026 11:44	0	0.2	21	0	-0.60	

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

CEDAR HILLS REGIONAL LANDFILL - February

Bar.Start: 30.10
Bar Stop: 30.08
Amb. Temp: 50°F
Tech: GC

Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
GP-25	2/12/2026 14:21	0	2.9	14.3	0	0.02	
GP-26	2/12/2026 14:24	0	0.9	17.8	0	0.39	
GP-29A	2/12/2026 14:36	0	2.2	17.3	0	0.06	
GP-29B	2/12/2026 14:37	0	0.7	20	0	-1.68	
GP-27	2/12/2026 14:52	0	8.2	9.6	0	-0.69	

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER INTERIOR PROBES

CEDAR HILLS REGIONAL LANDFILL - February

Bar.Start: 30.05
Bar Stop: 30.00
Amb. Temp: 48°F
Tech: DNS

Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
GP-61	2/13/2026 2:46	0.0	0.1	20.0	0	0.02	,,
GP-62	2/13/2026 2:48	0.0	1.7	18.4	0	0.09	,,
GP-08	2/13/2026 2:55	0.0	0.3	19.7	0	-0.4	,,
GP-07	2/13/2026 2:59	0.0	0.1	20.2	0	-0.57	,,
GP-1A	2/13/2026 3:02	0.0	0.1	20.3	0	0.05	,,
GP-1B	2/13/2026 3:04	0.0	2.6	13.7	0	-7.18	,,
GP-6A	2/13/2026 3:08	0.0	0.1	20.4	0	-0.89	,,
GP-6B	2/13/2026 3:09	0.0	0.1	20.5	0	0.03	,,
GP-6C	2/13/2026 3:11	0.0	0.1	20.5	0	-0.33	,,
GP-6D	2/13/2026 3:13	0.0	0.1	20.5	0	-1.16	,,
GP-6E	2/13/2026 3:15	0.0	0.1	20.6	0	-0.02	,,
GP-6F	2/13/2026 3:17	0.0	0.1	20.6	0	-0.33	,,
GP-6G	2/13/2026 3:18	0.0	0.1	20.7	0	0.01	,,
GP-6H	2/13/2026 3:20	0.0	0.1	20.7	0	-1.07	,,
GP-2A	2/13/2026 3:24	0.0	2.9	18.1	0	0	,,
GP-2B	2/13/2026 3:26	0.0	0.1	20.9	0	-0.01	,,
GP-4A	2/13/2026 3:33	0.0	0.1	21.0	0	-0.03	,,
GP-4B	2/13/2026 3:35	0.0	0.3	20.8	0	0.02	,,
GB-4one	2/13/2026 3:41	0.0	4.3	17.4	0	-1.78	,,
GB-4two	2/13/2026 3:42	0.0	2.5	12.8	0	-0.06	,,
GP-03	2/13/2026 3:46	0.0	0.8	20.2	0	-0.39	,,
GP-46S	2/13/2026 3:50	0.0	0.2	18.3	0	-0.05	,,
GP-46I	2/13/2026 3:52	0.0	0.1	21.0	0	0.08	,,
GP-46D	2/13/2026 3:53	0.0	0.1	21.0	0	-0.08	,,
GP-09	2/13/2026 5:10	0.0	0.1	20.2	0	-0.28	,,
GP-59	2/13/2026 5:15	0.0	0.2	20.1	0	-0.15	,,
GP-60	2/13/2026 5:17	0.0	0.2	20.1	0	-0.1	,,
GP-57	2/13/2026 5:21	54.0	24.7	0.2	>>>>	-15.22	,,
GP-58	2/13/2026 5:23	0.2	4.0	18.3	4	-18.48	NR H2O
GP-55	2/13/2026 5:27	0.0	0.2	20.0	0	-0.13	,,
GP-56	2/13/2026 5:28	0.0	0.6	20.0	0	-0.08	,,

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

CEDAR HILLS REGIONAL LANDFILL - March

Bar.Start: 30.10
Bar Stop: 30.10
Amb. Temp: 39°F
Tech: SB

Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
GB-4one	3/11/2026 3:11	0	4.8	16.5	0	-4.33	
GB-4two	3/11/2026 3:12	0	2.3	14.1	0	-1.73	
GP-03	3/11/2026 3:21	0	2.9	17.4	0	-2.08	
GP-07	3/11/2026 2:26	0	0.1	20	0	-2.15	
GP-08	3/11/2026 2:23	0	0.1	20	0	-2.11	
GP-09	3/11/2026 1:53	0	0.1	19.4	0	-2.07	
GP-1A	3/11/2026 2:38	0	0.1	20	0	-0.01	
GP-1B	3/11/2026 2:39	0	2	14.4	0	-8.32	
GP-2A	3/11/2026 3:00	0	4.3	16.2	0	-0.01	
GP-2B	3/11/2026 3:01	0	0.2	20.4	0	0.01	
GP-4A	3/11/2026 3:06	0	0.1	20.4	0	0.05	
GP-4B	3/11/2026 3:07	0	0.2	20.3	0	-0.15	
GP-55	3/11/2026 2:15	0	0.3	19.9	0	0.01	
GP-56	3/11/2026 2:18	0	0.4	19.9	0	-0.01	
GP-57	3/11/2026 2:07	53.6	24.3	0.4	>>>>	-12.9	
GP-58	3/11/2026 2:09	0	3.2	18.8	0	-1.74	
GP-59	3/11/2026 1:59	0	0.2	19.6	0	-0.39	
GP-60	3/11/2026 2:01	0	0.2	19.6	0	-0.04	
GP-61	3/11/2026 1:45	0	0.1	19.1	0	-0.89	
GP-62	3/11/2026 1:47	0	2	17.4	0	-0.05	
GP-6A	3/11/2026 2:44	0	0.1	20	0	-2.32	
GP-6B	3/11/2026 2:46	0	0.1	20.1	0	-1.79	
GP-6C	3/11/2026 2:47	0	0.1	20.1	0	-1.8	
GP-6D	3/11/2026 2:48	0	0.1	20.1	0	-2.61	
GP-6E	3/11/2026 2:50	0	0.1	20.2	0	-1.75	
GP-6F	3/11/2026 2:52	0	0.1	20.2	0	-1.78	
GP-6G	3/11/2026 2:53	0	0.1	20.3	0	-1.81	
GP-6H	3/11/2026 2:54	0	0.1	20.3	0	-2.58	
GP-46D	3/11/2026 3:31	0	0.1	20.2	0	-2.43	
GP-46I	3/11/2026 3:30	0	0.1	20.1	0	-1.81	
GP-46S	3/11/2026 3:28	0	0.2	18.9	0	-0.18	

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

CEDAR HILLS REGIONAL LANDFILL - March

Bar.Start: 30.06
Bar Stop: 30.13
Amb. Temp: 37
Tech: LM

Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
ATC-01D	3/12/2026 9:56	0.0	0.5	12.9	0.0	0.5	
ATC-01S	3/12/2026 9:55	0.0	0.1	20.4	0.0	0.0	
ATC-03D	3/12/2026 10:42	0.0	1.9	16.3	0.0	-2.6	
ATC-03S	3/12/2026 10:40	0.0	0.1	21.0	0.0	1.8	
ATC-06D	3/16/2026 10:55	0.0	0.9	2.5	0.0	0.0	
ATC-06S	3/16/2026 10:54	0.0	0.1	21.0	0.0	-0.1	
ATC-08D	3/12/2026 11:23	0.0	0.2	18.6	0.0	0.1	
ATC-08S	3/12/2026 11:22	0.0	0.1	20.0	0.0	0.0	
GP-25	3/12/2026 14:05	0.0	2.6	14.1	0.0	0.0	
GP-26	3/12/2026 14:08	0.0	1.0	17.8	0.0	-5.2	
GP-27	3/12/2026 14:11	0.0	8.1	8.4	0.0	0.0	
GP-39	3/12/2026 8:52	0.0	1.0	17.7	0.0	-0.3	
GP-40	3/12/2026 8:55	0.0	0.1	18.7	0.0	0.6	
GP-52	3/12/2026 13:03	0.0	0.1	19.0	0.0	-0.1	
GP-53	3/12/2026 13:05	0.0	0.2	18.7	0.0	-0.6	
GP-54	3/12/2026 13:06	0.0	0.1	19.2	0.0	0.3	
GP-5A	3/12/2026 10:30	0.0	0.8	8.0	0.0	-2.7	
GP-11A	3/12/2026 9:37	0.0	0.1	20.7	0.0	0.0	
GP-11B	3/12/2026 9:38	0.0	0.1	20.8	0.0	-0.9	
GP-11C	3/12/2026 9:39	0.0	0.1	20.8	0.0	-1.3	
GP-11D	3/12/2026 9:40	0.0	0.1	20.8	0.0	0.1	
GP-12A	3/12/2026 10:06	0.0	0.1	20.8	0.0	0.0	
GP-12B	3/12/2026 10:07	0.0	0.1	20.9	0.0	0.1	
GP-12C	3/12/2026 10:08	0.0	0.2	14.3	0.0	-1.8	
GP-12D	3/12/2026 10:09	0.0	0.1	20.9	0.0	-0.4	
GP-13A	3/12/2026 10:00	0.0	0.1	20.4	0.0	0.0	
GP-13B	3/12/2026 10:01	0.0	0.1	20.5	0.0	0.0	
GP-13C	3/12/2026 10:02	0.0	0.1	20.6	0.0	-0.1	
GP-13D	3/12/2026 10:03	0.0	0.1	20.7	0.0	-2.4	
GP-14A	3/12/2026 10:15	0.0	0.1	21.0	0.0	-1.2	
GP-14B	3/12/2026 10:16	0.0	0.1	21.0	0.0	-1.6	
GP-15A	3/12/2026 10:36	0.0	0.6	20.5	0.0	0.1	
GP-15C	3/12/2026 10:37	0.0	0.6	18.9	0.0	0.1	
GP-15D	3/12/2026 10:38	0.0	0.1	21.0	0.0	-1.4	
GP-16A	3/12/2026 11:24	0.0	0.3	19.9	0.0	0.0	
GP-16B	3/12/2026 11:25	0.0	0.1	20.0	0.0	-2.1	
GP-16C	3/12/2026 11:26	0.0	0.1	20.1	0.0	-2.6	
GP-17A	3/12/2026 13:20	0.0	1.0	19.2	10.0	-4.2	
GP-17B	3/12/2026 13:21	0.0	0.9	15.6	0.0	0.0	
GP-17C	3/12/2026 13:22	0.0	0.1	20.4	0.0	-2.4	
GP-18A	3/12/2026 13:25	0.0	0.2	20.4	0.0	0.0	
GP-18B	3/12/2026 13:27	0.0	0.4	13.0	0.0	-0.1	
GP-18C	3/12/2026 13:28	0.0	0.1	20.0	0.0	-2.4	
GP-19A	3/12/2026 13:30	0.0	0.1	20.6	0.0	0.0	

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

Probe ID	Date/Time	%vol	%vol	%vol	Limit %LEL	in INWC	Comments
GP-19B	3/12/2026 13:32	0.0	0.7	15.2	0.0	0.0	
GP-19C	3/12/2026 13:33	0.0	0.1	20.6	0.0	-0.1	
GP-20A	3/12/2026 13:35	0.0	0.1	20.6	0.0	0.8	
GP-20B	3/12/2026 13:36	0.0	0.4	17.0	0.0	0.0	
GP-20C	3/12/2026 13:38	0.0	0.2	4.2	0.0	-0.4	
GP-21A	3/12/2026 13:40	0.0	0.2	20.4	0.0	0.0	
GP-21B	3/12/2026 13:41	0.0	0.2	9.4	0.0	-3.9	
GP-21C	3/12/2026 13:42	0.0	0.2	9.7	0.0	-0.8	
GP-22A	3/12/2026 13:45	0.0	0.4	20.4	0.0	-5.4	
GP-22C	3/12/2026 13:46	0.0	0.6	5.6	0.0	-3.1	
GP-23A	3/12/2026 13:51	0.0	0.1	20.6	0.0	0.0	
GP-23B	3/12/2026 13:53	0.0	0.1	20.7	0.0	0.5	
GP-23C	3/12/2026 13:54	0.0	0.1	20.7	0.0	-0.5	
GP-24A	3/12/2026 14:01	0.0	4.1	10.2	0.0	0.0	
GP-24B	3/12/2026 14:02	0.0	0.6	20.3	0.0	0.1	
GP-29A	3/12/2026 14:15	0.0	2.8	16.1	0.0	0.0	
GP-29B	3/12/2026 14:16	0.0	0.7	20.3	0.0	0.0	
GP-30A	3/12/2026 7:32	0.0	0.5	15.7	2.0	0.0	
GP-30B	3/12/2026 7:35	0.0	1.3	20.0	0.0	-2.2	
GP-31A	3/12/2026 7:47	0.0	1.1	20.1	0.0	-7.7	
GP-31B	3/12/2026 7:48	0.0	0.2	20.6	0.0	-2.7	
GP-31C	3/12/2026 7:49	0.0	0.1	21.0	0.0	-0.9	
GP-32A	3/12/2026 7:51	0.0	0.8	20.3	0.0	0.1	
GP-32B	3/12/2026 7:52	0.0	0.3	21.0	0.0	-0.8	
GP-32C	3/12/2026 7:54	0.0	0.5	21.0	0.0	0.8	
GP-33A	3/12/2026 7:59	0.0	0.2	21.0	0.0	0.5	
GP-33B	3/12/2026 8:01	0.0	0.1	21.0	0.0	0.0	
GP-33C	3/12/2026 8:02	0.0	0.1	21.0	0.0	-2.7	
GP-34A	3/12/2026 8:20	0.0	0.1	20.6	0.0	-1.1	
GP-34B	3/12/2026 8:22	0.0	0.1	20.5	0.0	-0.4	
GP-34C	3/12/2026 8:23	0.0	0.1	20.5	0.0	-1.5	
GP-35A	3/12/2026 8:25	0.0	0.1	20.5	0.0	0.0	
GP-35B	3/12/2026 8:26	0.0	0.1	20.5	0.0	0.0	
GP-35C	3/12/2026 8:27	0.0	0.1	20.5	0.0	-0.1	
GP-36A	3/12/2026 8:30	0.0	0.1	20.5	0.0	-0.9	
GP-36B	3/12/2026 8:33	0.0	0.1	20.6	0.0	-0.1	
GP-36C	3/12/2026 8:33	0.0	0.4	13.8	0.0	-1.2	
GP-37A	3/12/2026 8:45	0.0	0.2	16.6	0.0	-0.8	
GP-37B	3/12/2026 8:46	0.0	0.1	20.1	0.0	0.1	
GP-37C	3/12/2026 8:47	0.0	0.3	18.0	0.0	-1.4	
GP-41A	3/12/2026 8:59	0.0	0.1	20.7	0.0	0.3	
GP-41B	3/12/2026 9:00	0.0	0.1	20.5	0.0	-0.1	
GP-41C	3/12/2026 9:01	0.0	0.1	20.7	0.0	0.0	
GP-42A	3/12/2026 9:15	0.0	0.1	20.5	0.0	-4.9	
GP-42B	3/12/2026 9:16	0.0	0.1	20.5	0.0	-1.4	
GP-43A	3/12/2026 9:19	0.0	0.1	20.5	0.0	-0.9	
GP-43B	3/12/2026 9:19	0.0	0.1	20.4	0.0	-0.1	
GP-43C	3/12/2026 9:20	0.0	0.1	20.0	0.0	-0.3	
GP-44A	3/12/2026 9:26	0.0	0.9	20.1	0.0	0.0	
GP-44B	3/12/2026 9:27	0.0	0.7	14.0	0.0	-1.2	
GP-44C	3/12/2026 9:28	0.0	0.1	20.5	0.0	0.0	

DNRP / KCSW
CEDAR HILLS LANDFILL
PERIMETER & INTERIOR PROBES

Probe ID	Date/Time	%vol	%vol	%vol	Limit %LEL	in INWC	Comments
GP-45D	3/12/2026 9:36	0.0	0.1	20.7	0.0	-1.5	
GP-45I	3/12/2026 9:35	0.0	0.1	20.7	0.0	0.0	
GP-45S	3/12/2026 9:34	0.0	0.1	20.6	0.0	-0.1	
GP-47D	3/12/2026 13:14	0.0	0.3	19.1	0.0	-0.1	
GP-47I	3/12/2026 13:13	28.4	16.2	0.0	>>>>	-2.2	
GP-47S	3/12/2026 13:11	0.0	0.1	19.8	0.0	-2.2	
GP-5BA	3/12/2026 10:25	0.0	0.2	21.0	0.0	0.1	
GP-5BB	3/12/2026 10:26	0.0	0.1	21.0	0.0	-2.5	
GP-5BC	3/12/2026 10:27	0.0	0.1	21.0	0.0	-2.5	
GP-5BD	3/12/2026 10:28	0.0	0.1	21.0	0.0	-2.7	
GP-63A	3/12/2026 10:49	0.0	0.3	21.0	0.0	0.1	
GP-63B	3/12/2026 10:50	0.0	0.1	21.0	0.0	0.1	
GP-63C	3/12/2026 10:52	0.0	0.1	21.0	0.0	-2.7	
GP-64A	3/12/2026 11:30	0.0	0.2	20.2	0.0	0.0	
GP-64B	3/12/2026 11:32	0.0	3.0	15.3	0.0	-0.1	
GP-64C	3/12/2026 11:33	0.0	0.1	20.3	0.0	-2.3	

DNRP / KCSW
CEDAR HILLS LANDFILL
ATC WEEKLY PROBES

CEDAR HILLS ATC WEEKLY

Bar.Start:	**30.13**
Bar Stop:	**30.13**
Amb. Temp:	**45**
Tech:	**B.B.**

Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
GP-05A	1/28/2026 8:41	0	0.5	12.8	0	-1.23	
GP-13A	1/28/2026 8:26	0	0.1	21	0	-0.14	
GP-13B	1/28/2026 8:28	0	0.1	21	0	-0.04	
GP-13C	1/28/2026 8:29	0	0.1	21	0	-0.07	
GP-13D	1/28/2026 8:30	0	0.1	21	0	-1.75	
GP-14A	1/28/2026 8:34	0	0.1	21	0	-0.77	
GP-14B	1/28/2026 8:35	0	0.1	21	0	-1.02	
GP-15A	1/28/2026 9:04	0	0.2	21	0	-0.06	
GP-15C	1/28/2026 9:05	0	0.7	18.9	0	-0.18	
GP-15D	1/28/2026 9:07	0	0.1	21	0	-1.27	
GP-16A	1/28/2026 8:57	0	0.4	21	0	-3.11	
GP-16B	1/28/2026 8:58	0	0.1	21	0	-0.56	
GP-16C	1/28/2026 8:59	0	0.4	18.9	0	-1.44	
GP-5BA	1/28/2026 8:42	0	0.5	21	0	0.36	
GP-5BB	1/28/2026 8:43	0	0.2	21	0	-1.28	
GP-5BC	1/28/2026 8:45	0	1.1	16.6	0	-1.28	
GP-5BD	1/28/2026 8:46	0	0.1	21	0	-1.59	

CEDAR HILLS ATC WEEKLY

Bar.Start: 29.72
Bar Stop: 29.72
Amb. Temp: 35°F
Tech: GC

Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
GP-13A	2/19/2026 7:43	0.0	0.1	20.9	0.0	-0.10	
GP-13B	2/19/2026 7:45	0.0	0.1	20.7	0.0	0.00	
GP-13C	2/19/2026 7:46	0.0	0.1	21.0	0.0	0.00	
GP-13D	2/19/2026 7:49	0.0	0.1	20.8	0.0	-1.10	
GP-14A	2/19/2026 7:54	0.0	0.1	19.2	0.0	-0.40	
GP-14B	2/19/2026 7:56	0.0	0.1	21.0	0.0	-0.50	
GP-5BA	2/19/2026 8:03	0.0	0.2	20.3	0.0	-0.10	
GP-5BB	2/19/2026 8:04	0.0	2.2	2.4	0.0	0.40	
GP-5BC	2/19/2026 8:07	0.0	1.8	3.2	0.0	0.20	
GP-5BD	2/19/2026 8:08	0.0	0.2	20.4	0.0	-0.60	
GP-15A	2/19/2026 8:12	0.0	0.7	20.8	0.0	-0.10	H20 @ 30 Second's
GP-15C	2/19/2026 8:14	0.0	0.7	18.5	0.0	0.00	
GP-15D	2/19/2026 8:16	0.0	0.1	21.0	0.0	0.90	
GP-16A	2/19/2026 8:23	0.0	0.2	21.0	0.0	-0.10	
GP-16B	2/19/2026 8:25	0.0	0.3	20.4	0.0	-0.40	
GP-16C	2/19/2026 8:27	0.0	1.0	14.5	0.0	-0.70	
GP-05A	2/19/2026 8:35	0.0	0.7	9.7	0.0	0.30	

CEDAR HILLS ATC WEEKLY

Bar.Start: 30.15
Bar Stop: 30.15
Amb. Temp: 45°F
Tech: GC

Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
GP-16A	2/27/2026 8:30	0.0	0.2	20.7	0.0	0.00	
GP-16B	2/27/2026 8:33	0.0	0.1	20.9	0.0	-2.90	
GP-16C	2/27/2026 8:35	0.0	0.1	20.9	0.0	-3.50	
GP-15A	2/27/2026 8:42	0.0	0.7	20.6	0.0	0.00	H20 @ 30 second's
GP-15C	2/27/2026 8:45	0.0	0.6	18.5	0.0	0.10	
GP-15D	2/27/2026 8:47	0.0	0.1	21.0	0.0	-0.20	
GP-5BA	2/27/2026 8:53	0.0	0.1	21.0	0.0	0.00	
GP-5BB	2/27/2026 8:55	0.0	0.1	21.0	0.0	-4.80	
GP-5BC	2/27/2026 8:59	0.0	0.1	20.7	0.0	-0.60	
GP-5BD	2/27/2026 9:01	0.0	0.1	20.7	0.0	-4.10	
GP-05A	2/27/2026 9:04	0.0	0.7	8.3	0.0	-4.80	
GP-14A	2/27/2026 9:15	0.0	0.1	20.8	0.0	-1.90	
GP-14B	2/27/2026 9:17	0.0	0.1	20.8	0.0	-2.00	
GP-13A	2/27/2026 9:21	0.0	0.1	20.9	0.0	0.00	
GP-13B	2/27/2026 9:23	0.0	0.1	20.8	0.0	0.00	
GP-13C	2/27/2026 9:25	0.0	0.1	20.9	0.0	0.00	
GP-13D	2/27/2026 9:27	0.0	0.1	20.9	0.0	-3.00	

CEDAR HILLS ATC WEEKLY

Bar.Start: 30.02
Bar Stop: 30.02
Amb. Temp: 48
Tech: LM


Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
GP-05A	3/16/2026 11:06	0.0	0.3	17.5	0.0	-0.3	
GP-13A	3/16/2026 10:19	0.0	0.1	21.0	0.0	0.0	
GP-13B	3/16/2026 10:20	0.0	0.1	21.0	0.0	0.0	
GP-13C	3/16/2026 10:21	0.0	0.1	21.0	0.0	0.0	
GP-13D	3/16/2026 10:23	0.0	0.1	21.0	0.0	0.3	
GP-14A	3/16/2026 10:28	0.0	0.1	21.0	0.0	0.3	
GP-14B	3/16/2026 10:30	0.0	0.1	21.0	0.0	0.0	
GP-16A	3/16/2026 10:49	0.0	0.4	21.0	0.0	0.0	
GP-16B	3/16/2026 10:50	0.0	0.1	21.0	0.0	0.1	
GP-16C	3/16/2026 10:51	0.0	0.1	21.0	0.0	0.4	
GP-5BA	3/16/2026 11:01	0.0	0.2	21.0	0.0	0.1	
GP-5BB	3/16/2026 11:02	0.0	0.1	21.0	0.0	-0.3	
GP-5BC	3/16/2026 11:04	0.0	0.1	21.0	0.0	-0.5	
GP-5BD	3/16/2026 11:05	0.0	0.1	21.0	0.0	-0.2	

DNRP / KCSW
CEDAR HILLS LANDFILL
ATC WEEKLY PROBES

CEDAR HILLS ATC WEEKLY

Bar.Start:	**29.96**
Bar Stop:	**29.98**
Amb. Temp:	**43**
Tech:	**LM**

Probe ID	Date/Time	CH_4 %vol	CO_2 %vol	O_2 %vol	Lower Explosive Limit %LEL	Static Pressure in INWC	Comments
GP-05A	3/25/2026 13:36	0.0	0.9	6.9	92.2	-0.1	
GP-13A	3/25/2026 13:16	0.0	0.1	20.7	79.2	0.0	
GP-13B	3/25/2026 13:17	0.0	0.1	20.6	79.3	0.0	
GP-13C	3/25/2026 13:18	0.0	0.1	20.8	79.1	0.0	
GP-13D	3/25/2026 13:19	0.0	0.1	20.9	79.0	-0.6	
GP-14A	3/25/2026 13:24	0.0	0.1	20.8	79.1	-0.5	
GP-14B	3/25/2026 13:25	0.0	0.1	21.0	78.5	-0.5	
GP-16A	3/25/2026 13:42	0.0	0.4	21.0	78.6	0.0	
GP-16B	3/25/2026 13:43	0.0	0.2	21.0	77.9	-0.7	
GP-16C	3/25/2026 13:44	0.0	0.8	15.9	83.3	-0.8	
GP-5BA	3/25/2026 13:30	0.0	0.4	21.0	78.0	-2.9	
GP-5BB	3/25/2026 13:32	0.0	2.0	17.0	81.0	-0.3	
GP-5BC	3/25/2026 13:33	0.0	1.6	14.2	84.2	-0.1	
GP-5BD	3/25/2026 13:34	0.0	0.1	21.0	77.9	-0.7	



Path: S:\1003\1\CAD\Irene\Irene\G-HNLF West Perimeter Rd\Figure 4_MDS.dwg
Plot Date: 8/3/2012 3:53 PM
Cad User: Stenseng, Adam

DNRP / KCSWD

CEDAR HILLS LANDFILL


WEST PERIMETER LANDFILL GAS MITIGATION CONTROL PROBES

First Quarter 2026 Monitoring Data


Probe ID	Date	Time	Barometric Pressure in Hg	CH4 %vol	CO2 %vol	O2 %vol	Static Pressure in INWC	Comments
MGPW1700	1/13/26	8:52am	30.21	0.0	2.0	20.9	0.0	
MGPW1700	1/27/26	2:22pm	29.96	0.0	2.3	20.9	0.0	
MGPW1700	2/7/26	7:40A	29.95	0.0	1.7	22.4	-0.1	
MGPW1700	2/20/26	8:13A	29.85	0.0	1.6	21.3	-0.1	
MGPW1700	3/17/2026	1:00PM	29.95	0.0	0.1	20.7	0.0	
MGPW1700	3/26/2026	7:50 AM	30.32	0.0	0.2	20.7	0.0	
MGPW1708	1/13/26	8:37am	30.21	0.0	1.3	20.9	-1.3	
MGPW1708	1/27/26	2:10pm	29.96	0.0	2.2	20.9	0.3	
MGPW1708	2/7/26	8:05A	29.95	0.0	2.5	21.9	-0.5	
MGPW1708	2/20/26	8:28A	29.85	0.0	3.4	21.3	-1.8	
MGPW1708	3/17/2026	13:03	29.95	0.0	0.2	20.7	-0.9	
MGPW1708	3/26/2026	8:00 AM	30.32	0.0	0.2	20.7	-1.0	
MGPW1710D	1/13/26	8:28am	30.21	0.0	1.9	20.9	-0.1	
MGPW1710D	1/27/26	2:01pm	29.96	0.0	1.3	20.9	0.2	
MGPW1710D	2/7/26	8:10A	29.95	0.0	2.3	21.9	-0.6	
MGPW1710D	2/20/26	8:45A	29.85	0.0	1.8	21.9	-1.8	
MGPW1710D	3/17/2026	13:06	29.95	0.0	0.1	20.7	1.0	
MGPW1710D	3/26/2026	8:10 AM	30.32	0.0	0.2	20.7	0.0	
MGPW1710S	1/13/26	8:31am	30.21	0.0	1.3	20.9	-1.3	
MGPW1710S	1/27/26	2:03pm	29.96	0.0	1.1	20.6	0.0	
MGPW1710S	2/7/26	8:12A	29.95	0.0	1.4	22.2	0.0	
MGPW1710S	2/20/26	8:47A	29.85	0.0	1.0	22.1	-0.1	
MGPW1710S	3/17/2026	13:09	29.95	0.0	0.1	20.7	0.8	
MGPW1710S	3/26/2026	8:12 AM	30.32	0.0	0.1	20.7	-0.6	
MGPW1714	1/13/26	8:23am	30.21	0.0	1.9	20.9	-1.3	
MGPW1714	1/27/26	1:57pm	29.96	0.0	1.9	20.9	0.2	
MGPW1714	2/7/26	8:17A	29.95	0.0	2.3	21.9	-0.7	
MGPW1714	2/20/26	8:53A	29.85	0.0	1.8	22.0	-1.8	
MGPW1714	3/17/2026	13:15	29.95	0.0	0.1	20.7	-1.0	
MGPW1714	3/26/2026	8:16	30.32	0.0	0.1	20.7	-0.2	

On-Site Building Monitoring

Aeration Ponds




Shop and Office Buildings



BUILDING NO.	EO Description
1	Front Office
2	Conference Room
3	Vacant (Old Payroll Trailer)
4	Engineering Trailer
5	Lunch Room Trailer
6A	Dry Storage
6B	Electrician Office
7	Maintenance Shop
7A	Shop Office
7B	Stores–Shipping/Receiving
7C	Trailer Bay and Pit Area
7D	Tire Shop and Trailer Bay
7E	East Weld Shop
7F	West Weld Shop
8	Carpenter's Shop
9	Wastewater Shed
9B	Carpenter Storage
10	Scale House
11	New Eqpt. Operator's Trailer
12	EQ. Operator's Trailer (Old)
13	WW Compressor
16	Generator (Not Shown)
19	LEPS (P.S. #5)
19A	LEPS Pump Control Room
19B	LEPS/H_2O_2 room
20	LEPS, Elec Panels
21	Storage(Old PS1)
22	Storage/N.Flare
23	LFGAS Office
24	NE Generator Bldg.
25	Storage BLDG. @ N.F.S.
29	OPS Administration Office
30	Women Brk Rm.
31	Landfill Leads/Accts Payable
32	North Flare Station
33	SPOC trailer
44A	Truck Wash West Restroom
44B	Truck Wash East Restroom
44C	Pressure Wash Room
45	Heavy Equipment Canopy
46	Fuel Island
48	Operations Planning
49	CCG Faster (Not Shown)
50	Chlorine Shed

CEDAR HILLS REGIONAL LANDFILL BUILDING NUMBERS

North Flare Station



Source: KCSWD, February 2012

King County

Landfill Gas Structure Monitoring Location

Environmental Monitoring Sampling and Analysis Plan

Cedar Hills Regional Landfill, King County, Washington

DATE: February 2012	PROJECT NO.
DESIGNED BY:	
DRAWN BY:	FIGURE NO. F-3
REVISED BY: -	

First Quarter
BUILDING MONITORING

King County	INSTRUMENT: Place check by instrument used		WEATHER:	DATE: 01/28/26
	Foxboro TVA 2020		Rain	TECH: SB
	SEM 5000	X		

ENVIS ID	BLDG #	DESCRIPTION	CH_4 (ppm)	BAR PRESS (in. Hg)	TIME	REMARKS
GOC-	1	FRONT OFFICE	2.7	30.10	10:49 PM	
GCR-	2	CONF ROOM		30.10		
GAO-	3	PAYROLL OFFICE	3.6	30.10	10:51 PM	
GEO-	4	ENGR. OFFICE	3.6	30.10	10:54 AM	
GLRC-	5	LUNCHROOM		30.10		**BLDG REMOVED**
GSPC		SPOC	2.8	30.10	11:07 PM	
GELO-	6A	DRY STORAGE		30.10		
GELO-	6B	ELECTRICIAN OFFICE		30.10		
GAP-		ACCOUNT PAYABLE	3.2	30.10	11:10 PM	
GSO-	7A	SHOP OFFICE	2.4	30.10	11:03 PM	
GPR-	7B	PARTS ROOM	2.4	30.10	11:02 PM	
GMS-	7C	SHOP PIT AREA/BAY	2.5	30.10	11:05 PM	
GTB-	7D	SHOP TIRE BAY	2.4	30.10	11:02 PM	
GEW-	7E	EAST WELD SHOP	2.4	30.10	11:04 PM	
GWW-	7F	WEST WELD SHOP	2.8	30.10	11:08 PM	
GCS-	8	CARPENTER'S		30.10		**BLDG REMOVED**
GSS-	9	WASTEWATER		30.10		**BLDG REMOVED**
GSS-	9B	CARPENTER/STORAGE		30.10		**BLDG REMOVED**
GSH-	10	SCALEHOUSE	2.6	30.10	10:47 PM	
GB13-	13	WW COMPRESSOR	3.2	30.10	11:15 PM	
GB16-	16	GENERATOR	6.7	30.10	11:19 PM	
GB19-	19	LEPS (P.S.# 5)	4.7	30.10	11:23 PM	
GB19-	19B	LEPS/H_2O_2 ROOM	5.1	30.10	11:24 PM	
GB20-	20	LEPS ELEC PANALS	6.1	30.10	11:22 PM	
GB21-	21	STORAGE(OLD PS 1)	4.7	30.10	10:30 PM	
GB22-	22	STORAGE/N FLARE		30.10		
GB23-	23	LFGAS		30.10		
GB24-	24	NE GENERATOR BLDG	2.8	30.10	10:36 PM	
GBWW-	30	WOMEN BRK RM	2.9	30.10	11:09 PM	
GPWT-	PW	PRESSURE WASH RM	2.4	30.10	10:58 PM	
GBRR-	RR	TRUCKWASH RR W	2.4	30.10	10:59 PM	
GBSS-	SS	TRUCKWASH RR E	2.7	30.10	10:57 PM	
GBZZ-	29	MANAGERS TRAILER		30.10		
GBPT-		CCG FASTER		30.10		
GCLS-		CHLORINE SHED	2.6	30.10	10:44 PM	

APPENDIX G

Meteorologic Data

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/1/2026 0:00	5.513	19.26	5.382	1.028	29.06	0
1/1/2026 0:15	3.993	27.91	14	1.102	29.06	0
1/1/2026 0:30	2.378	38.41	16.43	-0.092	29.06	0
1/1/2026 0:45	3.213	11.89	6.932	0.361	29.05	0
1/1/2026 1:00	2.888	352.4	36.82	1.014	29.05	0
1/1/2026 1:15	2.981	323.1	31.22	0.982	29.05	0
1/1/2026 1:30	2.266	319.6	44.23	1.307	29.04	0
1/1/2026 1:45	0.887	1.723	39.11	1.895	29.04	0
1/1/2026 2:00	0.026	352	0.117	1.204	29.04	0
1/1/2026 2:15	0	0	0	2.247	29.04	0
1/1/2026 2:30	1.726	323.6	9.38	2.134	29.03	0
1/1/2026 2:45	2.904	306.4	8.99	1.656	29.03	0
1/1/2026 3:00	3.679	324.4	6.618	0.66	29.03	0
1/1/2026 3:15	3.088	337	9.99	0.866	29.03	0
1/1/2026 3:30	3.31	314.4	19.19	0.744	29.02	0
1/1/2026 3:45	3.043	318.3	5.626	-0.029	29.02	0
1/1/2026 4:00	3.236	302.2	13.68	-0.238	29.01	0
1/1/2026 4:15	1.755	308.8	15.86	-0.43	29.01	0
1/1/2026 4:30	2.906	309	8.01	-0.624	29.01	0
1/1/2026 4:45	3.201	273	14.32	-0.779	29.01	0
1/1/2026 5:00	5.236	269.8	10.66	-1.035	29.01	0
1/1/2026 5:15	3.256	284.5	11.59	-1.549	29.01	0
1/1/2026 5:30	0.742	280.8	3.007	-1.723	29.01	0
1/1/2026 5:45	0	0	0	-2.002	29.01	0
1/1/2026 6:00	0	0	0	-0.869	29	0
1/1/2026 6:15	0.298	141.4	7.694	0.08	29	0
1/1/2026 6:30	0.096	113.6	3.757	0.745	29	0
1/1/2026 6:45	0	0	0	1.336	28.99	0
1/1/2026 7:00	0	0	0	2.465	28.99	0
1/1/2026 7:15	0	0	0	2.668	28.99	0
1/1/2026 7:30	0	0	0	3.025	28.99	0
1/1/2026 7:45	0.468	152.3	5.82	3.811	28.98	0
1/1/2026 8:00	1.022	161.4	40.52	3.948	28.98	0
1/1/2026 8:15	1.973	181.3	14.95	1.922	28.98	0
1/1/2026 8:30	1.764	186.3	13.15	2.396	28.98	0
1/1/2026 8:45	1.542	303.9	38.59	2.952	28.98	0
1/1/2026 9:00	1.238	287.5	11.23	2.985	28.99	0
1/1/2026 9:15	1.559	316.6	11.66	2.347	28.99	0
1/1/2026 9:30	1.351	326	21.08	3.144	29	0.01
1/1/2026 9:45	0.753	303.9	32.74	4.167	29	0
1/1/2026 10:00	0.107	176.9	1.559	4.821	28.99	0
1/1/2026 10:15	1.944	150.7	13.63	4.914	28.99	0
1/1/2026 10:30	2.351	115.7	29.09	4.705	28.99	0
1/1/2026 10:45	1.502	35.23	38.11	4.724	28.99	0
1/1/2026 11:00	2.961	19.15	10.37	3.583	28.98	0
1/1/2026 11:15	4.424	28.05	16.51	2.387	28.98	0
1/1/2026 11:30	4.379	20.47	11.27	2.688	28.97	0
1/1/2026 11:45	4.402	32.97	19.48	2.633	28.97	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/1/2026 12:00	4.285	81.8	25.49	3.923	28.96	0
1/1/2026 12:15	4.475	55.55	28.58	3.995	28.95	0
1/1/2026 12:30	3.112	42.57	21.92	4.68	28.95	0
1/1/2026 12:45	2.722	58.17	12.78	5.178	28.94	0
1/1/2026 13:00	2.561	62.85	21.82	5.447	28.94	0
1/1/2026 13:15	3.716	113.2	11.2	6.081	28.94	0
1/1/2026 13:30	1.543	76.44	19.94	5.715	28.94	0
1/1/2026 13:45	0.625	45.88	19.21	5.68	28.94	0
1/1/2026 14:00	0.298	109.3	10.16	6.189	28.93	0
1/1/2026 14:15	1.293	255.3	16.17	6.197	28.93	0
1/1/2026 14:30	0.82	11.96	22.29	5.763	28.93	0
1/1/2026 14:45	2.012	338.8	34.23	4.629	28.93	0
1/1/2026 15:00	1.436	319.5	31.31	5.132	28.93	0
1/1/2026 15:15	1.619	341.7	16.91	4.683	28.93	0
1/1/2026 15:30	1.928	195.9	38.78	4.905	28.94	0
1/1/2026 15:45	1.774	158.8	29.87	5.136	28.94	0
1/1/2026 16:00	0.295	202.2	12.68	4.861	28.94	0
1/1/2026 16:15	0	0	0	4.478	28.95	0
1/1/2026 16:30	1.946	198.2	14.68	4.484	28.95	0
1/1/2026 16:45	4.289	175.3	13.7	4.921	28.95	0.01
1/1/2026 17:00	4.857	168.8	8.59	4.987	28.95	0
1/1/2026 17:15	4.666	166	9.26	4.851	28.95	0
1/1/2026 17:30	5.754	163.3	9.2	4.937	28.94	0.01
1/1/2026 17:45	6.166	152.9	6.573	4.867	28.94	0
1/1/2026 18:00	1.668	135	14	4.664	28.95	0
1/1/2026 18:15	2.364	57.07	49.07	4.421	28.95	0
1/1/2026 18:30	3.317	26.02	8.49	3.762	28.94	0
1/1/2026 18:45	3.417	11.9	7.008	3.614	28.94	0
1/1/2026 19:00	3.751	31.29	12.38	3.61	28.94	0
1/1/2026 19:15	3.175	22.16	7.717	3.602	28.94	0.01
1/1/2026 19:30	2.723	17.84	12.3	3.677	28.94	0
1/1/2026 19:45	2.317	42.46	7.949	3.644	28.94	0
1/1/2026 20:00	3.053	42	6.436	3.556	28.94	0
1/1/2026 20:15	3.212	29.98	11.62	3.506	28.95	0
1/1/2026 20:30	2.261	23.18	29.65	3.68	28.95	0
1/1/2026 20:45	2.559	121.4	40.7	4.171	28.95	0.02
1/1/2026 21:00	4.952	165.7	13.36	4.629	28.95	0.01
1/1/2026 21:15	3.412	173.4	20.36	4.681	28.96	0.01
1/1/2026 21:30	1.993	183.8	28.23	4.645	28.96	0.01
1/1/2026 21:45	0.985	352.1	46.72	4.391	28.96	0.01
1/1/2026 22:00	2.873	28.01	4.948	3.733	28.96	0.01
1/1/2026 22:15	2.276	12.73	7.658	3.629	28.96	0.01
1/1/2026 22:30	1.911	21.02	16.69	3.614	28.96	0.02
1/1/2026 22:45	2.739	34.47	8.61	3.6	28.96	0.01
1/1/2026 23:00	3.525	27.33	6.838	3.694	28.97	0.01
1/1/2026 23:15	4.14	52.34	16.96	3.706	28.97	0.02
1/1/2026 23:30	5.54	34.96	12.8	3.76	28.97	0.01
1/1/2026 23:45	4.133	19.23	8.15	3.82	28.96	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/2/2026 0:00	2.673	26.27	13.66	3.81	28.97	0.01
1/2/2026 0:15	2.591	31.06	6.568	3.847	28.97	0.01
1/2/2026 0:30	2.186	45.88	9.85	3.861	28.97	0.02
1/2/2026 0:45	2.33	70.44	21.09	4.081	28.97	0.01
1/2/2026 1:00	3.154	107.3	9.02	4.355	28.97	0.02
1/2/2026 1:15	2.714	99.4	7.166	4.48	28.97	0.01
1/2/2026 1:30	3.193	120	15.87	4.474	28.97	0.01
1/2/2026 1:45	5.379	137.1	7.775	4.575	28.97	0.01
1/2/2026 2:00	4.945	144.9	8.73	4.745	28.97	0.02
1/2/2026 2:15	5.741	153.8	7.583	4.889	28.98	0.01
1/2/2026 2:30	5.452	168.3	10.09	4.942	28.98	0.02
1/2/2026 2:45	5.397	174.3	11.41	4.849	28.98	0.02
1/2/2026 3:00	5.48	167.4	11.08	4.799	28.98	0.01
1/2/2026 3:15	4.696	174.8	11.24	4.87	28.99	0.01
1/2/2026 3:30	3.799	194	11.19	4.76	28.99	0.01
1/2/2026 3:45	3.261	210.8	6.55	4.733	28.99	0.01
1/2/2026 4:00	2.102	203.9	22.24	4.711	28.99	0
1/2/2026 4:15	0.241	124	2.169	4.721	28.99	0.01
1/2/2026 4:30	1.731	188.6	9.46	4.638	28.99	0
1/2/2026 4:45	1.171	148.8	14.94	4.56	29	0.01
1/2/2026 5:00	0.307	198.5	2.068	4.48	29	0
1/2/2026 5:15	1.251	123.6	36.41	4.722	29	0
1/2/2026 5:30	0.74	340.8	17.54	4.737	29.01	0.01
1/2/2026 5:45	2.052	320.2	17.49	4.556	29.01	0
1/2/2026 6:00	2.195	270.6	24.72	4.612	29.01	0
1/2/2026 6:15	1.994	230.1	5.554	4.708	29.02	0.01
1/2/2026 6:30	0	0	0	4.643	29.02	0
1/2/2026 6:45	0	0	0	4.578	29.03	0
1/2/2026 7:00	0	0	0	4.55	29.03	0.01
1/2/2026 7:15	0	0	0	4.483	29.03	0.01
1/2/2026 7:30	0	0	0	4.56	29.03	0
1/2/2026 7:45	0.236	56.02	0.485	4.553	29.03	0
1/2/2026 8:00	3.14	45.53	8.75	4.614	29.03	0
1/2/2026 8:15	1.988	46.85	6.061	4.63	29.03	0
1/2/2026 8:30	2.181	97.8	31.69	4.809	29.02	0
1/2/2026 8:45	1.901	58.49	23.21	4.773	29.03	0
1/2/2026 9:00	1.989	133.4	34.35	5.294	29.04	0
1/2/2026 9:15	3.366	40.18	26.03	5.127	29.04	0
1/2/2026 9:30	3.644	28.97	12.24	4.984	29.04	0
1/2/2026 9:45	3.064	18.17	8.35	5.035	29.04	0
1/2/2026 10:00	0.634	37.18	10.42	5.162	29.05	0
1/2/2026 10:15	2.065	36.89	15.24	5.294	29.05	0
1/2/2026 10:30	1.668	25.24	57.38	5.438	29.05	0
1/2/2026 10:45	0.915	178.2	48.03	5.902	29.05	0
1/2/2026 11:00	0.431	26.33	4.571	5.908	29.05	0
1/2/2026 11:15	0.42	29.88	3.091	6.009	29.05	0
1/2/2026 11:30	0.681	19.18	3.054	6.195	29.05	0
1/2/2026 11:45	2.331	32.58	6.865	6.384	29.05	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/2/2026 12:00	0.583	33.71	3.537	6.456	29.04	0
1/2/2026 12:15	0	0	0	6.642	29.04	0
1/2/2026 12:30	0	0	0	6.912	29.03	0
1/2/2026 12:45	0	0	0	7.177	29.02	0
1/2/2026 13:00	0	0	0	7.356	29.02	0
1/2/2026 13:15	0	0	0	7.5	29.02	0
1/2/2026 13:30	1.904	207.5	8.22	7.535	29.02	0.01
1/2/2026 13:45	4.596	222.5	18.12	7.591	29.02	0
1/2/2026 14:00	2.846	226.1	32.9	7.597	29.01	0.01
1/2/2026 14:15	1.896	261.2	70.38	7.746	29.01	0.01
1/2/2026 14:30	2.725	66.41	12.84	7.684	29	0
1/2/2026 14:45	2.288	110.9	12.57	7.709	29	0
1/2/2026 15:00	3.845	116.3	13.47	8.03	29	0
1/2/2026 15:15	3.236	103.7	9.26	8.11	29	0
1/2/2026 15:30	2.253	111.3	13.12	8.48	29	0
1/2/2026 15:45	2.5	119.4	19.25	9.09	28.99	0
1/2/2026 16:00	2.289	75.87	11.47	9.33	28.99	0
1/2/2026 16:15	2.434	117	19.46	8.89	28.99	0
1/2/2026 16:30	4.847	152.9	7.26	8.99	28.98	0.01
1/2/2026 16:45	4.011	159.7	16.16	9.14	28.98	0
1/2/2026 17:00	2.274	161.2	14.53	9.19	28.99	0.01
1/2/2026 17:15	0	0	0	8.67	28.98	0
1/2/2026 17:30	0	0	0	8.67	28.98	0.01
1/2/2026 17:45	2.565	141.1	5.888	9.01	28.98	0.01
1/2/2026 18:00	4.541	124.3	12.54	9.11	28.97	0
1/2/2026 18:15	4.131	111.7	7.041	8.97	28.97	0
1/2/2026 18:30	6.541	111.2	8.13	9.13	28.96	0.01
1/2/2026 18:45	7.167	113.8	8.81	9.38	28.95	0.01
1/2/2026 19:00	7.216	121	10.91	9.69	28.94	0
1/2/2026 19:15	6.104	96.8	12	9.8	28.93	0.01
1/2/2026 19:30	4.896	61.13	12.86	9.79	28.92	0.01
1/2/2026 19:45	1.798	60.66	8.2	9.56	28.91	0
1/2/2026 20:00	4.033	61.85	14.83	9.34	28.9	0
1/2/2026 20:15	4.524	18.15	15.71	8.78	28.89	0
1/2/2026 20:30	2.045	64.07	62.88	8.5	28.88	0
1/2/2026 20:45	3.264	70.68	30.74	8.17	28.87	0
1/2/2026 21:00	5.522	20.86	14.1	7.963	28.86	0
1/2/2026 21:15	5.599	49.22	14.11	7.883	28.85	0
1/2/2026 21:30	4.239	45.45	14.73	7.844	28.85	0
1/2/2026 21:45	2.588	13.64	17.49	8.18	28.84	0
1/2/2026 22:00	3.23	51.01	17.62	7.64	28.84	0
1/2/2026 22:15	4.038	34.05	16.49	7.86	28.83	0
1/2/2026 22:30	4.564	18.22	8.58	7.983	28.82	0
1/2/2026 22:45	2.229	27.66	26.29	8.02	28.82	0
1/2/2026 23:00	3.553	120.9	16.66	8.13	28.81	0
1/2/2026 23:15	3.755	97.1	32.27	7.737	28.8	0
1/2/2026 23:30	5.364	54.83	18.81	7.378	28.79	0
1/2/2026 23:45	2.409	18.47	13.88	7.535	28.78	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/3/2026 0:00	1.16	89.8	26.05	7.986	28.78	0
1/3/2026 0:15	4.008	102	9.27	7.81	28.77	0
1/3/2026 0:30	6.717	126.4	14.43	8.19	28.76	0
1/3/2026 0:45	6.315	106.2	13.46	8.67	28.75	0
1/3/2026 1:00	7.255	144.9	12.22	9.35	28.75	0.01
1/3/2026 1:15	8.76	125	18.34	9.93	28.74	0
1/3/2026 1:30	7.776	142.3	10.11	9.94	28.73	0
1/3/2026 1:45	7.995	139.8	13.9	10.17	28.72	0
1/3/2026 2:00	7.484	148.3	17.12	10.21	28.73	0
1/3/2026 2:15	9.34	149	12.08	10.28	28.73	0
1/3/2026 2:30	12.93	143.6	14.28	10.56	28.73	0
1/3/2026 2:45	13.23	134.6	11.57	10.56	28.72	0
1/3/2026 3:00	14.59	131.3	10.4	10.71	28.72	0
1/3/2026 3:15	12.78	128.6	11.26	10.75	28.71	0
1/3/2026 3:30	9.22	112.9	25.26	10.43	28.71	0
1/3/2026 3:45	6.214	95.2	25.79	9.75	28.71	0
1/3/2026 4:00	13.41	129.3	14.95	9.94	28.71	0
1/3/2026 4:15	13.6	137.7	18.65	9.54	28.7	0.01
1/3/2026 4:30	8.27	152.7	13.35	9.18	28.7	0
1/3/2026 4:45	5.421	136.5	23.89	8.89	28.7	0
1/3/2026 5:00	4.39	108.3	35.73	9.02	28.69	0
1/3/2026 5:15	7.576	115.8	13.63	8.74	28.69	0
1/3/2026 5:30	5.843	123.2	23.63	8.47	28.67	0
1/3/2026 5:45	6.541	181.2	16.78	8.9	28.67	0
1/3/2026 6:00	4.925	262.3	32.25	8.22	28.68	0.01
1/3/2026 6:15	8.89	198	20.87	8.29	28.7	0.01
1/3/2026 6:30	11.04	184.9	15.54	7.97	28.73	0.05
1/3/2026 6:45	9.31	145.2	8.97	7.529	28.74	0.06
1/3/2026 7:00	8.45	165.9	19.5	7.106	28.75	0.05
1/3/2026 7:15	5.109	103.3	16.99	6.943	28.74	0.02
1/3/2026 7:30	6.131	138.8	13.21	7.155	28.73	0.01
1/3/2026 7:45	8.06	124.1	10.6	7.488	28.73	0.01
1/3/2026 8:00	7.737	138.9	16.53	8.06	28.73	0
1/3/2026 8:15	8.09	165.7	20.76	8.23	28.73	0.01
1/3/2026 8:30	6.512	185.1	14.54	7.843	28.74	0.01
1/3/2026 8:45	5.509	163.6	11.72	7.758	28.75	0.01
1/3/2026 9:00	5.152	143.9	19.66	7.544	28.76	0.01
1/3/2026 9:15	6.598	139.8	12.64	7.936	28.76	0.01
1/3/2026 9:30	7.275	144	10.56	8.04	28.76	0.02
1/3/2026 9:45	6.913	132.2	8.52	8.23	28.77	0.01
1/3/2026 10:00	5.834	137.8	18.97	8.39	28.77	0
1/3/2026 10:15	5.303	156.9	25.3	8.36	28.77	0
1/3/2026 10:30	6.573	158.7	19.04	8.44	28.77	0
1/3/2026 10:45	5.989	145.1	7.593	8.82	28.77	0
1/3/2026 11:00	7.255	162	16.7	9.22	28.77	0
1/3/2026 11:15	5.596	162.2	24.57	9.5	28.76	0
1/3/2026 11:30	5.079	136.4	10.81	9.43	28.76	0
1/3/2026 11:45	5.621	138.4	11.16	10.02	28.75	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/3/2026 12:00	4.656	138.2	15	10.71	28.74	0.01
1/3/2026 12:15	3.735	136.3	21.52	10.37	28.73	0
1/3/2026 12:30	3.491	126.6	16.81	10.62	28.73	0
1/3/2026 12:45	6.896	168.7	17.54	10.85	28.72	0
1/3/2026 13:00	9.53	199.8	10.71	11.2	28.71	0
1/3/2026 13:15	5.657	132.4	23.78	11.36	28.7	0
1/3/2026 13:30	7.394	143.7	13.01	11.31	28.69	0
1/3/2026 13:45	6.786	134.7	9.6	10.65	28.68	0
1/3/2026 14:00	6.138	130.7	10.74	10.55	28.68	0
1/3/2026 14:15	5.896	126.8	16.09	10.48	28.67	0
1/3/2026 14:30	6.839	146.5	21.09	10.19	28.67	0
1/3/2026 14:45	5.175	108.9	18.04	9.88	28.66	0
1/3/2026 15:00	5.079	127.6	32.43	9.93	28.65	0
1/3/2026 15:15	10.1	140.2	11.82	9.86	28.64	0
1/3/2026 15:30	11.17	146.9	13.19	9.76	28.64	0
1/3/2026 15:45	8.49	129.8	12.67	9.47	28.64	0
1/3/2026 16:00	7.031	133.3	11.6	9.36	28.64	0
1/3/2026 16:15	10.04	129.1	10.67	9.35	28.63	0
1/3/2026 16:30	9.34	130.1	17.58	8.77	28.63	0
1/3/2026 16:45	7.998	98.4	20.38	8.7	28.62	0
1/3/2026 17:00	6.692	73.69	16.57	8.55	28.6	0
1/3/2026 17:15	7.281	87.5	12.75	9.49	28.6	0
1/3/2026 17:30	3.872	69.16	34.1	9.46	28.59	0
1/3/2026 17:45	7.354	182.4	23.92	8.11	28.59	0
1/3/2026 18:00	6.516	144.1	27.69	7.961	28.58	0.01
1/3/2026 18:15	3.316	55.97	62.61	8.03	28.57	0
1/3/2026 18:30	5.767	180.5	43.93	8.28	28.57	0
1/3/2026 18:45	7.897	186.9	34.04	8.34	28.57	0
1/3/2026 19:00	8.04	169.4	25.67	8.02	28.57	0
1/3/2026 19:15	4.387	96.4	29.24	7.853	28.57	0
1/3/2026 19:30	2.679	77.03	22.62	7.993	28.56	0
1/3/2026 19:45	5.626	108	16.52	8.47	28.54	0
1/3/2026 20:00	4.649	142.2	32.84	8.79	28.54	0
1/3/2026 20:15	5.556	169.2	20.79	8.66	28.54	0
1/3/2026 20:30	5.51	126.8	20.04	8.66	28.53	0
1/3/2026 20:45	5.847	151.6	18.3	8.82	28.53	0
1/3/2026 21:00	11.33	163.4	25.85	9.08	28.53	0
1/3/2026 21:15	7.431	128.2	21.02	8.9	28.52	0
1/3/2026 21:30	6.72	116	12.23	8.9	28.52	0
1/3/2026 21:45	6.104	165.6	18.06	9.04	28.52	0
1/3/2026 22:00	9.24	161	14.1	8.84	28.53	0
1/3/2026 22:15	11.9	135.5	10.64	9.04	28.53	0
1/3/2026 22:30	8.95	175.9	25	8.85	28.54	0
1/3/2026 22:45	7.621	148.6	22.24	8.19	28.54	0.03
1/3/2026 23:00	5.975	144.4	15.45	8.08	28.55	0
1/3/2026 23:15	6.497	121.1	11.35	7.953	28.55	0
1/3/2026 23:30	8.27	120	12.25	7.832	28.55	0.01
1/3/2026 23:45	8.87	132.1	9.3	8	28.55	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/4/2026 0:00	8.57	139.2	15.27	8.25	28.55	0
1/4/2026 0:15	6.717	168.4	16.77	7.969	28.56	0
1/4/2026 0:30	7.55	167.9	19.96	7.428	28.56	0.02
1/4/2026 0:45	6.222	120.9	12.93	7.331	28.56	0.01
1/4/2026 1:00	7.15	123.7	8.95	7.432	28.55	0
1/4/2026 1:15	8.08	135.8	8.42	7.953	28.55	0.01
1/4/2026 1:30	8.15	136.1	8.37	8.33	28.55	0
1/4/2026 1:45	7.685	134.8	8.2	8.47	28.56	0
1/4/2026 2:00	7.33	137.1	8.22	8.46	28.56	0
1/4/2026 2:15	7.524	136.2	9.49	8.64	28.56	0
1/4/2026 2:30	6.862	134.8	8.35	8.53	28.56	0
1/4/2026 2:45	6.545	128.6	8.1	8.47	28.56	0
1/4/2026 3:00	6.173	136.2	6.082	8.47	28.56	0
1/4/2026 3:15	5.881	136.8	6.855	8.62	28.56	0
1/4/2026 3:30	6.59	141	7.546	8.85	28.56	0
1/4/2026 3:45	7.152	143.6	9.5	8.79	28.55	0
1/4/2026 4:00	6.655	142.7	9.13	8.8	28.55	0
1/4/2026 4:15	6.297	135.1	9.27	8.86	28.54	0
1/4/2026 4:30	6.007	133.5	10.11	8.97	28.54	0
1/4/2026 4:45	5.641	140.7	11.16	8.85	28.54	0
1/4/2026 5:00	6.414	163.1	35.28	8.67	28.54	0
1/4/2026 5:15	5.402	165.5	33.19	8.19	28.54	0
1/4/2026 5:30	7.181	156.4	23.19	7.923	28.54	0.01
1/4/2026 5:45	6.634	167.3	22.83	7.366	28.55	0.02
1/4/2026 6:00	6.988	172.2	14.01	7.045	28.56	0.03
1/4/2026 6:15	3.785	165	17.14	7.029	28.57	0.02
1/4/2026 6:30	2.764	194.1	14.53	7.075	28.58	0.05
1/4/2026 6:45	5.785	191.1	17.78	6.45	28.59	0.07
1/4/2026 7:00	9.27	189.6	10.23	6.059	28.61	0.07
1/4/2026 7:15	12.14	190.2	11.1	6.524	28.62	0.04
1/4/2026 7:30	11.14	185	9.31	6.72	28.63	0.04
1/4/2026 7:45	11.39	174	12.82	6.751	28.64	0.02
1/4/2026 8:00	8.75	152.6	7.704	6.579	28.65	0.02
1/4/2026 8:15	10.27	155.2	7.042	6.59	28.65	0.01
1/4/2026 8:30	10.51	158.5	8.39	6.626	28.66	0
1/4/2026 8:45	9.32	155.4	7.84	6.689	28.67	0
1/4/2026 9:00	7.987	150.1	6.224	6.727	28.68	0.01
1/4/2026 9:15	9.03	163	7.603	6.733	28.68	0.01
1/4/2026 9:30	9.31	167.9	23.48	6.691	28.69	0.06
1/4/2026 9:45	12.32	215.2	9.21	6.709	28.71	0.02
1/4/2026 10:00	14.36	215.6	8.55	6.843	28.71	0
1/4/2026 10:15	12.67	215	7.107	6.885	28.72	0
1/4/2026 10:30	13.73	221.8	7.057	6.905	28.73	0
1/4/2026 10:45	13.92	219.1	8.34	6.932	28.74	0
1/4/2026 11:00	8.61	212.7	10.8	6.904	28.75	0
1/4/2026 11:15	9.59	213.7	10.24	6.741	28.75	0
1/4/2026 11:30	8.11	210.7	12.72	7.066	28.75	0
1/4/2026 11:45	9.52	181.8	10.21	7.258	28.75	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/4/2026 12:00	10.41	189	8.54	7.195	28.75	0
1/4/2026 12:15	9.18	181.7	8.74	7.277	28.75	0
1/4/2026 12:30	8.18	174.6	11.4	7.831	28.75	0
1/4/2026 12:45	7.633	183.1	16.33	7.981	28.74	0
1/4/2026 13:00	7.02	179.8	10.33	7.677	28.74	0
1/4/2026 13:15	6.357	190.2	10.56	7.739	28.74	0
1/4/2026 13:30	6.789	182.5	9.27	7.735	28.74	0
1/4/2026 13:45	5.571	162.7	10.3	7.761	28.74	0
1/4/2026 14:00	5.262	154.8	11.83	7.71	28.74	0
1/4/2026 14:15	4.19	146.8	13.95	7.549	28.74	0
1/4/2026 14:30	4.166	143.1	7.73	7.371	28.74	0.01
1/4/2026 14:45	3.747	133.2	12.86	7.221	28.74	0.02
1/4/2026 15:00	1.688	181.2	38.52	7.155	28.75	0.01
1/4/2026 15:15	1.722	110.9	85.4	7.12	28.74	0
1/4/2026 15:30	0.735	25.31	89.2	6.873	28.74	0.01
1/4/2026 15:45	2.96	307.6	27.41	6.954	28.74	0.01
1/4/2026 16:00	7.114	256.3	12.08	6.606	28.75	0.04
1/4/2026 16:15	8.05	233.6	12.29	6.381	28.75	0.03
1/4/2026 16:30	6.853	206.4	18.01	6.29	28.76	0.05
1/4/2026 16:45	4.419	162.1	20.99	5.998	28.76	0.02
1/4/2026 17:00	4.518	147.8	21.28	6.01	28.76	0
1/4/2026 17:15	4.599	135.2	8.85	5.889	28.76	0
1/4/2026 17:30	5.689	120	10.5	5.867	28.77	0
1/4/2026 17:45	5.685	120.3	10.88	5.919	28.77	0
1/4/2026 18:00	6.984	126.8	8.44	5.921	28.77	0
1/4/2026 18:15	7.253	130.6	7.907	5.99	28.77	0
1/4/2026 18:30	7.551	131.6	8.03	5.865	28.77	0
1/4/2026 18:45	7.247	131.8	8.12	5.768	28.77	0
1/4/2026 19:00	7.505	126.9	7.401	5.922	28.77	0
1/4/2026 19:15	6.49	138.2	8.72	5.765	28.77	0
1/4/2026 19:30	5.637	146.1	8.09	5.472	28.78	0
1/4/2026 19:45	6.005	134.1	7.244	5.41	28.78	0
1/4/2026 20:00	5.144	135	8.22	5.611	28.79	0
1/4/2026 20:15	2.705	128.5	34.32	5.771	28.79	0
1/4/2026 20:30	0.348	53.52	7.202	5.86	28.8	0
1/4/2026 20:45	1.861	143.7	32.04	6.026	28.8	0
1/4/2026 21:00	2.705	140.9	21.57	5.965	28.81	0
1/4/2026 21:15	4.034	148.5	14.09	5.502	28.81	0
1/4/2026 21:30	4.411	188.5	14.4	5.297	28.81	0
1/4/2026 21:45	3.362	180.3	26.06	4.902	28.82	0
1/4/2026 22:00	3.693	133.6	8.88	5.404	28.82	0
1/4/2026 22:15	4.245	138.9	10.15	5.443	28.83	0
1/4/2026 22:30	6.03	146	5.644	5.372	28.83	0
1/4/2026 22:45	4.655	153.1	8.46	5.576	28.83	0
1/4/2026 23:00	4.279	167.9	14.05	5.592	28.84	0
1/4/2026 23:15	5.166	187.9	17.99	5.387	28.84	0.01
1/4/2026 23:30	4.692	248.4	11.8	5.041	28.85	0.02
1/4/2026 23:45	1.731	301.5	24.09	4.784	28.85	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/5/2026 0:00	1.466	280	4.65	4.776	28.85	0.02
1/5/2026 0:15	0.777	268.1	65.39	4.697	28.86	0.02
1/5/2026 0:30	2.795	85.7	9.15	4.437	28.86	0.01
1/5/2026 0:45	3.614	96.8	10.75	4.306	28.85	0
1/5/2026 1:00	4.226	101	6.455	4.454	28.86	0
1/5/2026 1:15	5.832	102.7	9.55	4.571	28.85	0
1/5/2026 1:30	5.54	125.1	15.28	4.676	28.86	0.01
1/5/2026 1:45	5.188	138.7	7.074	4.73	28.86	0.01
1/5/2026 2:00	4.662	134.9	9.37	4.771	28.87	0
1/5/2026 2:15	5.049	142.5	13.23	4.743	28.87	0.01
1/5/2026 2:30	5.385	127.6	8.35	4.812	28.88	0.01
1/5/2026 2:45	5.021	128.1	9.67	4.824	28.89	0
1/5/2026 3:00	4.355	181.2	34.87	4.81	28.89	0.01
1/5/2026 3:15	6.203	202.9	12.55	4.71	28.9	0.03
1/5/2026 3:30	5.017	178.3	15.77	4.6	28.9	0
1/5/2026 3:45	2.169	145.1	14	4.44	28.91	0.01
1/5/2026 4:00	6.697	178.7	13.28	4.578	28.91	0
1/5/2026 4:15	8.05	202	13.78	4.741	28.91	0
1/5/2026 4:30	6.48	221.8	11.41	4.854	28.92	0
1/5/2026 4:45	7.608	224.6	9.56	4.815	28.93	0.02
1/5/2026 5:00	7.148	220.4	10.03	4.766	28.94	0.03
1/5/2026 5:15	9.13	225.3	8.5	4.79	28.94	0.01
1/5/2026 5:30	7.163	214.7	13.73	4.766	28.95	0.01
1/5/2026 5:45	7.492	204.6	13.26	4.751	28.95	0
1/5/2026 6:00	10.75	214	11.5	4.796	28.96	0
1/5/2026 6:15	8.05	209.2	8.32	4.787	28.97	0.01
1/5/2026 6:30	8.03	211.5	10.59	4.795	28.98	0
1/5/2026 6:45	6.856	201.3	12.34	4.776	28.98	0
1/5/2026 7:00	6.726	202.7	10.21	4.751	28.99	0
1/5/2026 7:15	6.099	206.9	11.7	4.687	29	0
1/5/2026 7:30	6.283	200.8	10.49	4.663	29.01	0
1/5/2026 7:45	5.968	187.5	12.39	4.589	29.02	0
1/5/2026 8:00	7.743	192.8	9.58	4.481	29.02	0.01
1/5/2026 8:15	5.413	247.8	66.02	4.24	29.03	0.04
1/5/2026 8:30	2.346	307	20.07	3.799	29.04	0.04
1/5/2026 8:45	2.399	0.529	27.07	3.606	29.04	0.02
1/5/2026 9:00	2.577	45.75	10.16	3.388	29.05	0.02
1/5/2026 9:15	0.685	52.59	9.55	3.302	29.06	0
1/5/2026 9:30	0.087	81.8	4.273	3.306	29.07	0.02
1/5/2026 9:45	0.901	102.1	4.224	3.409	29.08	0.01
1/5/2026 10:00	3.464	96.1	7.605	3.639	29.08	0
1/5/2026 10:15	4.732	83.1	9.99	3.685	29.09	0
1/5/2026 10:30	2.75	69.59	41.1	3.741	29.1	0.01
1/5/2026 10:45	1.2	33.57	9.59	3.646	29.11	0
1/5/2026 11:00	1.883	314.1	42.33	3.972	29.12	0.01
1/5/2026 11:15	1.876	312	16.09	4.028	29.12	0
1/5/2026 11:30	2.824	321.6	18.35	4.082	29.13	0.01
1/5/2026 11:45	4.971	226.4	31.51	4.191	29.13	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/5/2026 12:00	3.809	188.9	22.12	4.55	29.13	0
1/5/2026 12:15	0.619	168.5	9.25	4.781	29.13	0
1/5/2026 12:30	0.208	185	1.513	4.786	29.14	0
1/5/2026 12:45	0.927	185	7.424	4.865	29.14	0
1/5/2026 13:00	0.061	157.3	0.381	5.019	29.14	0
1/5/2026 13:15	1.171	152.6	37.58	4.974	29.14	0
1/5/2026 13:30	1.617	203	36.96	5.074	29.14	0
1/5/2026 13:45	3.42	186.5	14.15	5.203	29.14	0
1/5/2026 14:00	2.877	152	23.3	5.376	29.14	0
1/5/2026 14:15	4.036	157.9	25	5.344	29.14	0
1/5/2026 14:30	4.258	157.7	23.38	5.471	29.14	0
1/5/2026 14:45	5.358	159.4	17.58	5.438	29.14	0
1/5/2026 15:00	5.781	163.3	16.09	5.536	29.15	0
1/5/2026 15:15	6.605	182.9	9.85	5.488	29.15	0
1/5/2026 15:30	4.907	184.8	8.36	5.402	29.16	0
1/5/2026 15:45	4.213	234.8	31.37	5.454	29.17	0
1/5/2026 16:00	3.181	247	14.06	5.505	29.17	0.01
1/5/2026 16:15	4.422	194	16.82	5.339	29.16	0
1/5/2026 16:30	4.521	179.3	11.39	4.988	29.16	0
1/5/2026 16:45	2.814	162.8	9.25	4.711	29.16	0
1/5/2026 17:00	2.314	156.6	16.9	4.342	29.16	0
1/5/2026 17:15	4.18	171.6	10.55	4.335	29.16	0
1/5/2026 17:30	3.616	165.4	15.89	4.53	29.16	0
1/5/2026 17:45	3.526	151.5	8.7	4.246	29.15	0
1/5/2026 18:00	3.308	178.8	8.09	4.299	29.16	0
1/5/2026 18:15	2.239	168.8	18.57	4.346	29.17	0
1/5/2026 18:30	1.992	175.6	20.52	4.431	29.17	0
1/5/2026 18:45	3.616	178.7	10.9	4.621	29.18	0
1/5/2026 19:00	2.536	150.4	11.02	4.485	29.18	0
1/5/2026 19:15	4.006	121	5.939	4.053	29.17	0
1/5/2026 19:30	4.558	137.8	7.412	3.843	29.17	0
1/5/2026 19:45	3.418	143	5.618	3.919	29.18	0
1/5/2026 20:00	4.677	151.7	7.235	3.807	29.18	0
1/5/2026 20:15	6.734	152.4	5.96	3.836	29.17	0
1/5/2026 20:30	8.51	156.4	6.626	3.964	29.16	0
1/5/2026 20:45	7.356	166.4	9.14	3.822	29.16	0
1/5/2026 21:00	6.591	171.3	7.678	3.452	29.17	0
1/5/2026 21:15	6.755	177.5	7.122	3.548	29.19	0
1/5/2026 21:30	6.364	163.9	6.793	3.097	29.18	0
1/5/2026 21:45	7.489	165.8	7.325	3.198	29.18	0
1/5/2026 22:00	7.104	162.5	14.23	3.167	29.18	0
1/5/2026 22:15	5.963	178.8	9.5	3.205	29.18	0
1/5/2026 22:30	6.008	156.6	7.83	2.897	29.18	0
1/5/2026 22:45	8.17	156.2	6.707	3.027	29.18	0
1/5/2026 23:00	8.47	156.2	5.155	3.145	29.18	0
1/5/2026 23:15	7.263	152.7	7.465	3.084	29.17	0
1/5/2026 23:30	7.512	156.7	7.244	3.314	29.17	0
1/5/2026 23:45	7.032	152.8	6.804	3.256	29.16	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/6/2026 0:00	6.013	145.6	8.11	3.155	29.16	0
1/6/2026 0:15	5.697	163.1	9.38	3.249	29.16	0
1/6/2026 0:30	6.62	175	7.362	3.609	29.17	0
1/6/2026 0:45	7.401	167	9.17	3.767	29.17	0
1/6/2026 1:00	8.28	156.4	5.494	3.663	29.15	0
1/6/2026 1:15	8.14	165.1	7.769	3.828	29.15	0
1/6/2026 1:30	8.44	159.5	7.474	3.806	29.14	0
1/6/2026 1:45	7.638	157.7	7.451	3.646	29.14	0
1/6/2026 2:00	6.727	171.4	6.773	3.629	29.13	0
1/6/2026 2:15	8.5	173.7	6.192	3.806	29.13	0
1/6/2026 2:30	9.58	173.9	6.607	4.023	29.13	0
1/6/2026 2:45	9.15	165.4	6.988	3.982	29.12	0
1/6/2026 3:00	8.22	166.6	7.457	3.787	29.12	0
1/6/2026 3:15	9.26	165.3	6.461	4.005	29.12	0
1/6/2026 3:30	10.94	160.5	5.593	4.096	29.11	0
1/6/2026 3:45	10.27	158.4	6.158	4.142	29.11	0
1/6/2026 4:00	10.21	157.1	6.608	4.34	29.11	0
1/6/2026 4:15	10.23	154.1	6.825	4.511	29.1	0
1/6/2026 4:30	11.05	156.1	6.8	4.447	29.09	0
1/6/2026 4:45	14.32	165.6	5.771	4.584	29.07	0
1/6/2026 5:00	12.68	177.2	7.617	4.705	29.07	0
1/6/2026 5:15	13.95	172.6	8.36	4.899	29.07	0
1/6/2026 5:30	12.38	172.6	7.729	5.124	29.07	0
1/6/2026 5:45	11.91	175.4	8.16	5.032	29.07	0
1/6/2026 6:00	10.72	166.4	8.2	5.041	29.07	0
1/6/2026 6:15	9.79	165.2	10.3	4.831	29.06	0
1/6/2026 6:30	11.27	177	10.71	4.856	29.06	0
1/6/2026 6:45	16.84	185.6	9.19	4.577	29.05	0
1/6/2026 7:00	15.85	184.9	8.09	4.04	29.05	0
1/6/2026 7:15	15.75	174.5	8.79	3.794	29.05	0.01
1/6/2026 7:30	16.06	162.8	8.08	3.665	29.04	0
1/6/2026 7:45	14.48	154.2	8.53	3.557	29.03	0
1/6/2026 8:00	15.41	152.5	8.44	3.515	29.02	0
1/6/2026 8:15	14.02	151.6	8.39	3.433	29.01	0.01
1/6/2026 8:30	12	152.1	8.4	3.375	29.01	0
1/6/2026 8:45	9.45	146.6	8.46	3.364	29.01	0.01
1/6/2026 9:00	10.22	150.8	7.559	3.45	29	0
1/6/2026 9:15	11.65	155.7	10.67	3.601	29	0
1/6/2026 9:30	11	166.5	9.88	3.86	28.99	0
1/6/2026 9:45	10.28	164	8.08	3.943	28.99	0.01
1/6/2026 10:00	10.61	167.5	9.52	4.162	28.99	0
1/6/2026 10:15	13.73	177.7	9.68	4.313	28.98	0.01
1/6/2026 10:30	16.2	180.8	10.54	4.447	28.97	0.01
1/6/2026 10:45	16.92	178.9	9.2	4.606	28.96	0.01
1/6/2026 11:00	16.49	177.5	8.95	4.719	28.95	0.01
1/6/2026 11:15	15.03	179.3	9.21	4.833	28.95	0.01
1/6/2026 11:30	15.93	177.1	10.09	4.862	28.95	0.01
1/6/2026 11:45	14.21	177	10.81	4.943	28.93	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/6/2026 12:00	11.52	165	13.15	4.993	28.93	0.01
1/6/2026 12:15	10.58	156	9.4	5.04	28.92	0
1/6/2026 12:30	8.1	150.5	11	5.123	28.91	0.01
1/6/2026 12:45	7.365	148.2	12.79	5.24	28.9	0
1/6/2026 13:00	7.004	161.9	15.76	5.33	28.9	0.01
1/6/2026 13:15	7.693	183.3	14.71	5.508	28.89	0
1/6/2026 13:30	8.84	218.8	11.21	5.66	28.89	0.01
1/6/2026 13:45	9.63	224.7	9.09	5.437	28.9	0.02
1/6/2026 14:00	9.26	213.6	7.843	5.188	28.9	0.02
1/6/2026 14:15	7.419	203.2	9.14	5.017	28.9	0.02
1/6/2026 14:30	8.03	190	9.65	4.934	28.89	0.02
1/6/2026 14:45	9.49	188.1	11.62	4.878	28.89	0.02
1/6/2026 15:00	11.36	190.1	10.96	4.876	28.89	0.01
1/6/2026 15:15	13.43	199.8	10.3	4.935	28.89	0.01
1/6/2026 15:30	13.99	194.5	9.79	4.961	28.89	0.01
1/6/2026 15:45	14.55	193.7	10.66	4.966	28.89	0.01
1/6/2026 16:00	15.45	192.1	9.61	4.946	28.88	0
1/6/2026 16:15	15.07	189.8	9.64	4.901	28.89	0.01
1/6/2026 16:30	14.37	181.2	9.22	4.813	28.88	0.01
1/6/2026 16:45	14.37	176.2	10.04	4.765	28.88	0
1/6/2026 17:00	13.09	182	8.79	4.732	28.88	0.01
1/6/2026 17:15	12.06	166.3	10.29	4.66	28.88	0.01
1/6/2026 17:30	11.29	168.6	15.33	4.599	28.88	0
1/6/2026 17:45	11.73	188.3	14.63	4.618	28.88	0.02
1/6/2026 18:00	11.14	161.1	11.53	4.541	28.88	0
1/6/2026 18:15	10.48	149.9	9.7	4.388	28.88	0
1/6/2026 18:30	11.41	152.7	10.41	4.19	28.88	0
1/6/2026 18:45	10.8	154.1	8.75	4.155	28.88	0
1/6/2026 19:00	11.22	163.6	9.35	4.222	28.88	0
1/6/2026 19:15	12.23	173.5	8.37	4.389	28.88	0
1/6/2026 19:30	13.82	167.9	9.21	4.56	28.87	0
1/6/2026 19:45	15.47	170.6	9.18	4.657	28.87	0
1/6/2026 20:00	13.97	173.7	9.89	4.729	28.87	0
1/6/2026 20:15	14.76	175.3	11.09	4.789	28.87	0
1/6/2026 20:30	13.87	181.6	10.1	4.888	28.87	0
1/6/2026 20:45	10.85	173.4	12.81	4.928	28.87	0
1/6/2026 21:00	6.391	182.1	29.89	5.016	28.88	0
1/6/2026 21:15	3.9	173.2	27.49	5	28.88	0
1/6/2026 21:30	6.256	170.2	26.15	5.044	28.88	0
1/6/2026 21:45	4.217	173.9	18.86	5.056	28.88	0
1/6/2026 22:00	4.069	157.5	45.25	4.977	28.88	0
1/6/2026 22:15	5.382	172.8	16.64	4.906	28.88	0
1/6/2026 22:30	9.22	198.6	16.36	4.926	28.88	0
1/6/2026 22:45	10.31	210.1	9.76	4.93	28.89	0
1/6/2026 23:00	9.37	202.4	9.52	4.821	28.89	0
1/6/2026 23:15	11.67	194.9	9.74	4.674	28.9	0
1/6/2026 23:30	11.14	190.3	8.09	4.581	28.9	0
1/6/2026 23:45	13.11	190.5	9.22	4.598	28.9	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/7/2026 0:00	13.6	194.2	10.05	4.654	28.91	0
1/7/2026 0:15	11.54	193	9.81	4.559	28.91	0
1/7/2026 0:30	9.75	200	9.73	4.486	28.92	0
1/7/2026 0:45	8.82	203	8.82	4.439	28.92	0
1/7/2026 1:00	8.62	200.3	9.79	4.387	28.93	0
1/7/2026 1:15	8.01	205.4	8.37	4.343	28.94	0
1/7/2026 1:30	9.26	193.3	10.76	4.285	28.94	0
1/7/2026 1:45	10.13	195.4	9.93	4.198	28.95	0
1/7/2026 2:00	10.8	183.9	8.82	4.07	28.95	0
1/7/2026 2:15	9.54	185.4	6.571	3.914	28.96	0
1/7/2026 2:30	7.926	163.1	13.46	3.896	28.96	0
1/7/2026 2:45	9.8	170.5	8.76	3.925	28.97	0
1/7/2026 3:00	9.44	185.5	14.04	3.864	28.97	0
1/7/2026 3:15	10.43	179.7	9.82	3.774	28.97	0
1/7/2026 3:30	8.95	174.9	12.21	3.761	28.97	0
1/7/2026 3:45	8.8	158.1	9.14	3.691	28.97	0
1/7/2026 4:00	9.41	157.3	9.46	3.66	28.96	0
1/7/2026 4:15	7.998	178.7	12.99	3.647	28.96	0
1/7/2026 4:30	9.05	149.5	11.67	3.52	28.96	0
1/7/2026 4:45	11.86	180.3	14.83	3.45	28.95	0
1/7/2026 5:00	19.3	200	7.238	3.686	28.95	0
1/7/2026 5:15	16.11	194.5	7.781	3.724	28.95	0
1/7/2026 5:30	14.24	188.3	8.44	3.687	28.95	0
1/7/2026 5:45	13.07	191.4	8.13	3.649	28.96	0
1/7/2026 6:00	11.24	191.3	7.73	3.644	28.96	0
1/7/2026 6:15	10.38	184	8.6	3.443	28.96	0.01
1/7/2026 6:30	7.775	185.6	9.18	3.42	28.96	0
1/7/2026 6:45	8.93	186.5	9.04	3.368	28.96	0.01
1/7/2026 7:00	8.72	180.2	9.21	3.353	28.96	0
1/7/2026 7:15	8.98	174.3	9.78	3.338	28.95	0
1/7/2026 7:30	5.155	140.2	10.83	3.07	28.95	0
1/7/2026 7:45	5.168	129	7.969	2.982	28.95	0
1/7/2026 8:00	7.086	153.2	16.43	3.051	28.95	0
1/7/2026 8:15	9.66	155.2	7.782	3.056	28.95	0
1/7/2026 8:30	7.789	137.8	12.36	3.112	28.95	0
1/7/2026 8:45	7.7	140	10.36	3.104	28.94	0
1/7/2026 9:00	7.009	141.4	8.54	3.161	28.94	0
1/7/2026 9:15	5.968	144.8	9.84	3.185	28.93	0
1/7/2026 9:30	5.88	138.3	12.03	3.196	28.93	0
1/7/2026 9:45	5.902	118.3	8.14	3.133	28.93	0
1/7/2026 10:00	6.547	126.1	8.77	3.486	28.92	0
1/7/2026 10:15	6.635	120	9.2	3.929	28.91	0
1/7/2026 10:30	7.368	148.4	15.63	4.188	28.91	0
1/7/2026 10:45	10.33	150.3	15.18	4.367	28.91	0
1/7/2026 11:00	8.07	140	13.59	4.551	28.9	0
1/7/2026 11:15	9.76	167.3	17.16	4.874	28.9	0
1/7/2026 11:30	11.34	194.8	12.3	4.597	28.9	0
1/7/2026 11:45	18.37	189.3	11.24	4.315	28.89	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/7/2026 12:00	11.98	173.3	10.08	3.728	28.89	0.01
1/7/2026 12:15	11.43	170.8	13.4	3.508	28.89	0.02
1/7/2026 12:30	12.2	161	9.63	3.328	28.88	0.02
1/7/2026 12:45	8.92	162.1	9.1	3.401	28.88	0.01
1/7/2026 13:00	7.506	144.7	7.707	3.316	28.88	0
1/7/2026 13:15	6.668	141.1	12.41	3.319	28.87	0
1/7/2026 13:30	7.561	161.6	14.87	3.178	28.87	0
1/7/2026 13:45	10.97	180.7	12.65	3.709	28.87	0
1/7/2026 14:00	13.76	188.3	9.73	4.154	28.86	0
1/7/2026 14:15	12.88	185.6	9.64	4.392	28.86	0
1/7/2026 14:30	13.99	189.3	10.27	4.393	28.87	0
1/7/2026 14:45	11.23	185.1	9.51	4.398	28.87	0
1/7/2026 15:00	11.54	194.3	9.71	4.368	28.87	0
1/7/2026 15:15	9.83	190.2	9.78	4.361	28.88	0
1/7/2026 15:30	9.63	184.6	8.8	4.377	28.88	0
1/7/2026 15:45	9.58	184.7	8.02	4.336	28.88	0
1/7/2026 16:00	10.07	186.7	8.9	4.378	28.88	0
1/7/2026 16:15	10.48	195.4	9.97	4.241	28.89	0
1/7/2026 16:30	10.82	193.8	9.19	4.209	28.89	0
1/7/2026 16:45	11.65	183.3	8.68	3.981	28.89	0
1/7/2026 17:00	12.26	187.5	8.46	3.909	28.89	0
1/7/2026 17:15	10.74	183.6	9.69	3.831	28.9	0
1/7/2026 17:30	7.613	170.8	13.35	3.522	28.91	0
1/7/2026 17:45	9.34	177.4	10.75	3.407	28.91	0
1/7/2026 18:00	8.02	184.5	8.68	3.346	28.91	0
1/7/2026 18:15	7.704	190.1	8.35	3.242	28.91	0
1/7/2026 18:30	7.566	186.2	7.156	3.124	28.92	0
1/7/2026 18:45	9.01	171.6	9.72	2.957	28.92	0
1/7/2026 19:00	10.23	169.8	9.74	2.863	28.93	0
1/7/2026 19:15	10.32	176.4	8.7	2.972	28.93	0
1/7/2026 19:30	10.94	165.1	8.57	2.935	28.94	0
1/7/2026 19:45	11.26	159.3	8.49	2.947	28.94	0
1/7/2026 20:00	10.44	158.8	9.59	2.918	28.94	0
1/7/2026 20:15	10.77	176	8.79	2.966	28.94	0
1/7/2026 20:30	10.76	171.9	9.53	2.947	28.94	0
1/7/2026 20:45	9.94	160	10.11	2.95	28.95	0
1/7/2026 21:00	10.26	158	9.64	2.932	28.95	0
1/7/2026 21:15	10.43	169.5	12.24	3.016	28.96	0
1/7/2026 21:30	9.96	176.1	11.6	3.121	28.97	0
1/7/2026 21:45	8.96	177.6	10.97	3.172	28.97	0
1/7/2026 22:00	9.44	188.9	10.75	3.207	28.98	0
1/7/2026 22:15	9.12	189.9	10.66	3.236	28.98	0
1/7/2026 22:30	8.79	201.3	13.75	3.228	28.99	0
1/7/2026 22:45	9.23	197.2	11.36	3.275	29	0
1/7/2026 23:00	10.69	211.2	10.37	3.021	29.01	0
1/7/2026 23:15	8.04	199.3	11.65	2.706	29.02	0.01
1/7/2026 23:30	7.155	170.6	11	2.59	29.03	0
1/7/2026 23:45	5.381	155.9	12.9	2.559	29.04	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/8/2026 0:00	4.619	143.9	11.12	2.553	29.05	0.01
1/8/2026 0:15	5.008	134.4	8.17	2.562	29.05	0
1/8/2026 0:30	4.927	138.9	9.57	2.591	29.06	0
1/8/2026 0:45	4.271	137.2	8.28	2.619	29.06	0
1/8/2026 1:00	4.758	131.1	8.38	2.628	29.07	0
1/8/2026 1:15	4.154	130.2	10.53	2.646	29.08	0.01
1/8/2026 1:30	6.3	151.3	7.379	2.672	29.08	0
1/8/2026 1:45	5.995	152.6	5.883	2.691	29.09	0
1/8/2026 2:00	5.493	150.1	8.06	2.696	29.09	0
1/8/2026 2:15	4.322	135.2	8.38	2.722	29.1	0.01
1/8/2026 2:30	4.261	135.3	9.38	2.73	29.11	0
1/8/2026 2:45	5.229	142.1	9.41	2.739	29.12	0
1/8/2026 3:00	7.571	162.3	15.77	2.763	29.12	0
1/8/2026 3:15	9.13	185.3	6.84	2.781	29.13	0
1/8/2026 3:30	8.03	182.7	8.12	2.867	29.14	0
1/8/2026 3:45	9.58	177.9	10.23	2.882	29.15	0
1/8/2026 4:00	9.27	192.5	10.86	2.865	29.16	0
1/8/2026 4:15	9.71	192.6	10.19	2.792	29.16	0
1/8/2026 4:30	10.89	192.6	8.07	2.732	29.18	0
1/8/2026 4:45	10.18	191.8	8.53	2.686	29.19	0
1/8/2026 5:00	10.02	183.2	10.09	2.664	29.19	0
1/8/2026 5:15	8.89	180.9	7.853	2.659	29.21	0
1/8/2026 5:30	6.661	162	13.04	2.543	29.22	0
1/8/2026 5:45	7.583	179.2	12.93	2.509	29.22	0
1/8/2026 6:00	7.78	176.7	11.15	2.445	29.23	0
1/8/2026 6:15	8.15	167.3	12.89	2.34	29.24	0
1/8/2026 6:30	6.703	152	10.42	2.308	29.25	0
1/8/2026 6:45	7.284	149.1	9.39	2.316	29.26	0
1/8/2026 7:00	6.618	148.9	6.994	2.288	29.27	0
1/8/2026 7:15	7.85	155.8	7.83	2.28	29.28	0
1/8/2026 7:30	7.881	151.1	9.1	2.377	29.29	0
1/8/2026 7:45	7.747	146.9	7.934	2.367	29.29	0
1/8/2026 8:00	8.62	158.7	7.93	2.315	29.3	0
1/8/2026 8:15	6.745	148.9	10.71	2.262	29.31	0
1/8/2026 8:30	6.829	147.3	8.17	2.285	29.31	0
1/8/2026 8:45	7.787	152.4	8.17	2.36	29.31	0
1/8/2026 9:00	9.34	171.7	12.23	2.465	29.32	0
1/8/2026 9:15	7.344	171.3	11.35	2.58	29.33	0
1/8/2026 9:30	5.847	181.2	14.57	2.668	29.35	0
1/8/2026 9:45	7.298	190.8	10.8	2.803	29.36	0
1/8/2026 10:00	8.63	180.1	11.29	2.87	29.36	0
1/8/2026 10:15	8.69	171	13.03	2.946	29.37	0
1/8/2026 10:30	6.82	152.7	18.12	3.014	29.37	0
1/8/2026 10:45	5.981	153.1	8.98	3.16	29.38	0
1/8/2026 11:00	6.198	149.4	11.36	3.383	29.38	0
1/8/2026 11:15	4.336	145.8	18.08	3.592	29.38	0
1/8/2026 11:30	5.105	162.3	19.43	3.896	29.38	0
1/8/2026 11:45	8.53	193.9	9.74	4.204	29.38	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/8/2026 12:00	8.01	194.9	10.7	4.465	29.38	0
1/8/2026 12:15	11.33	190.7	7.155	4.588	29.38	0
1/8/2026 12:30	11.24	188.7	8.99	4.722	29.38	0
1/8/2026 12:45	10.54	187.4	9.58	4.831	29.39	0
1/8/2026 13:00	9.83	188.1	11.97	5.067	29.39	0
1/8/2026 13:15	10.84	199.7	14.7	5.337	29.39	0
1/8/2026 13:30	10.56	199.3	12.2	5.409	29.38	0
1/8/2026 13:45	13.86	196.6	11.46	5.337	29.38	0
1/8/2026 14:00	10.77	196	10.8	5.28	29.38	0
1/8/2026 14:15	11.57	199	10.9	5.341	29.38	0
1/8/2026 14:30	11.18	207.1	9.11	5.416	29.39	0
1/8/2026 14:45	11.24	208.9	11.56	5.433	29.39	0
1/8/2026 15:00	10.31	207	9.56	5.444	29.4	0
1/8/2026 15:15	11.37	207.5	8.88	5.534	29.4	0
1/8/2026 15:30	9.01	197.3	9.65	5.516	29.41	0
1/8/2026 15:45	11.09	202.4	10.05	5.458	29.41	0
1/8/2026 16:00	10.64	206.1	8.48	5.464	29.41	0
1/8/2026 16:15	7.344	199.8	8.97	5.316	29.42	0
1/8/2026 16:30	7.169	184.2	12.39	5.247	29.42	0
1/8/2026 16:45	5.628	157.1	15.73	5.011	29.42	0
1/8/2026 17:00	4.991	154.6	16.06	4.984	29.43	0
1/8/2026 17:15	6.754	172.1	16.21	5.159	29.43	0
1/8/2026 17:30	8.73	180.9	10.75	5.274	29.44	0
1/8/2026 17:45	8.78	185	10.62	5.234	29.44	0
1/8/2026 18:00	7.746	183.9	12.83	5.072	29.45	0
1/8/2026 18:15	8.27	180	13.18	4.883	29.45	0
1/8/2026 18:30	7.396	178.8	10.1	5.005	29.46	0
1/8/2026 18:45	6.712	179.2	10.49	5.157	29.46	0
1/8/2026 19:00	6.415	188.1	11.95	5.157	29.47	0
1/8/2026 19:15	8.11	194.4	11.15	5.323	29.47	0
1/8/2026 19:30	6.4	206	14.77	5.3	29.47	0
1/8/2026 19:45	7.253	219	12.12	5.415	29.48	0
1/8/2026 20:00	6.619	204.9	11.87	5.396	29.48	0
1/8/2026 20:15	6.061	192.6	9.85	5.401	29.49	0
1/8/2026 20:30	5.949	198.3	9.02	5.427	29.49	0
1/8/2026 20:45	6.806	198.8	10.13	5.438	29.5	0
1/8/2026 21:00	6.308	181.5	9.66	5.421	29.5	0
1/8/2026 21:15	6.985	186.7	8.49	5.387	29.5	0
1/8/2026 21:30	7.004	186.7	7.394	5.37	29.51	0
1/8/2026 21:45	7.967	183	8.96	5.37	29.51	0
1/8/2026 22:00	8.17	185.3	7.231	5.334	29.51	0
1/8/2026 22:15	7.672	180.5	7.692	5.32	29.51	0
1/8/2026 22:30	6.908	186.5	8.35	5.342	29.52	0
1/8/2026 22:45	6.054	186.7	9.56	5.342	29.53	0
1/8/2026 23:00	4.388	155	17.37	5.305	29.54	0
1/8/2026 23:15	5.812	162.3	14.69	5.241	29.54	0
1/8/2026 23:30	6.065	166.9	14.11	5.336	29.54	0
1/8/2026 23:45	7.375	150	8.74	5.263	29.54	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/9/2026 0:00	6.616	149	9.04	5.288	29.54	0
1/9/2026 0:15	5.42	144.5	10.42	5.283	29.54	0
1/9/2026 0:30	4.733	148.6	12.16	5.374	29.55	0
1/9/2026 0:45	4.205	163.4	10.49	5.379	29.55	0
1/9/2026 1:00	4.929	148.3	8.54	5.379	29.55	0
1/9/2026 1:15	4.407	143.1	7.126	5.399	29.55	0
1/9/2026 1:30	4.858	145.3	7.66	5.41	29.56	0
1/9/2026 1:45	5.747	154.7	11.55	5.453	29.56	0
1/9/2026 2:00	6.179	159.9	9.42	5.447	29.56	0
1/9/2026 2:15	4.58	163.9	13.28	5.463	29.57	0
1/9/2026 2:30	5.172	161	10.56	5.459	29.57	0
1/9/2026 2:45	5.802	160.5	11.62	5.543	29.58	0
1/9/2026 3:00	5.301	167.4	9.55	5.548	29.58	0
1/9/2026 3:15	6.507	157.6	6.231	5.509	29.58	0
1/9/2026 3:30	6.233	162.6	9.54	5.556	29.58	0
1/9/2026 3:45	5.578	167.9	19.55	5.453	29.58	0
1/9/2026 4:00	4.068	136.4	9.31	5.113	29.59	0
1/9/2026 4:15	3.724	128.2	8.38	5.043	29.59	0
1/9/2026 4:30	5.546	131.3	9.83	5.09	29.59	0
1/9/2026 4:45	5.565	130.2	7.934	5.206	29.59	0
1/9/2026 5:00	5.351	131.5	9.05	5.372	29.59	0
1/9/2026 5:15	5.532	129.3	8.18	5.528	29.59	0
1/9/2026 5:30	4.999	140.7	13.81	5.692	29.6	0
1/9/2026 5:45	4.152	153.6	22.01	5.755	29.6	0
1/9/2026 6:00	5.513	174	23.42	5.809	29.6	0
1/9/2026 6:15	5.019	185.4	8.42	5.695	29.61	0
1/9/2026 6:30	7.494	203.6	6.98	5.586	29.61	0
1/9/2026 6:45	7.737	193.6	9.92	5.271	29.61	0
1/9/2026 7:00	5.494	150.6	21.71	5.297	29.61	0
1/9/2026 7:15	4.176	128.6	13.12	5.23	29.61	0
1/9/2026 7:30	7.593	151.9	7.778	5.68	29.61	0
1/9/2026 7:45	8.08	164.6	11.99	6.104	29.61	0
1/9/2026 8:00	5.39	145.9	12.5	6.047	29.62	0
1/9/2026 8:15	5.085	127	8.71	6.002	29.63	0
1/9/2026 8:30	7.864	145	12.01	6.268	29.63	0
1/9/2026 8:45	9.07	163	13.1	6.556	29.64	0
1/9/2026 9:00	6.684	154.6	9.6	6.524	29.64	0
1/9/2026 9:15	5.407	166.3	8.68	6.66	29.64	0
1/9/2026 9:30	6.529	157.6	11.95	6.931	29.65	0
1/9/2026 9:45	4.485	136.6	9.76	7.32	29.65	0
1/9/2026 10:00	3.881	123.1	9.55	7.351	29.64	0
1/9/2026 10:15	4.663	137.9	7.766	7.642	29.65	0
1/9/2026 10:30	6.458	133.6	7.535	8.32	29.65	0
1/9/2026 10:45	6.04	126.9	13.31	8.74	29.65	0
1/9/2026 11:00	5.842	134.1	13.22	8.8	29.65	0
1/9/2026 11:15	6.175	132.4	13.22	9.06	29.65	0
1/9/2026 11:30	7.126	131.3	16.08	9.56	29.65	0
1/9/2026 11:45	5.951	152.5	21.59	9.87	29.64	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/9/2026 12:00	5.601	153.8	21.92	10.18	29.64	0
1/9/2026 12:15	3.938	136.8	27.8	10.4	29.63	0
1/9/2026 12:30	5.149	173.5	28	10.68	29.63	0
1/9/2026 12:45	4.998	147	27.4	10.47	29.63	0
1/9/2026 13:00	4.034	131	19.24	10.05	29.63	0
1/9/2026 13:15	5.64	127.1	10.34	9.99	29.62	0
1/9/2026 13:30	5.62	134.7	13.8	10.19	29.61	0
1/9/2026 13:45	5.54	145.7	10.06	10.16	29.61	0
1/9/2026 14:00	4.33	140.7	15.89	10	29.6	0
1/9/2026 14:15	4.106	151.7	13.1	10.19	29.6	0
1/9/2026 14:30	3.044	166.4	20.34	10.16	29.6	0
1/9/2026 14:45	2.758	190.9	23.11	10.15	29.6	0
1/9/2026 15:00	4.594	169.4	17.27	10.53	29.59	0
1/9/2026 15:15	3.593	168.1	12.73	10.36	29.59	0
1/9/2026 15:30	1.714	93	27.04	10.22	29.59	0
1/9/2026 15:45	2.506	99.4	15.08	9.81	29.59	0
1/9/2026 16:00	1.983	120.5	12.11	9.58	29.59	0
1/9/2026 16:15	3.392	130.1	10.81	9.32	29.59	0
1/9/2026 16:30	2.386	111	12.87	8.94	29.59	0
1/9/2026 16:45	3.989	125.6	21.07	8.77	29.59	0
1/9/2026 17:00	5.149	125.7	15.43	8.58	29.59	0
1/9/2026 17:15	4.602	117.1	11.18	8.4	29.59	0
1/9/2026 17:30	5.904	119.6	10.34	8.33	29.6	0
1/9/2026 17:45	5.943	121.5	9.63	8.06	29.59	0
1/9/2026 18:00	6.591	120.5	10.68	7.867	29.59	0
1/9/2026 18:15	7.247	124.9	10.21	7.806	29.59	0
1/9/2026 18:30	8.56	121.1	9.46	7.635	29.58	0
1/9/2026 18:45	10.19	128.6	9.73	7.71	29.57	0
1/9/2026 19:00	10.59	142.2	10.8	7.725	29.57	0
1/9/2026 19:15	11.22	170.4	9.94	7.746	29.58	0
1/9/2026 19:30	8.81	187.8	8.66	7.452	29.58	0
1/9/2026 19:45	8.56	192.8	13.57	7.259	29.59	0
1/9/2026 20:00	4.58	127.2	18.98	6.602	29.58	0
1/9/2026 20:15	2.783	171.1	18.41	6.626	29.59	0
1/9/2026 20:30	4.739	176.4	20.09	7.064	29.6	0
1/9/2026 20:45	5.557	166.3	4.323	6.968	29.6	0
1/9/2026 21:00	3.508	135.5	12.76	6.503	29.6	0
1/9/2026 21:15	6.369	139.8	5.968	6.447	29.6	0
1/9/2026 21:30	8.06	132.2	11.51	6.864	29.6	0
1/9/2026 21:45	8.38	157.4	10.26	7.047	29.6	0
1/9/2026 22:00	8.28	167	10.4	6.898	29.59	0
1/9/2026 22:15	6.796	173.4	10.41	6.718	29.59	0
1/9/2026 22:30	6.834	196.5	13.41	6.595	29.59	0
1/9/2026 22:45	8.52	207.5	5.39	6.35	29.59	0
1/9/2026 23:00	8.32	196.5	7.391	6.42	29.6	0
1/9/2026 23:15	6.448	176.4	13.7	6.289	29.6	0
1/9/2026 23:30	4.695	213.9	28.26	6.048	29.6	0
1/9/2026 23:45	4.672	251.5	10.16	5.625	29.61	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/10/2026 0:00	4.628	223.7	23.33	5.842	29.61	0
1/10/2026 0:15	5.009	176.9	13.56	5.823	29.6	0
1/10/2026 0:30	4.503	172.8	16.7	5.899	29.6	0
1/10/2026 0:45	5.696	244.2	22.28	5.158	29.61	0
1/10/2026 1:00	3.429	286.7	37	5.032	29.61	0
1/10/2026 1:15	1.976	355.9	16.16	5.474	29.6	0
1/10/2026 1:30	3.594	146.3	17.39	6.097	29.59	0
1/10/2026 1:45	3.102	134.7	16.26	5.686	29.58	0
1/10/2026 2:00	3.493	169.1	17.31	6.556	29.58	0
1/10/2026 2:15	3.817	244.5	41.45	5.829	29.59	0
1/10/2026 2:30	5.495	271.6	10.52	4.96	29.6	0
1/10/2026 2:45	1.59	242.3	17.11	5.592	29.6	0
1/10/2026 3:00	1.07	201	46.59	5.839	29.6	0
1/10/2026 3:15	3.04	139.7	16.83	5.482	29.6	0
1/10/2026 3:30	3.561	152.2	17.92	4.738	29.6	0
1/10/2026 3:45	6.983	160.2	12	5.4	29.6	0
1/10/2026 4:00	9.53	170.5	7.83	5.085	29.6	0
1/10/2026 4:15	8.87	164.2	7.392	4.915	29.6	0
1/10/2026 4:30	8.29	186.1	10.73	5.336	29.59	0
1/10/2026 4:45	7.582	199.3	5.267	4.926	29.59	0
1/10/2026 5:00	3.368	214.4	16.63	4.64	29.59	0
1/10/2026 5:15	1.337	188.3	33.55	5.013	29.58	0
1/10/2026 5:30	1.075	0.368	9.21	4.687	29.58	0
1/10/2026 5:45	3.276	336.2	15.5	4.527	29.58	0
1/10/2026 6:00	3.901	318.3	13.78	4.276	29.57	0
1/10/2026 6:15	3.821	336.2	22.79	4.548	29.57	0
1/10/2026 6:30	0.618	13.95	7.943	4.321	29.57	0
1/10/2026 6:45	0	0	0	5.022	29.56	0
1/10/2026 7:00	1.128	338.6	26.99	5.466	29.56	0
1/10/2026 7:15	1.917	128.6	21.91	6.631	29.56	0
1/10/2026 7:30	4.485	119.8	18.35	6.075	29.55	0
1/10/2026 7:45	4.674	123.7	11.79	6.219	29.55	0
1/10/2026 8:00	3.696	116.4	9.97	6.204	29.55	0
1/10/2026 8:15	3.3	139	10.88	6.237	29.54	0
1/10/2026 8:30	1.743	158.3	23.64	6.398	29.54	0
1/10/2026 8:45	1.966	145.9	31.12	6.367	29.54	0
1/10/2026 9:00	2.294	124.1	30.22	6.428	29.53	0
1/10/2026 9:15	2.779	131.2	11.14	7.302	29.53	0
1/10/2026 9:30	3.156	156.7	23.51	7.561	29.53	0
1/10/2026 9:45	4.728	162.9	9.93	8.54	29.53	0
1/10/2026 10:00	5.421	212.2	27.14	8.46	29.54	0
1/10/2026 10:15	5.672	264.2	16.86	7.622	29.54	0
1/10/2026 10:30	7.86	292.5	14.03	6.865	29.55	0
1/10/2026 10:45	7.469	304.4	6.224	7.134	29.56	0
1/10/2026 11:00	5.816	297.4	8.34	7.652	29.56	0
1/10/2026 11:15	5.249	280.9	9.93	8.07	29.57	0
1/10/2026 11:30	5.564	285.2	14.28	8.63	29.57	0
1/10/2026 11:45	6.446	272.3	9.66	8.62	29.57	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/10/2026 12:00	2.475	299.5	39.35	8.76	29.58	0
1/10/2026 12:15	1.545	217.7	33.85	9.21	29.58	0
1/10/2026 12:30	4.222	107.6	21.1	9.32	29.58	0
1/10/2026 12:45	4.771	104.3	17.75	9.26	29.57	0
1/10/2026 13:00	6.102	127.7	11.15	9.51	29.56	0
1/10/2026 13:15	8.94	173.2	16.38	9.87	29.56	0
1/10/2026 13:30	8.48	185.8	14.69	9.72	29.56	0
1/10/2026 13:45	7.702	193.5	17.49	9.61	29.56	0
1/10/2026 14:00	6.465	186.2	30.64	9.39	29.55	0
1/10/2026 14:15	7.115	144.8	13.69	9.5	29.54	0
1/10/2026 14:30	6.864	144.4	13.79	9.45	29.53	0
1/10/2026 14:45	7.442	159.4	9.18	9.43	29.53	0
1/10/2026 15:00	5.475	138.7	15.2	9.54	29.53	0
1/10/2026 15:15	2.741	177.3	32.74	9.68	29.53	0
1/10/2026 15:30	0.805	185.7	14.84	10.03	29.54	0
1/10/2026 15:45	5.757	261.3	23.22	9.81	29.53	0
1/10/2026 16:00	2.557	309.7	39.68	9.47	29.52	0
1/10/2026 16:15	0.86	50.36	9.04	9.34	29.51	0
1/10/2026 16:30	3.048	335	45.14	9.15	29.51	0
1/10/2026 16:45	5.013	295.7	12.38	8.77	29.52	0
1/10/2026 17:00	5.587	311.2	8.27	8.72	29.53	0
1/10/2026 17:15	6.563	304.4	7.902	8.8	29.53	0
1/10/2026 17:30	8.6	312.9	5.235	8.69	29.54	0
1/10/2026 17:45	5.867	318	7.615	8.63	29.54	0
1/10/2026 18:00	6.567	319.4	6.416	8.58	29.54	0
1/10/2026 18:15	6.175	319.3	22.19	8.35	29.54	0
1/10/2026 18:30	5.22	312.5	7.222	8.27	29.55	0
1/10/2026 18:45	4.105	25.59	46.32	8.15	29.54	0
1/10/2026 19:00	3.454	72.98	52.55	8.07	29.54	0
1/10/2026 19:15	3.461	56.45	21.86	8.31	29.54	0
1/10/2026 19:30	1.882	198.5	73.93	8.01	29.55	0
1/10/2026 19:45	2.039	325.3	25.73	8.15	29.56	0
1/10/2026 20:00	0.987	92.3	24.72	7.908	29.56	0
1/10/2026 20:15	3.061	195.2	54.98	7.708	29.56	0
1/10/2026 20:30	2.903	122.1	27.87	7.776	29.55	0
1/10/2026 20:45	2.034	82.1	9.17	7.719	29.54	0.02
1/10/2026 21:00	3.5	276.2	24	7.053	29.55	0.03
1/10/2026 21:15	3.654	185.4	47.81	7.487	29.55	0
1/10/2026 21:30	4.642	43.44	18.95	6.376	29.55	0
1/10/2026 21:45	4.851	30.53	15.53	6.397	29.55	0
1/10/2026 22:00	4.26	34.98	8.33	6.209	29.56	0.01
1/10/2026 22:15	4.513	46.27	12.2	6.144	29.55	0
1/10/2026 22:30	4.912	38.8	10.54	6.278	29.54	0
1/10/2026 22:45	4.123	33.82	13.88	6.18	29.54	0
1/10/2026 23:00	1.91	123.9	98.3	6.096	29.54	0
1/10/2026 23:15	2.848	69.52	55.71	6.197	29.54	0
1/10/2026 23:30	3.307	66.12	26.32	6.257	29.54	0
1/10/2026 23:45	2.268	21.65	22.23	6.133	29.53	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/11/2026 0:00	6.618	3.627	12.96	6.014	29.52	0
1/11/2026 0:15	4.616	351.1	17.95	6.01	29.53	0
1/11/2026 0:30	4.875	216	53.6	5.862	29.54	0
1/11/2026 0:45	5.876	252.2	53.51	5.63	29.54	0
1/11/2026 1:00	5.25	207.5	70.76	6.024	29.55	0
1/11/2026 1:15	5.578	153.6	26.13	5.989	29.56	0.01
1/11/2026 1:30	5.195	100.6	14.24	5.777	29.55	0
1/11/2026 1:45	7.664	151	17.79	6.309	29.55	0
1/11/2026 2:00	8.43	170.1	10.4	6.214	29.56	0
1/11/2026 2:15	7.956	148.1	10.59	6.503	29.56	0.02
1/11/2026 2:30	7.022	128.8	8.35	6.286	29.56	0.01
1/11/2026 2:45	8.82	132.5	7.777	6.584	29.56	0.01
1/11/2026 3:00	9.54	133.3	11.36	6.863	29.56	0
1/11/2026 3:15	6.692	145.3	14.58	6.771	29.54	0
1/11/2026 3:30	8	121	21.57	6.944	29.54	0
1/11/2026 3:45	8.18	123.2	12.1	7.233	29.53	0
1/11/2026 4:00	7.242	155.1	16.72	7.558	29.53	0
1/11/2026 4:15	7.515	149.1	19.94	7.653	29.52	0
1/11/2026 4:30	7.82	124.8	13.18	7.933	29.51	0
1/11/2026 4:45	9.73	129.2	10.87	8.02	29.51	0
1/11/2026 5:00	9.89	149.3	11.49	8.32	29.51	0.01
1/11/2026 5:15	7.329	175.8	15.75	7.964	29.51	0
1/11/2026 5:30	6.95	156.2	11.44	8.11	29.5	0
1/11/2026 5:45	6.219	144.6	9.58	8.37	29.5	0
1/11/2026 6:00	6.869	146.8	8.23	8.3	29.49	0
1/11/2026 6:15	7.32	161.6	10.53	8.02	29.5	0
1/11/2026 6:30	7.662	210	12.51	7.16	29.5	0
1/11/2026 6:45	8.56	204.7	6.316	6.772	29.5	0
1/11/2026 7:00	7.473	167.2	17.84	6.846	29.5	0
1/11/2026 7:15	4.653	123.3	21.24	7.173	29.49	0
1/11/2026 7:30	5.017	112.9	13.61	7.137	29.5	0
1/11/2026 7:45	5.336	126.7	12.65	7.606	29.5	0
1/11/2026 8:00	4.588	135	16.23	7.852	29.5	0
1/11/2026 8:15	4.619	173.3	27.24	7.929	29.5	0
1/11/2026 8:30	4.617	190.6	24.67	6.986	29.5	0
1/11/2026 8:45	4.583	135.7	30.24	7.183	29.49	0
1/11/2026 9:00	1.27	139.9	73.15	7.24	29.5	0
1/11/2026 9:15	4.674	135.5	28.29	7.524	29.5	0
1/11/2026 9:30	4.573	134.9	11.82	7.66	29.5	0
1/11/2026 9:45	4.903	119.7	17.55	7.988	29.5	0
1/11/2026 10:00	4.754	125.1	15.53	8.36	29.5	0
1/11/2026 10:15	3.206	128.3	21.86	8.46	29.51	0
1/11/2026 10:30	2.475	138.3	27.9	8.5	29.51	0
1/11/2026 10:45	3.937	124	67.62	8.65	29.52	0
1/11/2026 11:00	2.381	212.7	65.38	8.54	29.52	0
1/11/2026 11:15	2.205	144.9	41.48	8.32	29.52	0
1/11/2026 11:30	4.343	172.6	13.52	8.32	29.52	0
1/11/2026 11:45	6.035	145.2	8.98	8.62	29.51	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/11/2026 12:00	4.88	138.5	7.178	9.04	29.51	0
1/11/2026 12:15	3.641	145.7	9.36	9.31	29.51	0
1/11/2026 12:30	5.791	166.6	17.94	9.4	29.5	0
1/11/2026 12:45	5.995	187.4	16.19	9.17	29.5	0
1/11/2026 13:00	7.791	157.5	12.83	9.24	29.48	0
1/11/2026 13:15	6.083	177.1	9.45	8.97	29.48	0
1/11/2026 13:30	4.796	152.7	21.54	8.81	29.48	0.02
1/11/2026 13:45	4.691	131.8	10.22	8.98	29.48	0.02
1/11/2026 14:00	0.301	119.4	6.641	9.12	29.48	0.01
1/11/2026 14:15	2.327	201.8	13.81	9.01	29.48	0.05
1/11/2026 14:30	4.35	136.1	37.66	8.83	29.47	0.04
1/11/2026 14:45	5.341	108.6	12.01	8.86	29.46	0
1/11/2026 15:00	5.31	145.9	12.85	8.92	29.47	0.01
1/11/2026 15:15	5.604	147.8	21.7	8.88	29.47	0.02
1/11/2026 15:30	5.204	144.9	17.32	8.82	29.47	0
1/11/2026 15:45	4.213	150.8	19.24	8.68	29.47	0.01
1/11/2026 16:00	3.402	147.6	22.01	8.61	29.47	0.01
1/11/2026 16:15	0.569	130	8.92	8.66	29.48	0.01
1/11/2026 16:30	2.216	126.1	18.92	8.71	29.48	0.04
1/11/2026 16:45	4.496	119.4	12.64	8.83	29.48	0.02
1/11/2026 17:00	6.401	118.8	8.5	9.09	29.49	0.01
1/11/2026 17:15	7.776	127.6	10.09	9.16	29.49	0.01
1/11/2026 17:30	6.566	122.8	9.47	9.11	29.49	0.01
1/11/2026 17:45	6.095	124.3	7.939	8.98	29.49	0.01
1/11/2026 18:00	7.289	135.2	6.631	8.99	29.49	0
1/11/2026 18:15	8.34	131.1	7.978	9.08	29.48	0.01
1/11/2026 18:30	8.2	144.6	14.18	9.21	29.47	0
1/11/2026 18:45	7.51	144.1	9.08	9.01	29.47	0
1/11/2026 19:00	7.005	126	5.942	9.22	29.47	0.01
1/11/2026 19:15	7.076	122.1	6.671	9.34	29.46	0
1/11/2026 19:30	9.8	116.7	6.421	9.57	29.45	0
1/11/2026 19:45	8.74	122.9	7.931	9.85	29.44	0
1/11/2026 20:00	8.79	125	8.37	9.9	29.43	0
1/11/2026 20:15	8.89	121.2	8.38	9.89	29.42	0
1/11/2026 20:30	6.713	136.2	13.42	10.27	29.43	0
1/11/2026 20:45	5.649	148.9	10.49	10.22	29.44	0
1/11/2026 21:00	5.114	155	11.34	10.39	29.45	0
1/11/2026 21:15	1.91	159.4	16.98	10.53	29.45	0
1/11/2026 21:30	3.874	313.8	18.21	9.87	29.46	0.03
1/11/2026 21:45	4.262	3.27	14.71	9.55	29.45	0.01
1/11/2026 22:00	3.917	13.9	18.32	10.09	29.45	0
1/11/2026 22:15	4.135	6.945	19.48	9.85	29.45	0
1/11/2026 22:30	3.106	25.65	31.54	9.12	29.46	0
1/11/2026 22:45	2.877	97.7	82.7	9.44	29.46	0
1/11/2026 23:00	2.055	53.45	17.35	9.64	29.45	0
1/11/2026 23:15	2.874	96	17.33	9.83	29.46	0
1/11/2026 23:30	3.39	126.9	24.58	10.31	29.45	0
1/11/2026 23:45	4.385	119.5	16.32	10.58	29.44	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/12/2026 0:00	4.744	140.6	19.19	10.54	29.45	0
1/12/2026 0:15	5.753	152.4	16.79	10.83	29.45	0
1/12/2026 0:30	4.471	144.3	17.83	10.49	29.45	0
1/12/2026 0:45	4.939	138.9	9.13	10.15	29.45	0
1/12/2026 1:00	7.988	124.5	9.64	10.42	29.44	0
1/12/2026 1:15	8.07	136.3	14.88	10.58	29.43	0
1/12/2026 1:30	7.547	140.3	14.43	11.02	29.43	0
1/12/2026 1:45	5.836	152.7	21	10.43	29.44	0
1/12/2026 2:00	5.699	133.1	10.8	10.62	29.43	0
1/12/2026 2:15	7.518	143.9	11.1	10.95	29.44	0
1/12/2026 2:30	9.08	144.8	7.717	11.1	29.44	0
1/12/2026 2:45	9.61	150.7	6.121	11.4	29.44	0
1/12/2026 3:00	9.72	153	6.585	11.37	29.44	0
1/12/2026 3:15	9.88	145.5	7.211	11.28	29.44	0
1/12/2026 3:30	7.751	146.4	8.53	11.78	29.44	0
1/12/2026 3:45	6.566	143	8.58	11.68	29.44	0
1/12/2026 4:00	5.228	144.9	13.72	12.15	29.45	0
1/12/2026 4:15	3.842	209.8	31.25	12.29	29.46	0
1/12/2026 4:30	4.831	275.8	12.1	11.56	29.48	0
1/12/2026 4:45	4.449	260.1	12.99	11.39	29.48	0
1/12/2026 5:00	5.285	217.5	18.53	11.53	29.48	0
1/12/2026 5:15	5.232	247.3	12.33	11.12	29.48	0.01
1/12/2026 5:30	5.349	300.6	21.96	10.29	29.49	0
1/12/2026 5:45	5.457	275.4	30.46	9.83	29.49	0.01
1/12/2026 6:00	4.728	231.7	12.52	10.02	29.5	0
1/12/2026 6:15	3.065	188.2	34.14	9.57	29.5	0.02
1/12/2026 6:30	3.95	105.5	9.21	8.85	29.5	0.01
1/12/2026 6:45	4.611	121.1	12.15	8.88	29.5	0
1/12/2026 7:00	7.328	133.7	5.97	9.1	29.5	0
1/12/2026 7:15	8.31	131.8	6.783	9.1	29.5	0
1/12/2026 7:30	6.068	129.4	9.81	8.98	29.5	0.01
1/12/2026 7:45	6.196	112	8.29	8.94	29.51	0.02
1/12/2026 8:00	8.05	121	7.425	8.98	29.5	0.06
1/12/2026 8:15	8.85	117.4	9.73	9.01	29.5	0.01
1/12/2026 8:30	8.61	124.4	8.53	9.08	29.5	0.01
1/12/2026 8:45	7.687	126.4	7.765	9.2	29.5	0
1/12/2026 9:00	6.366	115.7	12.43	9.32	29.51	0.01
1/12/2026 9:15	6.6	110.8	13.98	9.56	29.52	0
1/12/2026 9:30	6.816	123.5	21.52	9.85	29.52	0
1/12/2026 9:45	6.042	113.6	12.62	9.93	29.52	0
1/12/2026 10:00	4.993	103.2	10.06	10.03	29.53	0
1/12/2026 10:15	4.175	118.7	13.06	10.13	29.54	0.02
1/12/2026 10:30	6.119	107.2	8.84	10.2	29.53	0.02
1/12/2026 10:45	5.991	111.4	8.88	10.32	29.54	0
1/12/2026 11:00	4.338	130.1	13.27	10.42	29.54	0
1/12/2026 11:15	3.326	141.9	15.56	10.56	29.54	0
1/12/2026 11:30	3.77	156.5	25.47	10.62	29.54	0
1/12/2026 11:45	4.382	170.4	12.28	10.6	29.54	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/12/2026 12:00	3.716	154.6	10.9	10.54	29.53	0.01
1/12/2026 12:15	4.034	137.5	13.97	10.61	29.52	0
1/12/2026 12:30	5.752	125.5	8.45	10.73	29.5	0
1/12/2026 12:45	5.502	121.5	12.39	10.81	29.5	0
1/12/2026 13:00	5.245	108.7	10.32	10.9	29.5	0
1/12/2026 13:15	6.779	137.2	21.46	11.02	29.5	0
1/12/2026 13:30	7.277	167.5	6.734	11.02	29.51	0
1/12/2026 13:45	7.81	157	11.13	11.06	29.5	0
1/12/2026 14:00	7.275	146.5	8.86	11.17	29.49	0
1/12/2026 14:15	4.937	132.6	15.06	11.2	29.49	0
1/12/2026 14:30	4.632	122.5	9.25	11.3	29.48	0
1/12/2026 14:45	4.119	129.9	7.613	11.47	29.49	0
1/12/2026 15:00	4.549	133.4	9.55	11.51	29.49	0
1/12/2026 15:15	4.831	133.4	9.35	11.5	29.49	0
1/12/2026 15:30	4.144	127.1	14	11.59	29.5	0
1/12/2026 15:45	2.608	107.6	14.53	11.66	29.5	0
1/12/2026 16:00	3.209	121.6	12.52	11.79	29.5	0
1/12/2026 16:15	4.074	112.9	9.97	11.76	29.48	0
1/12/2026 16:30	5.47	113.7	12.98	11.95	29.49	0
1/12/2026 16:45	3.824	171.2	14.21	12.06	29.5	0
1/12/2026 17:00	2.149	183.7	28.51	11.94	29.51	0
1/12/2026 17:15	1.772	122	12.19	12.13	29.51	0
1/12/2026 17:30	2.414	163.4	17.84	12.19	29.52	0
1/12/2026 17:45	4.378	149.2	18.92	11.97	29.51	0
1/12/2026 18:00	5.915	144	13.84	11.92	29.51	0
1/12/2026 18:15	5.241	134.9	11.3	11.85	29.51	0
1/12/2026 18:30	5.35	134.7	15.85	11.95	29.51	0
1/12/2026 18:45	3.638	128.7	19.26	11.96	29.5	0
1/12/2026 19:00	6.156	127.8	10.52	11.95	29.5	0
1/12/2026 19:15	4.408	125.1	10.79	11.98	29.5	0
1/12/2026 19:30	5.633	138.6	10.62	12.14	29.5	0
1/12/2026 19:45	7.354	167.6	10.4	12.23	29.5	0
1/12/2026 20:00	5.084	172.3	19.69	11.89	29.51	0
1/12/2026 20:15	3.997	166.3	30.56	12.08	29.51	0
1/12/2026 20:30	5.032	140.6	14.63	12.76	29.51	0
1/12/2026 20:45	6.279	124.5	11.87	12.45	29.49	0
1/12/2026 21:00	8.04	133.9	9.09	12.81	29.48	0
1/12/2026 21:15	8.17	151.3	7.659	12.97	29.49	0
1/12/2026 21:30	9.26	168.6	8.15	12.86	29.49	0
1/12/2026 21:45	7.293	164	14.28	12.52	29.5	0
1/12/2026 22:00	6.84	158.7	14.5	12.63	29.5	0
1/12/2026 22:15	6.566	170.2	8.05	12.4	29.51	0
1/12/2026 22:30	6.464	176.4	8.98	12.3	29.51	0
1/12/2026 22:45	6.196	180.9	7.502	12.07	29.52	0
1/12/2026 23:00	6.298	160.1	6.705	11.9	29.52	0
1/12/2026 23:15	6.441	169.4	9.62	11.94	29.53	0
1/12/2026 23:30	5.336	169.4	7.853	11.76	29.53	0
1/12/2026 23:45	5.277	137.7	11.15	11.66	29.53	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/13/2026 0:00	6.665	142.2	7.435	11.81	29.53	0
1/13/2026 0:15	8.16	156.9	8.72	12.07	29.53	0
1/13/2026 0:30	5.997	157.5	9.54	12.1	29.53	0
1/13/2026 0:45	6.078	158.3	7.663	12.24	29.53	0
1/13/2026 1:00	6.285	147.3	10.18	12.44	29.53	0
1/13/2026 1:15	7.164	150.5	11.92	12.67	29.54	0
1/13/2026 1:30	7.341	158.6	9.9	12.92	29.54	0
1/13/2026 1:45	4.2	142.4	10.13	12.69	29.53	0
1/13/2026 2:00	3.872	157	12.23	12.89	29.54	0
1/13/2026 2:15	2.173	152.7	12.54	12.97	29.54	0
1/13/2026 2:30	3.682	156	15.77	13.17	29.54	0
1/13/2026 2:45	4.666	165.6	12.49	13.03	29.54	0
1/13/2026 3:00	4.719	156.2	16.17	12.91	29.55	0
1/13/2026 3:15	4.27	155.9	15.51	13.03	29.54	0
1/13/2026 3:30	6.454	169.2	8.55	12.96	29.54	0
1/13/2026 3:45	5.85	178.2	8.61	12.75	29.54	0
1/13/2026 4:00	4.841	182.3	8.68	12.75	29.54	0
1/13/2026 4:15	3.738	151.5	29.55	12.64	29.54	0
1/13/2026 4:30	4.253	100.3	12.55	12.35	29.54	0
1/13/2026 4:45	4.109	89	8.06	12.31	29.54	0
1/13/2026 5:00	3.134	108.1	10.65	12.3	29.54	0
1/13/2026 5:15	2.482	87.6	9.71	12.31	29.54	0
1/13/2026 5:30	2.368	91.4	11.56	12.32	29.54	0
1/13/2026 5:45	1.969	92	8.74	12.41	29.55	0
1/13/2026 6:00	1.79	103.4	8.78	12.57	29.55	0
1/13/2026 6:15	1.874	79.88	8.97	12.62	29.56	0
1/13/2026 6:30	2.477	83.1	22.65	12.42	29.55	0
1/13/2026 6:45	1.89	24.41	10.89	12.13	29.56	0
1/13/2026 7:00	1.618	9.72	9.61	12.01	29.56	0
1/13/2026 7:15	0.076	17.79	2.173	12.12	29.56	0
1/13/2026 7:30	0.257	16.03	42.53	12.41	29.56	0
1/13/2026 7:45	0.128	179.1	5.696	12.47	29.55	0
1/13/2026 8:00	3.876	189	9.08	11.82	29.55	0
1/13/2026 8:15	0.546	157.6	8.68	11.73	29.56	0
1/13/2026 8:30	2.742	173.8	15.55	11.54	29.56	0
1/13/2026 8:45	2.879	172.4	7.804	11.39	29.56	0
1/13/2026 9:00	4.341	191.7	9.6	11.19	29.56	0
1/13/2026 9:15	5.317	198.3	4.571	11	29.56	0
1/13/2026 9:30	5.167	197.8	3.806	10.94	29.57	0
1/13/2026 9:45	5.263	189.5	6.093	10.93	29.57	0
1/13/2026 10:00	3.962	199.2	6.84	10.93	29.58	0
1/13/2026 10:15	2.676	208.3	6.631	11.05	29.58	0
1/13/2026 10:30	2.065	177	19.95	11.35	29.58	0
1/13/2026 10:45	0.308	179.8	7.321	11.8	29.58	0
1/13/2026 11:00	2.647	199.9	13.43	12.11	29.58	0
1/13/2026 11:15	2.824	213.8	8.28	12.17	29.58	0
1/13/2026 11:30	2.621	219.2	12.89	12.56	29.58	0
1/13/2026 11:45	2.466	209.3	12.41	12.81	29.58	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/13/2026 12:00	2.067	210.9	20.14	12.91	29.58	0
1/13/2026 12:15	3.632	299.9	26.78	13.06	29.58	0
1/13/2026 12:30	2.602	340.4	48.89	12.9	29.58	0
1/13/2026 12:45	1.426	51.64	12.29	12.92	29.58	0
1/13/2026 13:00	1.775	283.2	25.2	13.13	29.57	0
1/13/2026 13:15	1.995	285.5	19.27	13.15	29.57	0
1/13/2026 13:30	1.603	282.9	20.18	13.26	29.57	0
1/13/2026 13:45	1.161	319.8	63.56	13.16	29.57	0
1/13/2026 14:00	2.244	275.8	32.43	13.14	29.57	0
1/13/2026 14:15	2.575	14.3	9.25	12.99	29.57	0
1/13/2026 14:30	2.07	28.64	13.15	12.9	29.57	0
1/13/2026 14:45	2.816	43.11	16.04	12.91	29.57	0
1/13/2026 15:00	3.708	2.571	16.92	12.98	29.57	0
1/13/2026 15:15	4.938	347.2	18.87	13.05	29.57	0
1/13/2026 15:30	5.885	355.1	18.03	13	29.57	0
1/13/2026 15:45	6.239	354.8	17.27	12.88	29.57	0
1/13/2026 16:00	4.841	354.8	13.92	12.9	29.57	0
1/13/2026 16:15	5.034	8.08	14.27	12.87	29.57	0
1/13/2026 16:30	5.46	355.8	17.17	12.81	29.57	0
1/13/2026 16:45	5.843	344.9	15.63	12.72	29.57	0
1/13/2026 17:00	4.78	339.5	8.13	12.34	29.56	0
1/13/2026 17:15	3.67	355.4	17.31	12.03	29.56	0
1/13/2026 17:30	6.873	11.55	9.96	11.68	29.56	0
1/13/2026 17:45	6.828	15.3	11.69	11.51	29.56	0
1/13/2026 18:00	6.563	14.47	11.6	11.35	29.56	0
1/13/2026 18:15	4.72	310.5	59.27	10.96	29.56	0
1/13/2026 18:30	4.546	245.9	3.888	10.46	29.57	0
1/13/2026 18:45	5.02	244.1	3.942	10.38	29.58	0
1/13/2026 19:00	4.142	251.2	4.766	10.36	29.58	0
1/13/2026 19:15	2.951	263.2	4.254	10.34	29.58	0
1/13/2026 19:30	1.193	257.3	7.87	10.35	29.58	0
1/13/2026 19:45	0.219	194.8	74.71	10.37	29.59	0
1/13/2026 20:00	0.219	329.2	48.4	10.39	29.59	0
1/13/2026 20:15	0.859	20.6	46.34	10.54	29.59	0
1/13/2026 20:30	1.672	17.98	11.93	10.43	29.6	0
1/13/2026 20:45	0.944	31.14	18.55	10.51	29.6	0
1/13/2026 21:00	1.89	44.2	19.34	10.47	29.6	0
1/13/2026 21:15	4.019	109.5	20.8	10.35	29.6	0
1/13/2026 21:30	3.918	133.7	10.52	10.17	29.6	0
1/13/2026 21:45	3.121	139.1	6.372	10.14	29.61	0
1/13/2026 22:00	2.327	151.8	15.83	10.17	29.61	0
1/13/2026 22:15	3.657	175.9	14.49	10.08	29.61	0
1/13/2026 22:30	3.838	158.3	6.692	9.51	29.6	0
1/13/2026 22:45	3.598	166.8	6.927	8.72	29.6	0
1/13/2026 23:00	3.757	152.4	15.12	8.29	29.61	0
1/13/2026 23:15	2.364	116.9	7.22	8.11	29.6	0
1/13/2026 23:30	4.43	129.2	8.19	7.925	29.6	0
1/13/2026 23:45	5.069	141	6.738	7.662	29.6	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/14/2026 0:00	6.099	113.9	12.73	7.62	29.6	0
1/14/2026 0:15	4.257	106.8	9.61	7.734	29.61	0
1/14/2026 0:30	3.326	106.6	7.866	7.841	29.61	0
1/14/2026 0:45	2.771	116.5	11.69	7.671	29.62	0
1/14/2026 1:00	2.488	112.4	21.73	7.863	29.62	0
1/14/2026 1:15	3.732	91.4	7.616	7.269	29.62	0
1/14/2026 1:30	3.896	121.2	14.79	7.375	29.61	0
1/14/2026 1:45	4.206	119.9	7.091	8.12	29.61	0
1/14/2026 2:00	2.869	106.9	11.34	7.408	29.61	0
1/14/2026 2:15	2.408	123.5	19.39	7.239	29.62	0
1/14/2026 2:30	3.067	137	13.74	7.331	29.61	0
1/14/2026 2:45	1.375	139.4	15.1	7.364	29.61	0
1/14/2026 3:00	1.176	191	14.16	7.931	29.62	0
1/14/2026 3:15	2.6	281.2	4.505	7.339	29.62	0
1/14/2026 3:30	3.241	295.5	5.425	7.572	29.62	0
1/14/2026 3:45	1.209	331.1	13.34	7.222	29.62	0
1/14/2026 4:00	0.219	338.6	31.27	6.473	29.63	0
1/14/2026 4:15	0.219	356.4	51.84	6.84	29.62	0
1/14/2026 4:30	0.22	151.8	25.22	7.1	29.62	0
1/14/2026 4:45	0.219	124.2	24.2	6.654	29.62	0
1/14/2026 5:00	1.36	93.4	12.5	6.66	29.62	0
1/14/2026 5:15	3.864	144.3	12.01	6.864	29.62	0
1/14/2026 5:30	2.463	148.9	10.03	6.749	29.63	0
1/14/2026 5:45	0.678	33.83	33.7	6.403	29.64	0
1/14/2026 6:00	2.311	78.35	20.57	6.382	29.64	0
1/14/2026 6:15	3.523	116.4	8.01	6.378	29.63	0
1/14/2026 6:30	3.017	129.1	11.6	6.464	29.63	0
1/14/2026 6:45	1.235	103.6	40.42	6.587	29.64	0
1/14/2026 7:00	1.862	78.44	29.41	5.997	29.63	0
1/14/2026 7:15	1.821	133.7	10.94	6.136	29.63	0
1/14/2026 7:30	0.862	137.7	11.41	6.391	29.64	0
1/14/2026 7:45	1.352	55.39	33.84	6.363	29.64	0
1/14/2026 8:00	2.565	99.9	12.24	6.471	29.64	0
1/14/2026 8:15	0.782	84.4	30.24	6.667	29.64	0
1/14/2026 8:30	0.277	49.7	10.39	7.41	29.64	0
1/14/2026 8:45	0.17	65	5.275	7.462	29.65	0
1/14/2026 9:00	1.022	123.9	11.78	7.481	29.65	0
1/14/2026 9:15	0.368	56.39	13.21	8.34	29.65	0
1/14/2026 9:30	0.783	99.4	17.96	8.38	29.66	0
1/14/2026 9:45	0.241	95	16.61	8.74	29.67	0
1/14/2026 10:00	1.017	42.08	31.65	8.63	29.67	0
1/14/2026 10:15	0.537	165.3	30.73	8.26	29.67	0
1/14/2026 10:30	0.996	191.8	35.25	8.8	29.67	0
1/14/2026 10:45	2.776	173.7	15.65	8.52	29.67	0
1/14/2026 11:00	3.272	194.4	11.26	8.43	29.66	0
1/14/2026 11:15	3.712	198.5	7.843	8.57	29.66	0
1/14/2026 11:30	2.029	203.5	17.82	9.23	29.66	0
1/14/2026 11:45	1.687	271.4	45.55	9.87	29.65	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/14/2026 12:00	1.888	311.6	28.86	10.1	29.64	0
1/14/2026 12:15	0.393	26.82	8.56	10.46	29.64	0
1/14/2026 12:30	1.098	254.5	10.96	11.03	29.63	0
1/14/2026 12:45	2.53	217.8	39.4	10.92	29.62	0
1/14/2026 13:00	2.253	188	81.8	10.86	29.61	0
1/14/2026 13:15	0.724	355.1	51.54	11.19	29.61	0
1/14/2026 13:30	2.381	299.4	26.83	11.43	29.61	0
1/14/2026 13:45	4.493	312.1	13.84	11.3	29.61	0
1/14/2026 14:00	6.184	296.6	16.01	11.53	29.61	0
1/14/2026 14:15	8.23	291.6	11.41	10.86	29.61	0
1/14/2026 14:30	8.17	310.5	7.423	10.46	29.61	0
1/14/2026 14:45	6.647	332.3	13.95	10.25	29.62	0
1/14/2026 15:00	7.775	345.6	14.38	9.99	29.62	0
1/14/2026 15:15	8.31	339.1	16.88	10.09	29.61	0
1/14/2026 15:30	8.37	332.3	16.79	10.05	29.62	0
1/14/2026 15:45	7.964	343.5	13.99	10.08	29.62	0
1/14/2026 16:00	6.344	3.748	25.68	9.7	29.63	0
1/14/2026 16:15	6.268	358	18.51	9.28	29.63	0
1/14/2026 16:30	6.327	353.6	17.81	9.13	29.64	0
1/14/2026 16:45	4.542	351.8	20.38	8.79	29.64	0
1/14/2026 17:00	3.377	319.9	10.2	8.78	29.64	0
1/14/2026 17:15	5.661	322.9	8.09	8.77	29.65	0
1/14/2026 17:30	7.051	338.6	9.31	8.45	29.66	0
1/14/2026 17:45	5.003	357.5	22.15	8.58	29.66	0
1/14/2026 18:00	4.275	31.26	11.43	8.07	29.66	0
1/14/2026 18:15	4.496	20.41	12.62	8.08	29.66	0
1/14/2026 18:30	3.572	83.2	15.66	7.98	29.64	0
1/14/2026 18:45	3.418	106.5	7.154	7.639	29.63	0
1/14/2026 19:00	5.711	125.6	9.46	7.587	29.62	0
1/14/2026 19:15	4.423	229.5	72.16	7.644	29.63	0
1/14/2026 19:30	6.944	276.1	11.98	7.418	29.66	0
1/14/2026 19:45	4.771	305.9	18.21	7.38	29.66	0
1/14/2026 20:00	3.69	346.6	9.97	7.245	29.65	0
1/14/2026 20:15	3.409	19.93	8.73	7.5	29.65	0
1/14/2026 20:30	4.724	11.25	15.17	7.704	29.66	0
1/14/2026 20:45	5.275	1.86	16.42	7.687	29.66	0
1/14/2026 21:00	4.431	354.2	15.56	7.889	29.67	0
1/14/2026 21:15	6.461	356.7	15.88	8.08	29.68	0
1/14/2026 21:30	7.609	1.288	16.65	8.19	29.68	0
1/14/2026 21:45	7.707	356.9	16.23	8.24	29.69	0
1/14/2026 22:00	8.35	342.2	13.51	8.35	29.69	0
1/14/2026 22:15	7.169	347.5	17.95	8.3	29.68	0
1/14/2026 22:30	5.149	2.05	16.5	7.916	29.67	0
1/14/2026 22:45	5.069	343.5	7.631	7.623	29.68	0
1/14/2026 23:00	4.273	348.3	14.65	7.308	29.68	0
1/14/2026 23:15	3.379	7.265	12.4	7.194	29.68	0
1/14/2026 23:30	2.844	314.4	21.06	6.936	29.69	0
1/14/2026 23:45	2.677	335.3	35.61	6.798	29.69	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/15/2026 0:00	7.876	16.79	7.957	6.859	29.69	0
1/15/2026 0:15	8.84	12.16	7.821	7.132	29.69	0
1/15/2026 0:30	9.2	11.81	10.49	7.262	29.69	0
1/15/2026 0:45	6.187	357.9	18.74	7.541	29.7	0
1/15/2026 1:00	3.787	346.9	20.31	7.526	29.7	0
1/15/2026 1:15	7.157	353.8	20.05	7.484	29.69	0
1/15/2026 1:30	6.387	349.4	15.7	7.474	29.69	0
1/15/2026 1:45	3.123	12.08	26.43	7.473	29.68	0
1/15/2026 2:00	1.614	25.27	22.81	7.419	29.68	0
1/15/2026 2:15	2.848	8.49	44.96	7.513	29.69	0
1/15/2026 2:30	3.811	347.9	25.1	7.751	29.7	0
1/15/2026 2:45	3.401	345.5	29.95	7.731	29.7	0
1/15/2026 3:00	1.616	338	59.57	7.825	29.7	0
1/15/2026 3:15	2.567	21.96	22.54	7.814	29.7	0
1/15/2026 3:30	2.962	34.44	10.92	7.686	29.7	0
1/15/2026 3:45	5.931	21.35	15.62	7.539	29.7	0
1/15/2026 4:00	7.747	21.03	13.05	7.49	29.7	0
1/15/2026 4:15	8.66	13.14	16.4	7.497	29.69	0
1/15/2026 4:30	10.78	1.87	16.9	7.538	29.68	0
1/15/2026 4:45	10.2	17.24	12.56	7.633	29.68	0
1/15/2026 5:00	9.96	13.53	15.81	7.605	29.68	0
1/15/2026 5:15	10.64	15.69	13.94	7.612	29.67	0
1/15/2026 5:30	12.69	11.03	13.39	7.644	29.67	0
1/15/2026 5:45	11.65	14.6	14.45	7.59	29.66	0
1/15/2026 6:00	10.39	13.76	14.37	7.525	29.66	0
1/15/2026 6:15	11.4	19.56	12.73	7.377	29.65	0
1/15/2026 6:30	11.83	16.21	14.85	7.372	29.65	0
1/15/2026 6:45	12.79	2.92	20.28	7.26	29.65	0
1/15/2026 7:00	11.8	352.4	16.63	7.187	29.65	0
1/15/2026 7:15	10.39	358.3	18.84	7.084	29.65	0
1/15/2026 7:30	11.49	351.8	15.9	7.114	29.66	0
1/15/2026 7:45	15.47	6.503	16.14	7.139	29.66	0
1/15/2026 8:00	14.94	14.17	13.85	7.16	29.66	0
1/15/2026 8:15	13.97	12.83	15.4	7.121	29.67	0
1/15/2026 8:30	14.46	16.58	16.08	7.132	29.67	0
1/15/2026 8:45	13.7	22.32	14.06	7.173	29.68	0
1/15/2026 9:00	12.87	14.72	17.48	7.144	29.68	0
1/15/2026 9:15	11.91	15.16	19.02	7.027	29.69	0
1/15/2026 9:30	12.54	13.8	17.91	6.98	29.7	0
1/15/2026 9:45	12.4	19.09	14.08	6.884	29.7	0
1/15/2026 10:00	9.81	21.32	16.99	6.979	29.69	0
1/15/2026 10:15	11.93	18.76	12.15	7.209	29.69	0
1/15/2026 10:30	12.47	15.12	16.71	7.246	29.69	0
1/15/2026 10:45	11.87	15.41	14.59	7.37	29.69	0
1/15/2026 11:00	8.1	15.08	13.92	7.576	29.68	0
1/15/2026 11:15	6.316	4.146	20.33	7.759	29.68	0
1/15/2026 11:30	5.174	18.8	16.25	7.83	29.68	0
1/15/2026 11:45	5.095	5.273	21.6	7.875	29.68	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/15/2026 12:00	7.7	2.273	19.92	7.725	29.67	0
1/15/2026 12:15	8.06	358.9	19.59	7.555	29.67	0
1/15/2026 12:30	8.22	18.62	15.46	7.56	29.66	0
1/15/2026 12:45	7.562	3.369	18.08	7.612	29.65	0
1/15/2026 13:00	7.979	2.699	20.43	7.721	29.65	0
1/15/2026 13:15	10.49	9.28	18.58	7.551	29.65	0
1/15/2026 13:30	12.57	14.12	14.77	7.788	29.65	0
1/15/2026 13:45	9.97	13.49	18.9	7.89	29.64	0
1/15/2026 14:00	11.89	10.76	17.6	7.908	29.63	0
1/15/2026 14:15	11.54	16.62	14.04	7.743	29.63	0
1/15/2026 14:30	11.79	12.04	18.25	7.59	29.62	0
1/15/2026 14:45	11.95	15.05	15.75	7.614	29.62	0
1/15/2026 15:00	9.5	10.53	16.05	7.611	29.61	0
1/15/2026 15:15	11.21	7.706	17.09	7.518	29.61	0
1/15/2026 15:30	12.52	11.39	17.06	7.351	29.61	0
1/15/2026 15:45	14.12	10.37	16.46	7.172	29.61	0
1/15/2026 16:00	13.91	14.58	16.23	7.146	29.61	0
1/15/2026 16:15	14.75	11.74	17.59	7.06	29.61	0
1/15/2026 16:30	15.9	12.14	15.83	6.992	29.61	0
1/15/2026 16:45	15.95	18.15	10.01	6.893	29.61	0
1/15/2026 17:00	12.61	9.38	13.29	6.737	29.6	0
1/15/2026 17:15	13.49	10.17	15.1	6.647	29.6	0
1/15/2026 17:30	12	12.71	15.41	6.705	29.6	0
1/15/2026 17:45	13.39	5.689	17.55	6.846	29.6	0
1/15/2026 18:00	14.79	6.764	16.22	7.039	29.6	0
1/15/2026 18:15	16.68	11.54	17.3	7.068	29.6	0
1/15/2026 18:30	15.51	15.59	14.98	7.044	29.59	0
1/15/2026 18:45	15.39	13.41	15.57	7.021	29.59	0
1/15/2026 19:00	16.78	17.66	11.45	7.084	29.58	0
1/15/2026 19:15	14.92	14.06	14.52	7.003	29.58	0
1/15/2026 19:30	14.28	15.68	13.92	6.914	29.57	0
1/15/2026 19:45	9.05	16.29	11.89	6.755	29.57	0
1/15/2026 20:00	5.433	9.92	14.53	6.276	29.56	0
1/15/2026 20:15	3.606	1.192	16.77	6.117	29.57	0
1/15/2026 20:30	3.749	20.48	16.82	6.142	29.57	0
1/15/2026 20:45	5.667	22.41	14.11	6.049	29.57	0
1/15/2026 21:00	6.746	1.805	18.11	5.904	29.57	0
1/15/2026 21:15	8.12	10.8	14.05	5.82	29.57	0
1/15/2026 21:30	11.92	20.22	10.51	6.044	29.57	0
1/15/2026 21:45	11.67	18.33	12.87	5.876	29.57	0
1/15/2026 22:00	9.98	16.33	13.5	5.726	29.57	0
1/15/2026 22:15	10.09	18.4	9.43	5.531	29.57	0
1/15/2026 22:30	4.785	358.3	36.51	5.223	29.57	0
1/15/2026 22:45	1.294	250.7	26.48	4.866	29.58	0
1/15/2026 23:00	1.727	61.86	33.28	4.944	29.58	0
1/15/2026 23:15	4.471	22.35	15.79	4.909	29.58	0
1/15/2026 23:30	7.615	14.03	10.05	4.76	29.58	0
1/15/2026 23:45	8.22	8.54	14.52	4.706	29.58	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/16/2026 0:00	8.29	16.95	8.99	4.646	29.59	0
1/16/2026 0:15	12.25	17.62	11.03	4.845	29.59	0
1/16/2026 0:30	9.99	16.36	10.39	4.708	29.58	0
1/16/2026 0:45	8.28	12.75	10.28	4.479	29.59	0
1/16/2026 1:00	7.828	19.03	7.998	4.386	29.59	0
1/16/2026 1:15	10.43	21.15	10.43	4.417	29.58	0
1/16/2026 1:30	11.2	19.16	10.37	4.413	29.58	0
1/16/2026 1:45	9.88	14.85	9.57	4.335	29.58	0
1/16/2026 2:00	5.671	9.55	13.62	4.003	29.59	0
1/16/2026 2:15	5.183	17.28	9.3	4.063	29.59	0
1/16/2026 2:30	6.688	7.903	13.83	4.053	29.6	0
1/16/2026 2:45	7.918	11.05	12.05	3.868	29.6	0.01
1/16/2026 3:00	8.43	14.22	11.9	3.944	29.6	0
1/16/2026 3:15	8.91	15.14	10.41	3.807	29.59	0
1/16/2026 3:30	9.6	22.37	9.61	3.61	29.59	0
1/16/2026 3:45	9.59	17.27	9.61	3.514	29.58	0
1/16/2026 4:00	3.117	321.8	32.56	3.088	29.58	0
1/16/2026 4:15	3.497	269.5	10.82	2.668	29.58	0
1/16/2026 4:30	3.633	264.8	9.74	2.767	29.59	0
1/16/2026 4:45	2.158	11.22	42.14	2.899	29.59	0
1/16/2026 5:00	5.149	15.61	11.23	3.219	29.58	0
1/16/2026 5:15	6.848	13.59	11.28	3.136	29.58	0
1/16/2026 5:30	8.66	6.299	14.75	3.105	29.58	0
1/16/2026 5:45	5.509	357.5	17.53	2.827	29.57	0
1/16/2026 6:00	6.555	11.36	14.6	2.817	29.57	0
1/16/2026 6:15	8.04	21.02	11.43	2.9	29.57	0
1/16/2026 6:30	9.71	19.53	11.85	2.902	29.57	0
1/16/2026 6:45	8.32	9.62	13.02	2.748	29.57	0
1/16/2026 7:00	5.654	358.1	15.34	2.537	29.56	0
1/16/2026 7:15	5.832	353.1	13.15	2.268	29.56	0
1/16/2026 7:30	3.779	318.9	23.54	2.003	29.56	0
1/16/2026 7:45	1.706	331.9	44.34	1.699	29.56	0
1/16/2026 8:00	4.367	30.8	12.72	2.278	29.56	0
1/16/2026 8:15	7.726	27.15	10.66	2.541	29.56	0
1/16/2026 8:30	9.73	20.2	10.96	2.571	29.57	0
1/16/2026 8:45	7.666	18.1	9.78	2.4	29.57	0
1/16/2026 9:00	6.901	17.1	8.81	2.282	29.57	0
1/16/2026 9:15	6.167	12.81	7.408	2.328	29.57	0
1/16/2026 9:30	4.629	12.84	13.15	2.424	29.57	0
1/16/2026 9:45	4.702	27.46	11.1	2.667	29.57	0
1/16/2026 10:00	5.01	28.58	7.77	2.856	29.57	0
1/16/2026 10:15	6.198	23.77	11.07	3.04	29.57	0
1/16/2026 10:30	6.086	22.51	10.26	3.256	29.57	0
1/16/2026 10:45	4.762	14.94	10.3	3.577	29.57	0
1/16/2026 11:00	3.269	16.05	12.56	3.814	29.57	0
1/16/2026 11:15	3.394	29.17	19.76	4.024	29.57	0
1/16/2026 11:30	3.916	24.01	15.26	4.062	29.56	0
1/16/2026 11:45	3.218	24.91	16.51	4.275	29.56	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/16/2026 12:00	3.813	42.63	16.73	4.358	29.56	0
1/16/2026 12:15	4.982	21.89	12.51	4.568	29.56	0
1/16/2026 12:30	4.581	27.36	10.69	4.87	29.56	0
1/16/2026 12:45	4.911	21.81	8.42	5.371	29.55	0
1/16/2026 13:00	4.971	22.47	8.17	5.857	29.54	0
1/16/2026 13:15	3.93	25.05	9.69	6.563	29.54	0
1/16/2026 13:30	2.947	36.88	17.7	7.21	29.54	0
1/16/2026 13:45	3.759	24.93	10.51	7.696	29.53	0
1/16/2026 14:00	4.282	27.06	10.32	8.03	29.53	0
1/16/2026 14:15	6.151	22.75	10.51	8.22	29.53	0
1/16/2026 14:30	4.419	16.03	8.37	8.58	29.53	0
1/16/2026 14:45	2.517	29.08	13.91	9.19	29.52	0
1/16/2026 15:00	7.023	20.95	10.56	9.14	29.52	0
1/16/2026 15:15	10.73	15.59	13.15	8.98	29.52	0
1/16/2026 15:30	12.28	15.32	11.61	9.08	29.52	0
1/16/2026 15:45	12.92	18.76	8.78	9.1	29.52	0
1/16/2026 16:00	11.48	13.92	13.5	8.86	29.53	0
1/16/2026 16:15	7.811	9.87	14.47	8.47	29.53	0
1/16/2026 16:30	6.798	11.22	13.2	8.31	29.53	0
1/16/2026 16:45	8.62	10.26	12.06	8.11	29.53	0
1/16/2026 17:00	7.974	11.86	11.98	7.756	29.53	0
1/16/2026 17:15	8.85	20.51	10.65	7.719	29.53	0
1/16/2026 17:30	11.04	22.91	9.76	7.663	29.53	0
1/16/2026 17:45	10.9	21.64	8.82	7.462	29.53	0
1/16/2026 18:00	8.17	15.85	9.74	7.191	29.52	0
1/16/2026 18:15	11.25	16.11	9.51	7.224	29.52	0
1/16/2026 18:30	11.3	27.3	9.87	7.015	29.52	0
1/16/2026 18:45	10.81	20.35	10.53	6.696	29.52	0
1/16/2026 19:00	7.634	18.84	8.63	6.452	29.52	0
1/16/2026 19:15	6.953	19.34	7.681	6.117	29.52	0
1/16/2026 19:30	7.382	18.25	8.5	6.054	29.52	0
1/16/2026 19:45	8.49	17.99	10.1	5.883	29.52	0
1/16/2026 20:00	9.26	15.62	11.31	5.804	29.52	0
1/16/2026 20:15	9.24	22.1	11.06	5.705	29.52	0
1/16/2026 20:30	8.71	20.61	11.29	5.514	29.52	0
1/16/2026 20:45	9.26	15.13	11.68	5.433	29.52	0
1/16/2026 21:00	9.54	13.97	9.97	5.434	29.52	0
1/16/2026 21:15	7.66	13.32	10.19	5.172	29.52	0
1/16/2026 21:30	7.126	18.66	10.71	5.032	29.52	0
1/16/2026 21:45	6.836	6.697	13.3	5.05	29.52	0
1/16/2026 22:00	5.326	11.9	12.39	4.896	29.52	0
1/16/2026 22:15	5.89	3.775	12.27	5.023	29.52	0
1/16/2026 22:30	4.951	13.03	9.27	4.802	29.52	0
1/16/2026 22:45	6.296	20.77	13.02	4.222	29.51	0
1/16/2026 23:00	6.483	1.381	17.53	3.978	29.51	0
1/16/2026 23:15	4.195	16.31	11.13	4.071	29.51	0
1/16/2026 23:30	4.153	356.8	27.92	3.823	29.52	0
1/16/2026 23:45	6.195	6.787	12.05	3.433	29.52	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/17/2026 0:00	6.377	10.37	12.92	3.62	29.51	0
1/17/2026 0:15	5.016	356.6	43.44	3.605	29.51	0
1/17/2026 0:30	4.745	237.1	19.8	3.426	29.51	0
1/17/2026 0:45	2.575	25.62	32.23	3.136	29.51	0
1/17/2026 1:00	3.07	33.62	18.18	3.133	29.51	0
1/17/2026 1:15	4.514	13.72	12.07	3.56	29.51	0
1/17/2026 1:30	5.36	22.96	7.132	3.192	29.5	0
1/17/2026 1:45	4.993	17.54	10.08	3.229	29.5	0
1/17/2026 2:00	5.65	8.61	13.53	3.475	29.5	0
1/17/2026 2:15	3.882	336.2	22.45	3.776	29.51	0
1/17/2026 2:30	1.104	325.9	20.04	4.408	29.51	0
1/17/2026 2:45	2.093	64.1	61.49	4.13	29.51	0
1/17/2026 3:00	0.078	12.46	0.014	3.104	29.51	0
1/17/2026 3:15	4.219	18.5	6.448	3.433	29.5	0
1/17/2026 3:30	4.014	16.38	14.6	4.683	29.5	0
1/17/2026 3:45	5.811	13.51	5.994	3.403	29.5	0
1/17/2026 4:00	5.755	15.47	8.17	3.079	29.5	0
1/17/2026 4:15	2.698	354.3	32.79	3.232	29.49	0
1/17/2026 4:30	5.281	6.237	18.74	2.914	29.49	0
1/17/2026 4:45	6.265	7.588	17.85	3.585	29.49	0
1/17/2026 5:00	5.332	7.041	17.78	3.083	29.49	0
1/17/2026 5:15	2.346	247.8	90.3	2.644	29.48	0
1/17/2026 5:30	2.424	15.72	86.4	2.471	29.48	0
1/17/2026 5:45	4.836	20.83	6.615	1.507	29.48	0
1/17/2026 6:00	4.75	14.37	9.07	1.218	29.48	0
1/17/2026 6:15	5.67	12.66	8.02	1.221	29.48	0
1/17/2026 6:30	6.64	6.586	10	1.684	29.48	0
1/17/2026 6:45	6.836	6.833	14.6	2.319	29.48	0
1/17/2026 7:00	6.931	6.899	9.23	2.568	29.48	0
1/17/2026 7:15	6.851	7.882	10	1.899	29.48	0
1/17/2026 7:30	7.354	8.54	10.95	1.753	29.48	0
1/17/2026 7:45	7.499	9.1	11.2	1.892	29.48	0
1/17/2026 8:00	6.852	11.24	7.444	2.064	29.48	0
1/17/2026 8:15	7.005	9.76	9.22	2.528	29.47	0
1/17/2026 8:30	6.698	5.265	13.81	3.07	29.47	0
1/17/2026 8:45	4.196	357.7	74.67	3.251	29.48	0
1/17/2026 9:00	1.863	82	79.84	3.305	29.48	0
1/17/2026 9:15	5.148	31.14	6.744	2.42	29.48	0
1/17/2026 9:30	6.517	30.93	6.281	2.617	29.48	0
1/17/2026 9:45	5.027	20.21	10.59	3.011	29.48	0.01
1/17/2026 10:00	1.982	11.99	21.5	3.932	29.48	0
1/17/2026 10:15	2.114	17.81	19.49	4.814	29.49	0
1/17/2026 10:30	0.716	109.6	60.18	6.136	29.48	0
1/17/2026 10:45	0.793	19.09	26.01	6.384	29.48	0
1/17/2026 11:00	1.7	29.29	15.71	6.553	29.48	0
1/17/2026 11:15	2.276	26.77	11.57	6.036	29.48	0
1/17/2026 11:30	1.029	41.74	62.71	7.934	29.47	0
1/17/2026 11:45	1.058	41.63	37.27	7.821	29.46	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/17/2026 12:00	1.533	7.828	21.83	7.974	29.46	0
1/17/2026 12:15	0.904	24.67	30.11	9.49	29.46	0
1/17/2026 12:30	1.324	49.98	21.42	8.97	29.45	0
1/17/2026 12:45	1.361	63.22	19.73	9.18	29.45	0
1/17/2026 13:00	1.13	41.59	53.3	10.74	29.44	0
1/17/2026 13:15	1.976	49.97	26.92	10.19	29.44	0
1/17/2026 13:30	1.642	48.15	16.3	10.26	29.43	0
1/17/2026 13:45	2.159	33.53	8.67	10.62	29.43	0
1/17/2026 14:00	3.009	37.08	5.903	10.6	29.42	0
1/17/2026 14:15	1.077	32.81	15.8	11.1	29.42	0
1/17/2026 14:30	1.72	34.05	9.86	11.32	29.41	0
1/17/2026 14:45	2.759	30.75	7.344	11.28	29.41	0
1/17/2026 15:00	3.442	37.59	7.671	11.01	29.41	0
1/17/2026 15:15	3.074	33.79	7.914	10.97	29.41	0
1/17/2026 15:30	3.364	44.22	12.99	10.77	29.41	0
1/17/2026 15:45	2.99	49.44	9.74	10.6	29.41	0
1/17/2026 16:00	3.341	41.78	9.59	10.38	29.42	0
1/17/2026 16:15	3.04	40.96	10.32	10.01	29.41	0
1/17/2026 16:30	3.809	29.34	12.46	9.68	29.41	0
1/17/2026 16:45	3.709	33.71	17.72	9.46	29.42	0
1/17/2026 17:00	4.749	25.26	10.31	9.03	29.42	0
1/17/2026 17:15	7.062	25.19	10.47	8.89	29.41	0
1/17/2026 17:30	6.663	20.96	8.74	8.5	29.42	0
1/17/2026 17:45	7.553	22.55	8.55	8.27	29.41	0
1/17/2026 18:00	5.492	27.21	10.19	8.05	29.41	0
1/17/2026 18:15	5.269	24.21	9.79	7.894	29.41	0
1/17/2026 18:30	4.968	18.85	9.68	7.605	29.41	0
1/17/2026 18:45	4.878	21.11	10.07	7.607	29.41	0
1/17/2026 19:00	4.442	24.2	8.1	7.005	29.41	0
1/17/2026 19:15	6.599	20	8.42	6.649	29.41	0
1/17/2026 19:30	5.812	20.99	8.54	6.478	29.41	0
1/17/2026 19:45	4.814	27.22	13.78	6.15	29.42	0
1/17/2026 20:00	5.674	20.76	10.23	5.908	29.42	0
1/17/2026 20:15	5.227	21.13	10.13	5.914	29.42	0
1/17/2026 20:30	4.705	22.79	8.86	5.699	29.43	0
1/17/2026 20:45	5.264	15.74	6.609	5.673	29.43	0
1/17/2026 21:00	3.239	351.2	15.77	6.052	29.42	0
1/17/2026 21:15	3.84	356.4	9.72	6.194	29.42	0
1/17/2026 21:30	3.871	23.15	5.114	5.503	29.42	0
1/17/2026 21:45	3.991	10.74	10.48	5.269	29.42	0
1/17/2026 22:00	1.499	0.684	14.9	5.906	29.41	0
1/17/2026 22:15	3.737	13.26	5.252	5.455	29.42	0
1/17/2026 22:30	5.218	15.22	7.216	4.236	29.42	0
1/17/2026 22:45	5.503	8.84	6.498	4.183	29.42	0
1/17/2026 23:00	4.832	10.13	4.932	3.957	29.43	0
1/17/2026 23:15	3.513	21.62	17.41	3.994	29.43	0
1/17/2026 23:30	4.122	15.41	11.77	3.816	29.43	0
1/17/2026 23:45	4.971	14.28	6.318	3.581	29.43	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/18/2026 0:00	4.709	28.86	8.65	3.736	29.43	0
1/18/2026 0:15	3.583	27.79	10.42	4.516	29.43	0
1/18/2026 0:30	1.615	55.14	6.904	6.294	29.43	0
1/18/2026 0:45	1.716	61.7	11.59	5.679	29.43	0
1/18/2026 1:00	1.684	68.28	30.09	4.891	29.42	0
1/18/2026 1:15	2.94	300.1	50.09	6.178	29.42	0
1/18/2026 1:30	3.765	0.656	21.51	4.381	29.43	0
1/18/2026 1:45	3.699	11.37	7.113	3.247	29.43	0
1/18/2026 2:00	4.294	11.53	7.74	3.65	29.43	0
1/18/2026 2:15	1.097	4.958	17.62	5.081	29.43	0
1/18/2026 2:30	0.482	316.6	1.542	5.851	29.43	0
1/18/2026 2:45	0.022	5.838	0.045	6.063	29.43	0
1/18/2026 3:00	0	0	0	5.897	29.44	0
1/18/2026 3:15	4.723	320.6	6.354	4.936	29.44	0
1/18/2026 3:30	4.987	306	8.39	3.256	29.43	0
1/18/2026 3:45	2.47	292.5	29.92	4.72	29.44	0
1/18/2026 4:00	3.081	12.62	14.82	2.705	29.44	0
1/18/2026 4:15	4.378	12.13	8.74	2.002	29.44	0
1/18/2026 4:30	5.209	28.02	5.215	1.911	29.44	0
1/18/2026 4:45	5.941	19.25	8.97	1.425	29.44	0
1/18/2026 5:00	6.528	13.12	10.06	1.509	29.44	0
1/18/2026 5:15	4.951	8.14	12.53	1.811	29.44	0
1/18/2026 5:30	4.232	33.2	14.85	1.76	29.44	0
1/18/2026 5:45	4.727	30.03	4.938	2.239	29.43	0
1/18/2026 6:00	4.01	124.6	22.98	3.414	29.43	0
1/18/2026 6:15	0.939	125.5	14.29	5.178	29.44	0
1/18/2026 6:30	2.193	337.4	20.53	3.517	29.44	0
1/18/2026 6:45	2.664	333.4	28.21	4.006	29.45	0
1/18/2026 7:00	2.118	337.4	24.68	2.278	29.45	0
1/18/2026 7:15	4.801	18.96	12.37	0.713	29.45	0
1/18/2026 7:30	5.422	9.86	10.83	0.458	29.45	0
1/18/2026 7:45	2.201	28.03	14.08	0.432	29.46	0
1/18/2026 8:00	2.443	53.24	15.31	0.586	29.45	0
1/18/2026 8:15	5.385	28.21	9.61	0.715	29.46	0
1/18/2026 8:30	5.523	27.63	13.24	0.775	29.46	0
1/18/2026 8:45	6.523	18.73	9.97	1.127	29.46	0
1/18/2026 9:00	4.838	21.54	7.734	1.088	29.47	0
1/18/2026 9:15	3.333	37.02	14.73	1.912	29.48	0
1/18/2026 9:30	3.647	23.63	11.03	2.709	29.48	0
1/18/2026 9:45	2.725	358.8	21.91	4.727	29.48	0
1/18/2026 10:00	1.71	279.7	49.83	5.849	29.49	0
1/18/2026 10:15	2.552	263.3	24.8	4.985	29.49	0
1/18/2026 10:30	1.691	5.641	27.31	4.745	29.49	0
1/18/2026 10:45	2.348	274.4	27.97	5.55	29.49	0
1/18/2026 11:00	3.692	201.7	13.96	5.581	29.5	0
1/18/2026 11:15	2.041	222	17.19	5.842	29.5	0
1/18/2026 11:30	1.78	203.8	30.56	6.703	29.5	0
1/18/2026 11:45	1.088	251.4	57.68	7.311	29.49	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/18/2026 12:00	2.467	196.1	19.03	7.459	29.49	0
1/18/2026 12:15	2.249	193.9	19.04	7.801	29.48	0
1/18/2026 12:30	1.955	212	22.14	8.3	29.48	0
1/18/2026 12:45	1.431	243.1	28.99	8.67	29.47	0
1/18/2026 13:00	1.466	278	21.61	9.21	29.47	0
1/18/2026 13:15	1.684	338.3	29.69	9.4	29.47	0
1/18/2026 13:30	2.662	23.35	33.26	9.18	29.46	0
1/18/2026 13:45	1.376	41.62	16.97	8.94	29.45	0
1/18/2026 14:00	1.211	353.6	28.48	9.8	29.45	0
1/18/2026 14:15	2.212	329.6	17.33	10.13	29.45	0
1/18/2026 14:30	2.884	319.8	36.51	10.12	29.45	0
1/18/2026 14:45	4.929	275.8	7.19	9.78	29.45	0
1/18/2026 15:00	3.995	292	12.53	9.54	29.45	0
1/18/2026 15:15	3.295	314.4	11.68	9.66	29.45	0
1/18/2026 15:30	2.198	341.1	19.43	9.75	29.46	0
1/18/2026 15:45	1.57	257.7	96.2	9.62	29.45	0
1/18/2026 16:00	2.899	320.6	34.64	9.39	29.46	0
1/18/2026 16:15	2.821	331.8	81.8	9.03	29.46	0
1/18/2026 16:30	3.364	253.9	7.671	8.81	29.46	0
1/18/2026 16:45	1.344	145.6	49.9	8.63	29.46	0
1/18/2026 17:00	3.885	40.69	27.72	7.915	29.46	0
1/18/2026 17:15	5.208	20.51	11.73	7.262	29.46	0
1/18/2026 17:30	5.479	30.93	7.318	7.001	29.46	0
1/18/2026 17:45	4.362	24.36	14.18	6.59	29.46	0
1/18/2026 18:00	4.829	27.31	6.051	6.639	29.46	0
1/18/2026 18:15	5.137	16.87	8.43	6.779	29.47	0
1/18/2026 18:30	4.579	25.59	5.344	6.711	29.47	0
1/18/2026 18:45	3.219	40.04	17.74	6.84	29.47	0
1/18/2026 19:00	2.58	13.55	7.415	6.651	29.47	0
1/18/2026 19:15	1.45	34.33	19.89	6.511	29.47	0
1/18/2026 19:30	1.026	56.69	29.56	6.845	29.47	0
1/18/2026 19:45	1.064	11.3	5.816	6.927	29.47	0
1/18/2026 20:00	0	0	0	6.482	29.47	0
1/18/2026 20:15	0.002	67.57	3.334	6.369	29.47	0
1/18/2026 20:30	0.738	202.8	26.71	6.3	29.48	0
1/18/2026 20:45	1.413	39.47	55.66	5.995	29.48	0
1/18/2026 21:00	4.188	23.54	8.7	4.788	29.48	0
1/18/2026 21:15	4.651	8.13	8.83	4.43	29.48	0
1/18/2026 21:30	4.995	5.224	5.141	4.478	29.48	0
1/18/2026 21:45	4.446	350.7	15.39	4.862	29.48	0
1/18/2026 22:00	4.195	343.5	5.662	5.475	29.48	0
1/18/2026 22:15	3.104	15.16	12.05	5.924	29.49	0
1/18/2026 22:30	2.971	27.91	8.04	5.858	29.49	0
1/18/2026 22:45	3.21	34.43	12.7	5.321	29.49	0
1/18/2026 23:00	3.91	27.89	7.335	5.33	29.49	0
1/18/2026 23:15	2.74	23.67	17.47	5.938	29.49	0
1/18/2026 23:30	1.71	64.65	14.19	6.256	29.5	0
1/18/2026 23:45	1.721	65.49	33.6	5.984	29.49	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/19/2026 0:00	2.018	169.9	16.68	6.713	29.5	0
1/19/2026 0:15	0.935	334.2	80.6	7.624	29.5	0
1/19/2026 0:30	1.229	335	41.55	6.961	29.5	0
1/19/2026 0:45	0.193	19.67	2.171	7.036	29.5	0
1/19/2026 1:00	0	0	0	8.02	29.5	0
1/19/2026 1:15	1.366	144	18.12	6.592	29.5	0
1/19/2026 1:30	1.942	115.7	19.05	6.401	29.5	0
1/19/2026 1:45	1.541	61	14.28	6.869	29.5	0
1/19/2026 2:00	2.437	113.4	24.45	5.561	29.5	0
1/19/2026 2:15	1.95	64.34	32.03	6.18	29.5	0
1/19/2026 2:30	2.426	99.8	28.59	6.767	29.5	0
1/19/2026 2:45	3.185	146.2	8.61	7.163	29.5	0
1/19/2026 3:00	1.821	105.5	36.49	6.859	29.5	0
1/19/2026 3:15	0.488	293.9	26.79	6.093	29.5	0
1/19/2026 3:30	1.028	291.3	53.13	5.909	29.5	0
1/19/2026 3:45	3.921	320.3	16.6	4.275	29.49	0
1/19/2026 4:00	4.35	314.9	5.693	4.686	29.49	0
1/19/2026 4:15	2.852	326.1	17.22	4.379	29.49	0
1/19/2026 4:30	2.818	311.5	12.89	4.966	29.49	0
1/19/2026 4:45	3.023	353.1	17.49	4.316	29.49	0
1/19/2026 5:00	3.066	15.48	8.88	3.849	29.48	0
1/19/2026 5:15	3.911	24.6	7.677	3.463	29.48	0
1/19/2026 5:30	4.159	27.14	5.313	2.587	29.48	0
1/19/2026 5:45	3.152	28.64	10.94	1.602	29.48	0
1/19/2026 6:00	3.717	15.16	12.88	1.682	29.48	0
1/19/2026 6:15	1.836	350.6	13.85	2.423	29.48	0
1/19/2026 6:30	3.3	13.56	8.62	2.126	29.48	0
1/19/2026 6:45	3.752	25.92	11.88	2.26	29.48	0
1/19/2026 7:00	3.381	32.49	11.14	1.89	29.48	0
1/19/2026 7:15	3.071	28.38	12.01	1.719	29.48	0
1/19/2026 7:30	3.008	30.38	8.99	1.405	29.48	0
1/19/2026 7:45	2.033	358.1	26.32	1.228	29.48	0
1/19/2026 8:00	1.748	348.3	13.01	2.159	29.48	0
1/19/2026 8:15	1.63	9.28	19.15	1.808	29.49	0
1/19/2026 8:30	3.25	19.32	14.35	1.828	29.49	0
1/19/2026 8:45	4.081	24.48	5.934	2.157	29.49	0
1/19/2026 9:00	4.153	26.85	6.363	3.298	29.49	0
1/19/2026 9:15	3.01	23.9	11.85	4.22	29.49	0
1/19/2026 9:30	0.924	27.82	8.02	5.316	29.49	0
1/19/2026 9:45	0.61	344.3	30.66	7.422	29.5	0
1/19/2026 10:00	1.956	336.2	7.286	7.178	29.5	0
1/19/2026 10:15	0.922	332.2	24.98	7.11	29.51	0
1/19/2026 10:30	0.219	29.23	38.07	6.117	29.51	0
1/19/2026 10:45	1.049	79.54	38.95	5.472	29.51	0
1/19/2026 11:00	1.701	141.2	23.55	6.364	29.51	0
1/19/2026 11:15	0.194	54.97	29.1	7.357	29.5	0
1/19/2026 11:30	0.552	346.7	16.76	7.916	29.49	0
1/19/2026 11:45	0.932	334	74.41	8.95	29.49	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/19/2026 12:00	1.443	222.5	26.13	10.1	29.48	0
1/19/2026 12:15	2.655	328	28.16	9.61	29.48	0
1/19/2026 12:30	4.383	331.5	6.335	8.96	29.47	0
1/19/2026 12:45	3.393	326.4	10.49	9.43	29.47	0
1/19/2026 13:00	2.676	336.7	20.58	9.92	29.46	0
1/19/2026 13:15	1.378	24.49	22.21	9.96	29.46	0
1/19/2026 13:30	1.426	356.9	30.55	10.58	29.46	0
1/19/2026 13:45	2.096	21.42	33.04	10.47	29.45	0
1/19/2026 14:00	2.953	342.5	30.56	10.14	29.45	0
1/19/2026 14:15	3.341	318.7	11.17	10.09	29.45	0
1/19/2026 14:30	3.233	317.9	9.68	10.23	29.44	0
1/19/2026 14:45	3.103	298.2	11.83	10.34	29.44	0
1/19/2026 15:00	2.69	282.8	15.61	10.43	29.44	0
1/19/2026 15:15	2.577	265.1	13.57	10.42	29.43	0
1/19/2026 15:30	2.133	254.8	35.62	10.36	29.43	0
1/19/2026 15:45	2.816	249.4	12.48	9.79	29.43	0
1/19/2026 16:00	0.779	279.6	6.265	9.83	29.43	0
1/19/2026 16:15	0.102	291.3	0.034	10.12	29.42	0
1/19/2026 16:30	1.234	315.7	15.08	9.62	29.42	0
1/19/2026 16:45	4.415	269.7	7.534	8.21	29.42	0
1/19/2026 17:00	4.537	276.9	4.368	7.368	29.42	0
1/19/2026 17:15	2.444	288.1	26.18	7.168	29.42	0
1/19/2026 17:30	2.37	303.2	16.63	7.2	29.42	0
1/19/2026 17:45	3.246	277	13.74	7.042	29.42	0
1/19/2026 18:00	1.95	283	13.13	7.23	29.42	0
1/19/2026 18:15	0.328	306.4	29.37	6.984	29.42	0
1/19/2026 18:30	0.012	13.09	0.062	6.104	29.41	0
1/19/2026 18:45	0	0	0	6.234	29.41	0
1/19/2026 19:00	0	0	0	6.462	29.4	0
1/19/2026 19:15	1.895	193.6	3.637	6.539	29.4	0
1/19/2026 19:30	5.103	165.4	9.86	5.727	29.4	0
1/19/2026 19:45	2.999	101.8	18.28	6.096	29.4	0
1/19/2026 20:00	1.561	40.4	11.01	5.28	29.4	0
1/19/2026 20:15	2.639	132.8	6.508	5.592	29.39	0
1/19/2026 20:30	1.469	28.12	44.77	5.371	29.39	0
1/19/2026 20:45	2.776	18.8	6.252	4.16	29.39	0
1/19/2026 21:00	3.353	25.8	3.779	3.924	29.39	0
1/19/2026 21:15	1.852	331.9	50.3	3.61	29.39	0
1/19/2026 21:30	2.68	281.3	8.91	5.105	29.39	0
1/19/2026 21:45	3.42	338.4	19.56	4.78	29.39	0
1/19/2026 22:00	4.149	8.65	16.16	4.149	29.38	0
1/19/2026 22:15	3.403	17.53	11.22	3.559	29.38	0
1/19/2026 22:30	2.604	9.82	10.86	4.036	29.38	0
1/19/2026 22:45	2.02	41.88	10.04	3.732	29.38	0
1/19/2026 23:00	0.028	39.15	0.076	3.372	29.38	0
1/19/2026 23:15	1.013	32.7	4.18	3.572	29.38	0
1/19/2026 23:30	0	0	0	4.048	29.38	0
1/19/2026 23:45	0.644	125.3	3.433	4.443	29.38	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/20/2026 0:00	0.06	103.2	0.987	4.423	29.38	0
1/20/2026 0:15	0	0	0	4.209	29.38	0
1/20/2026 0:30	0.232	300.5	0.243	4.381	29.38	0
1/20/2026 0:45	2.676	301.9	6.16	4.05	29.38	0
1/20/2026 1:00	2.448	251.2	35.62	4.107	29.38	0
1/20/2026 1:15	3.19	197.3	5.101	3.964	29.37	0
1/20/2026 1:30	1.548	335.6	63.25	3.091	29.37	0
1/20/2026 1:45	0.562	356.5	2.942	2.903	29.37	0
1/20/2026 2:00	0	0	0	3.322	29.37	0
1/20/2026 2:15	0	0	0	3.634	29.37	0
1/20/2026 2:30	0	0	0	3.632	29.37	0
1/20/2026 2:45	1.136	1.165	3.227	3.215	29.38	0
1/20/2026 3:00	4.189	1.275	17.77	2.685	29.38	0
1/20/2026 3:15	3.799	357.9	14.88	1.453	29.38	0
1/20/2026 3:30	2.631	357.6	15.91	1.983	29.38	0
1/20/2026 3:45	2.634	20.37	9.03	1.551	29.39	0
1/20/2026 4:00	2.384	44.13	9.67	1.298	29.39	0
1/20/2026 4:15	3.22	31.44	5.973	1.298	29.39	0
1/20/2026 4:30	3.665	26.36	8.63	0.935	29.39	0
1/20/2026 4:45	5.14	31.35	9.52	0.771	29.39	0
1/20/2026 5:00	5.571	26.27	5.273	-0.958	29.39	0
1/20/2026 5:15	3.431	23.68	17.09	-0.968	29.39	0
1/20/2026 5:30	4.585	5.207	13.3	-0.264	29.39	0
1/20/2026 5:45	3.159	43.45	30.65	0.218	29.39	0
1/20/2026 6:00	2.906	82.8	14.69	0.564	29.39	0
1/20/2026 6:15	2.648	48.75	20.9	1.042	29.39	0
1/20/2026 6:30	3.204	15.64	5.205	1.177	29.39	0
1/20/2026 6:45	2.594	12.28	13.22	0.789	29.39	0
1/20/2026 7:00	3.353	11.12	7.237	0.462	29.39	0
1/20/2026 7:15	3.538	28.32	7.851	0.467	29.39	0
1/20/2026 7:30	3.738	27.58	9.94	0.334	29.39	0
1/20/2026 7:45	3.304	354.2	20	0.161	29.4	0
1/20/2026 8:00	3.879	331.9	39.43	0.435	29.4	0
1/20/2026 8:15	4.486	18.38	6.014	-0.305	29.4	0
1/20/2026 8:30	4.836	15.09	7.333	-1.011	29.4	0
1/20/2026 8:45	5.836	9.44	6.048	-0.966	29.4	0
1/20/2026 9:00	5.627	7.89	9.57	0.208	29.4	0
1/20/2026 9:15	4.326	38.73	27.41	1.23	29.4	0
1/20/2026 9:30	4.629	28.48	12.58	0.942	29.4	0
1/20/2026 9:45	5.527	17.08	10.29	1.179	29.41	0
1/20/2026 10:00	4.45	14.3	7.915	1.772	29.41	0
1/20/2026 10:15	3.693	36.5	10.53	1.779	29.41	0
1/20/2026 10:30	4.665	14.07	11.93	1.432	29.41	0
1/20/2026 10:45	4.727	349.4	23.52	1.282	29.41	0
1/20/2026 11:00	2.878	305	16.18	2.926	29.41	0
1/20/2026 11:15	1.357	311.4	28.12	4.096	29.41	0
1/20/2026 11:30	1.964	315.8	18.44	5.158	29.41	0
1/20/2026 11:45	3.541	350.3	15.53	4.556	29.41	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/20/2026 12:00	3.182	4.125	17.8	3.948	29.41	0
1/20/2026 12:15	3.384	17.59	7.998	3.399	29.41	0
1/20/2026 12:30	1.801	331.5	46.05	4.411	29.4	0
1/20/2026 12:45	2.001	177.5	40.19	6.244	29.4	0
1/20/2026 13:00	2.29	209.8	25.21	6.599	29.4	0
1/20/2026 13:15	2.076	192.4	21.9	6.24	29.4	0
1/20/2026 13:30	0.95	243.7	61.03	6.89	29.4	0
1/20/2026 13:45	0.976	334.7	78.43	7.746	29.4	0
1/20/2026 14:00	1.013	27.28	65.34	7.92	29.4	0
1/20/2026 14:15	0.556	315.2	69.24	8.81	29.4	0
1/20/2026 14:30	1.069	14.42	21.97	8.98	29.39	0
1/20/2026 14:45	0.597	197.7	35.05	9.74	29.39	0
1/20/2026 15:00	1.121	320.1	49.37	10.13	29.39	0
1/20/2026 15:15	2.752	15.91	16.24	9.04	29.39	0
1/20/2026 15:30	2.414	31.74	13.3	8.62	29.39	0
1/20/2026 15:45	2.255	30.9	8.81	8.65	29.39	0
1/20/2026 16:00	1.201	29.41	13.02	8.83	29.39	0
1/20/2026 16:15	2.504	25.62	15.29	8.33	29.39	0
1/20/2026 16:30	2.671	12.48	13.33	8.02	29.39	0
1/20/2026 16:45	3.19	3.401	19.71	7.787	29.38	0
1/20/2026 17:00	2.806	22.83	10.52	7.182	29.38	0
1/20/2026 17:15	3.483	14.79	8.74	6.55	29.38	0
1/20/2026 17:30	2.546	29.35	25.59	6.175	29.38	0
1/20/2026 17:45	3.504	22.04	15.44	5.642	29.38	0
1/20/2026 18:00	2.841	12.6	17.3	5.494	29.38	0
1/20/2026 18:15	0.45	10.03	40.84	5.369	29.38	0
1/20/2026 18:30	1.831	287.4	39.64	5.261	29.38	0
1/20/2026 18:45	1.229	226.2	31.19	5.827	29.38	0
1/20/2026 19:00	1.2	287.9	50.56	5.17	29.38	0
1/20/2026 19:15	2.801	17.03	9.53	4.916	29.38	0
1/20/2026 19:30	3.619	19.23	5.45	4.562	29.38	0
1/20/2026 19:45	3.789	11.88	8.06	4.188	29.38	0
1/20/2026 20:00	1.835	13.91	12.2	4.319	29.38	0
1/20/2026 20:15	2.648	357.3	22.49	3.798	29.38	0
1/20/2026 20:30	3.237	12.76	14.04	4.687	29.38	0
1/20/2026 20:45	3.272	9.69	12.38	4.183	29.38	0
1/20/2026 21:00	4.733	13.1	9.3	3.869	29.38	0
1/20/2026 21:15	4.822	11.84	7.372	3.757	29.38	0
1/20/2026 21:30	3.947	15.37	8.73	3.92	29.38	0
1/20/2026 21:45	2.641	6.871	18.49	3.855	29.38	0
1/20/2026 22:00	3.979	1.807	12.49	4.589	29.37	0
1/20/2026 22:15	4.394	13.64	7.137	4.178	29.37	0
1/20/2026 22:30	3.997	21.53	5.805	3.488	29.37	0
1/20/2026 22:45	3.924	17.38	7.345	3.376	29.37	0
1/20/2026 23:00	4.393	21.8	5.285	3.548	29.37	0
1/20/2026 23:15	1.799	22.94	3.433	4.777	29.38	0
1/20/2026 23:30	0.912	38.07	4.204	5.55	29.38	0
1/20/2026 23:45	2.439	270.2	12.92	6.025	29.38	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/21/2026 0:00	1.237	315.1	43.45	5.673	29.38	0
1/21/2026 0:15	3.173	243.4	19.22	5.783	29.38	0
1/21/2026 0:30	0.155	179.5	0.708	5.574	29.38	0
1/21/2026 0:45	0	0	0	4.925	29.38	0
1/21/2026 1:00	0.949	73.36	6.315	4.749	29.38	0
1/21/2026 1:15	2.233	72.76	9.78	5.058	29.38	0
1/21/2026 1:30	2.247	35.64	6.849	5.346	29.37	0
1/21/2026 1:45	1.483	354.5	30.37	4.255	29.37	0
1/21/2026 2:00	2.813	346	11.85	4.417	29.37	0
1/21/2026 2:15	3.633	326.6	8.35	4.071	29.37	0
1/21/2026 2:30	3.991	328.3	11.39	3.043	29.37	0
1/21/2026 2:45	3.663	312	10.66	3.971	29.37	0
1/21/2026 3:00	3.759	306.2	27.69	3.993	29.37	0
1/21/2026 3:15	1.63	184.5	38.38	2.924	29.38	0
1/21/2026 3:30	2.597	22.29	24.08	2.314	29.38	0
1/21/2026 3:45	3.106	312.8	14.78	3.628	29.38	0
1/21/2026 4:00	5.804	292.6	4.472	4.016	29.38	0
1/21/2026 4:15	4.613	306.9	17.91	3.834	29.38	0
1/21/2026 4:30	2.753	5.254	32.95	2.981	29.38	0
1/21/2026 4:45	3.011	26.86	9.89	3.023	29.38	0
1/21/2026 5:00	3.302	22.92	7.225	3.223	29.37	0
1/21/2026 5:15	2.818	32.67	18.67	2.745	29.37	0
1/21/2026 5:30	1.631	31.44	18.63	3.208	29.37	0
1/21/2026 5:45	0.906	12.33	4.025	3.782	29.37	0
1/21/2026 6:00	0	0	0	3.63	29.36	0
1/21/2026 6:15	0	0	0	3.695	29.36	0
1/21/2026 6:30	0	0	0	3.445	29.36	0
1/21/2026 6:45	0	0	0	3.006	29.36	0
1/21/2026 7:00	0.151	322.8	0.217	2.456	29.36	0
1/21/2026 7:15	4.45	324.8	5.673	2.645	29.36	0
1/21/2026 7:30	3.345	325.4	13.2	2.569	29.36	0
1/21/2026 7:45	3.69	306.9	3.291	2.248	29.37	0
1/21/2026 8:00	3.402	345.8	31.14	1.799	29.37	0
1/21/2026 8:15	4.004	338.8	10	1.574	29.36	0
1/21/2026 8:30	3.568	324.8	6.791	2.536	29.37	0
1/21/2026 8:45	1.113	306.8	16.76	2.945	29.37	0
1/21/2026 9:00	3.161	283	7.138	3.251	29.37	0
1/21/2026 9:15	2.717	281.8	3.971	3.298	29.38	0
1/21/2026 9:30	1.508	270.2	48.8	3.752	29.38	0
1/21/2026 9:45	2.318	174.1	33.81	3.748	29.38	0
1/21/2026 10:00	2.373	112.1	43.64	4.229	29.38	0
1/21/2026 10:15	4.059	192.5	14.67	1.433	29.38	0
1/21/2026 10:30	6.073	199.9	6.21	1.792	29.38	0
1/21/2026 10:45	4.817	200.8	11.57	2.672	29.38	0
1/21/2026 11:00	3.574	201.1	14.06	3.977	29.38	0
1/21/2026 11:15	1.493	305.8	66.71	5.016	29.38	0
1/21/2026 11:30	1.567	236.9	65.49	5.526	29.38	0
1/21/2026 11:45	1.357	34.54	15.79	5.63	29.38	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/21/2026 12:00	3.088	194.4	14.69	6.037	29.38	0
1/21/2026 12:15	2.869	246.9	33.03	5.644	29.38	0
1/21/2026 12:30	2.614	2.318	42.52	6.145	29.38	0
1/21/2026 12:45	1.889	93.7	34.64	6.422	29.38	0
1/21/2026 13:00	4.278	235.6	26.98	6.532	29.38	0
1/21/2026 13:15	2.789	269	17.06	6.41	29.37	0
1/21/2026 13:30	1.437	274	26.69	6.977	29.37	0
1/21/2026 13:45	3.389	211.6	18.63	6.89	29.37	0
1/21/2026 14:00	2.115	241.2	32.93	7.338	29.37	0
1/21/2026 14:15	1.914	307.6	24.54	8.06	29.37	0
1/21/2026 14:30	3.179	280.5	16.32	7.751	29.37	0
1/21/2026 14:45	5.181	284.9	6.728	7.314	29.36	0
1/21/2026 15:00	4.108	266.9	9.51	6.931	29.36	0
1/21/2026 15:15	3.482	251.1	14.47	7.072	29.36	0
1/21/2026 15:30	4.686	244.8	5.371	6.892	29.36	0
1/21/2026 15:45	4.667	250.1	6.553	6.812	29.36	0
1/21/2026 16:00	4.622	268.8	15.12	6.713	29.36	0
1/21/2026 16:15	3.722	294	7.419	6.46	29.36	0
1/21/2026 16:30	4.134	295.6	3.004	6.149	29.36	0
1/21/2026 16:45	2.946	290.7	9.3	5.988	29.36	0
1/21/2026 17:00	0.2	302.3	3.876	5.91	29.36	0
1/21/2026 17:15	0	0	0	5.166	29.36	0
1/21/2026 17:30	0	0	0	4.628	29.36	0
1/21/2026 17:45	0.385	215.5	3.144	4.791	29.36	0
1/21/2026 18:00	3.301	235.4	6.921	4.243	29.36	0
1/21/2026 18:15	2.458	231.3	16.07	4.25	29.36	0
1/21/2026 18:30	2.511	200.5	20	4.425	29.35	0
1/21/2026 18:45	2.182	200.5	12.29	4.078	29.35	0
1/21/2026 19:00	2.807	167.5	19.61	4.102	29.35	0
1/21/2026 19:15	3.652	137.7	9.03	3.072	29.35	0
1/21/2026 19:30	2.643	131.7	7.666	2.703	29.35	0
1/21/2026 19:45	4.058	144.2	8.75	3.205	29.35	0
1/21/2026 20:00	4.139	144.6	7.851	3.27	29.35	0
1/21/2026 20:15	5.14	156.5	6.67	3.105	29.35	0
1/21/2026 20:30	4.686	158.3	9.63	2.941	29.35	0
1/21/2026 20:45	3.501	145.2	10.36	2.819	29.35	0
1/21/2026 21:00	2.688	124.4	18.1	2.756	29.35	0
1/21/2026 21:15	2.492	110.6	15.04	2.632	29.35	0
1/21/2026 21:30	3.543	122.5	12.9	2.636	29.35	0
1/21/2026 21:45	4.338	119.1	11.48	2.587	29.35	0
1/21/2026 22:00	4.191	117.8	9.18	2.527	29.35	0
1/21/2026 22:15	4.328	141.9	20.25	2.31	29.35	0
1/21/2026 22:30	5.5	167.9	12.56	2.231	29.35	0
1/21/2026 22:45	6.585	139.6	10.22	2.165	29.35	0
1/21/2026 23:00	6.141	137.3	9.35	2.229	29.35	0
1/21/2026 23:15	5.413	163.4	13.2	2.175	29.36	0
1/21/2026 23:30	4.068	158.3	9.52	2.03	29.36	0
1/21/2026 23:45	3.796	154.9	10.86	1.897	29.37	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/22/2026 0:00	3.675	129.8	11.63	2.056	29.37	0
1/22/2026 0:15	3.171	85.1	16.2	1.919	29.37	0
1/22/2026 0:30	3.138	79.58	14.09	1.65	29.37	0
1/22/2026 0:45	5.583	122.3	9.5	1.515	29.36	0
1/22/2026 1:00	7.117	129.2	5.256	2.16	29.36	0
1/22/2026 1:15	5.543	153.6	11.63	2.006	29.37	0
1/22/2026 1:30	6.721	143	13.3	1.823	29.36	0
1/22/2026 1:45	5.009	127.8	10.31	1.576	29.36	0
1/22/2026 2:00	5.849	131.9	7.528	1.597	29.36	0
1/22/2026 2:15	5.665	122.9	9.17	1.707	29.36	0
1/22/2026 2:30	4.785	138.8	7.706	1.506	29.36	0
1/22/2026 2:45	6.248	138.2	9.71	1.727	29.36	0
1/22/2026 3:00	6.643	149.4	8.68	1.551	29.36	0
1/22/2026 3:15	5.964	142	10.37	1.632	29.36	0
1/22/2026 3:30	4.381	115.9	11.87	1.524	29.36	0
1/22/2026 3:45	4.462	116.8	8.37	1.343	29.36	0
1/22/2026 4:00	6.254	117.8	7.481	1.325	29.36	0
1/22/2026 4:15	7.954	119	9.86	1.35	29.35	0
1/22/2026 4:30	8.18	139.2	7.394	1.308	29.35	0
1/22/2026 4:45	7.725	132.5	7.512	1.388	29.34	0
1/22/2026 5:00	7.181	135.6	8.38	1.295	29.34	0
1/22/2026 5:15	5.728	136.6	9.51	1.278	29.35	0
1/22/2026 5:30	6.151	122	10.51	1.424	29.34	0
1/22/2026 5:45	5.725	140	15.56	1.389	29.34	0
1/22/2026 6:00	5.73	160.8	10.92	1.37	29.34	0
1/22/2026 6:15	5.276	147.3	8.69	1.17	29.34	0
1/22/2026 6:30	5.004	151.5	11.34	1.043	29.34	0
1/22/2026 6:45	6.467	157.8	8.12	1.071	29.34	0
1/22/2026 7:00	5.82	141.7	8.07	0.864	29.34	0
1/22/2026 7:15	6.388	149.9	5.884	0.837	29.34	0
1/22/2026 7:30	6.823	146.4	8.55	0.852	29.34	0
1/22/2026 7:45	6.952	160.4	9.96	0.888	29.34	0
1/22/2026 8:00	7.06	158.8	8.19	0.864	29.34	0
1/22/2026 8:15	7.244	163.5	8.58	1.014	29.34	0
1/22/2026 8:30	7.232	150.7	8.76	1.173	29.34	0
1/22/2026 8:45	5.78	141.2	9.62	1.66	29.34	0
1/22/2026 9:00	5.762	142.7	10.29	1.797	29.34	0
1/22/2026 9:15	6.195	147.6	11.23	1.933	29.34	0
1/22/2026 9:30	5.958	144.2	11.82	2.211	29.34	0
1/22/2026 9:45	5.348	144.7	13.92	2.488	29.34	0
1/22/2026 10:00	3.404	137.9	50.54	2.46	29.35	0
1/22/2026 10:15	2.048	185.5	28.19	2.648	29.35	0
1/22/2026 10:30	2.134	79.99	42.64	2.371	29.35	0
1/22/2026 10:45	1.381	70.52	14.01	2.098	29.35	0
1/22/2026 11:00	1.416	112.6	38.07	3.216	29.36	0
1/22/2026 11:15	0.714	112.9	31.13	3.709	29.36	0
1/22/2026 11:30	1.836	48.07	20.41	2.925	29.36	0
1/22/2026 11:45	0.633	57.69	20.09	2.875	29.35	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/22/2026 12:00	1.054	24.35	13.23	3.425	29.35	0
1/22/2026 12:15	1.937	167.9	19.68	4.035	29.35	0
1/22/2026 12:30	2.549	180.1	25.16	4.719	29.35	0
1/22/2026 12:45	1.708	173.5	21.15	4.958	29.34	0
1/22/2026 13:00	0.371	129.3	19.1	5.232	29.34	0
1/22/2026 13:15	2.33	159.8	50.07	5.035	29.33	0
1/22/2026 13:30	2.422	210	19.32	4.943	29.33	0
1/22/2026 13:45	0.73	67.89	44.74	5.448	29.32	0
1/22/2026 14:00	0.918	28.03	8.89	5.167	29.32	0
1/22/2026 14:15	1.937	234.3	21.97	5.49	29.32	0
1/22/2026 14:30	4.051	255.7	9.75	5.668	29.32	0
1/22/2026 14:45	2.475	261.5	16.05	5.508	29.32	0
1/22/2026 15:00	1.72	276.8	14.36	5.467	29.32	0
1/22/2026 15:15	1.494	281.7	18.33	5.327	29.32	0
1/22/2026 15:30	3.107	265.6	6.339	5.04	29.32	0
1/22/2026 15:45	3.208	272.9	5.307	4.629	29.33	0
1/22/2026 16:00	3.016	260.2	10.37	4.059	29.33	0
1/22/2026 16:15	2.842	260.7	23.9	3.76	29.33	0
1/22/2026 16:30	2.634	330	11.92	3.769	29.34	0
1/22/2026 16:45	2.849	319.2	5.722	3.557	29.34	0
1/22/2026 17:00	1.337	314	37.31	3.425	29.34	0
1/22/2026 17:15	1.583	343.9	15.32	3.419	29.34	0
1/22/2026 17:30	0.205	5.383	0.032	3.33	29.34	0
1/22/2026 17:45	2.886	191.3	5.196	3.175	29.33	0
1/22/2026 18:00	3.421	188.9	17.57	2.547	29.33	0
1/22/2026 18:15	2.941	180.1	19.57	2.922	29.33	0
1/22/2026 18:30	3.529	262	38.24	2.511	29.34	0
1/22/2026 18:45	2.434	283	7.864	2.462	29.34	0
1/22/2026 19:00	1.493	248.6	12.96	2.626	29.33	0
1/22/2026 19:15	0.107	242.5	0.036	2.441	29.34	0
1/22/2026 19:30	0	0	0	2.117	29.33	0
1/22/2026 19:45	0	0	0	1.613	29.34	0
1/22/2026 20:00	0	0	0	1.549	29.33	0
1/22/2026 20:15	0.627	82.3	13.86	1.955	29.33	0
1/22/2026 20:30	1.432	123.5	23.58	2.107	29.33	0
1/22/2026 20:45	2.394	148.2	10.43	2.253	29.34	0
1/22/2026 21:00	2.772	137.8	13.55	2.078	29.34	0
1/22/2026 21:15	2.407	115.5	28.59	1.792	29.34	0
1/22/2026 21:30	4.833	132	12.19	1.853	29.34	0
1/22/2026 21:45	4.598	122.8	9.69	1.799	29.34	0
1/22/2026 22:00	4.71	123.8	11.07	1.925	29.35	0
1/22/2026 22:15	4.93	114.8	12.96	2.094	29.35	0
1/22/2026 22:30	4.801	105.1	12.52	2.097	29.35	0
1/22/2026 22:45	4.064	87.8	22.22	1.884	29.35	0
1/22/2026 23:00	5.096	103.8	12.27	1.999	29.35	0
1/22/2026 23:15	4.497	112.2	14.14	2.114	29.35	0
1/22/2026 23:30	5.401	124.3	9.57	2.281	29.36	0
1/22/2026 23:45	3.914	94.8	23.5	1.974	29.36	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/23/2026 0:00	2.568	51.13	10.23	1.028	29.36	0
1/23/2026 0:15	3.566	106.7	9.55	1.452	29.36	0
1/23/2026 0:30	2.478	59.06	25.82	1.589	29.36	0
1/23/2026 0:45	3.065	30.8	5.194	0.957	29.36	0
1/23/2026 1:00	2.877	17.53	13.7	0.716	29.36	0
1/23/2026 1:15	3.285	39.5	8.72	0.586	29.36	0
1/23/2026 1:30	2.306	46.24	12.39	0.453	29.36	0
1/23/2026 1:45	1.545	83.5	25.97	1.413	29.36	0
1/23/2026 2:00	1.827	97.8	15.56	1.879	29.37	0
1/23/2026 2:15	3.72	156.1	12.07	1.672	29.37	0
1/23/2026 2:30	2.985	136.4	16.03	1.57	29.37	0
1/23/2026 2:45	2.217	79.73	16.68	1.427	29.38	0
1/23/2026 3:00	3.108	82.4	19.71	1.056	29.37	0
1/23/2026 3:15	3.493	120.4	12.71	1.412	29.38	0
1/23/2026 3:30	2.488	96.4	22.16	1.259	29.38	0
1/23/2026 3:45	2.804	107.5	24.84	1.071	29.38	0
1/23/2026 4:00	4.865	102	16.77	0.855	29.38	0
1/23/2026 4:15	6.301	107.4	8.87	0.807	29.38	0
1/23/2026 4:30	6.478	109.3	8.25	0.749	29.39	0
1/23/2026 4:45	5.84	113.2	10.24	0.931	29.39	0
1/23/2026 5:00	4.208	110.7	7.712	0.851	29.39	0
1/23/2026 5:15	3.354	83.9	17.51	0.645	29.4	0
1/23/2026 5:30	4.326	60.75	11.09	-0.743	29.4	0
1/23/2026 5:45	5.327	85	14.73	0.06	29.4	0
1/23/2026 6:00	6.906	110.2	12.13	0.638	29.4	0
1/23/2026 6:15	5.287	103.3	19.06	0.571	29.4	0
1/23/2026 6:30	5.664	84.2	15.44	0.072	29.41	0
1/23/2026 6:45	5.763	96.7	11.16	0.444	29.4	0
1/23/2026 7:00	3.998	58.85	16.8	-1.124	29.4	0
1/23/2026 7:15	4.058	36.67	15.18	-1.682	29.4	0
1/23/2026 7:30	4.305	35.54	13.78	-1.413	29.41	0
1/23/2026 7:45	4.127	35.67	9.39	-1.451	29.41	0
1/23/2026 8:00	3.927	19.39	20.2	-1.397	29.41	0
1/23/2026 8:15	5.073	12.11	7.642	-1.117	29.42	0
1/23/2026 8:30	3.95	29.08	7.717	-0.714	29.43	0
1/23/2026 8:45	4.224	19.59	9.99	-1.158	29.43	0
1/23/2026 9:00	3.345	41.12	14.76	-0.834	29.44	0
1/23/2026 9:15	5.041	20.95	9.25	-1.215	29.44	0
1/23/2026 9:30	4.662	22.62	5.451	-0.921	29.45	0
1/23/2026 9:45	4.694	18.17	6.162	-0.51	29.45	0
1/23/2026 10:00	4.23	19.27	6.436	0.173	29.46	0
1/23/2026 10:15	4.053	21.96	7.237	0.955	29.46	0
1/23/2026 10:30	3.791	12.5	10.61	1.692	29.46	0
1/23/2026 10:45	2.821	358.4	14.76	2.885	29.47	0
1/23/2026 11:00	3.041	338.7	17.53	3.74	29.47	0
1/23/2026 11:15	3.988	17.67	17.45	3.352	29.47	0
1/23/2026 11:30	4.728	22.7	7.904	2.752	29.47	0
1/23/2026 11:45	5.224	18.97	8.66	3.149	29.47	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/23/2026 12:00	3.108	32.57	10.42	3.651	29.47	0
1/23/2026 12:15	3.674	31.04	7.427	4.199	29.46	0
1/23/2026 12:30	3.538	26.1	9.04	4.613	29.46	0
1/23/2026 12:45	5.284	20.75	7.948	4.634	29.45	0
1/23/2026 13:00	5.637	24.41	7.762	4.806	29.45	0
1/23/2026 13:15	6.828	20.68	7.204	5.012	29.45	0
1/23/2026 13:30	7.829	18.73	9.52	5.164	29.45	0
1/23/2026 13:45	8.49	18.05	9.24	5.392	29.44	0
1/23/2026 14:00	9.63	16.97	9.97	5.473	29.44	0
1/23/2026 14:15	8.71	13.4	11.02	5.767	29.44	0
1/23/2026 14:30	7.589	17.84	10.43	5.956	29.44	0
1/23/2026 14:45	8.07	20.34	10.52	6.045	29.44	0
1/23/2026 15:00	11.13	15.93	12.08	5.868	29.45	0
1/23/2026 15:15	11.27	14.11	9.14	5.847	29.45	0
1/23/2026 15:30	8.76	15.74	13.61	5.88	29.45	0
1/23/2026 15:45	9.63	13.97	10.54	5.853	29.46	0
1/23/2026 16:00	7.593	13.47	12.59	5.933	29.46	0
1/23/2026 16:15	8.51	15.49	10.64	5.69	29.46	0
1/23/2026 16:30	6.826	22.5	9.49	5.36	29.46	0
1/23/2026 16:45	6.678	21.03	12	5.153	29.47	0
1/23/2026 17:00	8.8	19.27	10.16	4.843	29.47	0
1/23/2026 17:15	9.04	18.76	11.88	4.926	29.47	0
1/23/2026 17:30	6.965	24.34	8.21	4.373	29.47	0
1/23/2026 17:45	6.352	29.14	8.87	4.216	29.48	0
1/23/2026 18:00	6.834	22.14	9.6	3.93	29.48	0
1/23/2026 18:15	6.127	24.12	9.52	3.654	29.48	0
1/23/2026 18:30	4.577	41.48	13.43	3.343	29.49	0
1/23/2026 18:45	6.151	33.38	13.65	2.932	29.48	0
1/23/2026 19:00	5.782	29.53	11.95	2.594	29.49	0
1/23/2026 19:15	7.213	28.75	9.41	2.159	29.49	0
1/23/2026 19:30	6.376	33.22	10.11	1.933	29.49	0
1/23/2026 19:45	5.178	33.7	11.18	1.732	29.49	0
1/23/2026 20:00	4.648	30.18	14.61	1.556	29.49	0
1/23/2026 20:15	3.558	32.21	19.21	1.297	29.49	0
1/23/2026 20:30	5.095	17.31	7.342	1.518	29.49	0
1/23/2026 20:45	4.748	21.59	7.245	1.134	29.49	0
1/23/2026 21:00	4.065	21.53	8.78	0.645	29.49	0
1/23/2026 21:15	4.479	13.63	8.75	0.923	29.5	0
1/23/2026 21:30	4.257	13.58	10.21	0.942	29.5	0
1/23/2026 21:45	4.104	14.51	12.26	1.016	29.5	0
1/23/2026 22:00	4.363	10.94	5.214	1.028	29.5	0
1/23/2026 22:15	4.263	9.96	5.882	1.058	29.5	0
1/23/2026 22:30	3.794	13.44	13.43	0.974	29.5	0
1/23/2026 22:45	4.37	19.82	6.639	0.624	29.51	0
1/23/2026 23:00	5.081	14.82	8.01	0.478	29.51	0
1/23/2026 23:15	4.521	17.48	8.42	0.404	29.51	0
1/23/2026 23:30	4.387	19.65	9.01	0.14	29.51	0
1/23/2026 23:45	4.597	28.13	9.76	-0.003	29.51	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/24/2026 0:00	4.409	15.24	10.08	0.143	29.51	0
1/24/2026 0:15	3.47	24.54	5.541	0.384	29.51	0
1/24/2026 0:30	3.437	19.98	6.08	0.385	29.51	0
1/24/2026 0:45	3.904	24.24	6.873	-0.07	29.51	0
1/24/2026 1:00	4.37	17.16	4.785	-0.034	29.5	0
1/24/2026 1:15	3.803	26.92	7.745	-0.042	29.5	0
1/24/2026 1:30	3.298	18.4	3.076	-0.139	29.51	0
1/24/2026 1:45	3.342	39.65	5.386	-0.161	29.51	0
1/24/2026 2:00	4.048	33.77	3.823	-0.08	29.51	0
1/24/2026 2:15	3.584	32.28	5.877	0.083	29.51	0
1/24/2026 2:30	3.678	27.92	5.753	0.218	29.51	0
1/24/2026 2:45	3.329	50.54	18.65	-0.735	29.5	0
1/24/2026 3:00	2.387	38.15	14.22	-0.257	29.5	0
1/24/2026 3:15	2.276	350.6	13.12	-0.378	29.5	0
1/24/2026 3:30	1.857	343.2	13.92	0.083	29.5	0
1/24/2026 3:45	3.183	338.7	11.76	-0.24	29.5	0
1/24/2026 4:00	4.116	356	15.59	-0.986	29.5	0
1/24/2026 4:15	4.443	355.9	12.26	-0.392	29.5	0
1/24/2026 4:30	3.536	4.368	18.59	-1.28	29.5	0
1/24/2026 4:45	4.21	25.92	4.654	-2.048	29.5	0
1/24/2026 5:00	3.28	53.63	11.92	-1.456	29.5	0
1/24/2026 5:15	1.965	62.06	15.1	-0.734	29.5	0
1/24/2026 5:30	1.258	77.83	18.35	-0.407	29.5	0
1/24/2026 5:45	2.749	56.66	15.51	-0.815	29.49	0
1/24/2026 6:00	2.195	32.16	11.87	-1.413	29.5	0
1/24/2026 6:15	0.611	11.48	22.85	-1.263	29.5	0
1/24/2026 6:30	1.879	71.53	32.48	-1.004	29.5	0
1/24/2026 6:45	2.602	119.6	9.99	-0.963	29.5	0
1/24/2026 7:00	2.987	151.5	9.78	-0.653	29.5	0
1/24/2026 7:15	2.246	130.4	16.04	-0.658	29.49	0
1/24/2026 7:30	0.805	102.8	6.31	-0.713	29.49	0
1/24/2026 7:45	0.823	139.3	2.543	-0.165	29.49	0
1/24/2026 8:00	0.893	99.2	13.92	-0.502	29.49	0
1/24/2026 8:15	1.112	92.7	0.134	-0.639	29.49	0
1/24/2026 8:30	0	0	0	-0.043	29.49	0
1/24/2026 8:45	0	0	0	0.521	29.49	0
1/24/2026 9:00	0.764	58.31	3.701	0.411	29.49	0
1/24/2026 9:15	0.995	100.1	24.79	0.571	29.49	0
1/24/2026 9:30	1.346	80.4	34.57	1.617	29.49	0
1/24/2026 9:45	1.794	15.52	13.74	0.156	29.49	0
1/24/2026 10:00	0.29	346.5	41.94	1.194	29.49	0
1/24/2026 10:15	0.344	227.4	11.63	2.228	29.49	0
1/24/2026 10:30	2.175	339.5	27.57	1.819	29.49	0
1/24/2026 10:45	3.333	308.1	10.61	2.068	29.5	0
1/24/2026 11:00	2.076	345	18.02	2.286	29.5	0
1/24/2026 11:15	0.782	330	38.82	2.814	29.5	0
1/24/2026 11:30	2.361	71.5	18.8	3.348	29.49	0
1/24/2026 11:45	2.113	56.79	19.02	2.991	29.48	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/24/2026 12:00	3.247	38.4	12.32	3.422	29.48	0
1/24/2026 12:15	3.625	27.95	11.7	3.643	29.47	0
1/24/2026 12:30	2.389	11.35	17.48	4.23	29.47	0
1/24/2026 12:45	1.825	3.896	20.29	4.789	29.46	0
1/24/2026 13:00	0.89	350.3	23.67	5.561	29.45	0
1/24/2026 13:15	1.584	331	28.24	5.892	29.44	0
1/24/2026 13:30	2.727	323.4	19.25	5.992	29.44	0
1/24/2026 13:45	3.16	317.2	18.41	5.827	29.43	0
1/24/2026 14:00	2.76	1.244	22.59	5.798	29.43	0
1/24/2026 14:15	2.334	13.36	13.01	5.749	29.42	0
1/24/2026 14:30	2.742	16.32	8.98	5.797	29.42	0
1/24/2026 14:45	2.25	15.52	8.86	5.928	29.41	0
1/24/2026 15:00	2.563	18.7	11.07	5.939	29.41	0
1/24/2026 15:15	3.278	21.48	10.89	5.744	29.41	0
1/24/2026 15:30	2.379	13.48	27.67	5.73	29.42	0
1/24/2026 15:45	3.24	306.2	19.98	6.351	29.42	0
1/24/2026 16:00	5.564	289.3	9.42	6.072	29.43	0
1/24/2026 16:15	3.405	341.9	44.58	5.628	29.43	0
1/24/2026 16:30	5.017	31.34	9.17	4.473	29.42	0
1/24/2026 16:45	5.983	29.76	8.87	4.159	29.41	0
1/24/2026 17:00	7.853	25.03	7.418	3.834	29.41	0
1/24/2026 17:15	6.003	28.52	8.15	3.611	29.41	0
1/24/2026 17:30	4.243	12.46	7.306	3.026	29.41	0
1/24/2026 17:45	5.161	13.53	6.106	3.184	29.41	0
1/24/2026 18:00	4.595	8.21	8.87	3.515	29.41	0
1/24/2026 18:15	2.952	0.78	13.54	3.331	29.41	0
1/24/2026 18:30	2.685	358.4	11.71	3.261	29.41	0
1/24/2026 18:45	2.341	17.34	20.52	3.031	29.41	0
1/24/2026 19:00	1.882	49.15	6.502	2.777	29.4	0
1/24/2026 19:15	2.894	34.44	4.249	2.713	29.4	0
1/24/2026 19:30	2.921	31.67	14.13	2.178	29.4	0
1/24/2026 19:45	2.343	48.98	9.18	1.681	29.4	0
1/24/2026 20:00	3.043	66.56	11.93	1.057	29.39	0
1/24/2026 20:15	2.673	40.11	8.67	0.997	29.39	0
1/24/2026 20:30	2.781	46.2	13.84	1.459	29.39	0
1/24/2026 20:45	2.452	86.7	17.25	1.876	29.39	0
1/24/2026 21:00	1.808	69.12	15.08	2.273	29.38	0
1/24/2026 21:15	0.818	13.88	1.856	2.068	29.38	0
1/24/2026 21:30	0.02	114.3	1.131	2.191	29.38	0
1/24/2026 21:45	2.515	182.2	21.76	2.063	29.38	0
1/24/2026 22:00	2.022	169.5	15.59	1.543	29.38	0
1/24/2026 22:15	0.042	134.8	0	1.039	29.39	0
1/24/2026 22:30	1.773	354.1	10.64	1.249	29.39	0
1/24/2026 22:45	2.651	18.1	18.7	0.564	29.39	0
1/24/2026 23:00	3.311	34.04	2.373	0.606	29.39	0
1/24/2026 23:15	3.922	26.58	5.02	0.601	29.39	0
1/24/2026 23:30	4.339	17.05	8.19	-0.141	29.39	0
1/24/2026 23:45	4.196	34.92	5.206	-0.329	29.39	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/25/2026 0:00	3.653	40.83	7.545	-0.524	29.39	0
1/25/2026 0:15	3.049	47.8	9.47	-0.433	29.39	0
1/25/2026 0:30	1.314	92.2	23.11	-0.744	29.39	0
1/25/2026 0:45	2.421	249	5.823	0.156	29.39	0
1/25/2026 1:00	3.989	251.4	8.71	0.185	29.39	0
1/25/2026 1:15	3.079	239.8	7.814	-0.068	29.39	0
1/25/2026 1:30	1.773	202	12.49	0.126	29.39	0
1/25/2026 1:45	2.16	191	16.39	0.146	29.38	0
1/25/2026 2:00	1.825	169.4	5.67	0.045	29.38	0
1/25/2026 2:15	0.318	172.1	3.863	-0.206	29.38	0
1/25/2026 2:30	2.153	104	10.3	-1.132	29.38	0
1/25/2026 2:45	3.227	122.3	6.94	-0.841	29.38	0
1/25/2026 3:00	2.549	92.3	9.69	0.224	29.38	0
1/25/2026 3:15	1.542	47.94	9.88	-0.587	29.38	0
1/25/2026 3:30	2.499	32.79	11.15	-1.097	29.38	0
1/25/2026 3:45	2.037	29.17	3.382	-0.499	29.38	0
1/25/2026 4:00	2.847	32.37	3.772	-0.713	29.37	0
1/25/2026 4:15	4.507	29.14	3.405	-1.518	29.37	0
1/25/2026 4:30	4.236	24.05	6.778	-1.246	29.36	0
1/25/2026 4:45	2.791	7.923	5.691	-1.848	29.36	0
1/25/2026 5:00	1.064	319.8	11.02	-1.958	29.36	0
1/25/2026 5:15	0.899	330.3	10.3	-1.249	29.36	0
1/25/2026 5:30	1.96	232.9	19.06	-0.999	29.36	0
1/25/2026 5:45	2.818	262.4	18.45	-0.575	29.36	0
1/25/2026 6:00	2.048	296	11.29	-1.717	29.36	0
1/25/2026 6:15	2.96	295.4	5.855	-1.014	29.36	0
1/25/2026 6:30	1.613	141.8	13.67	-1.316	29.36	0
1/25/2026 6:45	0.667	199.3	18.48	-0.943	29.36	0
1/25/2026 7:00	1.542	145.1	33.72	-0.828	29.36	0
1/25/2026 7:15	3.716	207.8	10.04	-2.184	29.36	0
1/25/2026 7:30	3.046	189.7	17.97	-1.385	29.36	0
1/25/2026 7:45	2.902	167.4	8.66	-0.746	29.36	0
1/25/2026 8:00	2.82	164.8	10.2	-0.368	29.36	0
1/25/2026 8:15	1.586	114.3	49.99	0.004	29.36	0
1/25/2026 8:30	3.165	357.8	14.63	-1.126	29.36	0
1/25/2026 8:45	3.49	10.53	10.96	-2.098	29.37	0
1/25/2026 9:00	3.903	40.74	8.34	-1.876	29.37	0
1/25/2026 9:15	1.516	251.1	55.06	-0.473	29.37	0
1/25/2026 9:30	2.532	298.6	16.67	0.4	29.37	0
1/25/2026 9:45	3.437	305.9	10.49	0.735	29.37	0
1/25/2026 10:00	3.786	315	11.76	0.837	29.37	0
1/25/2026 10:15	3.029	318.4	12.77	1.024	29.37	0
1/25/2026 10:30	2.507	301.9	11.62	2.087	29.37	0
1/25/2026 10:45	2.224	335.2	25.66	2.118	29.37	0
1/25/2026 11:00	2.171	235.4	78.69	2.745	29.37	0
1/25/2026 11:15	3.9	225.3	10.45	2.651	29.37	0
1/25/2026 11:30	3.271	235.5	13.3	3.072	29.37	0
1/25/2026 11:45	2.606	227.2	20.42	3.622	29.37	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/25/2026 12:00	2.879	220.9	21.34	3.963	29.37	0
1/25/2026 12:15	1.569	217.5	32.69	4.472	29.37	0
1/25/2026 12:30	0.633	212.1	48.57	5.393	29.36	0
1/25/2026 12:45	2.623	221.1	16.3	5.191	29.35	0
1/25/2026 13:00	2.419	206.3	22.23	5.329	29.35	0
1/25/2026 13:15	2.347	201.7	23.36	5.85	29.35	0
1/25/2026 13:30	1.523	352.2	55.47	5.95	29.35	0
1/25/2026 13:45	1.678	28.99	14.45	5.634	29.34	0
1/25/2026 14:00	1.128	328.2	35.62	6.247	29.34	0
1/25/2026 14:15	0.758	1.072	12.18	6.961	29.34	0
1/25/2026 14:30	1.186	26.12	16.45	6.908	29.33	0
1/25/2026 14:45	1.863	19.44	11.97	6.548	29.33	0
1/25/2026 15:00	1.969	2.863	14.81	6.477	29.33	0
1/25/2026 15:15	2.464	8.79	4.832	6.242	29.33	0
1/25/2026 15:30	2.527	15.07	3.764	6.199	29.33	0
1/25/2026 15:45	2.152	11.27	3.763	6.239	29.33	0
1/25/2026 16:00	1.887	6.769	2.611	6.038	29.33	0
1/25/2026 16:15	3.735	304.8	40.58	6.184	29.33	0
1/25/2026 16:30	4.765	282.7	6.042	5.647	29.33	0
1/25/2026 16:45	3.59	298.4	5.484	5.035	29.33	0
1/25/2026 17:00	1.956	341.8	18.37	4.735	29.33	0
1/25/2026 17:15	0	0	0	4.305	29.33	0
1/25/2026 17:30	1.335	348.2	2.698	4.025	29.33	0
1/25/2026 17:45	2.557	2.877	8.53	4.211	29.33	0
1/25/2026 18:00	1.559	29.22	16.08	3.969	29.33	0
1/25/2026 18:15	3.342	30.16	6.856	3.474	29.33	0
1/25/2026 18:30	3.2	25.7	11.96	3.213	29.33	0
1/25/2026 18:45	3.063	11.56	15.65	2.936	29.32	0
1/25/2026 19:00	2.488	6.41	19.91	3.231	29.32	0
1/25/2026 19:15	0.611	43.22	13.23	3.087	29.32	0
1/25/2026 19:30	0	0	0	2.326	29.32	0
1/25/2026 19:45	0	0	0	2.2	29.32	0
1/25/2026 20:00	0	0	0	2.566	29.32	0
1/25/2026 20:15	0	0	0	2.846	29.32	0
1/25/2026 20:30	2.225	134.8	7.106	3.033	29.32	0
1/25/2026 20:45	4.288	127.2	7.767	3.527	29.32	0
1/25/2026 21:00	5.152	136.2	5.015	3.06	29.32	0
1/25/2026 21:15	6.575	138.3	6	3.104	29.32	0
1/25/2026 21:30	6.643	146.3	8.24	2.946	29.33	0
1/25/2026 21:45	6.13	138.7	6.732	2.527	29.33	0
1/25/2026 22:00	5.935	137.6	6.451	2.538	29.33	0
1/25/2026 22:15	8.36	149.5	6.61	2.576	29.33	0
1/25/2026 22:30	5.863	155.9	6.745	2.283	29.34	0
1/25/2026 22:45	3.804	141.5	8.81	2.291	29.34	0
1/25/2026 23:00	4.088	158.2	19.88	2.457	29.34	0
1/25/2026 23:15	6.045	187	10.03	1.95	29.34	0
1/25/2026 23:30	6.199	184.1	7.978	1.743	29.35	0
1/25/2026 23:45	6.682	188.3	7.377	1.143	29.35	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/26/2026 0:00	5.546	177.8	6.134	1.209	29.35	0
1/26/2026 0:15	4.611	159.2	9.23	1.135	29.36	0
1/26/2026 0:30	4.773	129.4	11.34	1.388	29.36	0
1/26/2026 0:45	3.809	83.1	17.34	1.224	29.35	0
1/26/2026 1:00	3.429	82.1	13.27	1.198	29.35	0
1/26/2026 1:15	4.184	98.9	10.45	1.543	29.35	0
1/26/2026 1:30	4.377	108.5	6.348	1.447	29.35	0
1/26/2026 1:45	4.423	105.6	12.1	1.027	29.35	0
1/26/2026 2:00	5.394	138.9	17.25	1.735	29.35	0
1/26/2026 2:15	5.317	163.8	10.39	2.157	29.35	0
1/26/2026 2:30	3.127	125.6	16.62	1.938	29.34	0
1/26/2026 2:45	2.34	94.6	11.99	1.067	29.34	0
1/26/2026 3:00	1.675	122.3	17.09	1.646	29.35	0
1/26/2026 3:15	0.917	99.1	20.76	1.61	29.35	0
1/26/2026 3:30	1.819	80.9	23.46	1.485	29.35	0
1/26/2026 3:45	3.301	147.6	5.354	1.601	29.35	0
1/26/2026 4:00	3.463	134.1	21	1.596	29.34	0
1/26/2026 4:15	2.833	105.3	19.28	0.798	29.34	0
1/26/2026 4:30	3.955	111.6	18.41	1.714	29.34	0
1/26/2026 4:45	2.487	36.07	21.88	2.633	29.34	0
1/26/2026 5:00	3.422	280	55.76	1.581	29.34	0
1/26/2026 5:15	2.506	231.5	30.24	0.9	29.34	0
1/26/2026 5:30	2.409	146	27.18	1.097	29.34	0
1/26/2026 5:45	4.18	187.2	11.69	1.221	29.34	0
1/26/2026 6:00	2.945	104.9	27.23	0.681	29.34	0
1/26/2026 6:15	3.754	97.6	18.4	0.703	29.34	0
1/26/2026 6:30	4.981	170.8	28.5	1.848	29.34	0
1/26/2026 6:45	3.915	159.7	25.22	1.852	29.34	0
1/26/2026 7:00	1.898	31.25	28.18	1.211	29.34	0
1/26/2026 7:15	3.756	214.8	14.41	1.723	29.34	0
1/26/2026 7:30	3.373	174.9	51.01	1.146	29.35	0
1/26/2026 7:45	2.517	43.59	10.1	0.274	29.35	0
1/26/2026 8:00	2.995	159.5	28.6	1.021	29.36	0
1/26/2026 8:15	4.274	115.2	14.75	1.409	29.36	0
1/26/2026 8:30	4.77	108.1	17.42	1.524	29.36	0
1/26/2026 8:45	5.154	145.5	19.1	1.933	29.36	0
1/26/2026 9:00	5.403	154.9	8.38	2.443	29.36	0
1/26/2026 9:15	3.348	139.9	11.59	2.717	29.37	0
1/26/2026 9:30	2.069	98.4	21.83	2.551	29.37	0
1/26/2026 9:45	0.977	120.9	26.21	3.059	29.37	0
1/26/2026 10:00	2.343	162.9	26.05	3.44	29.37	0
1/26/2026 10:15	2.764	137	14.07	3.892	29.37	0
1/26/2026 10:30	2.655	121.8	15.29	4.353	29.37	0
1/26/2026 10:45	3.253	152.2	14.92	4.73	29.38	0
1/26/2026 11:00	2.75	155.2	14.53	5.296	29.38	0
1/26/2026 11:15	2.56	236	48.82	5.209	29.38	0
1/26/2026 11:30	1.841	168.5	36.96	5.854	29.38	0
1/26/2026 11:45	0.459	117.4	11.61	7.213	29.38	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/26/2026 12:00	0	0	0	6.841	29.38	0
1/26/2026 12:15	0	0	0	7.297	29.37	0
1/26/2026 12:30	0.1	74.24	8.68	8.46	29.37	0
1/26/2026 12:45	1.05	338	5.437	8.71	29.37	0
1/26/2026 13:00	2.116	332.6	9.74	8.67	29.37	0
1/26/2026 13:15	2.254	342.9	21.26	8.74	29.37	0
1/26/2026 13:30	3.887	295.5	14.86	8.72	29.37	0
1/26/2026 13:45	3.95	293.7	17.73	8.88	29.37	0
1/26/2026 14:00	3.111	288.7	10.62	8.56	29.37	0
1/26/2026 14:15	2.747	310.2	43.51	8.51	29.37	0
1/26/2026 14:30	2.537	5.919	37.62	7.642	29.37	0
1/26/2026 14:45	2.507	332	21.94	8.32	29.38	0
1/26/2026 15:00	1.589	326.8	34.98	8.29	29.38	0
1/26/2026 15:15	3.083	302.7	15.86	8.34	29.39	0
1/26/2026 15:30	2.248	282.4	15.08	7.969	29.39	0
1/26/2026 15:45	0.822	79.18	15.58	7.755	29.39	0
1/26/2026 16:00	2.322	107.7	44.52	7.387	29.39	0
1/26/2026 16:15	1.922	44.26	60.86	7.337	29.4	0
1/26/2026 16:30	2.922	28.9	15.34	7.349	29.4	0
1/26/2026 16:45	3.058	61.8	8.06	7.183	29.4	0
1/26/2026 17:00	3.408	67.95	6.475	7.384	29.4	0
1/26/2026 17:15	3.489	82.7	15.29	7.415	29.4	0
1/26/2026 17:30	4.165	74.12	9.63	7.329	29.4	0
1/26/2026 17:45	2.536	39.15	22.96	7.811	29.4	0
1/26/2026 18:00	1.718	59.03	29.39	7.746	29.4	0
1/26/2026 18:15	2.891	52.69	19.82	7.551	29.39	0
1/26/2026 18:30	1.778	72.58	10.53	7.284	29.38	0
1/26/2026 18:45	2.04	78.91	12.19	7.218	29.38	0
1/26/2026 19:00	1.982	118	32.13	6.857	29.38	0
1/26/2026 19:15	3.613	173.3	11.97	7.856	29.38	0
1/26/2026 19:30	3.265	148.8	18.32	7.526	29.38	0
1/26/2026 19:45	2.268	78.85	17.04	6.672	29.38	0
1/26/2026 20:00	3.24	85.4	12.44	6.33	29.38	0
1/26/2026 20:15	3.342	112.4	11.55	6.877	29.38	0
1/26/2026 20:30	4.04	104	11.45	7.226	29.38	0
1/26/2026 20:45	3.333	79.54	10.63	7.72	29.38	0
1/26/2026 21:00	3.07	87.5	23.69	7.666	29.38	0
1/26/2026 21:15	4.904	133.3	7.822	8.05	29.39	0
1/26/2026 21:30	5.852	136.4	8.69	7.884	29.39	0
1/26/2026 21:45	6.777	133	8.12	8.09	29.39	0
1/26/2026 22:00	5.668	137.5	9.25	8.05	29.39	0
1/26/2026 22:15	3.887	111.5	17.84	7.733	29.39	0
1/26/2026 22:30	3.359	105.6	30.12	7.132	29.39	0
1/26/2026 22:45	4.899	153.5	9.41	7.577	29.4	0
1/26/2026 23:00	3.804	99.1	18.83	7.657	29.39	0
1/26/2026 23:15	3.135	94.3	16.8	7.159	29.39	0
1/26/2026 23:30	4.273	141.8	11.9	7.293	29.39	0
1/26/2026 23:45	7.137	127.9	8.37	8.04	29.38	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/27/2026 0:00	7.91	127.6	7.528	8.53	29.38	0
1/27/2026 0:15	7.757	134.1	8.04	8.49	29.38	0
1/27/2026 0:30	6.835	135.2	10.34	8.75	29.38	0
1/27/2026 0:45	6.377	122.3	8.44	8.9	29.38	0
1/27/2026 1:00	3.695	123.4	12.87	8.35	29.38	0
1/27/2026 1:15	4.827	147.7	9.82	8.15	29.38	0
1/27/2026 1:30	6.101	136.6	9.37	8.27	29.37	0
1/27/2026 1:45	4.863	131.3	9.03	8.22	29.37	0
1/27/2026 2:00	6.058	125.4	8.51	8.41	29.37	0
1/27/2026 2:15	6.557	111	9.04	8.92	29.37	0
1/27/2026 2:30	5.827	128.2	15.12	8.68	29.37	0
1/27/2026 2:45	7.245	147	11.96	8.81	29.37	0
1/27/2026 3:00	7.096	130.8	10.83	9.15	29.37	0
1/27/2026 3:15	5.975	121	12.78	9.05	29.36	0
1/27/2026 3:30	7.341	120	10.67	9.17	29.36	0
1/27/2026 3:45	8.23	128.3	9.15	9.62	29.35	0
1/27/2026 4:00	7.764	128.3	10.66	9.61	29.35	0
1/27/2026 4:15	7.212	131.2	10.9	9.16	29.34	0
1/27/2026 4:30	7.497	122.8	12.13	9.46	29.34	0
1/27/2026 4:45	6.776	131	16.08	9.55	29.33	0
1/27/2026 5:00	7.039	119.1	12.52	9.8	29.33	0
1/27/2026 5:15	7.223	120.8	13.29	9.88	29.33	0
1/27/2026 5:30	6.595	121.3	13.75	9.93	29.33	0
1/27/2026 5:45	6.288	116.2	14.09	9.59	29.32	0
1/27/2026 6:00	7.107	123.7	12.55	9.71	29.32	0
1/27/2026 6:15	7.979	119.3	12.87	9.76	29.32	0
1/27/2026 6:30	9.58	112.3	13.52	9.82	29.31	0
1/27/2026 6:45	9.34	111	12.92	9.76	29.31	0
1/27/2026 7:00	7.823	116	10.21	9.7	29.31	0
1/27/2026 7:15	7.014	110.3	10.68	9.7	29.31	0
1/27/2026 7:30	6.052	121.9	11.84	9.49	29.31	0
1/27/2026 7:45	4.916	126.4	9.83	9.41	29.31	0
1/27/2026 8:00	6.372	139.6	9.67	9.25	29.31	0
1/27/2026 8:15	6.152	131.7	10.56	9.35	29.3	0
1/27/2026 8:30	5.056	137.3	15.57	9.38	29.3	0
1/27/2026 8:45	5.763	155.1	11.33	9.6	29.3	0
1/27/2026 9:00	6.068	142.4	11.03	9.92	29.29	0
1/27/2026 9:15	4.036	148.8	18.67	9.92	29.29	0
1/27/2026 9:30	2.466	139.6	56.96	10.38	29.29	0
1/27/2026 9:45	9.85	190.3	18.49	10.41	29.29	0
1/27/2026 10:00	7.009	132.1	18.22	11.07	29.29	0
1/27/2026 10:15	8.07	148.8	17.88	11.33	29.29	0
1/27/2026 10:30	13.07	141.3	13.7	11.88	29.29	0
1/27/2026 10:45	8.13	111.6	24.43	11.87	29.29	0
1/27/2026 11:00	12.99	127.8	13.49	12.02	29.29	0
1/27/2026 11:15	12.26	139.7	11.15	12.02	29.29	0
1/27/2026 11:30	11.65	136.9	14.21	12.03	29.29	0
1/27/2026 11:45	12.81	126.6	13.66	12.2	29.28	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/27/2026 12:00	11.81	121.4	11.57	12.43	29.27	0
1/27/2026 12:15	12.79	129.8	11.18	12.79	29.26	0
1/27/2026 12:30	12.35	129.5	10.41	13.28	29.26	0
1/27/2026 12:45	10.07	125	14.42	13.53	29.25	0
1/27/2026 13:00	4.161	94.7	47.39	13.84	29.25	0
1/27/2026 13:15	6.372	133.5	39.83	13.6	29.25	0
1/27/2026 13:30	8.4	138.6	12.21	13.38	29.24	0
1/27/2026 13:45	8.05	143.1	11.15	13.15	29.24	0
1/27/2026 14:00	10.85	147.6	10.33	12.92	29.23	0
1/27/2026 14:15	12.87	147.1	10.86	12.49	29.24	0
1/27/2026 14:30	11.6	136.5	13.21	12.23	29.23	0
1/27/2026 14:45	10.9	142.7	11.58	11.88	29.24	0
1/27/2026 15:00	11.5	151.8	9.8	11.6	29.24	0
1/27/2026 15:15	10.48	140.1	12.17	11.51	29.24	0
1/27/2026 15:30	10.91	146.8	9.95	11.3	29.24	0
1/27/2026 15:45	12.17	150.8	8.79	11.02	29.24	0
1/27/2026 16:00	13.15	155.4	8.67	10.75	29.23	0
1/27/2026 16:15	11.57	162.8	10.07	10.63	29.24	0
1/27/2026 16:30	10.65	157.7	9.48	10.43	29.24	0
1/27/2026 16:45	9.92	145.2	9.94	10.36	29.24	0
1/27/2026 17:00	10.86	142.9	13.11	10.27	29.24	0
1/27/2026 17:15	12.6	135.3	15.66	10.18	29.23	0
1/27/2026 17:30	12.03	151.2	13.29	9.97	29.23	0
1/27/2026 17:45	9.22	116.9	16.42	9.94	29.22	0
1/27/2026 18:00	8.81	131.9	17.52	9.98	29.22	0
1/27/2026 18:15	9.46	132.3	13.74	9.9	29.23	0
1/27/2026 18:30	8.34	126.3	15.88	9.73	29.23	0
1/27/2026 18:45	10.1	124.6	14.56	9.78	29.22	0
1/27/2026 19:00	13.21	121.4	15.58	9.84	29.21	0
1/27/2026 19:15	15.74	132.6	11.22	9.83	29.21	0
1/27/2026 19:30	16.29	131.9	10.98	9.62	29.22	0
1/27/2026 19:45	13.01	137.5	15.11	9.52	29.23	0
1/27/2026 20:00	14.97	214.2	14.38	9.1	29.26	0
1/27/2026 20:15	8.38	198	12.43	8.77	29.28	0
1/27/2026 20:30	5.526	219	16.57	8.16	29.29	0
1/27/2026 20:45	3.668	113.3	14.56	7.896	29.29	0
1/27/2026 21:00	6.995	127.4	13.04	8.31	29.29	0
1/27/2026 21:15	5.506	146.7	7.626	8.27	29.3	0
1/27/2026 21:30	5.925	131.2	10.09	8.07	29.3	0
1/27/2026 21:45	6.891	116.5	12.71	7.591	29.3	0.01
1/27/2026 22:00	9.56	113.5	12.95	7.187	29.3	0
1/27/2026 22:15	10.7	115.9	16.26	6.728	29.3	0.01
1/27/2026 22:30	6.276	92.6	16.26	6.072	29.29	0
1/27/2026 22:45	5.426	126.2	26.82	6.414	29.29	0
1/27/2026 23:00	6	135	19.9	6.24	29.29	0
1/27/2026 23:15	7.036	146.4	23.99	6.171	29.29	0.01
1/27/2026 23:30	8.8	135.7	15.9	6.458	29.29	0
1/27/2026 23:45	11.62	140.5	12.08	6.978	29.3	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/28/2026 0:00	12.19	131.4	12.45	7.2	29.3	0
1/28/2026 0:15	13.63	123.5	10.67	7.203	29.29	0
1/28/2026 0:30	12.77	130	11.7	7.302	29.29	0
1/28/2026 0:45	13.75	131.2	9.95	7.405	29.3	0
1/28/2026 1:00	11.9	129	12.18	7.521	29.3	0
1/28/2026 1:15	11.47	128.4	14.17	7.808	29.31	0
1/28/2026 1:30	9.82	141.9	14.86	7.71	29.32	0
1/28/2026 1:45	8.6	140.5	15.79	7.782	29.32	0
1/28/2026 2:00	8.22	137.8	17.15	7.665	29.33	0
1/28/2026 2:15	9.24	139.8	17.65	7.091	29.33	0
1/28/2026 2:30	9.61	134.7	10.85	7.015	29.33	0
1/28/2026 2:45	10.76	129.4	11.78	7.177	29.34	0
1/28/2026 3:00	8.92	158.4	11.62	6.9	29.34	0
1/28/2026 3:15	7.771	161.9	12.2	6.543	29.35	0
1/28/2026 3:30	6.815	153.8	13.74	6.642	29.35	0
1/28/2026 3:45	6.53	150.8	15.99	6.449	29.36	0
1/28/2026 4:00	5.027	139.8	17.27	6.217	29.37	0.01
1/28/2026 4:15	6.555	143.8	15.24	6.277	29.37	0.01
1/28/2026 4:30	6.398	138.6	17.19	6.195	29.38	0.01
1/28/2026 4:45	6.942	144.9	16.19	5.832	29.39	0
1/28/2026 5:00	8.65	124.8	8.88	5.867	29.4	0
1/28/2026 5:15	7.984	121.4	9.76	5.948	29.4	0
1/28/2026 5:30	7.632	115.5	9.17	6.359	29.41	0
1/28/2026 5:45	8.33	121.9	8.79	6.668	29.41	0
1/28/2026 6:00	8.45	136.9	9.68	7.012	29.41	0
1/28/2026 6:15	6.295	162.2	16.19	6.621	29.41	0
1/28/2026 6:30	7.03	143.5	6.779	6.572	29.42	0
1/28/2026 6:45	8.63	149.1	12	6.744	29.42	0
1/28/2026 7:00	6.855	162	14.92	6.509	29.43	0.01
1/28/2026 7:15	7.188	128.5	7.672	6.58	29.43	0
1/28/2026 7:30	7.862	128.3	7.957	6.613	29.44	0.01
1/28/2026 7:45	8.49	125.9	7.405	6.76	29.44	0
1/28/2026 8:00	7.787	135.1	10.5	7.116	29.44	0
1/28/2026 8:15	6.416	134.4	9.06	7.119	29.45	0
1/28/2026 8:30	4.715	124.8	7.971	7.355	29.45	0
1/28/2026 8:45	6.768	133.8	6.799	7.995	29.45	0
1/28/2026 9:00	7.317	138.2	8.88	8.86	29.45	0
1/28/2026 9:15	6.34	145.6	8.5	8.65	29.45	0
1/28/2026 9:30	6.601	141	8	8.59	29.45	0
1/28/2026 9:45	6.188	135.1	8.73	8.65	29.45	0
1/28/2026 10:00	6.622	135.1	7.332	8.88	29.45	0
1/28/2026 10:15	6.112	133.3	8.97	9.08	29.45	0
1/28/2026 10:30	6.727	127.7	8.07	9.31	29.45	0
1/28/2026 10:45	5.975	134.8	13.39	9.54	29.45	0
1/28/2026 11:00	5.918	140.9	8.55	9.39	29.45	0
1/28/2026 11:15	5.832	140.4	8.9	9.6	29.45	0
1/28/2026 11:30	5.788	142.7	9.37	9.58	29.45	0
1/28/2026 11:45	5.788	151.1	12.19	9.41	29.45	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/28/2026 12:00	5.12	154.9	24.14	9.02	29.45	0
1/28/2026 12:15	4.681	144.1	10.64	8.95	29.45	0
1/28/2026 12:30	4.298	139.1	19.03	8.88	29.45	0.01
1/28/2026 12:45	5.496	141.5	12.11	8.68	29.45	0
1/28/2026 13:00	7.046	129.6	6.854	8.89	29.45	0
1/28/2026 13:15	8.13	129.8	8.67	8.87	29.45	0
1/28/2026 13:30	7.4	144.5	11.1	8.7	29.45	0.01
1/28/2026 13:45	8.41	146.8	9.52	8.49	29.45	0.01
1/28/2026 14:00	9.87	129.2	8.52	8.32	29.44	0.02
1/28/2026 14:15	9.28	128.6	8.26	8.41	29.44	0
1/28/2026 14:30	8.3	131.9	10.26	8.43	29.45	0
1/28/2026 14:45	5.865	155.2	13.45	8.35	29.45	0.01
1/28/2026 15:00	6.645	142.3	11.09	8.55	29.45	0
1/28/2026 15:15	8.51	130.7	7.926	8.55	29.45	0
1/28/2026 15:30	8.28	137.7	8.57	8.68	29.46	0
1/28/2026 15:45	6.454	143.8	6.932	8.65	29.46	0
1/28/2026 16:00	7.294	138.3	12.52	8.66	29.46	0.01
1/28/2026 16:15	8.28	127.2	8.02	8.61	29.46	0
1/28/2026 16:30	10.3	129.7	7.552	8.78	29.45	0
1/28/2026 16:45	9.41	135.5	8.5	8.91	29.45	0
1/28/2026 17:00	8.76	135.8	8.33	8.89	29.45	0
1/28/2026 17:15	9.42	127.4	9.41	9.02	29.45	0
1/28/2026 17:30	10.11	130.5	9.24	9.23	29.44	0
1/28/2026 17:45	10.21	130.9	9.68	9.24	29.44	0
1/28/2026 18:00	10.21	134.1	9.25	9.22	29.44	0
1/28/2026 18:15	8.86	139	9.97	9.4	29.44	0
1/28/2026 18:30	9.1	138.7	9.1	9.38	29.44	0
1/28/2026 18:45	9.14	137.5	9.57	9.61	29.44	0
1/28/2026 19:00	8.96	129.5	9.47	9.61	29.44	0
1/28/2026 19:15	8.89	135	8.11	9.76	29.44	0
1/28/2026 19:30	10.35	130.3	7.909	9.87	29.44	0
1/28/2026 19:45	8.92	138.3	9.09	9.6	29.44	0
1/28/2026 20:00	9.4	142.6	8.7	9.37	29.44	0
1/28/2026 20:15	8.51	130.8	8.56	9.1	29.44	0.01
1/28/2026 20:30	10.1	125.1	8.06	9.07	29.43	0
1/28/2026 20:45	9.98	125.8	8.57	9.46	29.43	0
1/28/2026 21:00	12.28	129.6	8.19	9.57	29.43	0
1/28/2026 21:15	12.68	131	8.88	9.37	29.43	0
1/28/2026 21:30	12.52	129.1	9.19	9.2	29.43	0.01
1/28/2026 21:45	11.88	127.3	9.95	9.2	29.43	0
1/28/2026 22:00	12.43	125.2	9.73	9.4	29.42	0
1/28/2026 22:15	12.39	129.6	10.15	9.37	29.42	0
1/28/2026 22:30	10.83	131	10.67	9.15	29.42	0.01
1/28/2026 22:45	10.3	132	11.83	8.97	29.42	0.01
1/28/2026 23:00	11.4	123.6	9.49	9.03	29.42	0
1/28/2026 23:15	11.96	126.4	8.92	9.25	29.41	0
1/28/2026 23:30	12.1	127.2	8.87	9.34	29.41	0
1/28/2026 23:45	12.98	124.2	9.83	9.42	29.41	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/29/2026 0:00	11.58	127.9	10.41	9.63	29.4	0
1/29/2026 0:15	11.84	131.1	11.78	9.79	29.4	0
1/29/2026 0:30	11.89	129.6	10.94	9.64	29.4	0
1/29/2026 0:45	11.04	129.3	14.98	9.6	29.4	0
1/29/2026 1:00	8.9	160.9	12.82	9.26	29.4	0
1/29/2026 1:15	9.25	137.8	12.96	9.29	29.4	0.01
1/29/2026 1:30	9.04	144.8	10.82	9.17	29.4	0
1/29/2026 1:45	9.47	150.1	9.98	8.97	29.41	0.01
1/29/2026 2:00	9.68	136.5	13.27	8.7	29.41	0.02
1/29/2026 2:15	10.01	119.6	10.19	8.54	29.41	0.02
1/29/2026 2:30	9.55	131.7	11.93	8.4	29.41	0.02
1/29/2026 2:45	8.9	150	11.19	8.19	29.41	0.01
1/29/2026 3:00	11.58	130.1	12.6	8.3	29.41	0.02
1/29/2026 3:15	11.03	125.6	9.78	8.25	29.41	0.01
1/29/2026 3:30	9.49	123.7	9.52	8.28	29.41	0.01
1/29/2026 3:45	7.982	136.2	9.96	8.34	29.41	0.01
1/29/2026 4:00	8.71	135.7	10.95	8.32	29.41	0.01
1/29/2026 4:15	11.57	133.1	9.9	8.26	29.41	0.01
1/29/2026 4:30	10.08	137.1	10.74	8.01	29.41	0.01
1/29/2026 4:45	10.95	128.8	9.31	8.31	29.41	0.01
1/29/2026 5:00	10.89	133.6	9.18	8.32	29.41	0.02
1/29/2026 5:15	11.52	127.5	8.49	8.17	29.41	0.02
1/29/2026 5:30	11.48	129.4	9.07	8.17	29.4	0.01
1/29/2026 5:45	11.44	129.2	8.61	8.32	29.4	0.01
1/29/2026 6:00	10.15	133.4	8.81	8.37	29.4	0
1/29/2026 6:15	10.26	134.7	12.42	8.22	29.39	0
1/29/2026 6:30	9.95	125.3	9.64	8.33	29.39	0.01
1/29/2026 6:45	11.39	128.9	9.33	8.24	29.39	0.01
1/29/2026 7:00	10.42	130.2	11.29	8.44	29.39	0
1/29/2026 7:15	7.471	147.9	11.02	8.13	29.39	0
1/29/2026 7:30	7.397	145.1	18.74	7.943	29.4	0
1/29/2026 7:45	3.511	119.1	21.11	7.848	29.4	0
1/29/2026 8:00	5.559	114.8	14.51	7.844	29.39	0.01
1/29/2026 8:15	5.027	136.5	11.48	7.962	29.39	0
1/29/2026 8:30	3.435	113.1	11.77	7.867	29.39	0
1/29/2026 8:45	4.819	146.1	19.05	8	29.41	0
1/29/2026 9:00	5.211	105.8	14.49	8.19	29.41	0
1/29/2026 9:15	6.573	115.5	14.94	8.36	29.41	0
1/29/2026 9:30	9.77	126.2	11.57	8.9	29.41	0
1/29/2026 9:45	6.467	110.4	13.68	8.87	29.42	0
1/29/2026 10:00	3.641	110.6	25.78	8.86	29.43	0
1/29/2026 10:15	8.11	110.9	13.51	9	29.43	0
1/29/2026 10:30	10.84	123.5	11.39	9.37	29.44	0
1/29/2026 10:45	9.53	116.9	12.77	9.56	29.44	0
1/29/2026 11:00	10.5	121.1	11.44	9.73	29.44	0
1/29/2026 11:15	11.84	126.7	9.65	9.73	29.44	0
1/29/2026 11:30	11.83	126.3	8.98	9.67	29.44	0
1/29/2026 11:45	9.53	126.7	11.24	9.78	29.43	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/29/2026 12:00	8.02	145.7	22.22	9.78	29.44	0
1/29/2026 12:15	7.792	133.4	27.07	9.72	29.44	0
1/29/2026 12:30	5.417	129.1	26.23	9.78	29.44	0
1/29/2026 12:45	6.661	137.9	14.03	9.78	29.44	0
1/29/2026 13:00	11.38	127.5	9.74	9.44	29.43	0
1/29/2026 13:15	10.21	126.3	9.97	8.93	29.43	0.01
1/29/2026 13:30	10.7	126.3	11.42	8.87	29.43	0
1/29/2026 13:45	9.51	126.7	11.15	8.8	29.42	0
1/29/2026 14:00	10.17	135.4	11.07	8.98	29.42	0
1/29/2026 14:15	8.62	132.6	11.92	8.91	29.42	0
1/29/2026 14:30	10.3	131.9	12.41	9.21	29.42	0.01
1/29/2026 14:45	11.91	130.2	10.32	9.22	29.41	0
1/29/2026 15:00	10.98	130.3	10.02	9.08	29.41	0
1/29/2026 15:15	10.46	131.2	10.01	9.11	29.41	0.01
1/29/2026 15:30	9.21	139.7	13.42	9.17	29.42	0
1/29/2026 15:45	8.34	138.9	14.15	9.14	29.42	0
1/29/2026 16:00	7.68	136.3	18.31	9.25	29.42	0
1/29/2026 16:15	8.33	125.8	10.23	9.11	29.42	0.01
1/29/2026 16:30	8.22	115.2	12.33	9.03	29.42	0.01
1/29/2026 16:45	7.546	111.4	13.01	9.03	29.42	0
1/29/2026 17:00	5.833	123.4	14.31	9.19	29.42	0
1/29/2026 17:15	4.901	134.9	18.61	9.28	29.42	0
1/29/2026 17:30	5.003	134.9	23.37	9.07	29.42	0
1/29/2026 17:45	4.677	120.5	26.08	8.98	29.42	0
1/29/2026 18:00	4.438	147.4	18.33	9	29.41	0.01
1/29/2026 18:15	5.503	143.1	24.29	8.9	29.42	0
1/29/2026 18:30	6.308	140.7	24.19	8.95	29.42	0
1/29/2026 18:45	6.425	126	19.57	8.92	29.41	0.01
1/29/2026 19:00	6.364	132.6	14.31	8.98	29.41	0.01
1/29/2026 19:15	8.65	126.4	10.19	9.12	29.4	0
1/29/2026 19:30	9.88	127.3	9.71	9.14	29.4	0.01
1/29/2026 19:45	10.1	134.4	10.84	9.01	29.4	0
1/29/2026 20:00	9.84	129.5	10.14	8.86	29.4	0
1/29/2026 20:15	8.67	141.4	10.64	8.74	29.41	0.02
1/29/2026 20:30	7.216	145.8	12.84	8.46	29.41	0.03
1/29/2026 20:45	6.149	122.7	12.15	8.38	29.41	0.02
1/29/2026 21:00	6.51	112.9	8.31	8.51	29.42	0.02
1/29/2026 21:15	6.568	116.3	9.05	8.72	29.42	0.01
1/29/2026 21:30	8.17	123.7	8.83	8.72	29.42	0.02
1/29/2026 21:45	7.657	123	13.65	8.82	29.42	0.03
1/29/2026 22:00	5.341	124.6	13.79	8.88	29.42	0.01
1/29/2026 22:15	4.311	129.2	14.39	8.77	29.41	0
1/29/2026 22:30	6.271	92.7	14.94	8.59	29.4	0.01
1/29/2026 22:45	6.387	121.5	40.72	8.7	29.39	0
1/29/2026 23:00	4.985	143	26.25	9.54	29.4	0
1/29/2026 23:15	3.803	67.02	8.01	8.43	29.39	0
1/29/2026 23:30	3.652	357.3	23.98	8.07	29.39	0
1/29/2026 23:45	4.146	33.84	18.52	8.25	29.39	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/30/2026 0:00	6.585	53.17	53.66	8.34	29.39	0
1/30/2026 0:15	4.207	37.64	22.31	8.39	29.39	0
1/30/2026 0:30	1.594	39.78	15.98	8.32	29.39	0
1/30/2026 0:45	2.403	39.36	58.37	8.26	29.38	0
1/30/2026 1:00	1.909	74.62	40.74	8.24	29.38	0
1/30/2026 1:15	3.489	115.7	30.07	8.29	29.37	0
1/30/2026 1:30	3.696	118.8	13.26	8.51	29.37	0
1/30/2026 1:45	5.469	130.9	15.68	9.1	29.36	0
1/30/2026 2:00	5.93	129.1	12.77	9.04	29.36	0
1/30/2026 2:15	5.221	135.7	19.31	9.31	29.36	0
1/30/2026 2:30	5.252	157.7	20.08	9.49	29.36	0
1/30/2026 2:45	6.221	132	15.17	9.79	29.36	0
1/30/2026 3:00	7.487	128.9	11.63	9.81	29.36	0
1/30/2026 3:15	8.23	138.5	12.2	10.01	29.36	0
1/30/2026 3:30	11.44	130.3	10.69	10.21	29.35	0
1/30/2026 3:45	12.69	129.8	9.03	10.52	29.34	0
1/30/2026 4:00	13.91	126.3	8.62	10.38	29.33	0
1/30/2026 4:15	13.88	126.4	8.77	10.43	29.33	0
1/30/2026 4:30	12.96	123.7	9.07	10.33	29.32	0
1/30/2026 4:45	13.09	121.7	10.39	10.46	29.31	0
1/30/2026 5:00	9.77	143.6	16.2	10.47	29.33	0
1/30/2026 5:15	7.875	132.5	14.61	10.41	29.33	0
1/30/2026 5:30	7.887	121	17.63	10.64	29.32	0
1/30/2026 5:45	7.819	145	13.29	10.85	29.31	0
1/30/2026 6:00	8.88	155.8	17.75	10.81	29.31	0
1/30/2026 6:15	9.58	143.3	13.95	10.93	29.3	0
1/30/2026 6:30	9.15	149	20.32	10.88	29.3	0
1/30/2026 6:45	8.41	143.6	15.78	10.96	29.29	0
1/30/2026 7:00	8.93	145.7	11.27	10.67	29.28	0
1/30/2026 7:15	10.93	145.7	12.89	10.92	29.28	0
1/30/2026 7:30	10.47	146.5	14.76	11	29.29	0
1/30/2026 7:45	9.86	160.5	11.55	10.67	29.3	0
1/30/2026 8:00	7.328	168.2	12.87	10.44	29.31	0
1/30/2026 8:15	7.211	165.3	10.78	10.38	29.32	0
1/30/2026 8:30	7.095	183.7	14.58	10	29.33	0
1/30/2026 8:45	5.4	222.5	16.42	9.41	29.34	0
1/30/2026 9:00	5.14	169.8	19.75	9.47	29.33	0
1/30/2026 9:15	5.82	149.9	29.89	9.4	29.33	0
1/30/2026 9:30	6.56	107.1	17.25	9.82	29.32	0
1/30/2026 9:45	10.88	142.6	23.14	10.64	29.32	0.01
1/30/2026 10:00	9.05	138.1	12.84	10.58	29.33	0.01
1/30/2026 10:15	7.458	111.8	11.7	10.29	29.33	0.01
1/30/2026 10:30	6.632	115.4	9.48	10.09	29.33	0.01
1/30/2026 10:45	6.926	109.1	11.63	9.35	29.33	0.03
1/30/2026 11:00	9.09	110.5	10.36	8.61	29.32	0.02
1/30/2026 11:15	13.9	125.9	9.42	9.32	29.3	0.02
1/30/2026 11:30	12.06	135.9	8.51	9.36	29.31	0.03
1/30/2026 11:45	10.08	141.9	10.14	9.05	29.32	0.02

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/30/2026 12:00	8.32	141.3	12.46	9	29.33	0
1/30/2026 12:15	8.36	124.7	8.75	9.11	29.33	0
1/30/2026 12:30	8.13	123.4	9.53	9.27	29.34	0
1/30/2026 12:45	8.83	128.7	8.46	9.72	29.34	0
1/30/2026 13:00	9.5	141.2	13.01	9.72	29.34	0
1/30/2026 13:15	10.54	146.9	11.12	9.7	29.34	0
1/30/2026 13:30	9.73	146.9	10.37	9.53	29.34	0
1/30/2026 13:45	7.836	129.8	9.96	9.68	29.34	0
1/30/2026 14:00	7.841	121.9	8.81	9.87	29.33	0
1/30/2026 14:15	8.14	125.3	7.877	10.21	29.33	0
1/30/2026 14:30	7.719	134.4	10.37	10.61	29.33	0
1/30/2026 14:45	6.185	138.9	11.17	10.93	29.33	0
1/30/2026 15:00	5.142	126.3	12.48	11.1	29.34	0
1/30/2026 15:15	4.73	132	9.82	11.17	29.35	0
1/30/2026 15:30	7.147	150.8	11.38	11.4	29.35	0
1/30/2026 15:45	4.928	143	18.1	11.34	29.35	0
1/30/2026 16:00	5.009	142.3	9.7	11.33	29.36	0
1/30/2026 16:15	9.19	164.9	6.94	11.69	29.36	0
1/30/2026 16:30	9.39	179.1	8.23	11.8	29.37	0
1/30/2026 16:45	8.3	184.9	6.644	11.44	29.38	0
1/30/2026 17:00	7.259	175.9	10.53	11.25	29.38	0
1/30/2026 17:15	4.297	163.3	11.9	11.16	29.38	0
1/30/2026 17:30	6.794	188.4	9.4	11.36	29.38	0
1/30/2026 17:45	6.222	184.1	12.26	11.13	29.39	0
1/30/2026 18:00	4.15	161.2	30.2	11.28	29.4	0
1/30/2026 18:15	2.62	155.8	30.15	11.12	29.4	0
1/30/2026 18:30	4.739	182	10.93	11.02	29.4	0
1/30/2026 18:45	1.681	125.4	42.26	10.78	29.41	0
1/30/2026 19:00	2.929	124.1	22.48	10.64	29.41	0
1/30/2026 19:15	4.357	142.8	10.64	10.53	29.41	0
1/30/2026 19:30	4.541	122.7	9.56	10.59	29.4	0
1/30/2026 19:45	3.863	139.2	13.89	10.8	29.41	0
1/30/2026 20:00	5.342	141	9.63	10.93	29.41	0
1/30/2026 20:15	4.913	126.5	7.061	11.22	29.41	0
1/30/2026 20:30	4.693	125.5	10.75	11.38	29.41	0
1/30/2026 20:45	5.184	154.3	11.82	11.46	29.41	0
1/30/2026 21:00	6.069	184.1	9.8	11.45	29.41	0
1/30/2026 21:15	5.796	186.3	9.27	10.51	29.41	0
1/30/2026 21:30	4.607	161.9	23.24	10.83	29.41	0
1/30/2026 21:45	3.388	50.75	18.62	10.38	29.41	0
1/30/2026 22:00	3.86	92.7	7.756	11.04	29.42	0
1/30/2026 22:15	4.369	118.9	17.13	12.05	29.42	0
1/30/2026 22:30	4.589	165.1	32.62	11.97	29.43	0
1/30/2026 22:45	5.348	213.4	12.94	11.69	29.43	0
1/30/2026 23:00	3.912	213.3	9.27	11.48	29.43	0
1/30/2026 23:15	3.022	178.6	47.13	11.41	29.43	0
1/30/2026 23:30	1.486	134.8	37.51	11.24	29.43	0
1/30/2026 23:45	2.827	158.8	26.3	11.19	29.43	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/31/2026 0:00	3.209	128.2	10.62	11.12	29.43	0
1/31/2026 0:15	3.144	146.5	10.45	10.96	29.43	0
1/31/2026 0:30	2.946	187.9	13.36	10.89	29.43	0
1/31/2026 0:45	2.961	206.9	5.772	11.13	29.43	0
1/31/2026 1:00	3.147	225.8	9.18	11.22	29.43	0
1/31/2026 1:15	0.777	243.3	6.724	11.08	29.43	0
1/31/2026 1:30	2.946	39.49	4.915	10.46	29.42	0
1/31/2026 1:45	3.967	36.49	5.694	9.74	29.41	0
1/31/2026 2:00	3.625	29.25	7.091	9.71	29.41	0
1/31/2026 2:15	3.346	15.83	6.238	9.63	29.41	0
1/31/2026 2:30	1.505	314.6	37.42	9.28	29.42	0
1/31/2026 2:45	0.569	213.1	3.886	9.48	29.42	0
1/31/2026 3:00	0	0	0	9.06	29.41	0
1/31/2026 3:15	0	0	0	9.22	29.4	0
1/31/2026 3:30	0	0	0	9.43	29.39	0
1/31/2026 3:45	0.829	47.63	3.074	9.45	29.39	0
1/31/2026 4:00	3.58	22.24	12.6	9.59	29.39	0
1/31/2026 4:15	2.763	29.83	15.74	9.69	29.39	0
1/31/2026 4:30	3.261	47.9	4.632	9.58	29.39	0
1/31/2026 4:45	3.275	42.72	7.774	9.56	29.38	0
1/31/2026 5:00	2.645	29.35	8	9.53	29.38	0
1/31/2026 5:15	2.281	45.34	23.04	10.02	29.38	0
1/31/2026 5:30	2.029	54.06	54.08	10.16	29.38	0
1/31/2026 5:45	2.646	167.1	29.51	9.88	29.37	0
1/31/2026 6:00	4.401	172.8	14.09	9.51	29.36	0
1/31/2026 6:15	7.608	171.4	8.54	9.61	29.36	0.01
1/31/2026 6:30	6.969	172	11.72	9.95	29.36	0
1/31/2026 6:45	4.168	171.8	14.75	9.93	29.35	0
1/31/2026 7:00	2.692	204.8	31.96	9.8	29.35	0
1/31/2026 7:15	3.159	308.4	8.38	9.53	29.35	0
1/31/2026 7:30	2.187	326.8	8.86	9.75	29.36	0
1/31/2026 7:45	3.045	6.579	18.48	10.17	29.35	0
1/31/2026 8:00	3.723	212.4	24.17	9.68	29.35	0
1/31/2026 8:15	2.346	141.1	33.63	9.61	29.35	0
1/31/2026 8:30	3.978	260	12.16	9.84	29.35	0.01
1/31/2026 8:45	5.091	270.9	18.35	9.64	29.36	0
1/31/2026 9:00	5.101	328.4	38.6	9.49	29.35	0
1/31/2026 9:15	5.273	29.87	8.43	9.01	29.34	0
1/31/2026 9:30	6.63	39.17	8.59	8.97	29.33	0
1/31/2026 9:45	8.1	42.82	9.96	8.92	29.33	0
1/31/2026 10:00	7.063	44.91	13.95	9.02	29.32	0
1/31/2026 10:15	5.128	47.32	13.76	9.17	29.33	0
1/31/2026 10:30	4.057	42.34	10.81	9.21	29.33	0
1/31/2026 10:45	5.07	47.25	9.58	9.3	29.32	0
1/31/2026 11:00	4.346	11.84	19.5	9.43	29.32	0
1/31/2026 11:15	2.528	34.58	19.37	9.94	29.32	0
1/31/2026 11:30	1.41	215.2	89.8	10.67	29.32	0
1/31/2026 11:45	2.144	316.4	21.37	11.73	29.32	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
1/31/2026 12:00	1.292	292.1	19.57	11.53	29.32	0
1/31/2026 12:15	1.958	277.4	13.43	11.77	29.32	0
1/31/2026 12:30	5.216	264.6	9.95	11.58	29.32	0
1/31/2026 12:45	4.021	288.9	12.44	11.01	29.31	0
1/31/2026 13:00	4.7	255.8	18.33	11.5	29.31	0
1/31/2026 13:15	4.384	263.2	16.68	11.73	29.32	0
1/31/2026 13:30	5.541	269.3	9.82	12.05	29.32	0
1/31/2026 13:45	2.874	260	18.7	12.28	29.31	0
1/31/2026 14:00	1.4	308.5	27.23	12.75	29.3	0
1/31/2026 14:15	1.667	304.2	25.74	13.09	29.3	0
1/31/2026 14:30	1.053	1.138	39.07	13.5	29.29	0
1/31/2026 14:45	0.509	26.32	12.61	13.83	29.28	0
1/31/2026 15:00	1.361	39.39	18.11	13.63	29.28	0
1/31/2026 15:15	0.303	36.93	1.594	13.69	29.28	0
1/31/2026 15:30	2.307	33.22	8.31	12.94	29.28	0
1/31/2026 15:45	1.515	20.33	24.04	12.93	29.28	0
1/31/2026 16:00	3.013	40.72	8.33	12.95	29.27	0
1/31/2026 16:15	2.724	20.93	8.04	12.83	29.27	0
1/31/2026 16:30	2.952	13.5	12.23	12.86	29.26	0
1/31/2026 16:45	3.096	8.76	11.28	12.77	29.26	0
1/31/2026 17:00	2.873	36.25	6.422	12.48	29.25	0
1/31/2026 17:15	4.942	30.02	9.69	12.03	29.24	0
1/31/2026 17:30	4.504	19.38	6.55	11.83	29.23	0
1/31/2026 17:45	3.916	14.35	12.06	12.04	29.23	0
1/31/2026 18:00	1.937	37.68	13.67	11.87	29.23	0
1/31/2026 18:15	1.821	42.68	9.77	11.49	29.23	0
1/31/2026 18:30	2.293	52.61	14.25	11.15	29.22	0
1/31/2026 18:45	2.214	127.8	30.63	11.18	29.22	0
1/31/2026 19:00	6.347	137.8	9.13	12.16	29.22	0
1/31/2026 19:15	6.269	132.3	11.33	12.29	29.21	0
1/31/2026 19:30	8.5	131.6	8.7	12.46	29.21	0
1/31/2026 19:45	7.987	145.5	13.52	12.38	29.2	0
1/31/2026 20:00	7.115	152.4	17.71	12.07	29.2	0
1/31/2026 20:15	7.565	124.4	16.49	11.95	29.18	0
1/31/2026 20:30	6.566	134.6	12.55	12.04	29.17	0
1/31/2026 20:45	7.127	143.9	12.1	12.01	29.17	0
1/31/2026 21:00	6.9	154.5	11.47	11.95	29.17	0
1/31/2026 21:15	7.847	145.6	15.83	11.87	29.17	0
1/31/2026 21:30	7.104	147.9	11.86	11.85	29.17	0
1/31/2026 21:45	5.566	134.8	18.75	12	29.17	0
1/31/2026 22:00	5.85	137.7	17.87	12.19	29.16	0
1/31/2026 22:15	4.676	146.5	20.27	12.52	29.16	0
1/31/2026 22:30	6.351	134.5	18.59	12.81	29.16	0
1/31/2026 22:45	6.895	139.5	14.51	12.93	29.15	0
1/31/2026 23:00	5.609	141.2	15.21	12.72	29.15	0
1/31/2026 23:15	6.715	140.3	13.06	12.54	29.14	0
1/31/2026 23:30	6.035	133.9	17.82	12.28	29.14	0
1/31/2026 23:45	5.741	142.8	13.64	12.35	29.13	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/1/2026 0:00	4.212	143.5	20.62	12.34	29.13	0
2/1/2026 0:15	6.34	154.8	15.08	12.53	29.13	0
2/1/2026 0:30	7.058	146.6	12.75	12.45	29.12	0
2/1/2026 0:45	7.832	159.1	14.93	12.53	29.12	0
2/1/2026 1:00	7.115	154	11.27	12.43	29.11	0
2/1/2026 1:15	8.46	174	12.86	11.81	29.11	0
2/1/2026 1:30	9.51	188.2	11.19	10.94	29.11	0
2/1/2026 1:45	10.92	188.8	9.34	10.49	29.12	0
2/1/2026 2:00	10.53	184.8	8.8	9.96	29.13	0
2/1/2026 2:15	9.04	163.5	16.03	9.96	29.13	0
2/1/2026 2:30	9.46	198.7	8.89	9.55	29.14	0
2/1/2026 2:45	6.781	177.1	9.9	9.25	29.15	0
2/1/2026 3:00	6.399	182.2	14.18	9.32	29.15	0
2/1/2026 3:15	4.794	171.1	26.58	9.8	29.15	0
2/1/2026 3:30	5.114	180.8	20.04	9.82	29.16	0
2/1/2026 3:45	6.872	163.5	11.25	9.27	29.16	0
2/1/2026 4:00	6.55	158.1	13.65	9.36	29.17	0
2/1/2026 4:15	7.146	158.4	13.81	9.6	29.17	0
2/1/2026 4:30	6.733	171.9	21.24	9.71	29.17	0
2/1/2026 4:45	5.858	185.7	21.21	9.4	29.17	0
2/1/2026 5:00	4.622	151.2	13.65	9.15	29.17	0
2/1/2026 5:15	3.201	115.9	26.64	9.05	29.16	0.01
2/1/2026 5:30	1.304	96.9	10.37	8.79	29.16	0
2/1/2026 5:45	5.079	126.8	9.79	8.87	29.16	0.02
2/1/2026 6:00	5.146	139.6	33.34	8.52	29.15	0.03
2/1/2026 6:15	3.588	91.5	22.16	7.92	29.15	0.05
2/1/2026 6:30	3.524	77.05	13.4	7.415	29.14	0.03
2/1/2026 6:45	4.047	103.3	10.93	7.448	29.14	0.01
2/1/2026 7:00	3.932	124.4	13.29	7.762	29.14	0.02
2/1/2026 7:15	5.353	147.8	20.78	8.05	29.15	0.03
2/1/2026 7:30	7.038	150.4	11.37	7.826	29.15	0.05
2/1/2026 7:45	7.59	144	8.95	7.802	29.17	0.05
2/1/2026 8:00	9.84	138.1	7.344	7.825	29.18	0.07
2/1/2026 8:15	11.9	147.2	7.408	8.01	29.19	0.07
2/1/2026 8:30	11.41	139.1	8.74	7.997	29.19	0.03
2/1/2026 8:45	13.27	151.6	6.766	8.22	29.19	0.02
2/1/2026 9:00	11.02	141.8	7.273	8.27	29.2	0.01
2/1/2026 9:15	10.77	141.2	7.32	8.34	29.2	0
2/1/2026 9:30	8.35	141.8	7.077	8.35	29.21	0
2/1/2026 9:45	5.626	134.9	8.08	8.34	29.21	0
2/1/2026 10:00	4.775	123.1	12.11	8.43	29.22	0
2/1/2026 10:15	6.486	119.9	6.639	8.71	29.21	0
2/1/2026 10:30	7.486	141.3	10.43	9.12	29.22	0
2/1/2026 10:45	8.63	154.8	8.06	9.42	29.23	0
2/1/2026 11:00	7.34	148.2	8.93	9.51	29.23	0
2/1/2026 11:15	6.394	158.6	8.95	9.58	29.24	0
2/1/2026 11:30	6.127	156.7	10.89	9.9	29.24	0
2/1/2026 11:45	9.44	181.2	15.03	10.31	29.24	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/1/2026 12:00	10.32	195.7	8.97	10.07	29.25	0
2/1/2026 12:15	12.15	194.4	8.39	10.28	29.25	0
2/1/2026 12:30	13.13	185.3	13.07	10.42	29.25	0
2/1/2026 12:45	12.88	191.4	10.96	10.64	29.26	0
2/1/2026 13:00	12.95	192	9.09	10.53	29.26	0
2/1/2026 13:15	13.98	193.1	9.78	10.45	29.27	0
2/1/2026 13:30	14.24	190.8	10.15	10.44	29.27	0
2/1/2026 13:45	14.66	195.4	8.33	10.41	29.27	0
2/1/2026 14:00	13.91	194.2	9.7	10.5	29.27	0
2/1/2026 14:15	13.66	197.8	10.3	10.47	29.28	0
2/1/2026 14:30	15.42	197.8	10.92	9.95	29.29	0
2/1/2026 14:45	10.3	190.4	9.47	9.52	29.3	0.01
2/1/2026 15:00	8.27	182.1	12.46	9.51	29.31	0
2/1/2026 15:15	8.33	173.6	13.75	9.53	29.32	0.02
2/1/2026 15:30	7.319	157.7	13.26	9.78	29.32	0.01
2/1/2026 15:45	9.38	168.9	11.26	9.97	29.33	0
2/1/2026 16:00	11.86	185.4	10.77	9.79	29.33	0.02
2/1/2026 16:15	8.86	190.8	15.9	9.81	29.34	0.01
2/1/2026 16:30	10.67	176.7	10.05	10.13	29.35	0
2/1/2026 16:45	11.43	180.7	9.74	10.2	29.35	0
2/1/2026 17:00	9.46	171.6	10.13	9.9	29.36	0
2/1/2026 17:15	11	167.5	9.56	9.62	29.36	0
2/1/2026 17:30	10.37	179.5	8.3	9.5	29.37	0
2/1/2026 17:45	8.83	163.1	12.68	9.38	29.37	0
2/1/2026 18:00	7.708	149.3	8.29	9.23	29.38	0
2/1/2026 18:15	7.62	144.4	8.14	9.06	29.38	0
2/1/2026 18:30	7.937	152.4	5.966	8.99	29.38	0
2/1/2026 18:45	8.66	156.8	8.06	9.04	29.38	0
2/1/2026 19:00	8.03	157.7	5.896	9.09	29.39	0
2/1/2026 19:15	7.484	161.8	6.751	9.06	29.39	0
2/1/2026 19:30	6.979	169.7	7.72	9	29.39	0
2/1/2026 19:45	8.15	175.9	9.17	9.11	29.39	0
2/1/2026 20:00	8.33	176	8.64	9.13	29.39	0
2/1/2026 20:15	8.09	178.3	10.33	9.13	29.39	0
2/1/2026 20:30	9.12	183	7.352	9.21	29.39	0
2/1/2026 20:45	7.303	173.9	9.65	8.74	29.4	0
2/1/2026 21:00	6.94	174.6	12.9	8.69	29.4	0
2/1/2026 21:15	4.166	139	13.2	8.32	29.41	0
2/1/2026 21:30	3.714	135.9	10.5	8.47	29.41	0
2/1/2026 21:45	3.945	141	8.96	8.68	29.42	0
2/1/2026 22:00	5.319	148.2	7.279	8.54	29.42	0
2/1/2026 22:15	4.99	145.3	7.869	8.32	29.42	0
2/1/2026 22:30	4.766	144.7	12.78	8.59	29.42	0
2/1/2026 22:45	5.681	150.4	17.59	8.83	29.42	0
2/1/2026 23:00	4.968	169.2	15.71	8.88	29.42	0
2/1/2026 23:15	5.482	159.2	9.94	8.46	29.42	0
2/1/2026 23:30	4.645	144.8	8.97	8.64	29.42	0
2/1/2026 23:45	5.076	149.2	7.21	8.62	29.42	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/2/2026 0:00	5.477	156.1	9.69	8.51	29.42	0
2/2/2026 0:15	3.978	145.2	9.44	8.46	29.41	0
2/2/2026 0:30	4.049	151.4	10.13	8.53	29.41	0
2/2/2026 0:45	3.941	145.7	5.412	8.75	29.41	0
2/2/2026 1:00	4.488	154.2	7.774	8.76	29.42	0
2/2/2026 1:15	5.318	164.8	5.922	8.48	29.42	0
2/2/2026 1:30	5.653	149.6	8.85	8.44	29.42	0
2/2/2026 1:45	4.884	133.6	7.612	8.57	29.42	0
2/2/2026 2:00	5.114	146	6.564	8.66	29.42	0
2/2/2026 2:15	5.284	139.3	6.543	8.78	29.42	0
2/2/2026 2:30	6.275	137.7	7.823	9.04	29.41	0
2/2/2026 2:45	5.799	151.6	7.739	8.5	29.41	0
2/2/2026 3:00	6.601	138.2	8.36	8.52	29.41	0
2/2/2026 3:15	6.702	144.4	9.1	8.61	29.41	0
2/2/2026 3:30	5.981	162.4	16.51	8.29	29.41	0
2/2/2026 3:45	6.353	171.7	17.81	7.317	29.41	0
2/2/2026 4:00	6.593	148.2	20.06	7.937	29.41	0
2/2/2026 4:15	5.534	138.8	15.29	8.29	29.4	0
2/2/2026 4:30	5.734	146.3	11.51	8.37	29.4	0
2/2/2026 4:45	5.894	147.9	11.33	8.48	29.4	0
2/2/2026 5:00	5.921	141.3	11.33	8.56	29.4	0
2/2/2026 5:15	6.004	127.8	8.56	8.72	29.39	0
2/2/2026 5:30	6.404	144	11.84	8.87	29.39	0
2/2/2026 5:45	5.852	149	11.18	8.86	29.39	0
2/2/2026 6:00	6.794	159.9	11.31	8.77	29.39	0
2/2/2026 6:15	7.637	157.2	10.82	8.63	29.4	0
2/2/2026 6:30	6.663	169.6	18.64	8.5	29.4	0
2/2/2026 6:45	8.36	206	11.22	7.395	29.41	0.01
2/2/2026 7:00	8.31	214.2	7.777	6.842	29.42	0.01
2/2/2026 7:15	8.03	188.3	10.97	6.459	29.43	0.02
2/2/2026 7:30	6.188	157.3	9.13	6.203	29.42	0.01
2/2/2026 7:45	6.822	141.8	7.817	6.202	29.42	0.01
2/2/2026 8:00	7.996	131.9	7.932	6.362	29.42	0.02
2/2/2026 8:15	8.13	122.9	8.99	6.511	29.42	0.01
2/2/2026 8:30	9.36	124.4	10.39	6.644	29.41	0.01
2/2/2026 8:45	11.12	119.3	13.39	6.892	29.4	0
2/2/2026 9:00	12.62	124	13.29	7.134	29.39	0
2/2/2026 9:15	12.46	131.9	10.57	7.461	29.4	0
2/2/2026 9:30	11.91	125.8	10.36	7.45	29.4	0
2/2/2026 9:45	10.7	133.6	9.47	7.468	29.4	0.01
2/2/2026 10:00	9.43	129.5	11.21	7.398	29.4	0
2/2/2026 10:15	10.8	134.8	10.79	7.58	29.4	0
2/2/2026 10:30	10.83	133.2	12.54	7.795	29.4	0.01
2/2/2026 10:45	8.74	155.3	10.92	7.739	29.41	0
2/2/2026 11:00	4.56	129.3	18.39	7.767	29.41	0
2/2/2026 11:15	5.888	149	20.64	8.08	29.42	0
2/2/2026 11:30	8.13	159	11.34	8.24	29.42	0
2/2/2026 11:45	7.479	152	16.8	8.36	29.43	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/2/2026 12:00	5.763	156	19.47	8.51	29.43	0
2/2/2026 12:15	6.224	161.2	16.76	8.63	29.43	0
2/2/2026 12:30	5.442	123.7	26.79	8.77	29.43	0
2/2/2026 12:45	7.513	121.3	12.89	8.99	29.43	0
2/2/2026 13:00	6.886	120.2	15.86	9.17	29.43	0
2/2/2026 13:15	6.575	127	9.87	9.36	29.43	0
2/2/2026 13:30	6.584	119.8	8.97	9.63	29.44	0
2/2/2026 13:45	5.964	144.4	13.39	9.81	29.44	0
2/2/2026 14:00	6.229	139.9	10.55	9.91	29.43	0
2/2/2026 14:15	7.587	143.5	13.82	10.15	29.43	0
2/2/2026 14:30	8.31	153.6	9.71	10.42	29.43	0
2/2/2026 14:45	10.82	159.7	7.507	10.7	29.42	0
2/2/2026 15:00	10.72	168.5	8.33	10.87	29.43	0
2/2/2026 15:15	10.34	169.6	7.487	10.93	29.43	0
2/2/2026 15:30	9.52	169.9	7.124	10.95	29.43	0
2/2/2026 15:45	8.82	171.3	9.92	11.14	29.43	0
2/2/2026 16:00	7.818	181.1	10.12	11.21	29.43	0
2/2/2026 16:15	6.716	180.4	12.09	11.23	29.43	0
2/2/2026 16:30	5.995	161.7	12.72	11.23	29.43	0
2/2/2026 16:45	4.281	158.6	21.96	11.16	29.43	0
2/2/2026 17:00	2.482	175.8	21	11.24	29.44	0
2/2/2026 17:15	5.779	187.7	10.36	11.4	29.44	0
2/2/2026 17:30	5.18	173.3	10.29	11.27	29.45	0
2/2/2026 17:45	5.664	180.8	12	11.29	29.45	0
2/2/2026 18:00	5.992	185	11.96	11.31	29.46	0
2/2/2026 18:15	5.697	175.9	11.71	11.19	29.46	0
2/2/2026 18:30	5.779	179.3	13.1	11.17	29.47	0
2/2/2026 18:45	6.324	187.5	14.53	11.3	29.47	0
2/2/2026 19:00	4.722	189.3	13.67	11.3	29.48	0
2/2/2026 19:15	3.053	174.2	18.57	11.22	29.48	0
2/2/2026 19:30	4.006	196.4	10.49	11.27	29.49	0
2/2/2026 19:45	4.249	204.8	7.447	11.2	29.49	0
2/2/2026 20:00	5.468	173.2	13.5	11.11	29.49	0
2/2/2026 20:15	7.387	185.7	17.66	11.01	29.49	0
2/2/2026 20:30	5.459	147.3	8.39	10.51	29.49	0
2/2/2026 20:45	4.872	156.6	11.78	10.23	29.49	0
2/2/2026 21:00	4.134	138	10.7	10.11	29.49	0
2/2/2026 21:15	3.701	126	10.28	10.04	29.5	0
2/2/2026 21:30	3.88	122.4	9.25	10.02	29.5	0
2/2/2026 21:45	3.239	111.7	13.4	10.13	29.5	0
2/2/2026 22:00	1.118	60.82	26.26	10.22	29.51	0
2/2/2026 22:15	1.984	37.33	4.838	10.24	29.51	0
2/2/2026 22:30	1.264	32.98	4.128	10.41	29.52	0
2/2/2026 22:45	1.584	28.42	8.69	10.77	29.52	0
2/2/2026 23:00	3.98	30.62	13.67	10.54	29.53	0
2/2/2026 23:15	4.177	38.35	10.18	10.1	29.53	0
2/2/2026 23:30	5.247	34.04	6.481	10	29.53	0
2/2/2026 23:45	3.708	45.72	18.08	10.12	29.52	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/3/2026 0:00	3.847	50.37	10.94	10.02	29.52	0
2/3/2026 0:15	3.46	45.33	9.04	9.94	29.52	0
2/3/2026 0:30	3.186	43.39	4.644	9.96	29.51	0
2/3/2026 0:45	3.001	43.78	9.96	9.95	29.51	0
2/3/2026 1:00	3.259	33.51	7.235	9.88	29.51	0
2/3/2026 1:15	3.353	36.93	6.881	9.69	29.51	0
2/3/2026 1:30	3.377	34.96	10.67	9.58	29.51	0
2/3/2026 1:45	2.421	57.45	25.13	9.43	29.51	0
2/3/2026 2:00	2.806	87.4	43.85	9.36	29.52	0
2/3/2026 2:15	3.869	55.76	8.13	9.32	29.52	0
2/3/2026 2:30	3.113	54.89	7.995	9.18	29.53	0
2/3/2026 2:45	4.062	58.66	7.065	9.12	29.53	0
2/3/2026 3:00	5.127	45.95	10.32	9.12	29.52	0
2/3/2026 3:15	5.909	38.05	7.397	8.99	29.52	0
2/3/2026 3:30	4.963	39.37	10.15	8.85	29.52	0
2/3/2026 3:45	3.571	66.88	20.75	8.63	29.53	0
2/3/2026 4:00	3.424	80.4	20.35	8.52	29.52	0
2/3/2026 4:15	2.433	71.8	9.59	8.19	29.52	0
2/3/2026 4:30	2.132	110.7	17.81	8.59	29.52	0
2/3/2026 4:45	1.581	91.5	10.26	8.55	29.51	0
2/3/2026 5:00	2.408	50.82	7.063	7.969	29.51	0
2/3/2026 5:15	3.028	36	7.925	7.934	29.51	0
2/3/2026 5:30	3.485	43.65	7.587	7.939	29.51	0
2/3/2026 5:45	3.237	42.44	18.63	7.244	29.5	0
2/3/2026 6:00	2.261	332	33.63	7.808	29.5	0
2/3/2026 6:15	3.387	22.39	3.369	7.571	29.51	0
2/3/2026 6:30	3.511	36.25	8.38	6.943	29.51	0
2/3/2026 6:45	3.057	56.22	3.892	7.39	29.51	0
2/3/2026 7:00	1.831	33.36	24.24	7.631	29.51	0
2/3/2026 7:15	1.856	9.01	33.22	8.42	29.51	0
2/3/2026 7:30	2.298	68.04	12.96	7.141	29.51	0
2/3/2026 7:45	2.681	97.7	16.56	7.562	29.5	0
2/3/2026 8:00	3.338	136.9	10.18	7.973	29.5	0
2/3/2026 8:15	2.471	200.8	20.22	8.96	29.5	0
2/3/2026 8:30	2.882	184	26.94	8.52	29.5	0
2/3/2026 8:45	1.341	150.5	5.855	8.12	29.5	0
2/3/2026 9:00	3.829	155.6	6.746	8.46	29.5	0
2/3/2026 9:15	3.856	187.6	17.45	9.02	29.51	0
2/3/2026 9:30	2.002	159	45.09	9.16	29.51	0
2/3/2026 9:45	2.813	45.66	19.72	8.58	29.51	0
2/3/2026 10:00	3.077	141	28.71	9.49	29.51	0
2/3/2026 10:15	4.371	238.5	44.41	10.47	29.51	0
2/3/2026 10:30	3.628	345.8	44.07	9.88	29.51	0
2/3/2026 10:45	2.239	8.18	28.6	8.95	29.52	0
2/3/2026 11:00	4.275	285.3	5.194	9.76	29.53	0
2/3/2026 11:15	2.794	352.9	40.62	10.3	29.54	0
2/3/2026 11:30	1.295	45.98	13.01	10.14	29.54	0
2/3/2026 11:45	2.113	103.7	23.86	10.3	29.54	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/3/2026 12:00	3.896	129.6	9.84	11.34	29.53	0
2/3/2026 12:15	6.603	164.9	10.42	12.29	29.53	0
2/3/2026 12:30	7.079	188.6	12.73	12.58	29.53	0
2/3/2026 12:45	6.699	192.5	14.93	12.51	29.52	0
2/3/2026 13:00	6.731	196.3	18.4	12.95	29.52	0
2/3/2026 13:15	6.33	181.6	19.81	13.32	29.52	0
2/3/2026 13:30	4.744	153.7	41.88	13.37	29.52	0
2/3/2026 13:45	1.858	54.69	19.31	13.09	29.52	0
2/3/2026 14:00	2.29	106.1	42.83	12.64	29.52	0
2/3/2026 14:15	6.006	173.4	17.2	13.78	29.52	0
2/3/2026 14:30	5.088	172.1	31.12	13.95	29.52	0
2/3/2026 14:45	4.26	233.3	28.53	13.66	29.52	0
2/3/2026 15:00	1.991	202.4	44.92	13.47	29.52	0
2/3/2026 15:15	0.128	192	7.927	13.31	29.53	0
2/3/2026 15:30	0	0	0	12.42	29.53	0
2/3/2026 15:45	0.952	117.6	9.58	11.45	29.52	0
2/3/2026 16:00	3.883	144.2	12.57	11.96	29.52	0
2/3/2026 16:15	5.883	157.3	8.11	12.84	29.52	0
2/3/2026 16:30	8.46	165.6	8.81	13.2	29.52	0
2/3/2026 16:45	7.358	157.8	6.614	13.17	29.52	0
2/3/2026 17:00	6.5	155.8	11.91	13.22	29.51	0
2/3/2026 17:15	6.761	175.7	14.07	13.43	29.52	0
2/3/2026 17:30	4.391	209.9	19.92	13.13	29.52	0
2/3/2026 17:45	3.46	271.3	13.73	12.53	29.53	0
2/3/2026 18:00	3.162	212.9	51.65	12.13	29.53	0
2/3/2026 18:15	2.001	57.92	8.66	11.3	29.52	0
2/3/2026 18:30	0.101	59.4	8.54	11.27	29.52	0
2/3/2026 18:45	4.391	101	9.83	11.68	29.52	0
2/3/2026 19:00	5.077	144.4	21.26	11.78	29.52	0
2/3/2026 19:15	4.275	148.3	8.55	12.67	29.52	0
2/3/2026 19:30	4.977	135.4	11.85	12.8	29.51	0
2/3/2026 19:45	6.507	153.6	10.56	12.88	29.51	0
2/3/2026 20:00	6.877	157.7	12.84	13.47	29.51	0
2/3/2026 20:15	3.274	123.1	29.11	13.45	29.51	0
2/3/2026 20:30	3.729	213.7	26.41	13.21	29.51	0
2/3/2026 20:45	4.569	190.9	24.01	13.63	29.52	0
2/3/2026 21:00	3.279	311.2	35.49	12.76	29.52	0
2/3/2026 21:15	2.838	0.944	19.04	11.5	29.52	0
2/3/2026 21:30	3.86	55.53	12.62	10.9	29.51	0
2/3/2026 21:45	4.517	63.74	7.286	10.28	29.5	0
2/3/2026 22:00	1.937	103	35.22	10.66	29.5	0
2/3/2026 22:15	1.953	344.5	50.29	11.19	29.5	0
2/3/2026 22:30	2.45	46.3	28.15	11.87	29.5	0
2/3/2026 22:45	3.364	75.54	12.62	11.1	29.5	0
2/3/2026 23:00	5.72	110	9.67	11.02	29.48	0
2/3/2026 23:15	8.52	141.1	22.28	12.44	29.47	0
2/3/2026 23:30	10.08	170.1	7.63	13.41	29.46	0
2/3/2026 23:45	8.73	168.9	9.27	13.92	29.46	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/4/2026 0:00	8.93	196.5	18.33	14.14	29.47	0
2/4/2026 0:15	8.57	163.5	31.57	13.94	29.47	0
2/4/2026 0:30	7.135	132.3	16.05	13.25	29.46	0
2/4/2026 0:45	6.942	146.4	10.14	13.22	29.45	0
2/4/2026 1:00	7.105	150.6	14.67	14.34	29.44	0
2/4/2026 1:15	12.04	216.6	38.41	14.27	29.45	0
2/4/2026 1:30	8.52	174.5	41.7	14.6	29.45	0
2/4/2026 1:45	12.66	304.7	14.12	11.68	29.49	0
2/4/2026 2:00	8.4	358.4	34.63	10.75	29.5	0
2/4/2026 2:15	5.514	31.67	20.91	10.18	29.5	0
2/4/2026 2:30	5.81	61.04	15.18	10.29	29.51	0
2/4/2026 2:45	4.534	104.8	16.19	10.68	29.5	0
2/4/2026 3:00	4.402	66.09	26.56	10.67	29.49	0
2/4/2026 3:15	3.766	52.11	12.61	10.71	29.5	0
2/4/2026 3:30	5.005	67.47	20.43	10.99	29.49	0
2/4/2026 3:45	3.684	4.297	24.37	10.53	29.49	0
2/4/2026 4:00	2.275	269	81.8	10.91	29.49	0
2/4/2026 4:15	3.949	230.6	13.93	11.04	29.5	0
2/4/2026 4:30	3.513	87.8	37.62	10.43	29.5	0
2/4/2026 4:45	3.521	103.8	12.39	10.24	29.5	0
2/4/2026 5:00	7.378	110.8	9.42	11.45	29.49	0
2/4/2026 5:15	9.59	134.5	8.91	12.26	29.48	0
2/4/2026 5:30	7.504	176.4	20.5	13.04	29.48	0
2/4/2026 5:45	5.119	156.6	19.25	12.29	29.47	0
2/4/2026 6:00	6.223	121	12.58	11.76	29.46	0
2/4/2026 6:15	6.496	169.7	16.84	12.64	29.46	0
2/4/2026 6:30	4.37	222.5	67.31	12.61	29.46	0
2/4/2026 6:45	4.36	315.3	9.72	11.5	29.47	0
2/4/2026 7:00	11.97	292.4	9.12	10.42	29.47	0
2/4/2026 7:15	9.76	292	4.979	9.3	29.48	0
2/4/2026 7:30	4.723	2.71	50.92	9.38	29.48	0
2/4/2026 7:45	4.172	94.9	13.2	9.3	29.47	0
2/4/2026 8:00	3.911	117.8	24.41	10.07	29.47	0
2/4/2026 8:15	5.574	144.8	17.17	11.55	29.47	0
2/4/2026 8:30	3.925	103.8	80.2	11.5	29.47	0
2/4/2026 8:45	4.335	192.3	23.85	11.26	29.48	0
2/4/2026 9:00	6.522	195.9	12.18	11.53	29.48	0
2/4/2026 9:15	4.555	238.6	22.71	11.89	29.48	0
2/4/2026 9:30	4.911	269.9	7.134	11.36	29.48	0
2/4/2026 9:45	1.596	301.2	20.71	11.4	29.48	0
2/4/2026 10:00	0.345	33.53	6.492	11.66	29.48	0
2/4/2026 10:15	0.793	59.55	9.02	12.5	29.48	0
2/4/2026 10:30	1.632	324.9	32.42	13.32	29.48	0
2/4/2026 10:45	1.793	330.3	28.31	13.56	29.48	0
2/4/2026 11:00	1.586	333.7	20.85	12.77	29.48	0
2/4/2026 11:15	3.068	280.3	13.43	14.38	29.49	0
2/4/2026 11:30	2.816	300.6	47.71	15.02	29.49	0
2/4/2026 11:45	3.946	333.7	6.27	13.94	29.5	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/4/2026 12:00	3.516	351.8	14.14	13.52	29.49	0
2/4/2026 12:15	3.708	340.8	21.63	13.06	29.49	0
2/4/2026 12:30	2.572	319.3	15.84	13.53	29.48	0
2/4/2026 12:45	0.537	48.84	24.02	13	29.48	0
2/4/2026 13:00	1.287	174.7	43.03	13.31	29.47	0
2/4/2026 13:15	2.078	236	27.55	14.04	29.47	0
2/4/2026 13:30	1.086	154.5	43.57	14.84	29.46	0
2/4/2026 13:45	3.797	182.2	18.63	15.04	29.45	0
2/4/2026 14:00	2.576	130.7	28.98	15.66	29.45	0
2/4/2026 14:15	5.034	133.3	17.16	16.58	29.44	0
2/4/2026 14:30	5.437	142.3	27.8	17.2	29.44	0
2/4/2026 14:45	7.488	143.8	10.87	17.67	29.44	0
2/4/2026 15:00	7.15	138.9	28.3	17.53	29.44	0
2/4/2026 15:15	1.61	35.29	20.89	16.85	29.43	0
2/4/2026 15:30	1.657	20.23	14.61	16.91	29.43	0
2/4/2026 15:45	0.089	7.804	2.768	16.83	29.43	0
2/4/2026 16:00	2.935	347.4	24.36	15.72	29.43	0
2/4/2026 16:15	4.09	11.32	13.07	15.14	29.43	0
2/4/2026 16:30	4.366	19.43	5.872	14.68	29.43	0
2/4/2026 16:45	3.638	18.48	6.438	14.48	29.43	0
2/4/2026 17:00	4.483	18.41	6.573	13.98	29.43	0
2/4/2026 17:15	4.701	29.1	8.98	13.56	29.43	0
2/4/2026 17:30	4.551	22.19	8.95	13.14	29.42	0
2/4/2026 17:45	5.722	23.49	11.59	12.88	29.42	0
2/4/2026 18:00	4.145	12.31	10.88	13	29.43	0
2/4/2026 18:15	3.215	12.36	13.28	12.78	29.43	0
2/4/2026 18:30	3.086	11.53	15.24	12.86	29.43	0
2/4/2026 18:45	3.285	24.27	15.33	12.91	29.43	0
2/4/2026 19:00	3.252	48.64	11.49	12.53	29.43	0
2/4/2026 19:15	2.649	74.71	25.54	12.11	29.43	0
2/4/2026 19:30	4.447	148.6	10.7	12.6	29.43	0
2/4/2026 19:45	5.36	141.3	9.69	12.9	29.43	0
2/4/2026 20:00	4.711	130.1	9.64	12.94	29.43	0
2/4/2026 20:15	4.147	125.1	11.68	12.57	29.43	0
2/4/2026 20:30	4.854	140.6	7.581	12.24	29.43	0
2/4/2026 20:45	5.037	140.6	7.69	12.25	29.43	0
2/4/2026 21:00	5.327	135.6	11.62	12.15	29.42	0
2/4/2026 21:15	3.99	104.1	15.43	11.83	29.42	0
2/4/2026 21:30	4.593	122.6	10.77	12.09	29.42	0
2/4/2026 21:45	3.26	109.8	13.45	11.76	29.41	0
2/4/2026 22:00	0.56	79.85	24.99	11.15	29.42	0
2/4/2026 22:15	0.509	71.89	42.81	11.02	29.42	0
2/4/2026 22:30	0.179	332.7	0.049	10.61	29.41	0
2/4/2026 22:45	2.24	357.5	19.82	10.48	29.41	0
2/4/2026 23:00	2.984	24.48	8.39	9.42	29.41	0
2/4/2026 23:15	3.65	22.48	11.14	9.03	29.41	0
2/4/2026 23:30	2.651	342.1	13.96	9.98	29.4	0
2/4/2026 23:45	3.151	302	12.99	11.13	29.4	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/5/2026 0:00	3.819	307.3	4.337	10.97	29.41	0
2/5/2026 0:15	2.11	297	5.491	11.57	29.41	0
2/5/2026 0:30	2.86	3.739	32.03	9.59	29.4	0
2/5/2026 0:45	3.533	20.36	3.805	8.23	29.4	0
2/5/2026 1:00	2.532	358.4	11.7	9.59	29.39	0
2/5/2026 1:15	3.473	339.3	22.06	10.49	29.39	0
2/5/2026 1:30	3.196	6.566	10.9	10.25	29.39	0
2/5/2026 1:45	1.035	17.64	4.713	10.23	29.39	0
2/5/2026 2:00	4.236	33.31	4.007	8.22	29.38	0
2/5/2026 2:15	3.945	31.53	8.15	7.697	29.38	0
2/5/2026 2:30	5.14	23.65	5.302	7.925	29.37	0
2/5/2026 2:45	4.569	19.62	3.727	8.67	29.37	0
2/5/2026 3:00	4.497	24.6	3.595	8.64	29.36	0
2/5/2026 3:15	6.138	13.44	5.729	7.469	29.36	0
2/5/2026 3:30	2.704	10.8	17.98	7.761	29.36	0
2/5/2026 3:45	3.184	11.94	15.04	7.795	29.35	0
2/5/2026 4:00	3.183	17.7	15.56	6.934	29.35	0
2/5/2026 4:15	0.98	11.39	2.67	5.775	29.35	0
2/5/2026 4:30	3.904	23.79	11.02	6.215	29.35	0
2/5/2026 4:45	6.941	19.95	9.48	6.119	29.34	0
2/5/2026 5:00	7.04	19.64	9.48	5.9	29.34	0
2/5/2026 5:15	6.88	13.96	9.77	5.999	29.33	0
2/5/2026 5:30	7.005	13.69	11.95	5.66	29.33	0
2/5/2026 5:45	7.107	13.36	10.83	5.384	29.32	0
2/5/2026 6:00	7.07	12	9.08	5.647	29.31	0
2/5/2026 6:15	6.537	11.72	10.17	5.812	29.31	0
2/5/2026 6:30	7.05	8.54	10.69	6.065	29.31	0
2/5/2026 6:45	6.702	10.73	7.098	5.961	29.3	0
2/5/2026 7:00	6.714	15.87	6.887	5.468	29.29	0
2/5/2026 7:15	7.259	22.37	9.62	5.17	29.29	0
2/5/2026 7:30	5.765	33.91	13.87	4.954	29.28	0
2/5/2026 7:45	5.506	93.9	16.92	4.443	29.28	0
2/5/2026 8:00	2.8	29.86	27.16	4.037	29.28	0
2/5/2026 8:15	0.325	27.92	9.59	4.777	29.29	0
2/5/2026 8:30	1.278	35.43	5.222	5.077	29.29	0
2/5/2026 8:45	2.612	21.97	48.19	5.744	29.28	0
2/5/2026 9:00	1.276	150.6	38.8	6.232	29.29	0
2/5/2026 9:15	0.843	306.4	46.32	7.157	29.28	0
2/5/2026 9:30	1.319	36.28	18.59	6.536	29.28	0
2/5/2026 9:45	0.794	355	58.63	7.587	29.28	0
2/5/2026 10:00	2.775	18.08	33.91	6.538	29.28	0
2/5/2026 10:15	3.084	24.87	21.61	6.251	29.28	0
2/5/2026 10:30	2.802	293.5	43.74	8.81	29.27	0
2/5/2026 10:45	2.034	312.9	20.93	9.3	29.28	0
2/5/2026 11:00	3.518	353.7	18.15	8.56	29.28	0
2/5/2026 11:15	3.43	349.2	20	8.86	29.27	0
2/5/2026 11:30	3.885	344	22.3	8.75	29.27	0
2/5/2026 11:45	2.324	320.9	22.48	9.68	29.27	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/5/2026 12:00	2.3	2.59	40.08	10.07	29.26	0
2/5/2026 12:15	1.425	21.68	24.05	9.78	29.25	0
2/5/2026 12:30	1.258	334.7	43.02	10.77	29.24	0
2/5/2026 12:45	2.017	12.87	62.18	11.65	29.24	0
2/5/2026 13:00	1.248	51.57	7.519	11.32	29.24	0
2/5/2026 13:15	2.477	40.57	13.83	11.8	29.24	0
2/5/2026 13:30	1.839	30.92	11.14	12.11	29.23	0
2/5/2026 13:45	2.297	35.24	12.7	12.67	29.23	0
2/5/2026 14:00	2.447	18.99	10.08	12.74	29.23	0
2/5/2026 14:15	4.094	26.27	7.415	12.49	29.23	0
2/5/2026 14:30	6.033	20.1	9.59	12.41	29.22	0
2/5/2026 14:45	4.349	12.21	23.02	12.98	29.21	0
2/5/2026 15:00	3.058	256.4	51.39	13.87	29.21	0
2/5/2026 15:15	4.304	185.8	12.83	13.85	29.21	0
2/5/2026 15:30	2.253	143.4	36.46	13.37	29.21	0
2/5/2026 15:45	4.214	198.5	21.12	13.2	29.21	0
2/5/2026 16:00	6.434	168.8	11.4	12.7	29.22	0
2/5/2026 16:15	6.225	186.2	10.06	11.77	29.22	0
2/5/2026 16:30	7.998	186.7	6.84	10.99	29.22	0
2/5/2026 16:45	6.5	170.3	10.48	10.48	29.22	0
2/5/2026 17:00	6.231	187.5	9.27	10.28	29.22	0
2/5/2026 17:15	5.008	182.2	8.45	10.1	29.22	0
2/5/2026 17:30	4.31	174	18.51	9.79	29.23	0
2/5/2026 17:45	2.501	112.8	12.27	9.44	29.23	0
2/5/2026 18:00	4.174	123.9	12.39	9.33	29.23	0
2/5/2026 18:15	4.472	129.9	9.71	9.2	29.23	0
2/5/2026 18:30	4.361	122.6	9.85	9.28	29.22	0
2/5/2026 18:45	4.785	134.4	7.488	9.54	29.22	0
2/5/2026 19:00	3.127	104.5	35.26	9.7	29.21	0
2/5/2026 19:15	4.185	130	24.37	10.75	29.22	0
2/5/2026 19:30	4.443	113.6	72.6	11.29	29.22	0
2/5/2026 19:45	2.114	277.3	76.55	10.47	29.22	0
2/5/2026 20:00	4.152	195	19.31	11.32	29.22	0
2/5/2026 20:15	5.486	172.3	16.59	11.13	29.22	0
2/5/2026 20:30	7.257	143.6	9.02	11.3	29.22	0
2/5/2026 20:45	4.646	115.4	12.38	11.46	29.23	0
2/5/2026 21:00	4.881	152.9	26.38	11.73	29.23	0
2/5/2026 21:15	5.271	181.6	12.77	11.17	29.23	0
2/5/2026 21:30	4.623	195.2	19.14	10.4	29.24	0
2/5/2026 21:45	5.219	152.6	23.5	10.27	29.24	0
2/5/2026 22:00	4.552	122	8.13	10.58	29.25	0
2/5/2026 22:15	8.72	136.7	8.02	11.57	29.25	0
2/5/2026 22:30	11.16	132.9	8.54	12.18	29.25	0
2/5/2026 22:45	11.92	128.9	7.494	12.4	29.24	0
2/5/2026 23:00	11.91	136.5	10.5	12.39	29.24	0
2/5/2026 23:15	9.32	155.3	14.66	11.93	29.25	0
2/5/2026 23:30	7.404	182.7	13.55	11.15	29.25	0
2/5/2026 23:45	9.83	160.9	10.15	11.28	29.25	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/6/2026 0:00	10.56	146.1	7.195	11.62	29.25	0
2/6/2026 0:15	9.08	131.7	8.69	11.75	29.25	0
2/6/2026 0:30	8.39	144.8	10.9	12.24	29.24	0
2/6/2026 0:45	7.328	163.7	12.76	11.94	29.24	0
2/6/2026 1:00	6.807	165.3	11.37	11.76	29.24	0
2/6/2026 1:15	6.186	170.8	8.74	10.66	29.24	0
2/6/2026 1:30	3.873	154.2	12.92	10.5	29.24	0
2/6/2026 1:45	2.824	128.9	10.61	11.72	29.24	0
2/6/2026 2:00	2.351	99.3	22.71	11.84	29.23	0
2/6/2026 2:15	4.573	164.6	11.99	11.49	29.23	0
2/6/2026 2:30	7.782	193.4	9.44	10.25	29.23	0
2/6/2026 2:45	7.685	174.5	9.09	9.85	29.23	0
2/6/2026 3:00	5.297	171.3	8.9	9.86	29.23	0
2/6/2026 3:15	4.85	168.5	11.63	9.81	29.23	0
2/6/2026 3:30	4.903	180.8	12.71	9.85	29.23	0
2/6/2026 3:45	4.503	171.5	9.39	9.84	29.22	0
2/6/2026 4:00	3.925	186.4	7.599	9.5	29.22	0
2/6/2026 4:15	2.356	199.7	31.89	9.79	29.22	0
2/6/2026 4:30	6.09	231.1	6.636	8.85	29.23	0
2/6/2026 4:45	3.88	180.4	13.11	9.8	29.22	0
2/6/2026 5:00	2.371	185.3	9.98	9.34	29.23	0
2/6/2026 5:15	5.443	209.9	4.007	8.96	29.23	0
2/6/2026 5:30	6.966	196.5	9.18	8.63	29.22	0
2/6/2026 5:45	4.951	196.6	14.55	8.94	29.23	0
2/6/2026 6:00	3.148	160	23.16	8.85	29.23	0
2/6/2026 6:15	6.025	208.2	4.679	8.78	29.23	0
2/6/2026 6:30	4.756	194.1	17.35	8.82	29.23	0
2/6/2026 6:45	5.645	230.3	9.77	8.2	29.24	0
2/6/2026 7:00	3.352	176.9	19.82	8.85	29.24	0
2/6/2026 7:15	5.159	149.2	8.86	8.84	29.24	0
2/6/2026 7:30	5.684	152.9	4.785	8.37	29.23	0
2/6/2026 7:45	4.654	134.9	8.85	8.55	29.23	0
2/6/2026 8:00	4.339	159.3	20.05	9.31	29.23	0
2/6/2026 8:15	2.482	150	55.34	8.88	29.23	0
2/6/2026 8:30	3.89	212.2	14.15	7.793	29.24	0
2/6/2026 8:45	3.154	169.1	14.19	9.05	29.24	0
2/6/2026 9:00	5.879	190	15.31	9.28	29.24	0
2/6/2026 9:15	5.76	244.6	18.72	9.09	29.24	0
2/6/2026 9:30	3.205	200.3	25.67	10.04	29.24	0
2/6/2026 9:45	3.122	157.2	11.21	10.94	29.24	0
2/6/2026 10:00	1.178	175.5	27.25	12.16	29.25	0
2/6/2026 10:15	3.22	203.7	22.13	12.36	29.25	0
2/6/2026 10:30	3.519	223.1	10.99	12.54	29.25	0
2/6/2026 10:45	6.035	228.3	10.24	13.05	29.26	0
2/6/2026 11:00	3.374	262.7	28.49	13.53	29.26	0
2/6/2026 11:15	0.978	282.8	41.15	13.93	29.26	0
2/6/2026 11:30	1.986	64.43	28.1	13.51	29.26	0
2/6/2026 11:45	2.656	152.8	41.54	13.94	29.25	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/6/2026 12:00	5.132	223.8	9.84	13.94	29.25	0
2/6/2026 12:15	8.39	254.3	6.531	13.57	29.26	0
2/6/2026 12:30	5.318	267.1	8.23	13.85	29.26	0
2/6/2026 12:45	4.296	260.7	21.77	14.44	29.26	0
2/6/2026 13:00	4.561	256.3	19.79	14.76	29.25	0
2/6/2026 13:15	2.99	258.8	32.64	15.06	29.25	0
2/6/2026 13:30	2.423	209.8	42.14	15.62	29.24	0
2/6/2026 13:45	3.86	197	16.55	15.71	29.25	0
2/6/2026 14:00	3.675	175.3	20.17	15.93	29.24	0
2/6/2026 14:15	7.39	202.4	9.29	15.96	29.24	0
2/6/2026 14:30	6.968	265	16.11	15.38	29.24	0
2/6/2026 14:45	4.267	267.6	12.59	14.81	29.24	0
2/6/2026 15:00	5.798	252.8	13.66	14.61	29.24	0
2/6/2026 15:15	7.673	226.4	11.7	14.66	29.24	0
2/6/2026 15:30	4.746	234.1	16.18	14.41	29.25	0
2/6/2026 15:45	2.954	240.7	30.22	14.72	29.25	0
2/6/2026 16:00	4.045	187.3	16.55	14.84	29.25	0
2/6/2026 16:15	4.252	195.4	16.46	14.63	29.24	0
2/6/2026 16:30	5.124	150.2	11.67	14.37	29.24	0
2/6/2026 16:45	6.765	183.2	12.23	13.9	29.25	0
2/6/2026 17:00	6.23	178.4	9.45	13.49	29.25	0
2/6/2026 17:15	5.129	174.5	11.47	13.04	29.25	0
2/6/2026 17:30	4.423	141	9.59	12.8	29.25	0
2/6/2026 17:45	3.695	163.6	13.88	12.61	29.26	0
2/6/2026 18:00	3.664	184.5	8.48	12.89	29.26	0
2/6/2026 18:15	2.821	203.2	11.92	12.91	29.27	0
2/6/2026 18:30	2.955	253.2	12.19	12.39	29.27	0
2/6/2026 18:45	1.456	224.3	18.19	12.29	29.28	0
2/6/2026 19:00	1.232	113.2	22.39	12.16	29.28	0
2/6/2026 19:15	3.006	133.5	9	12.08	29.28	0
2/6/2026 19:30	4.369	139.2	6.044	11.92	29.27	0
2/6/2026 19:45	5.86	124	7.157	11.65	29.27	0
2/6/2026 20:00	6.11	121.2	13.14	11.13	29.27	0
2/6/2026 20:15	4.812	153.9	11.01	11.23	29.26	0
2/6/2026 20:30	5.032	168.1	15.25	10.22	29.26	0
2/6/2026 20:45	5.722	145.9	26.31	10.14	29.26	0
2/6/2026 21:00	6.233	125.1	9.56	11.06	29.26	0
2/6/2026 21:15	6.485	147	7.321	11.27	29.27	0
2/6/2026 21:30	6.213	140.7	9.06	11.41	29.27	0
2/6/2026 21:45	6.214	140.2	10.62	11.52	29.27	0
2/6/2026 22:00	7.057	136.1	13.35	11.71	29.27	0
2/6/2026 22:15	6.864	143.2	14.97	11.73	29.27	0
2/6/2026 22:30	5.665	152.9	12.16	11.37	29.27	0
2/6/2026 22:45	5.194	151.9	12.57	11.28	29.27	0
2/6/2026 23:00	5.776	164.9	19.66	10.98	29.27	0
2/6/2026 23:15	5.721	158	22.98	10.49	29.27	0
2/6/2026 23:30	4.525	141.9	13.48	10.81	29.27	0
2/6/2026 23:45	4.781	150.3	19.01	10.94	29.27	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/7/2026 0:00	6.121	183.1	15.47	9.96	29.28	0
2/7/2026 0:15	7.188	195	6.135	9.16	29.28	0
2/7/2026 0:30	6.335	185.3	8.62	9	29.28	0
2/7/2026 0:45	8.13	197.2	5.321	8.49	29.28	0
2/7/2026 1:00	7.654	200.9	3.798	8.28	29.28	0
2/7/2026 1:15	7.164	194.9	5.071	8.24	29.28	0
2/7/2026 1:30	6.355	180.1	7.073	8.02	29.28	0
2/7/2026 1:45	3.154	121.3	30.53	8.4	29.27	0
2/7/2026 2:00	2.213	113.9	28.56	9.04	29.27	0
2/7/2026 2:15	5.183	163	21.01	9.32	29.26	0
2/7/2026 2:30	4.221	166	16.86	9.36	29.27	0
2/7/2026 2:45	4.521	156.9	13.62	10.25	29.26	0
2/7/2026 3:00	4.708	166	16.46	9.26	29.26	0
2/7/2026 3:15	4.529	170.3	17.6	9.16	29.26	0
2/7/2026 3:30	4.423	186.8	32.97	9.53	29.26	0
2/7/2026 3:45	6.912	233.5	22.65	8.75	29.26	0
2/7/2026 4:00	9.55	276	4.935	8.03	29.27	0
2/7/2026 4:15	7.387	272.8	5.86	8.1	29.28	0
2/7/2026 4:30	2.992	289.3	75.92	7.809	29.28	0
2/7/2026 4:45	4.137	89.3	12.38	7.487	29.28	0
2/7/2026 5:00	2.637	65.17	9.49	8	29.28	0
2/7/2026 5:15	1.225	140.4	34.86	8.42	29.28	0
2/7/2026 5:30	3.519	164.3	29.3	8.38	29.28	0
2/7/2026 5:45	3.981	115.9	73.76	8.31	29.27	0
2/7/2026 6:00	1.442	138.4	39.67	8.22	29.27	0
2/7/2026 6:15	3.809	96	15.38	8.29	29.26	0
2/7/2026 6:30	4.921	115.1	21.04	8.39	29.25	0
2/7/2026 6:45	4.098	142	20.01	8.81	29.25	0
2/7/2026 7:00	5.406	154.6	23.67	9.32	29.25	0
2/7/2026 7:15	5.219	139.4	16.05	9.46	29.24	0
2/7/2026 7:30	4.867	141	13.77	9.84	29.24	0
2/7/2026 7:45	5.272	145.6	15.88	10.44	29.25	0
2/7/2026 8:00	3.827	176.9	15.89	9.17	29.25	0
2/7/2026 8:15	4.529	169.7	20.23	8.84	29.25	0
2/7/2026 8:30	4.351	176	29.21	9.4	29.25	0
2/7/2026 8:45	5.628	207.7	18.74	8.78	29.26	0
2/7/2026 9:00	4.981	198.6	16.9	9.12	29.27	0
2/7/2026 9:15	4.381	196.6	18.27	9.5	29.27	0.01
2/7/2026 9:30	3.251	144.8	14.12	9.64	29.27	0.01
2/7/2026 9:45	2.409	135.1	24.34	9.46	29.27	0.01
2/7/2026 10:00	3.402	133.2	27.79	8.6	29.27	0.02
2/7/2026 10:15	4.073	131.1	34.29	8.57	29.27	0.01
2/7/2026 10:30	5.348	136.2	10.72	8.28	29.27	0.01
2/7/2026 10:45	8.8	130.1	6.908	8.69	29.26	0.01
2/7/2026 11:00	8.56	135.9	9.31	8.89	29.27	0.02
2/7/2026 11:15	9.17	129.5	7.002	8.99	29.26	0.02
2/7/2026 11:30	10.05	128.9	9.94	9.11	29.26	0.03
2/7/2026 11:45	10.93	131.5	8.3	9.13	29.26	0.04

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/7/2026 12:00	11	129.1	7.421	9.04	29.26	0.04
2/7/2026 12:15	12.21	126.4	8.2	9.06	29.25	0.03
2/7/2026 12:30	14.08	120.7	8.44	9.34	29.23	0.03
2/7/2026 12:45	14.06	124.4	8.7	9.81	29.22	0.01
2/7/2026 13:00	13.3	128.6	8.06	9.86	29.21	0.02
2/7/2026 13:15	12.64	129.3	8.01	9.7	29.21	0.03
2/7/2026 13:30	11.88	127.6	8.05	9.9	29.2	0.01
2/7/2026 13:45	12.31	132.4	8.25	9.84	29.2	0.03
2/7/2026 14:00	10.81	138	8.2	9.65	29.2	0.02
2/7/2026 14:15	11.38	138.7	8.58	9.53	29.2	0.03
2/7/2026 14:30	10.71	134.6	9.09	9.34	29.2	0.02
2/7/2026 14:45	8.16	152.3	13.12	9.16	29.21	0.01
2/7/2026 15:00	8.45	145.3	8.24	8.98	29.22	0.03
2/7/2026 15:15	7.957	143.2	8.75	9.03	29.22	0.02
2/7/2026 15:30	8.53	133.1	10.79	9.14	29.22	0.01
2/7/2026 15:45	8.77	118.3	11.2	9.12	29.21	0.01
2/7/2026 16:00	9.6	138.7	8.84	9.38	29.21	0
2/7/2026 16:15	9.61	139.7	7.762	9.58	29.21	0
2/7/2026 16:30	8.91	138.9	7.902	9.82	29.21	0
2/7/2026 16:45	8.78	140.1	7.582	9.93	29.22	0
2/7/2026 17:00	8.36	147.3	6.501	9.92	29.23	0
2/7/2026 17:15	7.76	146.3	7.41	9.86	29.23	0
2/7/2026 17:30	6.307	145.3	7.36	9.87	29.23	0
2/7/2026 17:45	6.509	164.9	10.08	10.04	29.23	0
2/7/2026 18:00	8.24	169.8	9.3	10.04	29.23	0.01
2/7/2026 18:15	6.197	150	12.59	9.77	29.23	0
2/7/2026 18:30	9.02	162.2	13.03	9.68	29.24	0.04
2/7/2026 18:45	13.04	185.4	11.96	9.68	29.24	0.05
2/7/2026 19:00	11.49	189.8	10.49	9.75	29.24	0.01
2/7/2026 19:15	10.73	177.2	10.99	9.61	29.25	0.01
2/7/2026 19:30	10.05	175.9	11.6	9.53	29.25	0.01
2/7/2026 19:45	9.63	170.6	11.26	9.61	29.26	0
2/7/2026 20:00	5.707	134.9	22.88	9.36	29.26	0
2/7/2026 20:15	6.576	124.3	15.15	9.22	29.26	0
2/7/2026 20:30	7.064	142.7	10.68	9.3	29.26	0
2/7/2026 20:45	6.777	163.3	12.48	9.4	29.28	0
2/7/2026 21:00	6.357	161.9	9.43	9.31	29.28	0
2/7/2026 21:15	7.568	167.1	10.5	9.42	29.29	0
2/7/2026 21:30	5.811	159	9.16	9.51	29.3	0
2/7/2026 21:45	6.075	161.6	17.17	9.54	29.3	0
2/7/2026 22:00	5.411	168.4	9.98	9.59	29.3	0
2/7/2026 22:15	5.822	177.5	18.13	9.61	29.3	0
2/7/2026 22:30	6.378	176.5	9.98	9.56	29.3	0
2/7/2026 22:45	8.93	190.9	6.714	9.38	29.31	0
2/7/2026 23:00	8.31	193.5	6.102	9.27	29.31	0
2/7/2026 23:15	8.05	187.6	7.752	9.11	29.32	0
2/7/2026 23:30	7.198	178.8	7.899	9.12	29.32	0
2/7/2026 23:45	7.259	173.7	9.93	9.17	29.33	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/8/2026 0:00	5.152	173.3	14.16	9.25	29.33	0
2/8/2026 0:15	3.545	190.2	14.23	9.23	29.34	0
2/8/2026 0:30	3.195	223.4	21.93	9.22	29.34	0
2/8/2026 0:45	2.802	268.1	19.26	9.15	29.34	0
2/8/2026 1:00	4.472	247.2	7.302	9.07	29.34	0
2/8/2026 1:15	3.73	256.6	12.04	8.89	29.35	0
2/8/2026 1:30	2.499	235.1	9.15	8.68	29.35	0
2/8/2026 1:45	2.22	169.4	29.76	8.76	29.36	0
2/8/2026 2:00	4.202	188.4	9.5	8.53	29.36	0
2/8/2026 2:15	4.939	182.7	7.574	8.27	29.36	0
2/8/2026 2:30	5.792	194.1	5.543	7.917	29.36	0
2/8/2026 2:45	3.464	192.9	6.803	7.811	29.36	0
2/8/2026 3:00	3.418	208.1	8.64	7.589	29.37	0
2/8/2026 3:15	2.635	173.1	7.27	7.464	29.37	0.01
2/8/2026 3:30	3.197	162.1	17.99	7.325	29.37	0
2/8/2026 3:45	5.114	189.1	5.831	7.345	29.37	0
2/8/2026 4:00	3.734	196.7	7.345	7.384	29.37	0
2/8/2026 4:15	1.667	184.7	16.07	7.322	29.36	0
2/8/2026 4:30	1.798	53.01	33.41	7.144	29.35	0
2/8/2026 4:45	1.114	17.77	6.247	7.061	29.35	0
2/8/2026 5:00	0	0	0	7.123	29.35	0
2/8/2026 5:15	0.113	313.6	1.253	7.13	29.35	0
2/8/2026 5:30	0	0	0	7.045	29.35	0
2/8/2026 5:45	0	0	0	7.022	29.35	0
2/8/2026 6:00	4.096	326.7	9.28	6.893	29.35	0
2/8/2026 6:15	3.024	350.2	28.66	6.889	29.35	0
2/8/2026 6:30	2.961	1.314	18.97	6.869	29.35	0
2/8/2026 6:45	2.783	4.696	11.84	6.959	29.34	0
2/8/2026 7:00	0	0	0	6.831	29.34	0
2/8/2026 7:15	0.313	182.7	6.188	6.654	29.35	0
2/8/2026 7:30	1.693	41.32	3.999	6.615	29.35	0
2/8/2026 7:45	2.306	78.81	22.86	6.258	29.35	0
2/8/2026 8:00	1.684	69.77	9.92	6.192	29.35	0
2/8/2026 8:15	0.986	119	12.6	6.116	29.35	0
2/8/2026 8:30	2.087	130.2	22.16	6.03	29.35	0
2/8/2026 8:45	1.623	157.2	26.64	6.014	29.34	0
2/8/2026 9:00	0	0	0	5.845	29.34	0
2/8/2026 9:15	1.542	46	13.88	5.944	29.34	0
2/8/2026 9:30	2.553	8.81	12.57	6.214	29.34	0
2/8/2026 9:45	3.046	357.5	14.02	6.166	29.34	0
2/8/2026 10:00	2.463	355.6	26.53	6.3	29.33	0
2/8/2026 10:15	0.25	36.05	1.38	6.19	29.34	0
2/8/2026 10:30	0	0	0	6.364	29.34	0
2/8/2026 10:45	0	0	0	6.623	29.34	0
2/8/2026 11:00	2.18	6.982	16.65	6.724	29.33	0
2/8/2026 11:15	3.028	333.2	16.54	6.724	29.33	0
2/8/2026 11:30	1.767	204.2	60.66	6.938	29.32	0
2/8/2026 11:45	3.503	173.9	24.37	6.911	29.32	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/8/2026 12:00	1.274	270.2	29.75	6.797	29.32	0
2/8/2026 12:15	1.044	344.8	13.18	6.991	29.31	0
2/8/2026 12:30	0	0	0	7.021	29.31	0
2/8/2026 12:45	0	0	0	7.067	29.3	0
2/8/2026 13:00	2.817	261	6.095	7.144	29.3	0
2/8/2026 13:15	6.669	280.8	8.06	6.786	29.3	0
2/8/2026 13:30	5.194	291.3	8.46	6.666	29.3	0
2/8/2026 13:45	3.427	315.9	7.879	6.612	29.3	0
2/8/2026 14:00	2.596	323.1	8.47	6.732	29.3	0
2/8/2026 14:15	1.53	329.2	9.81	6.854	29.29	0
2/8/2026 14:30	2.17	29.2	6.437	6.945	29.28	0
2/8/2026 14:45	2.985	26.13	11.84	6.738	29.28	0
2/8/2026 15:00	0	0	0	6.678	29.28	0
2/8/2026 15:15	0	0	0	6.74	29.28	0
2/8/2026 15:30	3.146	266.1	5.673	6.904	29.28	0
2/8/2026 15:45	3.554	259	9.71	6.889	29.28	0
2/8/2026 16:00	5.787	213.9	11.26	6.902	29.29	0.01
2/8/2026 16:15	4.89	193.9	12.45	6.628	29.29	0.02
2/8/2026 16:30	3.239	236.4	14.1	6.505	29.3	0.02
2/8/2026 16:45	5.145	242.2	8.14	6.496	29.3	0.01
2/8/2026 17:00	9.21	224.4	9	6.477	29.3	0.05
2/8/2026 17:15	12.28	226.5	7.045	6.442	29.3	0.04
2/8/2026 17:30	11.12	237.9	7.291	6.478	29.29	0.01
2/8/2026 17:45	3.797	118.3	32.73	6.329	29.3	0
2/8/2026 18:00	5.872	130.8	7.305	6.121	29.3	0
2/8/2026 18:15	4.174	110.7	22.62	5.986	29.3	0
2/8/2026 18:30	5.161	124.5	22.27	5.896	29.3	0
2/8/2026 18:45	5.076	125.8	11	5.914	29.31	0
2/8/2026 19:00	5.388	130.4	6.715	6.127	29.31	0
2/8/2026 19:15	4.722	131.9	7.388	6.102	29.31	0
2/8/2026 19:30	5.207	114.9	7.975	6.077	29.31	0
2/8/2026 19:45	5.133	100.4	9.75	5.904	29.31	0
2/8/2026 20:00	5.04	138.8	22.38	5.839	29.32	0
2/8/2026 20:15	4.882	173.1	22.73	6.013	29.32	0
2/8/2026 20:30	3.852	187.9	16.89	5.905	29.32	0
2/8/2026 20:45	4.149	183.9	15.46	5.83	29.32	0
2/8/2026 21:00	3.151	164.2	12.23	5.757	29.32	0
2/8/2026 21:15	2.654	145.1	25.49	5.84	29.32	0
2/8/2026 21:30	0.375	99.6	4.08	5.617	29.32	0
2/8/2026 21:45	0.915	145.6	10.99	5.565	29.32	0
2/8/2026 22:00	3.024	174.3	13.92	5.817	29.33	0
2/8/2026 22:15	4.754	196.8	8.41	5.892	29.33	0
2/8/2026 22:30	5.574	201.3	6.261	5.723	29.33	0
2/8/2026 22:45	4.98	195.5	7.507	5.824	29.33	0
2/8/2026 23:00	5.474	186	8.99	5.671	29.34	0
2/8/2026 23:15	6.333	186.9	8.3	5.541	29.34	0
2/8/2026 23:30	5.84	186.6	8.08	5.474	29.35	0
2/8/2026 23:45	6.002	182	7.415	5.41	29.35	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/9/2026 0:00	6.539	175.1	7.355	5.36	29.36	0
2/9/2026 0:15	6.279	158.2	10.4	5.29	29.36	0
2/9/2026 0:30	4.306	125.5	16.28	5.229	29.36	0
2/9/2026 0:45	3.068	128.7	14.45	5.127	29.37	0
2/9/2026 1:00	4.923	146.5	11.48	5.049	29.37	0
2/9/2026 1:15	6.077	142.9	8.47	5.033	29.37	0
2/9/2026 1:30	6.495	139.8	7.056	5.086	29.38	0
2/9/2026 1:45	5.366	140.7	10.61	5.023	29.38	0
2/9/2026 2:00	5.723	143.8	10.25	5.016	29.38	0
2/9/2026 2:15	6.06	135.7	9.44	5.083	29.39	0
2/9/2026 2:30	5.523	127.9	9.42	5.064	29.39	0
2/9/2026 2:45	5.759	129.4	14.22	5.152	29.39	0
2/9/2026 3:00	6.009	128.7	9.7	5.249	29.39	0
2/9/2026 3:15	6.228	139.7	8.07	5.202	29.39	0
2/9/2026 3:30	5.263	128	8.16	5.041	29.39	0
2/9/2026 3:45	5.837	122.1	7.37	5.195	29.39	0
2/9/2026 4:00	6.109	134.9	11.23	5.401	29.39	0
2/9/2026 4:15	7.546	160.3	16.39	5.291	29.4	0
2/9/2026 4:30	7.636	176.6	14.91	5.263	29.4	0.01
2/9/2026 4:45	6.907	182.5	10.42	5.22	29.41	0
2/9/2026 5:00	6.128	181.4	8.14	4.888	29.41	0.01
2/9/2026 5:15	6.012	180.7	8.47	4.822	29.41	0.01
2/9/2026 5:30	6.91	176.8	7.463	4.699	29.42	0.01
2/9/2026 5:45	6.829	168.6	12.31	4.538	29.42	0.02
2/9/2026 6:00	4.72	146.1	12.41	4.386	29.42	0
2/9/2026 6:15	4.195	124.7	7.665	4.304	29.42	0.01
2/9/2026 6:30	5.655	133.7	7.935	4.268	29.42	0
2/9/2026 6:45	6.147	132.2	12.15	4.174	29.42	0.01
2/9/2026 7:00	5.614	117.4	10.43	4.106	29.43	0
2/9/2026 7:15	6.143	109.2	9.19	4.068	29.43	0
2/9/2026 7:30	7.336	123.8	10.3	4.039	29.43	0
2/9/2026 7:45	7.54	142.7	8.25	4.238	29.44	0
2/9/2026 8:00	7.95	146.2	7.606	4.432	29.44	0
2/9/2026 8:15	6.766	144.6	6.948	4.597	29.45	0
2/9/2026 8:30	5.134	130.1	10.07	4.649	29.45	0
2/9/2026 8:45	4.721	129.3	10.05	4.727	29.45	0
2/9/2026 9:00	5.339	135	10.64	4.95	29.45	0
2/9/2026 9:15	5.495	135.9	9.64	5.136	29.45	0
2/9/2026 9:30	5.218	139.3	8.06	5.256	29.45	0
2/9/2026 9:45	6.351	156	13.46	5.532	29.45	0
2/9/2026 10:00	7.215	173.1	8.32	5.756	29.46	0.01
2/9/2026 10:15	6.783	167.8	12.56	5.987	29.46	0
2/9/2026 10:30	8.03	173.1	11.24	6.159	29.46	0
2/9/2026 10:45	9.11	174.8	8.69	6.271	29.46	0
2/9/2026 11:00	9.1	174.5	9.15	6.399	29.47	0
2/9/2026 11:15	6.491	171.9	11.69	6.599	29.47	0
2/9/2026 11:30	7.923	176.2	7.748	6.893	29.47	0
2/9/2026 11:45	9.08	175	10.13	7.042	29.47	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/9/2026 12:00	8.45	177.2	11.22	7.214	29.46	0
2/9/2026 12:15	8.45	168.7	12.18	7.287	29.46	0
2/9/2026 12:30	8.64	172.4	9.86	7.327	29.46	0
2/9/2026 12:45	9.78	172.6	9.29	7.513	29.46	0
2/9/2026 13:00	10.07	174.1	8.15	7.613	29.45	0
2/9/2026 13:15	8.85	176	8.56	7.711	29.45	0
2/9/2026 13:30	9.6	169.1	15.28	7.961	29.45	0
2/9/2026 13:45	9.91	182.1	9.81	8.11	29.45	0
2/9/2026 14:00	12.54	186.1	10.19	8.31	29.44	0
2/9/2026 14:15	9.52	185.4	12.71	8.59	29.44	0
2/9/2026 14:30	8.46	170.4	13.38	8.61	29.44	0
2/9/2026 14:45	9.13	165.5	16.35	8.35	29.44	0
2/9/2026 15:00	10.7	189.4	10.16	8.32	29.44	0
2/9/2026 15:15	9.79	185.5	9.74	8.12	29.44	0
2/9/2026 15:30	9.65	180.5	8.43	7.762	29.44	0
2/9/2026 15:45	8.28	163.8	13.91	7.798	29.44	0
2/9/2026 16:00	6.993	137.5	10.42	7.674	29.43	0
2/9/2026 16:15	6.541	140.2	10.47	7.709	29.43	0
2/9/2026 16:30	6.641	140.8	7.495	7.658	29.43	0
2/9/2026 16:45	7.484	144.5	8.05	7.694	29.43	0
2/9/2026 17:00	9.36	158.8	11.59	7.626	29.43	0
2/9/2026 17:15	9.2	168.4	10.33	7.569	29.43	0
2/9/2026 17:30	8.74	149.9	9.33	7.392	29.43	0
2/9/2026 17:45	5.682	130.2	9.74	7.234	29.43	0
2/9/2026 18:00	6.668	133.6	9.55	7.087	29.43	0
2/9/2026 18:15	7.208	135.7	10.17	6.93	29.43	0
2/9/2026 18:30	8.3	142.6	12.22	6.797	29.43	0
2/9/2026 18:45	8.19	145.2	7.472	6.517	29.43	0
2/9/2026 19:00	6.444	137.8	9.63	6.372	29.43	0
2/9/2026 19:15	5.316	127.1	8.64	6.278	29.43	0
2/9/2026 19:30	5.031	127.4	7.387	6.299	29.42	0
2/9/2026 19:45	6.163	124.1	6.905	6.45	29.42	0
2/9/2026 20:00	4.763	118.6	8.97	6.58	29.42	0
2/9/2026 20:15	4.762	144.4	23.06	6.727	29.42	0
2/9/2026 20:30	4.453	151.9	6.301	6.687	29.41	0
2/9/2026 20:45	5.045	135.9	7.299	6.668	29.41	0
2/9/2026 21:00	5.717	136.1	6.979	6.522	29.4	0
2/9/2026 21:15	5.755	136.9	9.92	6.509	29.4	0
2/9/2026 21:30	5.438	143.2	9.98	6.509	29.4	0
2/9/2026 21:45	5.308	137.8	7.589	6.493	29.4	0
2/9/2026 22:00	5.515	134	11.04	6.696	29.39	0
2/9/2026 22:15	5.205	134.2	11.17	6.636	29.39	0
2/9/2026 22:30	5.755	143.2	34.57	6.604	29.39	0
2/9/2026 22:45	4.041	150	13.5	6.647	29.39	0
2/9/2026 23:00	4.39	142.4	9.5	6.611	29.39	0
2/9/2026 23:15	4.211	160.6	13.94	6.566	29.39	0
2/9/2026 23:30	4.789	158.1	17.38	6.483	29.39	0
2/9/2026 23:45	4.133	153.6	12.75	6.446	29.38	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/10/2026 0:00	3.79	130.3	11.03	6.554	29.38	0
2/10/2026 0:15	4.032	141.8	11.03	6.732	29.38	0
2/10/2026 0:30	4.686	162.4	14.2	6.519	29.38	0
2/10/2026 0:45	5.14	145.1	13.07	6.472	29.38	0
2/10/2026 1:00	5.183	123.1	8.87	6.653	29.37	0
2/10/2026 1:15	4.738	151.1	23.76	6.68	29.37	0
2/10/2026 1:30	2.837	163	18.53	6.414	29.37	0
2/10/2026 1:45	3.426	129.8	14.93	6.605	29.36	0
2/10/2026 2:00	3.403	114	6.978	6.737	29.36	0
2/10/2026 2:15	2.378	126.7	7.155	6.699	29.36	0
2/10/2026 2:30	2.351	143.5	9.05	6.52	29.35	0
2/10/2026 2:45	2.889	113.5	15.24	6.312	29.35	0
2/10/2026 3:00	2.474	84.5	9.78	5.991	29.34	0
2/10/2026 3:15	2.87	83	10.29	5.798	29.33	0
2/10/2026 3:30	2.639	110.5	13.17	5.948	29.32	0
2/10/2026 3:45	1.664	108.4	14.13	6.207	29.31	0
2/10/2026 4:00	2.042	99	6.298	6.137	29.31	0
2/10/2026 4:15	2.83	118.3	3.924	5.926	29.3	0
2/10/2026 4:30	2.455	119.3	11.96	5.966	29.3	0
2/10/2026 4:45	2.628	95.3	5.206	5.224	29.29	0
2/10/2026 5:00	2.69	128.3	16.31	5.018	29.29	0
2/10/2026 5:15	3.828	151.5	5.163	5.174	29.28	0
2/10/2026 5:30	3.304	142.9	7.867	4.846	29.28	0
2/10/2026 5:45	2.311	92.6	16.27	4.761	29.27	0
2/10/2026 6:00	2.318	91	22.92	4.521	29.27	0
2/10/2026 6:15	2.678	90.5	26.51	4.387	29.27	0
2/10/2026 6:30	2.436	111.3	5.165	4.277	29.26	0
2/10/2026 6:45	2.81	93.9	8.93	4.126	29.26	0
2/10/2026 7:00	2.638	119.1	9.93	3.746	29.25	0
2/10/2026 7:15	3.188	116.9	9.25	4.236	29.25	0
2/10/2026 7:30	1.607	110.5	25.73	4.292	29.24	0
2/10/2026 7:45	0.2	100.9	2.267	4.189	29.25	0
2/10/2026 8:00	0	0	0	4.319	29.25	0
2/10/2026 8:15	0	0	0	4.43	29.25	0
2/10/2026 8:30	0	0	0	4.634	29.24	0
2/10/2026 8:45	0	0	0	4.988	29.24	0
2/10/2026 9:00	1.114	347.9	24.05	4.888	29.24	0
2/10/2026 9:15	1.72	348.7	38.4	5.436	29.24	0
2/10/2026 9:30	3.096	7.101	15.01	5.057	29.24	0
2/10/2026 9:45	2.364	332.5	10.23	5.856	29.24	0
2/10/2026 10:00	2.07	305	15.78	6.585	29.23	0
2/10/2026 10:15	1.536	332.8	21.63	7.366	29.23	0
2/10/2026 10:30	1.598	323.1	23.68	7.922	29.23	0
2/10/2026 10:45	2.921	341.1	14.84	8.21	29.23	0
2/10/2026 11:00	3.208	354	15.68	8.28	29.23	0
2/10/2026 11:15	2.993	317.9	15.63	8.87	29.22	0
2/10/2026 11:30	2.551	355.6	31.69	9.32	29.21	0
2/10/2026 11:45	2.695	25.8	12.78	9.41	29.2	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/10/2026 12:00	1.902	354.2	34.73	9.97	29.2	0
2/10/2026 12:15	2.272	18.41	27.48	10.35	29.19	0
2/10/2026 12:30	1.556	325.3	34.94	10.7	29.19	0
2/10/2026 12:45	2.951	331.7	33.01	10.94	29.19	0
2/10/2026 13:00	3.528	342.9	20.99	11.13	29.18	0
2/10/2026 13:15	3.338	353.5	21.48	11.43	29.18	0
2/10/2026 13:30	4.14	325.4	24.36	11.75	29.17	0
2/10/2026 13:45	4.05	340.2	21.09	11.9	29.17	0
2/10/2026 14:00	4.686	6.569	21.09	11.85	29.16	0
2/10/2026 14:15	6.412	16.74	10.87	11.86	29.16	0
2/10/2026 14:30	6.471	9.73	10.96	11.85	29.15	0
2/10/2026 14:45	6.018	10.18	11.25	12.1	29.15	0
2/10/2026 15:00	6.746	15.44	7.269	12.08	29.15	0
2/10/2026 15:15	4.57	15.67	10.69	12.35	29.15	0
2/10/2026 15:30	4.679	11.71	13.84	12.53	29.15	0
2/10/2026 15:45	2.822	6.479	20.16	12.86	29.15	0
2/10/2026 16:00	0.725	3.278	25.47	13.36	29.15	0
2/10/2026 16:15	3.373	29.64	24.67	12.92	29.15	0
2/10/2026 16:30	5.768	49.92	15.04	12.46	29.15	0
2/10/2026 16:45	8.07	63.42	16.52	12.11	29.15	0
2/10/2026 17:00	6.333	52.81	22.97	11.87	29.15	0
2/10/2026 17:15	5.209	20.42	10.26	10.9	29.15	0
2/10/2026 17:30	6.568	17.87	10.08	10.21	29.15	0
2/10/2026 17:45	7.719	4.766	14.4	9.95	29.16	0
2/10/2026 18:00	10.43	4.178	17.53	9.69	29.16	0
2/10/2026 18:15	8.58	16.83	19.38	9.3	29.16	0
2/10/2026 18:30	7.69	26.82	17.62	8.84	29.17	0
2/10/2026 18:45	11.07	10.64	14.9	8.84	29.17	0
2/10/2026 19:00	13.5	10.56	12.34	8.54	29.18	0
2/10/2026 19:15	12.79	10.19	11.94	8.2	29.18	0
2/10/2026 19:30	10.54	7.593	12.44	8.01	29.18	0
2/10/2026 19:45	10.07	9.4	14.11	7.851	29.18	0
2/10/2026 20:00	11.85	10.48	9.86	7.64	29.18	0
2/10/2026 20:15	11.02	10.13	10.55	7.106	29.18	0
2/10/2026 20:30	10.25	13.9	13.17	6.962	29.18	0
2/10/2026 20:45	8.5	21.83	12.25	6.44	29.18	0
2/10/2026 21:00	11.19	17.26	10.89	6.379	29.18	0
2/10/2026 21:15	11.64	18.53	9.77	6.256	29.18	0
2/10/2026 21:30	10.75	15.79	10.17	6.043	29.19	0
2/10/2026 21:45	9.74	13.09	12.36	5.8	29.19	0
2/10/2026 22:00	10.25	13.13	10.02	5.665	29.19	0
2/10/2026 22:15	11.61	13.79	9.92	5.479	29.2	0
2/10/2026 22:30	9.7	15.99	11.34	5.379	29.2	0
2/10/2026 22:45	10.04	20.91	8.41	5.121	29.2	0
2/10/2026 23:00	10.67	24.92	10.77	5.009	29.21	0
2/10/2026 23:15	9.63	22.75	8.65	4.936	29.21	0
2/10/2026 23:30	10.13	26.23	8.5	5.002	29.22	0
2/10/2026 23:45	9.76	25.67	11.15	4.683	29.22	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/11/2026 0:00	6.747	14.95	10.23	4.367	29.22	0
2/11/2026 0:15	11.02	17.4	11.7	4.651	29.22	0
2/11/2026 0:30	11.8	22.88	9.5	4.782	29.22	0
2/11/2026 0:45	11.98	24.72	9.32	4.739	29.22	0
2/11/2026 1:00	11.19	28.21	8.36	4.527	29.22	0
2/11/2026 1:15	10.06	26.82	9.6	4.237	29.22	0
2/11/2026 1:30	9.91	26.03	8.91	3.856	29.23	0
2/11/2026 1:45	10.4	20.2	9.6	3.789	29.23	0
2/11/2026 2:00	10	12.16	11.99	3.845	29.23	0
2/11/2026 2:15	13.08	14.47	10.89	4.002	29.23	0
2/11/2026 2:30	14.31	19.14	9.44	3.98	29.23	0
2/11/2026 2:45	14.24	16.66	9.65	3.998	29.23	0
2/11/2026 3:00	13.92	21.59	8.53	3.971	29.23	0
2/11/2026 3:15	14.07	23.48	8.89	3.97	29.24	0
2/11/2026 3:30	15.94	22.68	11.24	3.738	29.24	0
2/11/2026 3:45	12.46	17.46	11.75	3.572	29.24	0
2/11/2026 4:00	12.36	17.74	10.76	3.319	29.24	0
2/11/2026 4:15	12.09	16.87	10.77	3.302	29.23	0
2/11/2026 4:30	11.69	20.27	10.57	3.341	29.24	0
2/11/2026 4:45	10.42	17.19	11.79	3.165	29.24	0
2/11/2026 5:00	11.38	19.72	11.05	2.896	29.24	0
2/11/2026 5:15	9.62	19.79	11.26	2.712	29.24	0
2/11/2026 5:30	8.44	1.509	18.13	2.648	29.24	0
2/11/2026 5:45	3.613	6.975	20.28	2.613	29.25	0
2/11/2026 6:00	9.24	12.83	8.54	2.78	29.25	0
2/11/2026 6:15	16.31	14.52	9.24	3.119	29.25	0
2/11/2026 6:30	13.22	17.48	8.57	2.995	29.25	0
2/11/2026 6:45	15.77	20.25	10.73	2.939	29.25	0
2/11/2026 7:00	13.78	22.54	12.97	3.011	29.25	0
2/11/2026 7:15	11.7	29.18	12.87	2.953	29.26	0
2/11/2026 7:30	10.41	33.24	8.21	2.737	29.26	0
2/11/2026 7:45	8.62	30.19	10.3	2.454	29.27	0
2/11/2026 8:00	6.071	11.75	13.39	2.401	29.27	0
2/11/2026 8:15	3.394	11.8	7.951	2.545	29.28	0
2/11/2026 8:30	2.295	39.6	10.05	3.148	29.28	0
2/11/2026 8:45	5.521	22.32	10.22	3.031	29.28	0
2/11/2026 9:00	5.781	10.85	12.39	3.305	29.29	0
2/11/2026 9:15	4.253	29.96	18.39	3.87	29.29	0
2/11/2026 9:30	8.02	8.88	16.07	4.225	29.29	0
2/11/2026 9:45	7.425	19.39	16.49	4.537	29.3	0
2/11/2026 10:00	10.75	28.77	9.74	4.432	29.29	0
2/11/2026 10:15	8.92	31.64	11.58	4.647	29.3	0
2/11/2026 10:30	4.844	30.11	15.14	5.143	29.3	0
2/11/2026 10:45	4.721	35.32	16.81	5.55	29.3	0
2/11/2026 11:00	5.921	22.73	10.34	5.599	29.31	0
2/11/2026 11:15	5.604	20.47	9.19	5.871	29.31	0
2/11/2026 11:30	4.635	27	13.41	6.283	29.31	0
2/11/2026 11:45	6.37	23.1	10.82	6.71	29.31	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/11/2026 12:00	6.775	31	12	6.851	29.3	0
2/11/2026 12:15	7.048	20.44	12.08	7.104	29.3	0
2/11/2026 12:30	5.296	32.45	20.6	7.713	29.3	0
2/11/2026 12:45	4.683	32.03	14.64	7.829	29.3	0
2/11/2026 13:00	4.126	46.52	21.51	8.35	29.3	0
2/11/2026 13:15	4.161	37.29	11.6	8.72	29.3	0
2/11/2026 13:30	3.894	24.42	18	8.99	29.29	0
2/11/2026 13:45	4.625	28.11	14.9	9.18	29.29	0
2/11/2026 14:00	4.708	19.4	11.93	9.44	29.29	0
2/11/2026 14:15	4.175	10.49	13.09	9.59	29.28	0
2/11/2026 14:30	5.311	25.27	11.57	9.72	29.28	0
2/11/2026 14:45	7.975	28.95	10.95	9.43	29.28	0
2/11/2026 15:00	7.008	26.39	14.47	9.4	29.28	0
2/11/2026 15:15	6.245	26.73	14.64	9.49	29.28	0
2/11/2026 15:30	7.176	17.96	10.72	9.53	29.28	0
2/11/2026 15:45	7.615	18.35	9.22	9.6	29.28	0
2/11/2026 16:00	7.051	14.17	13.35	9.58	29.29	0
2/11/2026 16:15	6.876	11.33	15.29	9.57	29.29	0
2/11/2026 16:30	6.971	6.456	12.34	9.53	29.29	0
2/11/2026 16:45	6.137	11.5	10.52	9.47	29.3	0
2/11/2026 17:00	5.877	8.81	14.2	9.28	29.3	0
2/11/2026 17:15	5.142	5.159	14.26	9.12	29.31	0
2/11/2026 17:30	3.771	8.9	11.82	8.88	29.31	0
2/11/2026 17:45	2.161	20.6	12.27	8.47	29.31	0
2/11/2026 18:00	2.902	28	10.82	7.957	29.31	0
2/11/2026 18:15	3.941	3.805	15.11	7.597	29.31	0
2/11/2026 18:30	3.332	359.8	18.35	7.344	29.32	0
2/11/2026 18:45	3.496	29.67	10.22	7.243	29.32	0
2/11/2026 19:00	4.105	29.61	4.033	6.931	29.32	0
2/11/2026 19:15	3.509	24.75	5.669	6.425	29.33	0
2/11/2026 19:30	4.305	21.18	7.779	5.941	29.33	0
2/11/2026 19:45	4.519	26.3	7.048	5.557	29.33	0
2/11/2026 20:00	4.862	24.98	8.8	5.243	29.33	0
2/11/2026 20:15	5.638	16.69	7.022	4.827	29.33	0
2/11/2026 20:30	7.073	10.98	9.52	4.965	29.34	0
2/11/2026 20:45	7.775	17.98	7.747	5.224	29.34	0
2/11/2026 21:00	6.806	26.98	8.78	4.778	29.34	0
2/11/2026 21:15	6.616	42.88	8.31	4.617	29.34	0
2/11/2026 21:30	5.524	48.42	7.58	4.882	29.34	0
2/11/2026 21:45	4.805	86.3	19.56	5.11	29.34	0
2/11/2026 22:00	3.096	130.5	7.469	5.626	29.34	0
2/11/2026 22:15	4.297	164.8	10.98	5.773	29.34	0
2/11/2026 22:30	4.002	153.8	6.204	4.978	29.34	0
2/11/2026 22:45	4.94	148.6	6.018	4.522	29.35	0
2/11/2026 23:00	3.917	119.1	16.06	4.4	29.35	0
2/11/2026 23:15	3.518	127.7	12.91	4.253	29.35	0
2/11/2026 23:30	3.365	138.2	9.82	4.493	29.35	0
2/11/2026 23:45	5.186	139.7	5.072	4.203	29.35	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/12/2026 0:00	5.827	145.9	4.329	4.377	29.36	0
2/12/2026 0:15	6.385	157.5	6.76	4.957	29.36	0
2/12/2026 0:30	3.991	147	10.9	5.264	29.36	0
2/12/2026 0:45	2.037	13.2	45.47	4.236	29.37	0
2/12/2026 1:00	3.527	342.2	12.48	4.723	29.37	0
2/12/2026 1:15	2.77	27.56	14.45	3.908	29.37	0
2/12/2026 1:30	3.489	20.21	6.501	2.252	29.38	0
2/12/2026 1:45	0.092	28.84	0.024	3.179	29.38	0
2/12/2026 2:00	1.159	34.74	2.458	3.761	29.39	0
2/12/2026 2:15	3.819	34.2	3.963	2.509	29.39	0
2/12/2026 2:30	3.854	26.3	5.567	2.357	29.39	0
2/12/2026 2:45	2.923	32.73	12.56	2.545	29.39	0
2/12/2026 3:00	3.082	78.57	7.658	2.783	29.39	0
2/12/2026 3:15	2.749	63.21	15.74	3.155	29.39	0
2/12/2026 3:30	1.648	71.6	31.41	3.868	29.39	0
2/12/2026 3:45	3.39	152.4	6.735	3.894	29.39	0
2/12/2026 4:00	3.592	159.9	12.31	3.943	29.4	0
2/12/2026 4:15	4.304	167	4.669	4.077	29.4	0
2/12/2026 4:30	3.813	160.1	7.717	4.184	29.4	0
2/12/2026 4:45	4.997	133.9	11.45	3.386	29.39	0
2/12/2026 5:00	5.193	125	9.18	3.933	29.39	0
2/12/2026 5:15	5.364	142.9	5.956	4.214	29.39	0
2/12/2026 5:30	4.339	174.5	40.06	4.525	29.4	0
2/12/2026 5:45	5.213	241.4	9.9	2.763	29.4	0
2/12/2026 6:00	2.829	2.756	58.2	2.028	29.41	0
2/12/2026 6:15	2.201	42.58	7.876	2.033	29.41	0
2/12/2026 6:30	2.182	14.9	30.34	2.457	29.41	0
2/12/2026 6:45	2.805	334.9	8.72	3.023	29.42	0
2/12/2026 7:00	4.128	14.11	12	2.522	29.42	0
2/12/2026 7:15	4.032	10.84	10.03	1.894	29.42	0
2/12/2026 7:30	2.254	7.256	5.332	2.127	29.43	0
2/12/2026 7:45	3.675	32.97	8.74	2.005	29.43	0
2/12/2026 8:00	3.718	85.2	20.65	2.041	29.43	0
2/12/2026 8:15	4.248	122	15.64	2.404	29.43	0
2/12/2026 8:30	4.728	146.8	10.97	3.257	29.43	0
2/12/2026 8:45	5.932	145.7	8.36	3.897	29.43	0
2/12/2026 9:00	5.752	145.5	7.327	4.303	29.43	0
2/12/2026 9:15	6.963	177.6	13.43	4.908	29.43	0
2/12/2026 9:30	6.303	186.5	10.1	4.49	29.43	0
2/12/2026 9:45	5.24	187.7	11.2	4.95	29.43	0
2/12/2026 10:00	5.362	214.7	6.456	5.369	29.43	0
2/12/2026 10:15	3.507	222.4	11.06	5.743	29.44	0
2/12/2026 10:30	3.06	233.3	11.88	6.17	29.44	0
2/12/2026 10:45	2.144	263.3	21.98	6.543	29.45	0
2/12/2026 11:00	1.676	205.1	31.9	6.997	29.45	0
2/12/2026 11:15	2.233	218.9	28.58	7.401	29.45	0
2/12/2026 11:30	3.432	195.1	22.12	7.728	29.45	0
2/12/2026 11:45	4.461	182.7	16.41	7.727	29.45	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/12/2026 12:00	4.208	166.7	24.3	8.24	29.45	0
2/12/2026 12:15	4.496	163.9	24.33	8.91	29.45	0
2/12/2026 12:30	5.702	155	24.57	9.25	29.44	0
2/12/2026 12:45	5.672	190.8	30.43	9.45	29.44	0
2/12/2026 13:00	6.195	164.1	29.07	9.49	29.44	0
2/12/2026 13:15	7.425	138.8	12.69	9.67	29.43	0
2/12/2026 13:30	6.81	154.2	11.99	10.03	29.43	0
2/12/2026 13:45	7.697	173.8	22.96	10.06	29.43	0
2/12/2026 14:00	7.278	188	19.25	10.31	29.43	0
2/12/2026 14:15	5.253	192.7	19.16	10.53	29.42	0
2/12/2026 14:30	5.963	145.1	24.78	10.7	29.41	0
2/12/2026 14:45	7.409	164.9	12.01	10.89	29.41	0
2/12/2026 15:00	5.314	200.9	22.29	11.07	29.41	0
2/12/2026 15:15	3.546	182	31.31	11.39	29.41	0
2/12/2026 15:30	5.984	194.4	25.1	11.4	29.4	0
2/12/2026 15:45	5.36	163.3	22.85	11.15	29.4	0
2/12/2026 16:00	5.572	188.1	18.46	11.25	29.39	0
2/12/2026 16:15	7.387	170.6	13	11	29.39	0
2/12/2026 16:30	7.042	180.7	11.27	10.92	29.39	0
2/12/2026 16:45	6.123	184.9	8.74	10.57	29.39	0
2/12/2026 17:00	5.214	180	7.728	10.51	29.39	0
2/12/2026 17:15	6.841	238.5	26.98	10.23	29.38	0
2/12/2026 17:30	8.17	260.7	8.62	9.46	29.39	0
2/12/2026 17:45	6.435	255.5	7.511	9.16	29.39	0
2/12/2026 18:00	5.619	255.9	9.71	8.99	29.39	0
2/12/2026 18:15	3.652	244.1	13.52	8.81	29.39	0
2/12/2026 18:30	3.704	226.4	7.047	8.68	29.38	0
2/12/2026 18:45	4.797	223.8	7.951	8.37	29.39	0
2/12/2026 19:00	3.592	226.1	6.144	8.19	29.39	0
2/12/2026 19:15	3.455	237.6	4.499	7.875	29.39	0
2/12/2026 19:30	3.269	242.8	5.616	7.804	29.4	0
2/12/2026 19:45	1.9	230	10.54	7.813	29.4	0
2/12/2026 20:00	2.221	213.2	32.99	7.769	29.41	0
2/12/2026 20:15	3.397	161.5	16.12	7.521	29.41	0
2/12/2026 20:30	4.157	175.7	6.524	7.152	29.4	0
2/12/2026 20:45	4.735	181.5	6.183	6.929	29.4	0
2/12/2026 21:00	4.931	194.4	8.88	6.905	29.4	0
2/12/2026 21:15	4.939	195.6	5.206	6.991	29.4	0
2/12/2026 21:30	4.888	205.1	10.25	7.093	29.4	0
2/12/2026 21:45	4.407	196	7.43	6.866	29.4	0
2/12/2026 22:00	5.535	173.4	8.15	6.698	29.4	0
2/12/2026 22:15	5.565	171.5	6.956	6.682	29.4	0
2/12/2026 22:30	4.115	175.1	10.23	6.63	29.4	0
2/12/2026 22:45	3.512	156.3	12.18	6.512	29.4	0
2/12/2026 23:00	5.107	143.8	5.19	6.247	29.4	0
2/12/2026 23:15	6.878	143.7	4.114	6.355	29.39	0
2/12/2026 23:30	7.188	144	8.87	6.476	29.38	0
2/12/2026 23:45	9.19	146.4	6.817	6.477	29.38	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/13/2026 0:00	8.5	134.1	8.86	6.39	29.38	0
2/13/2026 0:15	9.2	144.8	7.831	6.309	29.37	0
2/13/2026 0:30	6.117	136.7	9.06	6.302	29.37	0
2/13/2026 0:45	4.257	130.1	9.95	6.31	29.37	0
2/13/2026 1:00	5.829	147.2	9.34	6.264	29.36	0
2/13/2026 1:15	5.139	180.3	10.61	6.395	29.36	0
2/13/2026 1:30	5.318	164.8	11.54	6.174	29.36	0
2/13/2026 1:45	6.064	155.3	8.33	6.057	29.35	0
2/13/2026 2:00	5.672	139.7	6.981	6.08	29.35	0
2/13/2026 2:15	6.108	144.2	4.697	6.294	29.35	0
2/13/2026 2:30	5.425	141.5	7.147	6.465	29.35	0
2/13/2026 2:45	5.303	141.6	15.55	6.434	29.35	0
2/13/2026 3:00	4.296	132.7	11.45	6.538	29.34	0
2/13/2026 3:15	4.305	118.6	8.06	6.571	29.34	0
2/13/2026 3:30	4.315	113.8	9.18	6.611	29.34	0
2/13/2026 3:45	4.386	126.5	11.02	6.604	29.33	0
2/13/2026 4:00	4.926	135.1	11.3	6.5	29.33	0
2/13/2026 4:15	5.217	135.7	8.71	6.44	29.33	0
2/13/2026 4:30	4.853	140.3	11.94	6.296	29.32	0
2/13/2026 4:45	4.665	135.4	8.34	6.331	29.32	0
2/13/2026 5:00	4.123	149.8	18.31	6.389	29.31	0
2/13/2026 5:15	3.941	159.9	23.98	5.765	29.31	0
2/13/2026 5:30	5.073	147.3	16.99	5.489	29.3	0
2/13/2026 5:45	3.259	107	19.2	5.614	29.3	0
2/13/2026 6:00	2.633	114.8	13.6	5.472	29.29	0
2/13/2026 6:15	4.343	149.5	24.71	5.754	29.29	0
2/13/2026 6:30	4.317	158.1	14.53	5.808	29.29	0
2/13/2026 6:45	3.991	171.4	11.8	5.735	29.29	0
2/13/2026 7:00	4.951	182.3	14.28	5.326	29.28	0
2/13/2026 7:15	4.283	179.9	14.22	4.946	29.28	0
2/13/2026 7:30	2.945	151.1	31.44	5.122	29.28	0
2/13/2026 7:45	4.254	124.7	6.76	4.991	29.28	0
2/13/2026 8:00	4.157	143	18.71	5.634	29.27	0
2/13/2026 8:15	5.644	157.7	18.01	5.355	29.27	0
2/13/2026 8:30	4.801	157.1	12.89	5.682	29.27	0
2/13/2026 8:45	4.575	168.9	24.71	5.647	29.27	0
2/13/2026 9:00	3.454	163.8	23.86	5.54	29.27	0
2/13/2026 9:15	4.089	153.3	12.87	5.987	29.27	0
2/13/2026 9:30	3.959	155.8	13.21	6.231	29.26	0
2/13/2026 9:45	4.261	136.7	17.76	6.496	29.26	0
2/13/2026 10:00	4.277	126.5	9.54	7.088	29.25	0
2/13/2026 10:15	4.291	135.2	12.37	7.605	29.25	0
2/13/2026 10:30	4.148	160.6	21.12	7.633	29.24	0
2/13/2026 10:45	3.063	171.3	14.47	7.529	29.24	0
2/13/2026 11:00	2.955	164.8	13.91	7.713	29.24	0
2/13/2026 11:15	2.467	142	25.74	7.885	29.23	0
2/13/2026 11:30	2.793	137	10.12	8.28	29.23	0
2/13/2026 11:45	4.217	158.2	17.9	8.55	29.22	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/13/2026 12:00	3.858	189.8	13.91	8.67	29.22	0
2/13/2026 12:15	3.932	202.7	10.34	8.64	29.21	0
2/13/2026 12:30	4.79	223	15.11	8.61	29.21	0
2/13/2026 12:45	4.472	249	18.8	8.46	29.2	0
2/13/2026 13:00	5.243	237.8	12.61	8.24	29.2	0
2/13/2026 13:15	3.545	264.7	18.41	7.758	29.2	0
2/13/2026 13:30	2.707	254.9	19.15	7.381	29.2	0.01
2/13/2026 13:45	2.908	268.7	9.67	7.085	29.2	0.01
2/13/2026 14:00	0.63	277.8	5.596	6.955	29.19	0
2/13/2026 14:15	0	0	0	6.929	29.19	0.01
2/13/2026 14:30	0	0	0	6.812	29.19	0.02
2/13/2026 14:45	2.039	85.7	35	6.634	29.18	0.01
2/13/2026 15:00	3.651	107.4	19.53	6.544	29.18	0.02
2/13/2026 15:15	4.185	103.7	12.52	6.47	29.17	0.01
2/13/2026 15:30	6.385	111.1	8.97	6.348	29.16	0.02
2/13/2026 15:45	5.366	115.9	8.79	6.377	29.16	0.01
2/13/2026 16:00	5.577	116.9	9.8	6.379	29.15	0.01
2/13/2026 16:15	5.765	123.6	7.958	6.379	29.15	0.02
2/13/2026 16:30	6.093	125.7	7.291	6.347	29.14	0.02
2/13/2026 16:45	6.369	123.5	8.64	6.268	29.14	0.01
2/13/2026 17:00	5.821	132.5	9.18	6.19	29.14	0.02
2/13/2026 17:15	5.705	136.7	10.61	6.153	29.14	0.01
2/13/2026 17:30	6.459	112.7	10.02	6.077	29.13	0.01
2/13/2026 17:45	5.414	116.5	8.68	5.973	29.13	0
2/13/2026 18:00	4.739	122.4	9.58	6.088	29.12	0
2/13/2026 18:15	4.835	126.5	8.27	6.096	29.12	0
2/13/2026 18:30	4.804	136.2	15.73	6.036	29.12	0.01
2/13/2026 18:45	4.165	152.4	7.261	5.978	29.12	0
2/13/2026 19:00	3.965	187.5	25.57	6.054	29.12	0
2/13/2026 19:15	5.416	184.4	9.77	6.141	29.13	0
2/13/2026 19:30	5.049	185.7	12.53	6.022	29.13	0.01
2/13/2026 19:45	4.952	181.4	11.02	5.947	29.13	0.01
2/13/2026 20:00	8.85	206.3	15.27	5.959	29.13	0.02
2/13/2026 20:15	10.43	215.5	11.86	5.9	29.13	0.01
2/13/2026 20:30	14.64	222.1	9.43	5.652	29.13	0
2/13/2026 20:45	13.18	218.2	7.524	5.387	29.14	0.01
2/13/2026 21:00	11.62	213.3	8.27	5.214	29.14	0
2/13/2026 21:15	8.08	196.5	15.37	5.099	29.15	0
2/13/2026 21:30	7.321	190.4	9.63	4.981	29.15	0.02
2/13/2026 21:45	8.42	194	10.78	4.89	29.15	0
2/13/2026 22:00	7.143	196.2	11.08	4.806	29.15	0.01
2/13/2026 22:15	8.22	188.8	10.59	4.73	29.16	0
2/13/2026 22:30	8.8	186.8	10.41	4.588	29.16	0
2/13/2026 22:45	8.72	180.8	8.62	4.458	29.16	0.01
2/13/2026 23:00	8.49	180.1	10.33	4.39	29.16	0
2/13/2026 23:15	7.311	191.2	10.72	4.355	29.16	0
2/13/2026 23:30	7.143	196.5	11.34	4.328	29.16	0
2/13/2026 23:45	7.362	192.6	8.73	4.319	29.17	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/14/2026 0:00	6.768	192.5	12.33	4.292	29.17	0
2/14/2026 0:15	7.276	191.1	8.61	4.247	29.18	0
2/14/2026 0:30	10.23	195	9.2	4.236	29.18	0
2/14/2026 0:45	7.482	179.7	11.08	4.157	29.19	0
2/14/2026 1:00	5.92	169.4	14.61	4.049	29.19	0
2/14/2026 1:15	5.146	160.1	13.91	3.944	29.2	0
2/14/2026 1:30	5.471	132.4	7.975	3.699	29.2	0
2/14/2026 1:45	5.715	133.3	6.623	3.478	29.2	0
2/14/2026 2:00	6.002	130.1	7.057	3.42	29.21	0
2/14/2026 2:15	6.925	130.9	7.555	3.395	29.2	0
2/14/2026 2:30	6.13	128.7	8.22	3.43	29.2	0
2/14/2026 2:45	5.25	125.9	10.35	3.532	29.21	0
2/14/2026 3:00	5.145	113.5	8.57	3.537	29.2	0
2/14/2026 3:15	5.829	121.3	6.966	3.58	29.2	0
2/14/2026 3:30	5.513	117.3	8.51	3.658	29.2	0
2/14/2026 3:45	6.685	119.2	7.958	3.803	29.2	0
2/14/2026 4:00	5.625	120.8	10.88	3.986	29.2	0
2/14/2026 4:15	6.215	124.4	7.711	4.023	29.2	0
2/14/2026 4:30	6.159	120.7	8.62	4.151	29.2	0
2/14/2026 4:45	5.709	145.7	21.3	4.176	29.2	0.02
2/14/2026 5:00	4.895	180.5	15.73	4.098	29.21	0.01
2/14/2026 5:15	4.288	161.4	12.11	3.847	29.21	0.01
2/14/2026 5:30	4.463	127.5	9.26	3.704	29.21	0
2/14/2026 5:45	4.592	138.3	11.64	3.791	29.22	0
2/14/2026 6:00	5.954	139.1	9.72	3.825	29.22	0.01
2/14/2026 6:15	6.335	127.9	9.22	3.817	29.21	0
2/14/2026 6:30	5.228	128	8.59	3.78	29.22	0
2/14/2026 6:45	5.265	132.5	11.01	3.793	29.22	0
2/14/2026 7:00	5.29	123.2	10.71	3.819	29.22	0
2/14/2026 7:15	7.009	124.9	8.02	3.764	29.22	0
2/14/2026 7:30	5.744	118.7	9.33	3.749	29.22	0
2/14/2026 7:45	4.504	122.7	14.41	3.783	29.23	0
2/14/2026 8:00	4.14	132.3	11.75	3.857	29.24	0
2/14/2026 8:15	4.807	131.4	7.747	3.905	29.24	0
2/14/2026 8:30	4.144	142.8	10.55	3.951	29.24	0
2/14/2026 8:45	4.468	153.8	14.23	4.07	29.25	0
2/14/2026 9:00	4.874	174.1	11.8	4.63	29.25	0
2/14/2026 9:15	4.519	176.4	12.94	4.911	29.26	0
2/14/2026 9:30	4.758	182.5	14.54	5.143	29.26	0
2/14/2026 9:45	5.302	180.6	11.51	5.21	29.27	0
2/14/2026 10:00	5.936	167	18.46	5.288	29.27	0
2/14/2026 10:15	6.406	164.1	17.42	5.635	29.27	0
2/14/2026 10:30	6.023	153.3	18.42	5.462	29.27	0
2/14/2026 10:45	5.141	168.6	20.82	5.612	29.28	0
2/14/2026 11:00	5.882	187.9	18.55	5.901	29.28	0
2/14/2026 11:15	5.095	202.1	11.27	5.872	29.28	0
2/14/2026 11:30	3.895	206	15.18	5.819	29.28	0
2/14/2026 11:45	2.811	194.2	22.85	6.3	29.28	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/14/2026 12:00	1.309	253.4	43.84	6.695	29.27	0
2/14/2026 12:15	1.342	284.8	38.04	6.812	29.27	0
2/14/2026 12:30	1.451	316.7	37.53	6.881	29.26	0
2/14/2026 12:45	1.101	359.3	40.5	6.729	29.26	0
2/14/2026 13:00	1.04	26.31	46.74	7.006	29.26	0
2/14/2026 13:15	1.706	93.9	74.51	7.073	29.26	0
2/14/2026 13:30	1.587	277.9	44.32	7.373	29.25	0
2/14/2026 13:45	2.596	295.6	36.03	7.254	29.25	0
2/14/2026 14:00	3.944	339.2	25.8	7.198	29.25	0
2/14/2026 14:15	4.044	14.69	15.79	7.507	29.24	0
2/14/2026 14:30	4.862	27.82	16.15	7.029	29.24	0
2/14/2026 14:45	5.856	21.05	8.33	6.701	29.23	0
2/14/2026 15:00	4.485	14.15	8.24	6.489	29.23	0
2/14/2026 15:15	2.773	13.24	12.4	6.567	29.23	0
2/14/2026 15:30	2.954	336.9	18.3	6.893	29.23	0
2/14/2026 15:45	3.292	322.4	11.84	7.317	29.23	0
2/14/2026 16:00	2.937	354	24.08	7.488	29.23	0
2/14/2026 16:15	6.186	8.89	12.75	6.883	29.22	0
2/14/2026 16:30	5.844	1.925	17.21	6.813	29.22	0
2/14/2026 16:45	3.844	338.8	9.93	6.714	29.22	0
2/14/2026 17:00	3.748	329.2	8.13	6.539	29.22	0
2/14/2026 17:15	5.32	335.1	10.03	6.345	29.22	0
2/14/2026 17:30	6.248	1.257	19.1	6.093	29.21	0
2/14/2026 17:45	6.207	17.73	11.84	5.801	29.21	0
2/14/2026 18:00	6.21	21.86	11.12	5.49	29.21	0
2/14/2026 18:15	4.68	9.81	17.56	5.379	29.21	0
2/14/2026 18:30	6.17	3.491	24.74	5.32	29.21	0
2/14/2026 18:45	5.318	13.06	18.11	5.249	29.21	0
2/14/2026 19:00	9.71	14.89	12.96	5.123	29.2	0
2/14/2026 19:15	8	17.1	17.23	5.033	29.21	0
2/14/2026 19:30	6.997	15.9	20.54	4.908	29.21	0
2/14/2026 19:45	8.22	9.61	18.64	4.863	29.21	0
2/14/2026 20:00	8.61	9.22	16.1	4.75	29.22	0
2/14/2026 20:15	9.94	7.283	14.4	4.714	29.21	0
2/14/2026 20:30	9.2	1.624	17.51	4.821	29.22	0
2/14/2026 20:45	6.588	356	20.61	4.823	29.22	0
2/14/2026 21:00	6.612	8.74	20.41	4.716	29.22	0
2/14/2026 21:15	7.43	7.126	20.84	4.646	29.22	0
2/14/2026 21:30	6.481	27.77	12.29	4.603	29.21	0
2/14/2026 21:45	6.464	1.201	23.44	4.511	29.21	0
2/14/2026 22:00	6.496	9	18.18	4.528	29.21	0
2/14/2026 22:15	9.08	3.302	16.71	4.526	29.2	0
2/14/2026 22:30	7.382	8.35	16.86	4.487	29.2	0
2/14/2026 22:45	5.083	15.03	16.79	4.415	29.2	0
2/14/2026 23:00	6.556	17.13	17.16	4.223	29.2	0
2/14/2026 23:15	6.554	12.78	19.01	4.233	29.21	0
2/14/2026 23:30	5.163	22.7	16.83	4.101	29.2	0
2/14/2026 23:45	6.902	19.28	14.45	3.967	29.2	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/15/2026 0:00	4.099	20.22	24.46	3.922	29.2	0
2/15/2026 0:15	4.602	15.22	20	3.847	29.2	0
2/15/2026 0:30	3.827	359.8	20.1	3.597	29.2	0
2/15/2026 0:45	4.229	6.431	28.3	3.384	29.2	0
2/15/2026 1:00	3.062	9.03	23.16	3.4	29.2	0
2/15/2026 1:15	2.803	58.3	24.16	3.211	29.2	0
2/15/2026 1:30	2.092	62.44	38.23	2.896	29.2	0
2/15/2026 1:45	4.021	34.47	13.34	3.172	29.2	0
2/15/2026 2:00	4.841	22.17	16.77	3.201	29.2	0
2/15/2026 2:15	4.146	10.65	23.11	3.168	29.2	0
2/15/2026 2:30	5.614	19.54	22.06	3.053	29.2	0
2/15/2026 2:45	6.941	14.98	18.16	3.035	29.2	0
2/15/2026 3:00	6.683	33.72	21.2	3.022	29.19	0
2/15/2026 3:15	5.836	42.14	25.59	2.942	29.19	0
2/15/2026 3:30	5.902	69.75	16.62	2.506	29.18	0
2/15/2026 3:45	6.336	51.43	16.88	2.323	29.18	0
2/15/2026 4:00	7.832	52.63	9.09	2.318	29.18	0
2/15/2026 4:15	9.82	38.82	10.35	2.255	29.18	0
2/15/2026 4:30	12.16	28.85	8.22	2.228	29.18	0
2/15/2026 4:45	10.93	37.41	9.15	2.005	29.18	0
2/15/2026 5:00	10.69	38	9.65	1.98	29.18	0
2/15/2026 5:15	8.88	41.14	9.46	1.978	29.18	0
2/15/2026 5:30	9.36	45.04	10.28	2.012	29.18	0
2/15/2026 5:45	12.67	33.68	9.28	2.03	29.18	0
2/15/2026 6:00	10.93	35.6	7.404	1.944	29.18	0
2/15/2026 6:15	10.38	31.83	9.08	1.982	29.19	0
2/15/2026 6:30	9.63	28.67	11.23	2.006	29.18	0
2/15/2026 6:45	8.88	25.74	13.67	1.971	29.18	0
2/15/2026 7:00	11.16	24.27	11.91	1.86	29.18	0
2/15/2026 7:15	9.47	15.39	14.73	1.591	29.19	0
2/15/2026 7:30	9.28	28.25	13.66	1.372	29.19	0
2/15/2026 7:45	9.72	27.95	15.31	1.384	29.19	0
2/15/2026 8:00	10.47	21.11	16.86	1.569	29.19	0
2/15/2026 8:15	10.38	25.47	10.28	1.67	29.18	0
2/15/2026 8:30	12.13	22.84	9.08	1.752	29.18	0
2/15/2026 8:45	7.371	32.5	12.4	1.577	29.19	0
2/15/2026 9:00	7.405	31.38	13.04	1.261	29.19	0
2/15/2026 9:15	6.826	28.41	10.25	1.427	29.19	0
2/15/2026 9:30	3.896	28.32	12.82	2.129	29.19	0
2/15/2026 9:45	3.168	32.03	13.89	2.445	29.19	0
2/15/2026 10:00	3.798	36.16	14.35	2.403	29.19	0
2/15/2026 10:15	5.061	24.92	7.228	2.117	29.19	0
2/15/2026 10:30	3.981	16.01	15.2	2.303	29.19	0
2/15/2026 10:45	4.847	31.11	12.23	2.81	29.19	0
2/15/2026 11:00	4.617	38.06	16.16	3.158	29.18	0
2/15/2026 11:15	2.975	47.08	22.63	3.362	29.18	0
2/15/2026 11:30	3.475	36.39	20.33	3.275	29.18	0
2/15/2026 11:45	5.474	28.78	11.31	3.236	29.17	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/15/2026 12:00	5.248	31.51	8.59	3.218	29.17	0
2/15/2026 12:15	5.364	33.62	12.68	3.147	29.16	0
2/15/2026 12:30	5.411	34.24	8.7	3.318	29.16	0
2/15/2026 12:45	5.52	32.7	16.89	4.414	29.15	0
2/15/2026 13:00	4.826	39.03	24.36	5.033	29.15	0
2/15/2026 13:15	3.242	24.91	18.52	5.217	29.14	0
2/15/2026 13:30	2.823	46.26	26.42	5.232	29.14	0
2/15/2026 13:45	1.726	64.13	38.72	5.545	29.13	0
2/15/2026 14:00	2.079	24.2	22.99	6.18	29.13	0
2/15/2026 14:15	2.292	34.75	17.14	6.325	29.12	0
2/15/2026 14:30	1.846	341.7	44.42	6.514	29.11	0
2/15/2026 14:45	1.787	62.99	15.85	6.969	29.11	0
2/15/2026 15:00	1.968	309	51.5	6.898	29.1	0
2/15/2026 15:15	1.332	149	49.54	7.285	29.09	0
2/15/2026 15:30	1.021	80.2	13.67	7.103	29.09	0
2/15/2026 15:45	1.679	31.22	15	7.14	29.08	0
2/15/2026 16:00	1.617	28.74	13.34	7.2	29.08	0
2/15/2026 16:15	2.468	38.44	19.19	6.842	29.07	0
2/15/2026 16:30	1.999	17.21	25.89	6.877	29.07	0
2/15/2026 16:45	2.192	3.481	22.78	6.825	29.06	0
2/15/2026 17:00	3.323	308	11.19	6.837	29.06	0
2/15/2026 17:15	3.656	275.4	11.55	6.741	29.06	0
2/15/2026 17:30	3.752	274.2	4.589	6.183	29.06	0
2/15/2026 17:45	2.93	271	11.11	5.667	29.05	0
2/15/2026 18:00	1.087	273.1	4.36	5.402	29.05	0
2/15/2026 18:15	0.255	282.2	5.747	5.272	29.05	0
2/15/2026 18:30	0.749	8.71	36.29	5.111	29.05	0
2/15/2026 18:45	2.341	43.8	14.1	4.146	29.04	0
2/15/2026 19:00	3.207	37.81	7.536	3.702	29.04	0
2/15/2026 19:15	3.452	24.5	6.698	3.362	29.04	0
2/15/2026 19:30	3.895	42.38	8.26	3.029	29.03	0
2/15/2026 19:45	4.188	38.61	8.03	2.653	29.03	0
2/15/2026 20:00	5.924	34.21	5.485	2.609	29.02	0
2/15/2026 20:15	6.799	26.94	7.701	2.189	29.01	0
2/15/2026 20:30	5.398	29.64	10.86	2.432	29.01	0
2/15/2026 20:45	4.466	39	9.69	2.427	29.01	0
2/15/2026 21:00	3.427	35.7	9.22	2.261	29	0
2/15/2026 21:15	3.687	31.69	5.275	2.492	29	0
2/15/2026 21:30	3.374	53.96	7.583	2.564	28.99	0
2/15/2026 21:45	2.441	64.46	11.35	2.383	28.99	0
2/15/2026 22:00	2.423	40.18	10.34	2.284	28.99	0
2/15/2026 22:15	2.645	48	10.47	2.318	28.98	0
2/15/2026 22:30	2.732	93.4	22.95	2.313	28.98	0
2/15/2026 22:45	3.004	74.15	21.92	2.473	28.97	0
2/15/2026 23:00	2.996	33.36	4.599	2.388	28.96	0
2/15/2026 23:15	2.093	59.62	12.79	2.408	28.96	0
2/15/2026 23:30	2.512	105.8	4.642	2.651	28.95	0
2/15/2026 23:45	3.055	120.9	8.07	2.761	28.94	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/16/2026 0:00	2.646	131.9	12.68	2.251	28.94	0
2/16/2026 0:15	3.633	163.5	6.051	2.863	28.93	0
2/16/2026 0:30	4.083	169.9	5.767	2.753	28.93	0
2/16/2026 0:45	1.64	156.7	19.51	2.925	28.93	0
2/16/2026 1:00	0.404	71.83	17.8	2.864	28.92	0
2/16/2026 1:15	2.332	24.7	12.79	2.575	28.91	0
2/16/2026 1:30	1.859	26.4	9.46	2.678	28.91	0
2/16/2026 1:45	1.848	44.01	7.599	2.831	28.9	0
2/16/2026 2:00	1.921	100.3	19.72	2.878	28.9	0
2/16/2026 2:15	2.628	144.1	8.15	2.762	28.89	0
2/16/2026 2:30	1.873	147.6	11.05	2.774	28.89	0
2/16/2026 2:45	2.545	159.5	5.536	2.723	28.88	0
2/16/2026 3:00	2.5	155.3	4.726	2.792	28.87	0
2/16/2026 3:15	1.316	94.9	40.43	2.805	28.85	0
2/16/2026 3:30	1.615	33.76	4.897	2.219	28.84	0
2/16/2026 3:45	1.657	24.18	3.833	2.434	28.83	0
2/16/2026 4:00	1.493	26.11	3.535	2.343	28.83	0
2/16/2026 4:15	1.345	93.8	12.42	2.284	28.83	0
2/16/2026 4:30	0.472	83.7	1.695	2.16	28.82	0
2/16/2026 4:45	0.108	347.1	0.684	2.177	28.81	0
2/16/2026 5:00	0	0	0	1.343	28.79	0
2/16/2026 5:15	0.785	206.2	1.451	0.789	28.79	0
2/16/2026 5:30	4.152	203.3	4.785	0.343	28.78	0
2/16/2026 5:45	0.755	155.7	17.45	0.277	28.76	0
2/16/2026 6:00	0.296	140	2.25	0.551	28.76	0
2/16/2026 6:15	2.752	153.3	8.81	0.865	28.75	0
2/16/2026 6:30	4.719	163.1	10.81	0.434	28.74	0
2/16/2026 6:45	4.789	147.1	2.877	0.402	28.73	0
2/16/2026 7:00	4.964	148.3	4.937	0.446	28.73	0
2/16/2026 7:15	4.357	145	4.672	0.741	28.72	0
2/16/2026 7:30	4.776	157.6	50.55	0.976	28.72	0
2/16/2026 7:45	5.842	176.9	26.02	1.033	28.72	0
2/16/2026 8:00	7.179	160.4	7.918	0.756	28.72	0
2/16/2026 8:15	4.13	154.5	5.987	0.809	28.72	0
2/16/2026 8:30	3.404	147.9	10.51	1.209	28.71	0
2/16/2026 8:45	4.297	153.5	10.64	1.468	28.7	0
2/16/2026 9:00	4.467	183.8	8.57	1.582	28.69	0
2/16/2026 9:15	4.268	209.5	12.21	1.482	28.69	0
2/16/2026 9:30	3.062	198.7	20.04	1.664	28.68	0
2/16/2026 9:45	2.472	148.4	14.81	1.616	28.67	0
2/16/2026 10:00	2.668	136.4	11.27	1.671	28.67	0
2/16/2026 10:15	4.183	139.4	15.84	1.951	28.66	0
2/16/2026 10:30	4.885	145.1	8.29	2.159	28.66	0
2/16/2026 10:45	5.792	131.3	12.93	2.395	28.65	0
2/16/2026 11:00	6.484	144.4	12.34	2.875	28.64	0
2/16/2026 11:15	7.482	152.4	12.02	2.86	28.63	0
2/16/2026 11:30	8.09	167.9	16.95	3.283	28.62	0
2/16/2026 11:45	7.75	187.7	9.75	3.295	28.62	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/16/2026 12:00	6.95	167.4	17.34	3.425	28.61	0
2/16/2026 12:15	6.557	149.7	13.96	3.601	28.6	0
2/16/2026 12:30	5.663	146.9	34.05	3.844	28.6	0
2/16/2026 12:45	7.474	276.6	36.7	4.137	28.59	0
2/16/2026 13:00	9.69	172.6	19.74	4.026	28.58	0
2/16/2026 13:15	4.489	164.7	17.91	4.01	28.58	0
2/16/2026 13:30	3.942	157	28.75	4.689	28.57	0
2/16/2026 13:45	5.613	189.2	16.59	4.626	28.56	0
2/16/2026 14:00	8.01	190.8	15.4	4.336	28.56	0.01
2/16/2026 14:15	10.89	232.2	13.73	3.618	28.56	0.01
2/16/2026 14:30	11.65	227.1	15.74	2.935	28.56	0.02
2/16/2026 14:45	9.87	229	15.24	2.496	28.56	0.02
2/16/2026 15:00	8.91	212.1	29.25	2.554	28.56	0
2/16/2026 15:15	11.23	192.2	20.46	2.424	28.56	0.01
2/16/2026 15:30	10.14	180.5	37.36	2.634	28.55	0.01
2/16/2026 15:45	7.91	141.7	10.57	2.427	28.55	0
2/16/2026 16:00	7.799	140.9	10.47	2.387	28.55	0
2/16/2026 16:15	7.581	145	11.46	2.503	28.55	0
2/16/2026 16:30	9.93	148.3	7.458	2.572	28.54	0
2/16/2026 16:45	10	167.7	11.6	2.704	28.55	0
2/16/2026 17:00	8.76	159.6	10.73	2.827	28.55	0
2/16/2026 17:15	8.88	161.8	12.52	2.806	28.54	0
2/16/2026 17:30	6.599	143.7	10.87	2.744	28.54	0
2/16/2026 17:45	4.526	132.2	11.14	2.672	28.54	0
2/16/2026 18:00	4.773	140	9.32	2.505	28.54	0
2/16/2026 18:15	7.146	152.9	14.24	2.544	28.54	0
2/16/2026 18:30	8.34	173	7.374	2.541	28.54	0
2/16/2026 18:45	10.01	159.4	7.59	2.262	28.54	0
2/16/2026 19:00	8.2	143	12.67	2.025	28.54	0
2/16/2026 19:15	8.63	149.5	9.94	1.832	28.54	0
2/16/2026 19:30	7.678	141.5	11.71	1.634	28.54	0
2/16/2026 19:45	7.009	119.7	11.97	1.448	28.54	0
2/16/2026 20:00	6.958	119.8	10.21	1.205	28.54	0
2/16/2026 20:15	6.603	126.5	10.65	1.153	28.53	0
2/16/2026 20:30	5.615	130.8	7.212	1.266	28.53	0
2/16/2026 20:45	4.541	122.9	7.061	1.219	28.53	0
2/16/2026 21:00	2.863	116.6	12.06	1.339	28.53	0
2/16/2026 21:15	4.643	124.9	11.06	1.344	28.53	0
2/16/2026 21:30	3.726	111	14.42	1.529	28.52	0
2/16/2026 21:45	3.288	98.5	11.2	1.316	28.52	0
2/16/2026 22:00	3.204	102.5	9.57	1.281	28.52	0
2/16/2026 22:15	2.314	123.3	15.53	1.236	28.52	0
2/16/2026 22:30	4.223	159	11.99	1.114	28.52	0
2/16/2026 22:45	4.143	145.5	13.01	1.299	28.51	0
2/16/2026 23:00	4.62	122.6	8.12	1.565	28.51	0
2/16/2026 23:15	3.588	135.2	9.96	1.825	28.51	0
2/16/2026 23:30	2.525	110.5	19.67	1.701	28.51	0
2/16/2026 23:45	3.02	102.6	13.81	1.361	28.51	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/17/2026 0:00	2.927	120.8	7.636	1.103	28.51	0
2/17/2026 0:15	2.983	95.6	20.19	0.334	28.5	0
2/17/2026 0:30	3.211	68.69	15.47	0.055	28.5	0
2/17/2026 0:45	3.236	51.7	18.18	0.666	28.5	0
2/17/2026 1:00	2.034	102.8	32.45	0.548	28.5	0
2/17/2026 1:15	2.438	140.6	31.69	0.762	28.5	0
2/17/2026 1:30	2.854	81.6	22.38	0.841	28.5	0
2/17/2026 1:45	2.123	99.8	13.02	0.235	28.5	0
2/17/2026 2:00	4.596	72.17	13.1	0.213	28.5	0
2/17/2026 2:15	2.93	113.5	32.85	-0.014	28.5	0
2/17/2026 2:30	3.395	83.5	8.5	0.459	28.5	0
2/17/2026 2:45	2.904	86.9	13.2	0.529	28.5	0
2/17/2026 3:00	4.909	57.78	3.949	0.305	28.5	0
2/17/2026 3:15	4.206	56.41	8.23	0.063	28.49	0
2/17/2026 3:30	3.226	92	10.11	0.192	28.49	0
2/17/2026 3:45	3.634	103.2	21.73	0.405	28.49	0
2/17/2026 4:00	2.535	71.92	18.15	1.22	28.49	0
2/17/2026 4:15	2.152	101.2	24.69	0.67	28.49	0
2/17/2026 4:30	4.183	31.36	7.056	0.039	28.49	0
2/17/2026 4:45	5.426	40.97	9.18	-0.681	28.49	0
2/17/2026 5:00	3.206	42.88	12.57	-0.603	28.49	0
2/17/2026 5:15	2.701	34.72	10.85	-0.472	28.49	0
2/17/2026 5:30	2.615	18.08	13.28	-0.347	28.49	0
2/17/2026 5:45	2.504	354.3	85.7	-0.006	28.5	0
2/17/2026 6:00	4.237	276.6	100	-0.065	28.5	0
2/17/2026 6:15	4.823	229.1	51.95	-0.295	28.51	0
2/17/2026 6:30	4.203	263.5	18.97	-0.211	28.52	0
2/17/2026 6:45	4.811	285	17.45	-0.267	28.53	0
2/17/2026 7:00	7.188	254.5	8.22	0.055	28.54	0
2/17/2026 7:15	4.148	234.5	97.5	0.152	28.55	0
2/17/2026 7:30	5.431	62.72	11.45	-0.551	28.55	0
2/17/2026 7:45	2.727	46.27	15.47	0.074	28.55	0
2/17/2026 8:00	1.03	104.4	22.23	0.473	28.56	0
2/17/2026 8:15	0	0	0	0.433	28.57	0
2/17/2026 8:30	4.441	212.4	26.56	0.033	28.58	0
2/17/2026 8:45	2.275	31.8	31.01	-0.056	28.59	0
2/17/2026 9:00	1.733	21.27	1.89	0.028	28.59	0
2/17/2026 9:15	0.504	25.46	2.185	1.636	28.6	0
2/17/2026 9:30	0.521	30.37	4.314	2.387	28.6	0
2/17/2026 9:45	0.842	54.33	27.12	3.403	28.61	0
2/17/2026 10:00	2.897	128.5	20.95	3.052	28.61	0
2/17/2026 10:15	2.55	117.5	26.19	3.404	28.62	0
2/17/2026 10:30	3.603	123.6	12.49	3.787	28.62	0
2/17/2026 10:45	4.167	159.2	21.39	4.908	28.63	0
2/17/2026 11:00	4.909	189.6	19.83	5.273	28.63	0
2/17/2026 11:15	5.678	207.5	16.86	5.46	28.64	0
2/17/2026 11:30	4.929	194.5	21.45	5.601	28.64	0
2/17/2026 11:45	4.091	219.3	38.29	5.827	28.64	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/17/2026 12:00	4.468	181.1	30.48	5.176	28.65	0
2/17/2026 12:15	3.389	214.5	27.36	6.141	28.65	0
2/17/2026 12:30	7.021	203.6	19.23	6.323	28.65	0
2/17/2026 12:45	6.039	192	15.17	6.21	28.65	0
2/17/2026 13:00	6.035	239.4	47.16	6.697	28.65	0
2/17/2026 13:15	6.262	264.9	24.61	6.177	28.65	0
2/17/2026 13:30	6.415	282.5	17.77	6.187	28.65	0
2/17/2026 13:45	6.409	305.8	13.94	6.126	28.65	0
2/17/2026 14:00	5.453	305.9	11.51	6.052	28.66	0
2/17/2026 14:15	5.424	288.4	16.63	6.017	28.66	0
2/17/2026 14:30	3.588	286.5	25.81	5.742	28.66	0
2/17/2026 14:45	2.418	29.51	61.18	5.226	28.67	0
2/17/2026 15:00	2.742	241.1	44.96	5.03	28.67	0
2/17/2026 15:15	1.634	306.8	16.96	4.884	28.68	0
2/17/2026 15:30	2.834	265	35.89	4.853	28.68	0
2/17/2026 15:45	6.485	244.2	6.94	4.354	28.68	0
2/17/2026 16:00	6.993	263.1	14.37	3.865	28.69	0
2/17/2026 16:15	3.724	249.7	41.65	3.777	28.69	0
2/17/2026 16:30	2.594	170.1	31.6	4.053	28.7	0
2/17/2026 16:45	1.808	104.7	22.17	4.148	28.7	0
2/17/2026 17:00	2.227	79.34	12.28	4.016	28.7	0
2/17/2026 17:15	2.508	78.63	26.53	3.929	28.7	0
2/17/2026 17:30	8.31	135	8.77	3.581	28.71	0
2/17/2026 17:45	7.927	111.2	13.69	2.819	28.71	0.01
2/17/2026 18:00	7.826	99.5	11.68	2.2	28.72	0.01
2/17/2026 18:15	8.37	96.9	10.16	1.821	28.72	0
2/17/2026 18:30	7.143	95.2	10.61	1.57	28.72	0
2/17/2026 18:45	2.885	59.67	29.6	1.524	28.72	0
2/17/2026 19:00	4.347	286.2	18.28	1.42	28.72	0
2/17/2026 19:15	7.454	255.7	6.137	1.517	28.73	0
2/17/2026 19:30	6.266	239.5	5.579	1.663	28.73	0
2/17/2026 19:45	2.574	189.8	35.71	1.694	28.74	0
2/17/2026 20:00	0.382	53.39	7.587	1.451	28.75	0
2/17/2026 20:15	0	0	0	1.398	28.75	0
2/17/2026 20:30	0.438	270.8	4.087	1.495	28.76	0
2/17/2026 20:45	3.709	253.3	6.368	1.648	28.76	0
2/17/2026 21:00	1.086	269	8.64	1.579	28.76	0
2/17/2026 21:15	1.701	114.6	25.61	1.562	28.76	0
2/17/2026 21:30	1.889	100.4	26.42	1.466	28.76	0.01
2/17/2026 21:45	2.546	61.87	14.46	1.383	28.76	0
2/17/2026 22:00	0.754	127.4	32.19	1.314	28.77	0
2/17/2026 22:15	2.614	198.7	5.748	1.44	28.77	0
2/17/2026 22:30	3.82	217.5	9.79	1.446	28.78	0.01
2/17/2026 22:45	2.265	207	13.52	1.393	28.78	0
2/17/2026 23:00	1.251	76.89	32.56	1.332	28.78	0
2/17/2026 23:15	1.007	60.41	7.074	1.276	28.78	0
2/17/2026 23:30	0	0	0	1.155	28.78	0
2/17/2026 23:45	0	0	0	1.037	28.78	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/18/2026 0:00	0	0	0	0.982	28.79	0
2/18/2026 0:15	0	0	0	1.021	28.79	0
2/18/2026 0:30	0	0	0	1.045	28.79	0
2/18/2026 0:45	0	0	0	1.135	28.79	0
2/18/2026 1:00	0	0	0	1.133	28.79	0
2/18/2026 1:15	0	0	0	1.146	28.79	0
2/18/2026 1:30	0	0	0	0.99	28.79	0
2/18/2026 1:45	0	0	0	1.121	28.79	0
2/18/2026 2:00	0.469	195.5	2.755	0.99	28.8	0
2/18/2026 2:15	3.289	202.7	8.78	0.898	28.8	0
2/18/2026 2:30	4.542	209.5	8.17	0.658	28.8	0
2/18/2026 2:45	4.96	206.8	5.817	0.661	28.8	0
2/18/2026 3:00	3.993	204.3	8.97	0.637	28.8	0
2/18/2026 3:15	2.73	173	13.32	0.573	28.8	0
2/18/2026 3:30	2.074	145.9	5.951	0.545	28.8	0
2/18/2026 3:45	4.708	155.6	5.336	0.555	28.81	0
2/18/2026 4:00	4.969	167.6	10.43	0.525	28.81	0
2/18/2026 4:15	5.168	163.8	11.16	0.492	28.81	0
2/18/2026 4:30	5.05	177	10.79	0.49	28.81	0
2/18/2026 4:45	5.603	191.2	7.009	0.437	28.81	0
2/18/2026 5:00	3.92	183.7	10.93	0.471	28.82	0
2/18/2026 5:15	3.505	184.9	14.65	0.399	28.82	0
2/18/2026 5:30	2.834	184.1	14.37	0.194	28.82	0
2/18/2026 5:45	2.413	156.1	11.34	0.296	28.82	0
2/18/2026 6:00	4.081	186.7	16.33	0.368	28.82	0
2/18/2026 6:15	4.638	189.2	13.31	0.465	28.83	0
2/18/2026 6:30	4.246	180.1	9.23	0.484	28.83	0
2/18/2026 6:45	4.322	183.5	7.541	0.521	28.83	0
2/18/2026 7:00	3.338	194.3	15.08	0.591	28.84	0
2/18/2026 7:15	2.969	209.1	10.33	0.648	28.84	0.01
2/18/2026 7:30	2.646	158.9	37.18	0.683	28.84	0
2/18/2026 7:45	1.007	153.4	17.16	0.622	28.85	0
2/18/2026 8:00	3.509	151.1	21.36	0.67	28.85	0
2/18/2026 8:15	1.222	133.7	15.92	0.744	28.85	0
2/18/2026 8:30	2.02	104.1	25.17	0.852	28.85	0
2/18/2026 8:45	2.689	109.5	22.64	1.006	28.85	0
2/18/2026 9:00	0.99	129.9	7.237	1.376	28.85	0.01
2/18/2026 9:15	2.747	120.5	13.4	1.561	28.86	0
2/18/2026 9:30	3.735	121.8	25.1	1.919	28.86	0
2/18/2026 9:45	0.176	34.09	12.72	1.967	28.87	0
2/18/2026 10:00	0.572	62.92	13.94	2.033	28.87	0
2/18/2026 10:15	0.592	71.79	14.03	2.224	28.87	0
2/18/2026 10:30	1.004	101.9	20.95	2.28	28.87	0
2/18/2026 10:45	0.77	6.56	28.88	2.395	28.87	0
2/18/2026 11:00	4.072	180.6	52.31	2.774	28.88	0
2/18/2026 11:15	5.153	181.6	15.56	3.505	28.88	0
2/18/2026 11:30	6.605	167.2	17.22	3.986	28.87	0
2/18/2026 11:45	7.783	173.1	10.56	3.834	28.87	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/18/2026 12:00	6.381	167.3	11.59	3.659	28.87	0
2/18/2026 12:15	8.11	203	19.34	3.67	28.87	0
2/18/2026 12:30	9.31	227.3	18.55	3.495	28.87	0
2/18/2026 12:45	6.31	204.2	13.05	4.044	28.87	0
2/18/2026 13:00	6.699	198.1	18.85	4.416	28.87	0
2/18/2026 13:15	7.114	192.5	17.51	4.348	28.87	0
2/18/2026 13:30	6.817	196.6	19.51	4.984	28.87	0
2/18/2026 13:45	7.921	207.4	24.18	5.105	28.86	0
2/18/2026 14:00	9.17	237.7	18.25	4.518	28.87	0
2/18/2026 14:15	9.23	267.6	9.97	3.735	28.87	0
2/18/2026 14:30	6.978	286.7	13.53	3.798	28.87	0
2/18/2026 14:45	5.601	237	43.18	4.1	28.87	0
2/18/2026 15:00	7.076	170.9	23.52	3.267	28.87	0
2/18/2026 15:15	3.316	146.9	19.28	2.824	28.88	0
2/18/2026 15:30	1.599	61.35	34.83	2.94	28.87	0.01
2/18/2026 15:45	3.633	71.8	16.59	2.605	28.87	0
2/18/2026 16:00	4.797	75.74	14.27	2.766	28.88	0
2/18/2026 16:15	4.063	85.9	15.69	2.881	28.88	0
2/18/2026 16:30	4.387	109.4	16.83	2.98	28.88	0
2/18/2026 16:45	4.931	128.9	9.07	2.981	28.88	0
2/18/2026 17:00	4.843	127	9.09	2.819	28.88	0
2/18/2026 17:15	7.039	121.1	23.81	2.609	28.88	0
2/18/2026 17:30	7.03	116.4	23.75	1.997	28.89	0.01
2/18/2026 17:45	4.555	79.23	15.85	1.5	28.89	0.01
2/18/2026 18:00	4.41	22.76	10.31	1.362	28.89	0
2/18/2026 18:15	2.96	26.39	7.539	1.519	28.89	0
2/18/2026 18:30	1.402	32.3	23.32	1.647	28.89	0
2/18/2026 18:45	7.419	196.1	21.52	1.368	28.9	0
2/18/2026 19:00	4.442	108.4	16.73	0.595	28.91	0
2/18/2026 19:15	4.101	83.3	15.41	0.653	28.91	0.01
2/18/2026 19:30	3.767	110.6	9.78	0.565	28.9	0.01
2/18/2026 19:45	3.506	93.1	16.08	0.768	28.91	0
2/18/2026 20:00	2.435	80.9	9.76	0.752	28.91	0
2/18/2026 20:15	2.495	82.5	11.58	0.889	28.91	0
2/18/2026 20:30	2.04	16.15	35.15	1.036	28.91	0
2/18/2026 20:45	1.611	343	15.53	1.038	28.91	0
2/18/2026 21:00	3.039	353.1	7.905	0.961	28.91	0
2/18/2026 21:15	4.01	359.9	12.67	0.716	28.91	0
2/18/2026 21:30	4.109	3.656	9.89	0.476	28.92	0
2/18/2026 21:45	4.685	19.02	8.68	0.415	28.92	0
2/18/2026 22:00	3.805	23.86	10.04	0.229	28.92	0
2/18/2026 22:15	4.802	15.08	7.771	0.128	28.93	0
2/18/2026 22:30	4.088	17.49	7.7	0.067	28.93	0
2/18/2026 22:45	3.324	14.25	7.281	-0.087	28.93	0
2/18/2026 23:00	3.503	6.972	8.76	0.054	28.93	0
2/18/2026 23:15	3.799	12.75	8.44	0.106	28.93	0
2/18/2026 23:30	3.318	31.88	12.21	0.304	28.93	0
2/18/2026 23:45	0.586	54.85	3.857	0.416	28.94	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/19/2026 0:00	0	0	0	0.261	28.94	0
2/19/2026 0:15	0.652	30.93	4.469	0.019	28.94	0
2/19/2026 0:30	0.637	5.506	5.416	0.143	28.95	0
2/19/2026 0:45	3.377	4.515	11.79	0.485	28.95	0
2/19/2026 1:00	3.711	3.329	9.15	0.194	28.95	0
2/19/2026 1:15	3.204	4.83	7.78	-0.232	28.95	0
2/19/2026 1:30	3.132	359.8	11.87	-0.397	28.95	0
2/19/2026 1:45	3.443	354.3	11.61	-0.07	28.95	0
2/19/2026 2:00	3.663	8.29	9.51	-0.563	28.95	0
2/19/2026 2:15	4.095	8.38	7.904	-0.512	28.95	0
2/19/2026 2:30	4.659	13.96	7.429	-0.452	28.95	0
2/19/2026 2:45	5.867	27.91	10.48	-0.623	28.95	0
2/19/2026 3:00	6.999	25.59	8.57	-0.6	28.95	0
2/19/2026 3:15	5.623	23.46	8.3	-0.618	28.95	0
2/19/2026 3:30	5.106	12.77	11.38	-0.794	28.95	0
2/19/2026 3:45	5.344	20.35	11.17	-0.841	28.95	0
2/19/2026 4:00	4.826	15.25	9.05	-0.799	28.96	0
2/19/2026 4:15	4.607	9.72	9.58	-0.847	28.96	0
2/19/2026 4:30	3.873	22.18	12.42	-0.89	28.96	0
2/19/2026 4:45	7.385	28.92	8.32	-0.883	28.96	0
2/19/2026 5:00	6.776	24	10.22	-0.825	28.96	0
2/19/2026 5:15	4.384	11.33	14	-0.754	28.97	0
2/19/2026 5:30	3.877	24.72	12.62	-0.685	28.96	0
2/19/2026 5:45	5.192	18.63	11.54	-0.481	28.97	0
2/19/2026 6:00	2.848	18.65	12.59	-0.539	28.97	0
2/19/2026 6:15	2.997	19.53	8.6	-0.621	28.97	0
2/19/2026 6:30	2.787	26.46	14.52	-0.773	28.97	0
2/19/2026 6:45	4.139	9.58	12.28	-0.809	28.98	0
2/19/2026 7:00	2.204	15.1	16.78	-0.802	28.98	0
2/19/2026 7:15	4.38	16.78	17.3	-0.583	28.98	0
2/19/2026 7:30	6.638	10.49	19.66	-0.223	28.98	0
2/19/2026 7:45	3.869	342.9	18.9	-0.277	28.98	0
2/19/2026 8:00	4.107	352.8	22.48	-0.252	28.99	0
2/19/2026 8:15	5.287	0.911	12.81	-0.23	28.99	0
2/19/2026 8:30	6.354	2.171	16.57	-0.25	29	0
2/19/2026 8:45	5.606	3.245	13.41	-0.342	29.01	0
2/19/2026 9:00	8.15	0.218	16.97	-0.457	29	0
2/19/2026 9:15	6.935	358.2	20.32	-0.539	29.01	0
2/19/2026 9:30	6.156	12.05	16.43	-0.337	29.01	0.01
2/19/2026 9:45	7.452	13.94	14.4	-0.068	29.01	0
2/19/2026 10:00	9.57	17.4	9.12	0.088	29.02	0.01
2/19/2026 10:15	9.41	15.72	14.57	0.123	29.02	0
2/19/2026 10:30	7.081	9.71	11.14	0.064	29.02	0
2/19/2026 10:45	7.374	15.64	17.55	0.129	29.03	0.01
2/19/2026 11:00	7.525	29.82	8.58	0.063	29.03	0
2/19/2026 11:15	9.72	20.19	9.15	0.001	29.03	0
2/19/2026 11:30	6.382	12.67	12.1	0.23	29.03	0
2/19/2026 11:45	5.148	3.723	5.715	0.612	29.03	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/19/2026 12:00	7.405	7.547	9.08	0.682	29.03	0.01
2/19/2026 12:15	9.27	0.842	16.23	0.774	29.03	0
2/19/2026 12:30	8.63	357.8	21.31	1.225	29.03	0
2/19/2026 12:45	8.91	342.1	21.3	1.36	29.04	0
2/19/2026 13:00	9.37	347	24.87	1.443	29.03	0
2/19/2026 13:15	7.441	331.7	22.47	1.345	29.04	0
2/19/2026 13:30	7.463	322.6	19.56	1.313	29.04	0
2/19/2026 13:45	5.022	336.8	35.22	1.042	29.04	0
2/19/2026 14:00	2.144	344.1	29.27	1.085	29.04	0
2/19/2026 14:15	6.005	8.81	20.92	1.927	29.03	0
2/19/2026 14:30	6.73	6.136	22.25	2.135	29.03	0
2/19/2026 14:45	5.577	17.84	21.25	2.46	29.03	0
2/19/2026 15:00	6.926	21.29	18.18	2.44	29.03	0
2/19/2026 15:15	6.341	12.81	18.5	2.66	29.03	0
2/19/2026 15:30	7.364	15.58	23.8	2.533	29.03	0
2/19/2026 15:45	6.574	347.8	24.73	2.674	29.03	0
2/19/2026 16:00	4.446	345.1	25.55	3.038	29.03	0
2/19/2026 16:15	3.512	31.81	21.06	2.773	29.03	0
2/19/2026 16:30	6.24	345.7	29.57	2.571	29.03	0
2/19/2026 16:45	8.01	343.6	17.41	2.55	29.04	0
2/19/2026 17:00	8.44	344.8	17	2.318	29.04	0
2/19/2026 17:15	9.78	335.4	7.827	1.832	29.04	0
2/19/2026 17:30	10.47	338.8	15.19	1.514	29.04	0
2/19/2026 17:45	8.69	339.7	14.22	1.327	29.05	0
2/19/2026 18:00	8.67	340.5	9.57	1.298	29.05	0
2/19/2026 18:15	7.588	333.2	7.266	1.172	29.05	0
2/19/2026 18:30	6.757	345.2	13.48	1.093	29.06	0
2/19/2026 18:45	9.03	352	14.31	1.003	29.06	0
2/19/2026 19:00	8.84	5.815	10.84	0.891	29.06	0
2/19/2026 19:15	8.72	11.3	12.17	0.767	29.07	0
2/19/2026 19:30	8.26	2.127	16.58	0.669	29.07	0
2/19/2026 19:45	6.633	1.338	16.39	0.52	29.07	0
2/19/2026 20:00	5.608	345.7	15.06	0.44	29.07	0
2/19/2026 20:15	5.921	332.9	8.67	0.27	29.08	0
2/19/2026 20:30	4.902	330.2	14.36	0.329	29.08	0
2/19/2026 20:45	3.889	345.2	26.89	0.201	29.08	0
2/19/2026 21:00	6.074	14.9	14.96	0.017	29.08	0
2/19/2026 21:15	6.42	18.81	7.53	-0.252	29.08	0
2/19/2026 21:30	6.502	19.23	8.5	-0.568	29.08	0
2/19/2026 21:45	5.912	21.41	15.07	-0.675	29.08	0
2/19/2026 22:00	5.46	30.75	7.702	-1.119	29.08	0
2/19/2026 22:15	7.029	21.94	6.243	-1.298	29.08	0
2/19/2026 22:30	7.295	24.28	7.053	-1.187	29.08	0
2/19/2026 22:45	5.078	26.91	11.42	-1.41	29.08	0
2/19/2026 23:00	5.269	39.09	12.34	-1.312	29.08	0
2/19/2026 23:15	4.251	37.91	10.12	-1.304	29.08	0
2/19/2026 23:30	4.984	32.74	7.144	-1.422	29.08	0
2/19/2026 23:45	4.792	29.39	8.04	-1.541	29.08	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/20/2026 0:00	3.818	17.01	7.343	-1.889	29.08	0
2/20/2026 0:15	2.875	27.29	7.845	-2.173	29.08	0
2/20/2026 0:30	3.968	25.91	6.807	-2.043	29.08	0
2/20/2026 0:45	3.167	24.63	7.306	-1.782	29.08	0
2/20/2026 1:00	1.342	60.96	19.66	-2.071	29.08	0
2/20/2026 1:15	2.307	113.5	11.09	-2.152	29.08	0
2/20/2026 1:30	2.265	129	16.91	-1.982	29.08	0
2/20/2026 1:45	1.416	112	19.46	-1.743	29.09	0
2/20/2026 2:00	1.152	83	12.18	-1.977	29.09	0
2/20/2026 2:15	1.32	75.25	3.593	-2.383	29.09	0
2/20/2026 2:30	1.897	71.66	3.543	-2.375	29.1	0
2/20/2026 2:45	2.257	61.96	6.812	-2.301	29.1	0
2/20/2026 3:00	2.164	53.36	2.61	-2.051	29.1	0
2/20/2026 3:15	1.991	48.36	3.492	-1.872	29.1	0
2/20/2026 3:30	1.173	44.06	2.795	-2.25	29.1	0
2/20/2026 3:45	1.236	109.5	13.9	-2.482	29.11	0
2/20/2026 4:00	2.943	103.3	5.97	-2.264	29.11	0
2/20/2026 4:15	3.049	99.9	5.397	-2.012	29.11	0
2/20/2026 4:30	3.54	117.7	5.556	-1.736	29.11	0
2/20/2026 4:45	3.461	128.7	4.498	-1.57	29.11	0
2/20/2026 5:00	3.686	125.8	3.073	-1.419	29.11	0
2/20/2026 5:15	3.567	120.6	2.093	-1.499	29.11	0
2/20/2026 5:30	3.942	122.6	5.696	-1.345	29.11	0
2/20/2026 5:45	3.701	122.8	14.56	-1.046	29.12	0
2/20/2026 6:00	3.867	137.4	6.618	-1.169	29.12	0
2/20/2026 6:15	4.04	136.4	4.352	-0.886	29.12	0
2/20/2026 6:30	3.811	128.6	6.19	-0.955	29.11	0
2/20/2026 6:45	4.025	114.1	5.375	-0.769	29.11	0
2/20/2026 7:00	4.696	119.4	5.496	-0.712	29.11	0
2/20/2026 7:15	4.563	127.5	4.398	-0.515	29.11	0
2/20/2026 7:30	4.43	141.4	5.784	-0.456	29.12	0
2/20/2026 7:45	2.215	145.7	8.23	-0.503	29.12	0
2/20/2026 8:00	1.101	132.8	29.79	-0.472	29.12	0
2/20/2026 8:15	1.746	114.9	13.26	-0.959	29.12	0
2/20/2026 8:30	0.854	105.5	9.92	-0.652	29.12	0
2/20/2026 8:45	2.738	81.9	5.903	-0.207	29.12	0
2/20/2026 9:00	2.696	139.4	25.18	0.274	29.13	0
2/20/2026 9:15	3.165	159.9	10.01	1.035	29.13	0
2/20/2026 9:30	2.172	157.4	21.32	1.129	29.14	0
2/20/2026 9:45	0.474	101.8	14.26	1.39	29.14	0
2/20/2026 10:00	0.198	73.65	6.134	1.905	29.15	0
2/20/2026 10:15	2.025	4.567	22.92	1.674	29.15	0
2/20/2026 10:30	1.28	77.88	10.52	1.913	29.15	0
2/20/2026 10:45	1.17	38.35	15.49	1.855	29.15	0
2/20/2026 11:00	1.332	53.4	14.33	1.705	29.15	0
2/20/2026 11:15	1.387	80.6	19.12	2.079	29.15	0
2/20/2026 11:30	1.773	67.42	19.18	2.373	29.15	0
2/20/2026 11:45	1.575	84.8	13.72	2.659	29.15	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/20/2026 12:00	1.765	77.66	14.68	3.12	29.15	0
2/20/2026 12:15	3.995	84.8	11.13	3.668	29.15	0
2/20/2026 12:30	3.228	87.2	15.31	3.814	29.14	0
2/20/2026 12:45	3.87	134.6	31.21	4.203	29.14	0
2/20/2026 13:00	6.568	168.8	24.86	4.391	29.14	0
2/20/2026 13:15	7.412	145.8	13.15	4.177	29.14	0
2/20/2026 13:30	3.863	90.6	52.77	3.956	29.13	0
2/20/2026 13:45	3.094	111.2	30.63	4.18	29.13	0
2/20/2026 14:00	1.431	30.14	43.5	4.167	29.13	0
2/20/2026 14:15	1.698	13.74	3.561	4.329	29.13	0
2/20/2026 14:30	1.975	10.9	12.74	4.216	29.13	0
2/20/2026 14:45	3.177	232.5	79.41	3.688	29.13	0
2/20/2026 15:00	0.925	162.3	46.87	3.945	29.13	0
2/20/2026 15:15	2.253	199.3	47.28	4.39	29.12	0
2/20/2026 15:30	3.181	205.1	38.88	4.536	29.13	0
2/20/2026 15:45	1.53	220.7	18.81	4.564	29.13	0
2/20/2026 16:00	0.332	50.76	3.652	4.771	29.12	0
2/20/2026 16:15	0.908	17.36	12.7	4.723	29.12	0
2/20/2026 16:30	1.491	17.37	15.98	4.711	29.12	0
2/20/2026 16:45	2.283	13.15	7.395	4.623	29.12	0
2/20/2026 17:00	1.594	24.81	15.69	4.525	29.12	0
2/20/2026 17:15	1.706	27.41	7.052	4.404	29.13	0
2/20/2026 17:30	0.121	21.29	0.029	4.337	29.13	0
2/20/2026 17:45	0	0	0	4.349	29.13	0
2/20/2026 18:00	0	0	0	4.222	29.13	0
2/20/2026 18:15	1.951	74.48	10.91	4.091	29.13	0
2/20/2026 18:30	3.012	53.03	17.7	3.961	29.13	0
2/20/2026 18:45	2.65	56.36	8.11	3.969	29.13	0
2/20/2026 19:00	2.649	56.52	5.412	3.842	29.13	0
2/20/2026 19:15	3.653	62.26	8.72	3.668	29.13	0
2/20/2026 19:30	3.893	64.97	5.105	3.718	29.13	0
2/20/2026 19:45	2.595	71.72	12.34	3.815	29.13	0
2/20/2026 20:00	0.873	53.58	2.549	3.628	29.13	0
2/20/2026 20:15	0	0	0	3.549	29.13	0
2/20/2026 20:30	2	65.24	10.15	3.647	29.13	0
2/20/2026 20:45	3.556	60.57	10.11	3.712	29.13	0
2/20/2026 21:00	3.318	49.48	11.08	3.384	29.13	0
2/20/2026 21:15	2.673	31.13	14.27	3.088	29.13	0
2/20/2026 21:30	2.644	27.44	14.35	3.163	29.13	0
2/20/2026 21:45	3.035	78.12	45.4	3.601	29.14	0
2/20/2026 22:00	4.42	133.5	14.9	4.147	29.14	0
2/20/2026 22:15	3.938	136.2	15.37	3.954	29.14	0
2/20/2026 22:30	4.007	170.7	14.75	3.741	29.14	0
2/20/2026 22:45	8.94	164.7	12.89	3.985	29.14	0
2/20/2026 23:00	9.85	138.6	9.91	4.229	29.14	0
2/20/2026 23:15	7.911	123.6	13.01	4.152	29.14	0
2/20/2026 23:30	7.72	121.7	14.43	4.069	29.14	0
2/20/2026 23:45	9.2	123.3	12.85	4.138	29.13	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/21/2026 0:00	9.24	117.4	11.33	4.063	29.13	0
2/21/2026 0:15	9.56	115.4	8.15	4.045	29.12	0
2/21/2026 0:30	8.07	115	9.87	4.029	29.12	0
2/21/2026 0:45	8.6	115.9	11.57	4.134	29.12	0
2/21/2026 1:00	8.28	111.4	12.6	4.257	29.11	0
2/21/2026 1:15	9.7	118.3	14.79	4.211	29.11	0
2/21/2026 1:30	11.03	122.6	11.47	4.257	29.11	0
2/21/2026 1:45	10.11	120.5	12.01	4.216	29.11	0
2/21/2026 2:00	10.13	117.6	12.28	4.203	29.11	0
2/21/2026 2:15	11.76	122.6	12.35	4.199	29.11	0
2/21/2026 2:30	10.92	117.8	12.43	4.177	29.11	0
2/21/2026 2:45	9.25	118.8	11.59	4.013	29.11	0
2/21/2026 3:00	9.86	110.3	13.18	4.101	29.11	0
2/21/2026 3:15	9.91	115.5	13.95	4.206	29.1	0
2/21/2026 3:30	10.01	122.4	12.42	4.078	29.1	0
2/21/2026 3:45	13.05	121.9	11.58	4.28	29.1	0
2/21/2026 4:00	13.12	121.9	11.63	4.289	29.1	0
2/21/2026 4:15	14.31	123.1	12.19	4.508	29.1	0
2/21/2026 4:30	14.56	122.2	11.81	4.812	29.09	0
2/21/2026 4:45	14.34	118.2	13.68	4.951	29.09	0
2/21/2026 5:00	13.33	119.2	11.75	5.116	29.09	0
2/21/2026 5:15	13.75	126.2	13.48	5.243	29.1	0
2/21/2026 5:30	14.64	124.3	12.98	5.209	29.1	0
2/21/2026 5:45	15.62	126.7	12.94	5.132	29.1	0
2/21/2026 6:00	16.19	128.3	11.68	5.155	29.1	0
2/21/2026 6:15	18.94	126.3	11.19	5.143	29.1	0
2/21/2026 6:30	16.71	126.4	12.41	5.144	29.1	0
2/21/2026 6:45	12.8	117.5	15.92	5.239	29.1	0
2/21/2026 7:00	10.43	113.1	14.66	5.275	29.1	0
2/21/2026 7:15	12.13	117.7	17.19	5.306	29.09	0
2/21/2026 7:30	12.59	111.5	17.14	5.481	29.09	0
2/21/2026 7:45	13.21	125	11.26	5.444	29.09	0
2/21/2026 8:00	15.62	128.3	13.13	5.359	29.09	0
2/21/2026 8:15	16.59	129.1	15.23	5.444	29.09	0
2/21/2026 8:30	15.91	130.5	14.33	5.596	29.1	0
2/21/2026 8:45	17.04	132.7	12.12	5.7	29.11	0
2/21/2026 9:00	15.25	132.9	12.64	5.745	29.12	0
2/21/2026 9:15	17.18	135.2	12.48	5.742	29.13	0
2/21/2026 9:30	18.95	136	11.59	5.528	29.14	0
2/21/2026 9:45	17.11	135.6	11.08	5.42	29.15	0
2/21/2026 10:00	17.26	133.7	10.84	5.65	29.15	0
2/21/2026 10:15	17.58	136.5	12.72	5.739	29.16	0
2/21/2026 10:30	16	136.4	12.6	5.828	29.16	0
2/21/2026 10:45	18.08	127.7	13.95	5.716	29.17	0
2/21/2026 11:00	16.74	126.7	14.62	5.111	29.17	0
2/21/2026 11:15	13.45	116.2	14.89	4.224	29.17	0.01
2/21/2026 11:30	15.81	121.8	13.45	3.985	29.17	0
2/21/2026 11:45	16	116.3	15.7	3.995	29.17	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/21/2026 12:00	16.97	115.7	13.18	3.932	29.16	0.01
2/21/2026 12:15	19.63	122.1	12.43	4.079	29.16	0
2/21/2026 12:30	17.42	119.6	13.86	4.003	29.15	0.01
2/21/2026 12:45	16.91	119.5	12.72	3.858	29.15	0.01
2/21/2026 13:00	20.27	121.8	13.08	3.905	29.14	0.02
2/21/2026 13:15	17.86	124.2	12.57	3.993	29.14	0.01
2/21/2026 13:30	17.6	118.6	13.65	4.474	29.13	0
2/21/2026 13:45	17.56	124.8	12.64	4.81	29.13	0
2/21/2026 14:00	17.77	125.5	12.77	4.793	29.13	0.01
2/21/2026 14:15	17.11	113.9	13.73	5.108	29.12	0
2/21/2026 14:30	18.7	124.9	13.79	5.443	29.12	0
2/21/2026 14:45	17.49	122	16.12	5.606	29.12	0
2/21/2026 15:00	16.75	118.3	11.78	5.812	29.12	0
2/21/2026 15:15	16.5	117.3	13.82	6.052	29.12	0
2/21/2026 15:30	16.37	116.4	14.17	6.276	29.11	0
2/21/2026 15:45	16.81	119	16.77	6.758	29.11	0
2/21/2026 16:00	17.73	120.2	14.17	7.282	29.11	0
2/21/2026 16:15	15.76	122.3	15.16	7.485	29.11	0
2/21/2026 16:30	14.13	148.3	14.52	7.679	29.1	0
2/21/2026 16:45	15.37	149.2	11.69	7.83	29.1	0
2/21/2026 17:00	11.77	149	12.08	7.687	29.1	0
2/21/2026 17:15	14.42	145.3	11.65	7.539	29.1	0
2/21/2026 17:30	16.21	149	11.56	7.463	29.1	0
2/21/2026 17:45	17.65	143.7	12.7	7.353	29.1	0
2/21/2026 18:00	16.08	140.9	12.81	7.215	29.1	0
2/21/2026 18:15	17.55	143.6	11.85	7.225	29.1	0
2/21/2026 18:30	18.31	140.3	11.12	7.216	29.09	0
2/21/2026 18:45	14.77	139.1	12.89	7.266	29.09	0
2/21/2026 19:00	16.23	138.6	14.05	7.603	29.09	0
2/21/2026 19:15	16.34	141.5	12.92	7.861	29.08	0
2/21/2026 19:30	14.8	144.3	13.88	8.14	29.08	0
2/21/2026 19:45	15.92	145	13.74	8.41	29.08	0
2/21/2026 20:00	17.54	142.5	13.55	8.32	29.09	0
2/21/2026 20:15	21.09	143.5	11.87	8.15	29.09	0
2/21/2026 20:30	19.98	145	11.72	8.08	29.09	0
2/21/2026 20:45	19.01	145.5	12.91	8.21	29.08	0
2/21/2026 21:00	17.06	144.2	12.12	8.35	29.09	0
2/21/2026 21:15	16.52	149.5	12.42	8.72	29.09	0
2/21/2026 21:30	17.11	149.3	11.34	8.96	29.09	0
2/21/2026 21:45	18.86	146.2	11.92	8.93	29.08	0
2/21/2026 22:00	17.76	148.4	13.11	9.02	29.08	0
2/21/2026 22:15	14.56	146.4	14.59	9.03	29.08	0
2/21/2026 22:30	19.4	151.2	12.35	9.15	29.08	0
2/21/2026 22:45	18.63	152.1	11.34	9.11	29.09	0
2/21/2026 23:00	19.58	154.9	10.35	9.18	29.09	0
2/21/2026 23:15	16.4	152	10.72	9.08	29.1	0
2/21/2026 23:30	20.01	155.2	10.58	9.16	29.11	0
2/21/2026 23:45	18.07	155.2	10.65	9.11	29.12	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/22/2026 0:00	18.87	152.9	10.29	9.11	29.12	0
2/22/2026 0:15	17.19	158.3	9.91	9.04	29.13	0
2/22/2026 0:30	15.06	152.2	12.95	8.59	29.13	0
2/22/2026 0:45	11.64	144.6	11.46	8.6	29.12	0
2/22/2026 1:00	6.706	120.2	20.07	8.72	29.12	0
2/22/2026 1:15	7.805	134.6	24.58	8.94	29.11	0
2/22/2026 1:30	11.08	152.1	12.31	9.13	29.1	0
2/22/2026 1:45	16.62	142.5	11.77	9.19	29.09	0
2/22/2026 2:00	17.02	139.2	11.79	9.35	29.08	0
2/22/2026 2:15	17.22	136.7	13.79	9.42	29.07	0
2/22/2026 2:30	15.58	133.8	11.75	9.29	29.06	0
2/22/2026 2:45	13.96	137.1	13.67	9.42	29.06	0
2/22/2026 3:00	16.17	153.5	14.69	9.76	29.07	0
2/22/2026 3:15	20.31	148.6	13.65	9.35	29.08	0
2/22/2026 3:30	19.83	145.1	12.01	8.84	29.09	0.01
2/22/2026 3:45	13.2	138.4	12.31	8.46	29.09	0
2/22/2026 4:00	14.16	141.7	10.84	8.27	29.1	0.01
2/22/2026 4:15	12.83	131.9	15.26	7.228	29.09	0.01
2/22/2026 4:30	10.64	122.3	17.1	7.119	29.08	0.01
2/22/2026 4:45	13.91	124.1	32.48	7.795	29.07	0
2/22/2026 5:00	14.89	113.9	12.93	8.03	29.06	0
2/22/2026 5:15	15.51	117	14.27	8.33	29.06	0
2/22/2026 5:30	16.88	122.2	11.74	8.51	29.07	0
2/22/2026 5:45	19.14	123	11.39	8.29	29.06	0
2/22/2026 6:00	16.95	119.8	12.77	8.42	29.05	0
2/22/2026 6:15	14.43	115.4	14.06	8.63	29.04	0
2/22/2026 6:30	17.42	123	13.59	8.9	29.04	0
2/22/2026 6:45	17.75	134.3	15.73	9.02	29.04	0
2/22/2026 7:00	19.32	131.8	12.77	8.95	29.05	0
2/22/2026 7:15	21.04	132.3	11.32	9.16	29.04	0
2/22/2026 7:30	20	131.7	11.86	9.37	29.05	0
2/22/2026 7:45	19.46	127.8	11.17	9.48	29.06	0
2/22/2026 8:00	19.66	131.2	12.35	9.54	29.06	0
2/22/2026 8:15	21.45	133.8	11.03	9.59	29.06	0
2/22/2026 8:30	19.15	129.9	12.05	9.65	29.06	0
2/22/2026 8:45	20.01	130.1	11.56	9.68	29.08	0
2/22/2026 9:00	18.95	130.5	11.96	9.74	29.09	0
2/22/2026 9:15	17.06	133.7	13.08	9.74	29.1	0
2/22/2026 9:30	16.78	138.2	11.77	9.79	29.11	0
2/22/2026 9:45	14.53	139.4	14.75	9.81	29.12	0
2/22/2026 10:00	11.96	142	11.5	9.77	29.13	0
2/22/2026 10:15	12.94	147.5	8.98	9.85	29.14	0
2/22/2026 10:30	11.12	158.2	18.24	9.91	29.16	0
2/22/2026 10:45	8.43	186.9	16.59	9.66	29.18	0
2/22/2026 11:00	6.904	179.3	42.13	8.8	29.2	0.02
2/22/2026 11:15	5.323	221.5	23.14	8.09	29.22	0.01
2/22/2026 11:30	4.726	154.9	41	8.02	29.23	0.01
2/22/2026 11:45	3.637	89.6	16.34	6.894	29.23	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/22/2026 12:00	6.01	96.4	10.84	6.644	29.23	0.01
2/22/2026 12:15	5.506	99.8	15.25	6.648	29.23	0.02
2/22/2026 12:30	6.86	101.1	14.22	6.666	29.23	0.03
2/22/2026 12:45	9.88	113.6	11.82	6.642	29.23	0
2/22/2026 13:00	7.918	107.9	13.12	6.773	29.22	0.01
2/22/2026 13:15	7.49	109.9	12.7	7.104	29.22	0
2/22/2026 13:30	11.17	123.2	11.16	7.496	29.22	0
2/22/2026 13:45	9.43	129.5	11.4	8.01	29.21	0
2/22/2026 14:00	9.15	138.9	12.62	8.37	29.21	0
2/22/2026 14:15	7.299	155.8	15.34	8.57	29.21	0
2/22/2026 14:30	6.938	173.6	12.26	8.78	29.21	0
2/22/2026 14:45	10.24	150.7	13.81	8.44	29.21	0
2/22/2026 15:00	8.84	139.4	11.88	8.37	29.21	0
2/22/2026 15:15	11.47	145.4	10.77	8.25	29.21	0
2/22/2026 15:30	11.96	137.6	11.13	8.46	29.21	0
2/22/2026 15:45	9.09	123.6	12.56	8.39	29.2	0
2/22/2026 16:00	9.1	125.8	12.29	8.87	29.2	0
2/22/2026 16:15	7.657	126.6	14.53	8.83	29.19	0
2/22/2026 16:30	5.178	138.9	14.69	8.7	29.19	0
2/22/2026 16:45	6.369	142.1	13.51	8.62	29.18	0
2/22/2026 17:00	6.791	149	10.32	8.59	29.18	0
2/22/2026 17:15	4.014	118.5	25.05	8.49	29.18	0
2/22/2026 17:30	6.238	108.6	14.84	8.5	29.18	0
2/22/2026 17:45	4.96	129.5	18.36	8.52	29.17	0
2/22/2026 18:00	5.102	137.4	14	8.63	29.17	0
2/22/2026 18:15	4.534	134.1	19.08	8.6	29.16	0
2/22/2026 18:30	4.241	149.3	17.48	8.62	29.16	0
2/22/2026 18:45	3.87	121.7	19.52	8.57	29.16	0
2/22/2026 19:00	5.647	139.3	11.35	8.54	29.16	0
2/22/2026 19:15	7.208	111.1	12.2	8.06	29.16	0
2/22/2026 19:30	5.112	112.3	18.1	8.17	29.16	0.01
2/22/2026 19:45	5.781	206.6	33.93	7.724	29.16	0.01
2/22/2026 20:00	5.603	206.2	13.3	7.013	29.17	0.02
2/22/2026 20:15	5.581	119	33.73	6.819	29.17	0.01
2/22/2026 20:30	6.215	92.7	10.19	6.509	29.17	0.02
2/22/2026 20:45	5.57	141.9	20.01	6.707	29.18	0.01
2/22/2026 21:00	6.376	111.8	16.47	6.738	29.17	0.03
2/22/2026 21:15	7.828	132.6	10.92	6.638	29.17	0.01
2/22/2026 21:30	10.46	126.4	11.03	6.769	29.16	0
2/22/2026 21:45	9.63	117.8	11.97	6.861	29.15	0
2/22/2026 22:00	10.12	134.1	11.77	7.124	29.15	0
2/22/2026 22:15	8.64	171.7	16.36	6.916	29.16	0.02
2/22/2026 22:30	7.119	175.8	21.65	6.62	29.17	0.01
2/22/2026 22:45	4.622	169.9	29.65	6.471	29.17	0.01
2/22/2026 23:00	2.892	196.8	16.21	6.384	29.17	0.01
2/22/2026 23:15	7.076	257.4	23.52	6.098	29.18	0.02
2/22/2026 23:30	4.98	267.8	23.48	5.869	29.19	0.06
2/22/2026 23:45	2.694	116.8	25.59	5.848	29.19	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/23/2026 0:00	2.549	137.9	23.11	5.785	29.21	0.05
2/23/2026 0:15	8.19	188.6	14.73	6.288	29.22	0.05
2/23/2026 0:30	8.82	192.7	12.81	6.564	29.22	0.03
2/23/2026 0:45	7.46	185.1	22.95	6.656	29.23	0.03
2/23/2026 1:00	7.24	152.8	8.67	6.418	29.24	0.05
2/23/2026 1:15	10.06	154.1	12.37	6.376	29.23	0.03
2/23/2026 1:30	13.58	146.4	12.21	6.535	29.22	0.02
2/23/2026 1:45	13.25	147	10.44	6.453	29.21	0.01
2/23/2026 2:00	10.69	147.4	8.4	6.291	29.22	0
2/23/2026 2:15	9.21	133	8.57	6.139	29.21	0
2/23/2026 2:30	10.67	136.9	9.53	6.09	29.2	0
2/23/2026 2:45	12.41	145.3	8.24	6.338	29.21	0
2/23/2026 3:00	10.02	151.5	8.12	6.476	29.22	0
2/23/2026 3:15	9.5	156.6	7.069	6.333	29.22	0
2/23/2026 3:30	8.94	144.3	7.928	6.372	29.21	0
2/23/2026 3:45	9.49	152.3	8.27	6.59	29.21	0
2/23/2026 4:00	10.5	156.7	6.058	6.724	29.21	0
2/23/2026 4:15	8.07	157.8	8.41	6.717	29.22	0
2/23/2026 4:30	9.95	230.8	43.54	6.584	29.23	0.04
2/23/2026 4:45	8.15	276.1	9.46	5.753	29.24	0.02
2/23/2026 5:00	11.99	278.4	15.95	5.586	29.26	0.05
2/23/2026 5:15	10.56	250.5	14.82	5.495	29.27	0.02
2/23/2026 5:30	8.16	203.2	19.43	5.508	29.27	0
2/23/2026 5:45	5.887	156.3	21.68	5.398	29.27	0
2/23/2026 6:00	6.975	150.3	16.48	5.124	29.26	0
2/23/2026 6:15	7.461	146.1	12.42	5.074	29.27	0
2/23/2026 6:30	7.689	130.7	8.63	4.965	29.27	0
2/23/2026 6:45	8.12	141.4	9.77	5.061	29.27	0
2/23/2026 7:00	7.417	134.4	10.2	5.023	29.27	0.01
2/23/2026 7:15	8.16	133.5	11.86	5.046	29.28	0
2/23/2026 7:30	8.21	133.5	10.18	5.158	29.29	0
2/23/2026 7:45	8.94	136.5	10.64	5.258	29.28	0
2/23/2026 8:00	8.15	145.9	10.16	5.329	29.29	0
2/23/2026 8:15	7.654	144.5	10.03	5.393	29.29	0
2/23/2026 8:30	7.91	150.7	9.9	5.519	29.29	0
2/23/2026 8:45	3.953	64.4	54.5	5.648	29.3	0
2/23/2026 9:00	2.406	48.48	20.91	5.733	29.29	0
2/23/2026 9:15	2.575	56.74	35.65	5.882	29.29	0
2/23/2026 9:30	3.289	97.4	70.1	6.029	29.3	0
2/23/2026 9:45	6.936	164.4	44.66	6.13	29.3	0
2/23/2026 10:00	8.13	149.8	11.87	6.226	29.29	0
2/23/2026 10:15	7.556	163.5	10.2	6.437	29.3	0
2/23/2026 10:30	5.809	164.3	12.26	6.653	29.3	0
2/23/2026 10:45	5.234	169.8	15.13	6.854	29.3	0
2/23/2026 11:00	6.83	154.1	9.1	6.685	29.3	0
2/23/2026 11:15	6.807	158.8	10.72	6.834	29.3	0
2/23/2026 11:30	8.77	167.3	7.879	7.123	29.3	0
2/23/2026 11:45	11.34	181.9	11.66	7.345	29.3	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/23/2026 12:00	15.38	186.4	10.5	7.142	29.3	0
2/23/2026 12:15	11.11	189.7	10.25	6.906	29.3	0
2/23/2026 12:30	11.52	193.8	9.43	6.713	29.31	0
2/23/2026 12:45	13.38	193.3	10.4	6.583	29.31	0
2/23/2026 13:00	11.14	188.4	12.59	6.544	29.31	0
2/23/2026 13:15	9.5	177.9	14.81	6.605	29.3	0
2/23/2026 13:30	7.937	179.4	11.69	6.708	29.3	0
2/23/2026 13:45	6.53	178.6	13.02	6.721	29.3	0
2/23/2026 14:00	7.253	173.9	15.95	6.76	29.3	0
2/23/2026 14:15	7.238	176.9	13.83	6.861	29.29	0
2/23/2026 14:30	7.148	168.3	12.8	6.744	29.29	0
2/23/2026 14:45	6.303	166.2	11.45	6.707	29.29	0
2/23/2026 15:00	5.729	171.3	11.91	6.691	29.3	0
2/23/2026 15:15	4.007	129.5	18.37	6.68	29.29	0
2/23/2026 15:30	2.715	130	13.43	6.693	29.29	0
2/23/2026 15:45	2.615	127	18.74	6.585	29.28	0
2/23/2026 16:00	3.092	153.8	19.68	6.664	29.29	0
2/23/2026 16:15	4.505	176.9	14.16	6.519	29.29	0
2/23/2026 16:30	2.696	179	25.22	6.425	29.29	0
2/23/2026 16:45	4.474	162.9	14.32	6.223	29.29	0
2/23/2026 17:00	6.314	137.7	11.85	6.074	29.27	0
2/23/2026 17:15	6.903	140.1	9.17	6.066	29.27	0
2/23/2026 17:30	5.688	141.8	9.6	5.929	29.26	0
2/23/2026 17:45	5.119	143.4	11.02	5.847	29.26	0
2/23/2026 18:00	3.933	143.8	13.65	5.825	29.26	0
2/23/2026 18:15	2.274	89.9	33.07	5.63	29.25	0
2/23/2026 18:30	1.694	48.11	7.686	5.253	29.25	0
2/23/2026 18:45	0.348	35.36	2.665	5.167	29.25	0
2/23/2026 19:00	0.815	30.24	2.422	5.154	29.25	0
2/23/2026 19:15	2.609	8.1	9.82	4.832	29.25	0
2/23/2026 19:30	3.849	12.89	13.61	4.468	29.25	0
2/23/2026 19:45	6.951	24.2	7.176	4.551	29.24	0
2/23/2026 20:00	7.232	26.48	6.61	4.534	29.24	0
2/23/2026 20:15	6.52	28.74	7.346	4.398	29.23	0
2/23/2026 20:30	6.36	29.46	6.977	4.244	29.24	0
2/23/2026 20:45	5.833	33.03	8.09	4.204	29.23	0
2/23/2026 21:00	2.724	36.81	15.01	4.214	29.23	0
2/23/2026 21:15	1.298	29.13	13.87	4.213	29.23	0
2/23/2026 21:30	2.303	52.4	9.9	4.394	29.23	0
2/23/2026 21:45	3.238	38.33	8.93	4.315	29.23	0
2/23/2026 22:00	5.148	32.17	7.834	3.97	29.22	0
2/23/2026 22:15	6.171	27.26	9.29	3.764	29.22	0
2/23/2026 22:30	4.413	38.18	9.68	3.658	29.23	0
2/23/2026 22:45	8.57	37.64	9.66	3.612	29.22	0
2/23/2026 23:00	8	34.96	9.29	3.783	29.22	0
2/23/2026 23:15	6.529	43.35	10.62	4.09	29.21	0
2/23/2026 23:30	4.036	59.9	14.34	3.802	29.21	0
2/23/2026 23:45	1.262	97.5	33.7	3.702	29.2	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/24/2026 0:00	2.917	168.4	7.337	3.837	29.2	0
2/24/2026 0:15	0.487	151.6	10.64	4.084	29.19	0
2/24/2026 0:30	0.064	82.4	0.743	4.176	29.19	0
2/24/2026 0:45	1.128	36.51	4.041	3.701	29.19	0
2/24/2026 1:00	2.183	24.69	11.07	3.534	29.18	0
2/24/2026 1:15	4.281	14.6	10.22	3.184	29.17	0
2/24/2026 1:30	4.298	31.19	9.78	2.833	29.18	0
2/24/2026 1:45	3.94	29.85	8.27	2.911	29.18	0
2/24/2026 2:00	4.727	27.86	8.75	2.806	29.18	0
2/24/2026 2:15	4.829	29.84	7.313	2.719	29.17	0
2/24/2026 2:30	5.865	29.84	9.98	2.799	29.16	0
2/24/2026 2:45	4.495	36.51	9.89	2.807	29.15	0
2/24/2026 3:00	6.18	26.53	7.42	2.841	29.14	0
2/24/2026 3:15	6.641	14.07	12.54	3.135	29.14	0
2/24/2026 3:30	7.009	38.48	8.04	2.613	29.13	0
2/24/2026 3:45	6.789	44.23	8.68	2.37	29.13	0
2/24/2026 4:00	7.567	44.43	10.86	2.132	29.12	0
2/24/2026 4:15	7.139	47.79	10.46	2.235	29.12	0
2/24/2026 4:30	6.562	44.94	9.83	2.173	29.11	0
2/24/2026 4:45	6.953	42.73	12.31	2.253	29.1	0
2/24/2026 5:00	6.272	32.55	11.13	2.579	29.11	0
2/24/2026 5:15	5.378	29.83	19.9	2.737	29.1	0
2/24/2026 5:30	7.316	40.05	17.93	3.561	29.1	0
2/24/2026 5:45	8.02	55.69	11.93	2.694	29.1	0
2/24/2026 6:00	12.73	32.05	8.79	2.609	29.09	0
2/24/2026 6:15	12.77	32.65	6.861	2.641	29.1	0
2/24/2026 6:30	12.6	35.7	5.4	2.703	29.1	0
2/24/2026 6:45	12.25	32.52	4.976	2.368	29.1	0
2/24/2026 7:00	11.8	37.4	6.518	2.321	29.1	0
2/24/2026 7:15	12.24	42.64	8.68	2.256	29.1	0
2/24/2026 7:30	10	52.75	9.68	2.199	29.1	0
2/24/2026 7:45	8.49	34.82	12.69	2.157	29.1	0
2/24/2026 8:00	7.931	28.25	11.93	2.19	29.11	0
2/24/2026 8:15	7.943	42.25	11.08	2.327	29.11	0
2/24/2026 8:30	8.23	54.65	10.71	2.256	29.11	0
2/24/2026 8:45	7.811	46.63	10.58	2.297	29.11	0
2/24/2026 9:00	8.28	53.81	12.93	2.387	29.11	0
2/24/2026 9:15	7.782	68.7	16.75	2.43	29.11	0
2/24/2026 9:30	8.63	23.73	16.78	2.594	29.12	0
2/24/2026 9:45	5.311	32.87	7.314	2.736	29.12	0
2/24/2026 10:00	4.397	54.84	11.48	2.876	29.12	0
2/24/2026 10:15	5.945	46.8	12.57	3.02	29.11	0
2/24/2026 10:30	6.507	36.57	15.01	3.215	29.11	0
2/24/2026 10:45	4.496	38.32	10.17	3.787	29.11	0
2/24/2026 11:00	9.25	35.38	10.22	4.115	29.1	0
2/24/2026 11:15	9.92	27.4	9.89	4.392	29.1	0
2/24/2026 11:30	6.89	30.76	14.77	4.699	29.11	0
2/24/2026 11:45	7.171	35.45	10.12	4.816	29.12	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/24/2026 12:00	7.605	41.17	12.12	4.831	29.11	0
2/24/2026 12:15	8.66	40.18	9.45	4.894	29.11	0
2/24/2026 12:30	9.39	38.36	10.43	4.881	29.1	0
2/24/2026 12:45	8.03	36.54	10.09	4.901	29.1	0
2/24/2026 13:00	8.05	42.15	8.21	5.033	29.1	0
2/24/2026 13:15	6.465	41.42	15.75	5.294	29.1	0
2/24/2026 13:30	6.704	50.13	11.79	5.218	29.09	0
2/24/2026 13:45	6.769	46.51	11.25	5.117	29.09	0
2/24/2026 14:00	6.931	40.85	9.68	5.151	29.09	0
2/24/2026 14:15	6.415	40.98	11.76	5.224	29.09	0
2/24/2026 14:30	7.033	31.55	7.91	5.23	29.09	0
2/24/2026 14:45	5.387	30.59	11.11	5.386	29.09	0
2/24/2026 15:00	4.785	38.21	10.37	5.486	29.09	0
2/24/2026 15:15	4.983	39.79	14.14	5.557	29.09	0
2/24/2026 15:30	4.204	44.16	10.59	5.6	29.1	0
2/24/2026 15:45	4.666	37.09	7.748	5.67	29.1	0
2/24/2026 16:00	5.18	36.13	9.52	5.66	29.09	0
2/24/2026 16:15	4.67	47.62	12.34	5.681	29.09	0
2/24/2026 16:30	4.177	54.24	13.93	5.939	29.09	0
2/24/2026 16:45	2.632	47.35	14.36	6.09	29.09	0
2/24/2026 17:00	1.815	29	22.11	6.604	29.09	0
2/24/2026 17:15	3.575	39.21	8.32	6.061	29.09	0
2/24/2026 17:30	3.798	33.15	8.98	5.659	29.1	0
2/24/2026 17:45	2.855	25.76	7.783	5.738	29.1	0
2/24/2026 18:00	3.052	28.77	4.975	5.509	29.1	0
2/24/2026 18:15	2.272	33.34	13.81	5.274	29.1	0
2/24/2026 18:30	2.253	67.26	10.86	4.897	29.1	0
2/24/2026 18:45	1.642	101.7	20.16	4.561	29.1	0
2/24/2026 19:00	1.818	143.6	12.05	4.462	29.11	0
2/24/2026 19:15	1.728	152.8	20.44	4.083	29.11	0
2/24/2026 19:30	1.522	110.6	9.35	3.733	29.12	0
2/24/2026 19:45	0.652	87.7	13.53	3.554	29.12	0
2/24/2026 20:00	0.219	106.3	24.32	3.513	29.12	0
2/24/2026 20:15	0.219	36.4	8.61	3.377	29.12	0
2/24/2026 20:30	0.219	28.46	3.997	3.288	29.12	0
2/24/2026 20:45	0.219	323.1	21.88	3.415	29.13	0
2/24/2026 21:00	0.219	285.4	1.774	3.387	29.14	0
2/24/2026 21:15	0.219	267.9	54.26	3.113	29.14	0
2/24/2026 21:30	2.581	153	3.863	3.171	29.15	0
2/24/2026 21:45	2.149	143.7	10.83	2.396	29.15	0
2/24/2026 22:00	2.783	123.5	6.805	1.966	29.16	0
2/24/2026 22:15	3.189	122.6	6.688	1.871	29.16	0
2/24/2026 22:30	3.374	155	12.29	2.184	29.16	0
2/24/2026 22:45	3.777	145.3	9.06	2.219	29.16	0
2/24/2026 23:00	4.167	141	4.708	2.344	29.16	0
2/24/2026 23:15	3.164	135.4	5.386	2.616	29.16	0
2/24/2026 23:30	2.881	145.6	8.49	2.381	29.16	0
2/24/2026 23:45	2.703	130.2	15.9	2.54	29.17	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/25/2026 0:00	1.603	84.8	11.68	2.696	29.18	0
2/25/2026 0:15	1.387	100.6	18.09	3.036	29.18	0
2/25/2026 0:30	2.532	149.7	7.268	3.261	29.19	0
2/25/2026 0:45	1.694	138	23.15	2.758	29.19	0
2/25/2026 1:00	0.503	90.2	11.04	2.869	29.2	0
2/25/2026 1:15	0.866	118	41.64	2.896	29.2	0
2/25/2026 1:30	3.363	194.7	9.79	2.428	29.2	0
2/25/2026 1:45	4.857	204.3	7.611	1.325	29.2	0
2/25/2026 2:00	3.923	188	15.63	1.457	29.21	0
2/25/2026 2:15	3.245	166.6	10.08	1.652	29.21	0
2/25/2026 2:30	4.167	160.1	5.504	2.115	29.22	0
2/25/2026 2:45	4.246	166.6	6.085	2.109	29.22	0
2/25/2026 3:00	3.094	169.8	6.676	2.161	29.23	0
2/25/2026 3:15	3.359	149.7	4.362	2.498	29.23	0
2/25/2026 3:30	2.854	146.3	11.21	2.536	29.23	0
2/25/2026 3:45	2.135	117.6	8.32	2.406	29.23	0
2/25/2026 4:00	2.962	112.1	10.12	2.109	29.24	0
2/25/2026 4:15	3.101	122.8	7.362	2.506	29.24	0
2/25/2026 4:30	3.514	144.5	9.6	2.871	29.24	0
2/25/2026 4:45	4.063	166.8	5.695	2.928	29.25	0
2/25/2026 5:00	2.868	160.6	8.15	2.889	29.25	0
2/25/2026 5:15	2.312	140.9	6.416	2.799	29.25	0
2/25/2026 5:30	3.906	160.7	5.278	2.854	29.26	0
2/25/2026 5:45	3.841	174.1	8.63	2.24	29.26	0
2/25/2026 6:00	4.517	187	8.62	1.903	29.26	0
2/25/2026 6:15	5.556	176.7	6.132	1.763	29.26	0
2/25/2026 6:30	4.393	181.4	9.87	1.843	29.27	0
2/25/2026 6:45	5.616	197	8.99	0.896	29.27	0
2/25/2026 7:00	5.078	180.2	7.835	1.234	29.27	0
2/25/2026 7:15	3.243	141.7	12.03	1.832	29.28	0
2/25/2026 7:30	2.704	155.9	89	1.355	29.29	0
2/25/2026 7:45	3.273	124.9	70.18	1.898	29.29	0
2/25/2026 8:00	3.905	126.2	4.521	3.044	29.3	0
2/25/2026 8:15	4.923	161.8	15.41	2.665	29.3	0
2/25/2026 8:30	7.043	163.5	8.81	2.324	29.31	0
2/25/2026 8:45	5.432	144.3	7.198	2.839	29.31	0
2/25/2026 9:00	4.905	134.8	8.02	3.221	29.32	0
2/25/2026 9:15	5.579	144.3	8.23	3.83	29.33	0
2/25/2026 9:30	6.752	143.5	9.95	4.569	29.33	0
2/25/2026 9:45	7.65	149.2	9.28	4.522	29.33	0
2/25/2026 10:00	8.21	152.3	9.8	4.606	29.34	0
2/25/2026 10:15	8.15	148.9	9.65	4.807	29.34	0
2/25/2026 10:30	7.438	145.3	14.86	5.192	29.34	0
2/25/2026 10:45	7.4	151.4	11.69	5.296	29.35	0
2/25/2026 11:00	9.77	159.3	10.57	5.473	29.35	0
2/25/2026 11:15	7.27	159.1	14.68	5.611	29.36	0
2/25/2026 11:30	7.202	180.5	13.26	5.814	29.36	0
2/25/2026 11:45	6.458	186	12.87	6.167	29.36	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/25/2026 12:00	7.966	183	10.59	6.327	29.36	0
2/25/2026 12:15	6.628	212.6	22.71	6.603	29.37	0
2/25/2026 12:30	8.73	229.3	21.27	6.955	29.36	0
2/25/2026 12:45	11.15	228.2	12.35	7.206	29.36	0
2/25/2026 13:00	12.79	218.7	11.8	7.641	29.35	0
2/25/2026 13:15	9.6	210.4	10.66	7.778	29.35	0
2/25/2026 13:30	9.73	218	10.04	7.725	29.35	0
2/25/2026 13:45	9.44	217	10.76	7.856	29.35	0
2/25/2026 14:00	8.22	212.8	15.46	8.07	29.35	0
2/25/2026 14:15	15.23	207.9	11.36	8.98	29.34	0
2/25/2026 14:30	15.93	217.7	13.02	8.93	29.34	0
2/25/2026 14:45	12.81	229.4	11.67	8.37	29.35	0
2/25/2026 15:00	9.51	233.9	13.76	8.31	29.35	0
2/25/2026 15:15	9.02	225.6	10.69	8.3	29.35	0
2/25/2026 15:30	12.98	222.7	8.12	8.32	29.35	0
2/25/2026 15:45	14.36	228.2	9.67	8.5	29.35	0
2/25/2026 16:00	12.33	232.7	9.69	8.72	29.36	0
2/25/2026 16:15	14.18	240.6	13.64	8.82	29.36	0
2/25/2026 16:30	13.88	232.7	10.72	8.29	29.36	0
2/25/2026 16:45	11.52	227.7	9.6	8.19	29.36	0
2/25/2026 17:00	9.49	231	10.95	8.16	29.37	0
2/25/2026 17:15	12.3	232.4	10.78	8.17	29.37	0
2/25/2026 17:30	11.7	243.3	9.57	8.28	29.37	0
2/25/2026 17:45	12.86	241.5	8.6	7.975	29.37	0
2/25/2026 18:00	11.51	232.6	9.68	7.687	29.38	0
2/25/2026 18:15	13.04	232.6	8.32	7.519	29.38	0
2/25/2026 18:30	11.38	232.4	8.27	7.341	29.38	0
2/25/2026 18:45	12.42	225.4	9.52	7.187	29.39	0
2/25/2026 19:00	13.78	221.7	7.976	6.955	29.39	0
2/25/2026 19:15	13.06	219.4	7.566	6.841	29.39	0
2/25/2026 19:30	11.76	217.9	8.47	6.792	29.4	0
2/25/2026 19:45	14.28	216.3	7.779	6.764	29.4	0
2/25/2026 20:00	11.65	208.5	9.64	6.604	29.4	0
2/25/2026 20:15	11.01	186.9	11.69	6.49	29.4	0
2/25/2026 20:30	10.54	190.5	9.36	6.224	29.4	0
2/25/2026 20:45	11.6	186.8	10.45	6.074	29.4	0
2/25/2026 21:00	11.46	184.5	7.908	5.796	29.41	0
2/25/2026 21:15	13.77	188.9	8.67	5.603	29.41	0
2/25/2026 21:30	14.62	188.1	7.807	5.455	29.41	0
2/25/2026 21:45	14.75	187.5	8.11	5.27	29.41	0
2/25/2026 22:00	12.63	176.6	9.29	5.06	29.41	0
2/25/2026 22:15	11.8	174.8	9.12	4.79	29.42	0
2/25/2026 22:30	10.32	173.1	8.77	4.552	29.42	0
2/25/2026 22:45	11.4	163.9	7.036	4.422	29.42	0
2/25/2026 23:00	10.55	166.5	6.706	4.345	29.42	0
2/25/2026 23:15	11.26	161.1	7.028	4.369	29.43	0
2/25/2026 23:30	12.26	159.8	7.716	4.56	29.43	0
2/25/2026 23:45	10.75	160.9	8.63	4.627	29.43	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/26/2026 0:00	9.73	152.4	8.3	4.582	29.44	0
2/26/2026 0:15	7.23	164.1	9.76	4.579	29.44	0
2/26/2026 0:30	8.44	169	10.11	4.742	29.45	0
2/26/2026 0:45	9.68	175.3	11.24	4.998	29.45	0
2/26/2026 1:00	11.85	177.4	10.62	5.148	29.45	0
2/26/2026 1:15	10.77	175.6	9.2	5.148	29.45	0
2/26/2026 1:30	10.12	170.8	8.99	5.032	29.45	0
2/26/2026 1:45	10.35	173	10.03	4.995	29.45	0
2/26/2026 2:00	11.91	175.3	8.55	5.063	29.45	0
2/26/2026 2:15	12.35	180.1	8.63	5.095	29.44	0
2/26/2026 2:30	13.03	181.2	9	5.215	29.44	0
2/26/2026 2:45	13.32	179.5	8.2	5.271	29.44	0
2/26/2026 3:00	12.1	176.5	9.77	5.201	29.44	0
2/26/2026 3:15	10.95	173.5	9.2	5.188	29.44	0
2/26/2026 3:30	12.35	170.8	12.21	5.23	29.44	0
2/26/2026 3:45	11.51	165.6	12.54	5.242	29.44	0
2/26/2026 4:00	9.8	163.2	9.33	5.061	29.44	0
2/26/2026 4:15	10.64	166.4	9.85	5.106	29.44	0
2/26/2026 4:30	12.73	161.1	8.71	5.23	29.44	0
2/26/2026 4:45	12.14	167.8	9.75	5.208	29.45	0
2/26/2026 5:00	10.36	160.3	9.74	5.042	29.45	0
2/26/2026 5:15	9.55	163.3	9.7	4.992	29.46	0
2/26/2026 5:30	9.44	154.5	9.96	4.929	29.45	0
2/26/2026 5:45	11.45	159.1	8.8	4.98	29.45	0
2/26/2026 6:00	12.94	169.1	10.59	5.173	29.45	0
2/26/2026 6:15	12.57	175.6	7.762	5.262	29.45	0
2/26/2026 6:30	12.01	168.4	10	5.286	29.45	0
2/26/2026 6:45	12.02	174	9.9	5.319	29.45	0
2/26/2026 7:00	10.07	154.6	13.88	5.314	29.45	0
2/26/2026 7:15	8.43	158.1	15.86	5.282	29.45	0
2/26/2026 7:30	9.49	164.2	14.86	5.384	29.46	0
2/26/2026 7:45	9.91	175.5	12.02	5.528	29.46	0
2/26/2026 8:00	10.47	174	12.16	5.711	29.46	0
2/26/2026 8:15	11.89	187.2	11.97	5.866	29.46	0
2/26/2026 8:30	13.59	189	10.04	5.972	29.46	0
2/26/2026 8:45	13.16	176.6	12.22	6.126	29.46	0
2/26/2026 9:00	13.14	175.9	8.99	6.298	29.46	0
2/26/2026 9:15	13.5	182.5	10.06	6.414	29.46	0
2/26/2026 9:30	14.63	187	11.9	6.595	29.45	0
2/26/2026 9:45	15	188.4	9.13	6.697	29.45	0
2/26/2026 10:00	12.58	197.7	10.97	6.851	29.46	0
2/26/2026 10:15	14.9	193.2	11.68	6.926	29.46	0
2/26/2026 10:30	13.4	197.7	11.66	7.095	29.46	0
2/26/2026 10:45	14.14	195	10.17	7.304	29.46	0
2/26/2026 11:00	16.17	201.7	9.55	7.342	29.46	0
2/26/2026 11:15	15.23	207.8	11.42	7.308	29.46	0
2/26/2026 11:30	17.99	204	9.22	7.494	29.46	0
2/26/2026 11:45	17.58	202	11.31	7.648	29.46	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/26/2026 12:00	19.06	200.7	7.353	8.11	29.46	0
2/26/2026 12:15	17.94	204.1	11.54	8.21	29.46	0
2/26/2026 12:30	14.61	207.5	10.96	8.18	29.46	0
2/26/2026 12:45	14.37	198.3	9.91	8.14	29.46	0
2/26/2026 13:00	12.95	194	8.81	8.13	29.45	0
2/26/2026 13:15	12.88	190.7	10.19	8.28	29.45	0
2/26/2026 13:30	12.65	188.6	10	8.27	29.45	0
2/26/2026 13:45	13.76	186	8.58	8.36	29.45	0
2/26/2026 14:00	14.58	188.8	10.76	8.48	29.44	0
2/26/2026 14:15	13.27	183.8	11.49	8.85	29.44	0
2/26/2026 14:30	15.17	187.9	10.95	9.02	29.43	0
2/26/2026 14:45	13.89	184.1	11.67	9.2	29.42	0
2/26/2026 15:00	14.07	185.7	13.26	9.52	29.42	0
2/26/2026 15:15	14	190.3	11.67	9.83	29.42	0
2/26/2026 15:30	13.22	194.6	13.12	10.01	29.41	0
2/26/2026 15:45	11.91	195.2	11.67	10	29.41	0
2/26/2026 16:00	14.13	196.7	11.83	9.5	29.41	0
2/26/2026 16:15	12.56	193	9.86	9.36	29.41	0
2/26/2026 16:30	11.86	195.2	8.82	9.25	29.42	0
2/26/2026 16:45	13.18	199.9	10.99	9.25	29.42	0
2/26/2026 17:00	13.97	197.5	8.21	9.14	29.41	0
2/26/2026 17:15	13.68	197.9	8.73	9.22	29.41	0
2/26/2026 17:30	12.28	194.9	11.24	9.22	29.42	0
2/26/2026 17:45	10.46	211.7	7.764	9.12	29.42	0
2/26/2026 18:00	11.76	206.6	10.55	8.9	29.42	0
2/26/2026 18:15	13.59	205.6	9.36	8.77	29.42	0
2/26/2026 18:30	14.73	208.9	8.77	8.79	29.42	0
2/26/2026 18:45	12.16	205.5	7.281	8.68	29.43	0
2/26/2026 19:00	15.96	208	8.03	8.58	29.43	0
2/26/2026 19:15	16.58	205.4	7.137	8.46	29.44	0
2/26/2026 19:30	15.38	208.4	9.09	8.37	29.44	0
2/26/2026 19:45	12.3	205.9	8.92	8.19	29.44	0
2/26/2026 20:00	13.42	212.2	8.72	8.07	29.44	0
2/26/2026 20:15	12.49	214	9.48	7.946	29.44	0
2/26/2026 20:30	12.97	213.1	9.99	7.82	29.45	0
2/26/2026 20:45	13.22	197.3	10.55	7.727	29.45	0
2/26/2026 21:00	11.77	198.4	10.5	7.519	29.45	0
2/26/2026 21:15	10.5	196.9	9.01	7.469	29.46	0
2/26/2026 21:30	11.77	201.9	9.61	7.347	29.46	0
2/26/2026 21:45	10.77	201.6	8.99	7.174	29.46	0
2/26/2026 22:00	9.82	193.3	10.78	7.052	29.47	0
2/26/2026 22:15	9.96	189.8	9.28	7.009	29.47	0
2/26/2026 22:30	10.19	176.5	11.33	6.914	29.46	0
2/26/2026 22:45	10.03	170	10.24	6.682	29.46	0
2/26/2026 23:00	10.31	176.6	9.8	6.669	29.46	0
2/26/2026 23:15	11.45	178.7	7.833	6.68	29.46	0
2/26/2026 23:30	10.73	175.8	9.49	6.461	29.47	0
2/26/2026 23:45	11.23	168.6	9.16	6.414	29.47	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/27/2026 0:00	11.42	176.2	10.73	6.299	29.47	0
2/27/2026 0:15	11.08	190.7	9.36	6.293	29.48	0
2/27/2026 0:30	11.36	182.5	10.63	6.341	29.48	0
2/27/2026 0:45	10.12	181.3	9.74	6.38	29.48	0
2/27/2026 1:00	10.9	185	9.84	6.44	29.48	0
2/27/2026 1:15	12.07	184.7	10.23	6.219	29.48	0
2/27/2026 1:30	12.96	181	9.54	6.059	29.48	0
2/27/2026 1:45	13.16	177.8	10.04	5.945	29.47	0
2/27/2026 2:00	13.97	176.5	9.86	5.865	29.47	0
2/27/2026 2:15	13.09	179.9	8.49	6.048	29.47	0
2/27/2026 2:30	11.05	180.2	8.21	6.042	29.46	0
2/27/2026 2:45	10.97	173.7	10.85	5.932	29.46	0
2/27/2026 3:00	9.53	179.5	10.53	6.062	29.46	0
2/27/2026 3:15	10.62	183.6	9.39	6.064	29.46	0
2/27/2026 3:30	11.13	182.7	10.14	6.014	29.46	0
2/27/2026 3:45	10.72	183.3	8.52	5.927	29.46	0
2/27/2026 4:00	9.11	183.6	10.63	5.91	29.47	0
2/27/2026 4:15	8.47	177.3	8.84	5.903	29.47	0
2/27/2026 4:30	8.32	165	9.78	5.684	29.46	0
2/27/2026 4:45	8.34	167.9	10.16	5.332	29.46	0
2/27/2026 5:00	8.27	170.6	8.81	5.463	29.46	0
2/27/2026 5:15	9.66	178.4	8.5	5.678	29.47	0
2/27/2026 5:30	9.42	182.3	7.763	5.89	29.47	0
2/27/2026 5:45	8.36	176	10.75	5.892	29.47	0
2/27/2026 6:00	8.39	161	8.73	5.825	29.48	0
2/27/2026 6:15	7.81	162.1	8.46	5.736	29.48	0
2/27/2026 6:30	10.03	162.1	10.36	5.759	29.48	0
2/27/2026 6:45	8.81	164	9.13	5.773	29.48	0
2/27/2026 7:00	10.84	161.1	7.402	5.699	29.48	0
2/27/2026 7:15	10.42	168.2	8.45	5.808	29.48	0
2/27/2026 7:30	10.08	174.7	9.23	5.909	29.48	0
2/27/2026 7:45	10.68	175.1	8.3	6.065	29.48	0
2/27/2026 8:00	12.33	171.4	7.65	6.234	29.48	0
2/27/2026 8:15	11.67	168.8	8.48	6.46	29.49	0
2/27/2026 8:30	12.24	172.2	9.39	6.537	29.49	0
2/27/2026 8:45	10.83	174.9	8.37	6.616	29.49	0
2/27/2026 9:00	9.97	173	8.31	6.735	29.49	0
2/27/2026 9:15	9.45	169.7	10.23	6.926	29.49	0
2/27/2026 9:30	11.01	174.3	10.16	7.09	29.48	0
2/27/2026 9:45	10.79	184.8	12.98	7.204	29.48	0
2/27/2026 10:00	9.7	196	8.92	7.247	29.49	0
2/27/2026 10:15	11.21	196.5	10.86	7.201	29.49	0
2/27/2026 10:30	9.83	200.7	10.75	7.257	29.49	0
2/27/2026 10:45	11.55	198	10.39	7.359	29.5	0
2/27/2026 11:00	11.37	198	11.35	7.496	29.5	0
2/27/2026 11:15	12.06	200.9	11.09	7.482	29.5	0
2/27/2026 11:30	11.35	197.7	8.38	7.531	29.5	0
2/27/2026 11:45	10.6	200	10.08	7.675	29.5	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/27/2026 12:00	9.74	211.8	13.89	7.772	29.5	0
2/27/2026 12:15	11.15	224	10.87	7.872	29.5	0
2/27/2026 12:30	9.77	221.7	8.66	7.977	29.5	0
2/27/2026 12:45	9.62	206.5	9.76	7.938	29.49	0
2/27/2026 13:00	10.78	211.4	9.74	7.951	29.49	0
2/27/2026 13:15	11.31	211.5	7.338	7.883	29.48	0
2/27/2026 13:30	7.372	212.5	10.68	8.03	29.48	0
2/27/2026 13:45	8.45	209.5	14.35	8.28	29.48	0
2/27/2026 14:00	7.965	214.8	12.52	8.32	29.48	0
2/27/2026 14:15	7.459	211.5	11.56	8.38	29.48	0
2/27/2026 14:30	9.79	202.4	19.85	8.36	29.47	0
2/27/2026 14:45	8.51	233.2	10.77	8.34	29.48	0
2/27/2026 15:00	6.944	222.6	12.53	8.33	29.47	0
2/27/2026 15:15	6.892	206.7	8.47	8.27	29.47	0
2/27/2026 15:30	7.703	215.6	8.29	8.28	29.46	0
2/27/2026 15:45	5.234	215.4	11.9	8.37	29.46	0
2/27/2026 16:00	3.853	192.2	13.13	8.43	29.46	0
2/27/2026 16:15	3.454	156	17.33	8.89	29.45	0
2/27/2026 16:30	4.612	176.4	17.21	8.65	29.45	0
2/27/2026 16:45	6.577	182.4	12.43	8.53	29.44	0
2/27/2026 17:00	4.643	190.8	18.45	8.55	29.44	0
2/27/2026 17:15	4.157	205.3	12.66	8.57	29.44	0
2/27/2026 17:30	2.526	194.2	20.69	8.66	29.44	0
2/27/2026 17:45	2.456	123.9	33.04	8.48	29.43	0
2/27/2026 18:00	3.554	88.3	8.24	8.08	29.43	0
2/27/2026 18:15	4.105	95.5	6.969	7.984	29.43	0
2/27/2026 18:30	2.612	93.2	9.87	7.911	29.43	0
2/27/2026 18:45	1.468	95.9	13.67	7.761	29.43	0
2/27/2026 19:00	0.631	73.49	12.54	7.818	29.43	0
2/27/2026 19:15	0	0	0	7.926	29.43	0
2/27/2026 19:30	0.867	222.9	21.52	8.05	29.43	0
2/27/2026 19:45	2.696	218.1	14.47	7.987	29.43	0
2/27/2026 20:00	2.974	236.6	10.21	7.458	29.42	0
2/27/2026 20:15	2.417	257.2	13.62	7.392	29.42	0
2/27/2026 20:30	0.568	333.4	11.69	7.5	29.42	0
2/27/2026 20:45	0.888	307.2	4.681	7.573	29.42	0
2/27/2026 21:00	2.013	333.8	8.1	7.273	29.43	0
2/27/2026 21:15	2.788	309.3	9.63	7.151	29.43	0
2/27/2026 21:30	3.797	291.6	15.27	7.103	29.43	0
2/27/2026 21:45	4.491	246	14.64	7.009	29.43	0
2/27/2026 22:00	5.188	238.5	6.94	7.028	29.43	0
2/27/2026 22:15	3.873	210.2	9.98	6.788	29.43	0
2/27/2026 22:30	5.09	225.8	10.42	6.678	29.43	0
2/27/2026 22:45	5.111	237.4	5.391	6.476	29.43	0
2/27/2026 23:00	4.169	240.9	4.554	6.214	29.43	0
2/27/2026 23:15	2.921	237.3	2.877	6.004	29.42	0
2/27/2026 23:30	1.747	194.3	58.91	6.026	29.42	0
2/27/2026 23:45	1.103	62.61	10.86	5.75	29.42	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/28/2026 0:00	0	0	0	5.499	29.42	0
2/28/2026 0:15	0	0	0	5.55	29.42	0
2/28/2026 0:30	2.293	102.6	10.5	5.567	29.42	0
2/28/2026 0:45	4.271	109.2	7.044	5.541	29.42	0
2/28/2026 1:00	2.972	83.2	35.56	5.384	29.42	0
2/28/2026 1:15	2.015	53.45	17.68	4.912	29.42	0
2/28/2026 1:30	1.605	60.77	24.35	5.257	29.41	0
2/28/2026 1:45	2.556	41.83	7.677	5.136	29.41	0
2/28/2026 2:00	2.987	28.8	4.622	5.076	29.41	0
2/28/2026 2:15	3.445	20.24	9.84	5.083	29.41	0
2/28/2026 2:30	4.109	10.64	11.54	5.106	29.4	0
2/28/2026 2:45	4.191	10.47	9.81	5.256	29.4	0
2/28/2026 3:00	3.999	23.04	10.83	5.324	29.39	0
2/28/2026 3:15	3.993	26.26	7.286	5.052	29.38	0
2/28/2026 3:30	5.965	21.38	6.826	5.059	29.37	0
2/28/2026 3:45	7.439	20.29	6.441	4.918	29.37	0
2/28/2026 4:00	5.993	22.94	11.1	4.874	29.36	0
2/28/2026 4:15	7.878	14.17	14.93	5.125	29.35	0
2/28/2026 4:30	7.488	18.96	12.35	5.377	29.35	0
2/28/2026 4:45	6.552	21.21	11.89	5.319	29.35	0
2/28/2026 5:00	8.5	25.58	12.07	5.307	29.35	0
2/28/2026 5:15	7.542	22.19	13.17	5.255	29.35	0
2/28/2026 5:30	7.1	25.68	13.87	5.139	29.35	0
2/28/2026 5:45	7.452	37.15	11.81	4.842	29.34	0
2/28/2026 6:00	7.474	24.96	12.64	4.74	29.34	0
2/28/2026 6:15	5.101	41.82	19.87	4.58	29.35	0
2/28/2026 6:30	5.879	30.04	13.94	4.522	29.34	0
2/28/2026 6:45	7.033	22.6	14.09	4.392	29.35	0
2/28/2026 7:00	6.249	29.42	12.54	4.289	29.34	0
2/28/2026 7:15	7.086	20.77	8.77	4.067	29.34	0
2/28/2026 7:30	8.6	19.97	7.749	4.437	29.33	0
2/28/2026 7:45	8.06	9.54	11.13	4.477	29.33	0
2/28/2026 8:00	6.564	11.99	11.44	4.737	29.33	0
2/28/2026 8:15	6.86	14.1	10.98	4.917	29.33	0
2/28/2026 8:30	5.663	18.91	10.14	4.907	29.33	0
2/28/2026 8:45	5.381	23.86	14.08	4.892	29.33	0
2/28/2026 9:00	6.171	15.39	12.37	4.883	29.33	0
2/28/2026 9:15	5.489	13.65	14.05	5.105	29.33	0
2/28/2026 9:30	4.434	7.154	14.71	5.339	29.33	0
2/28/2026 9:45	4.478	354	20.27	5.518	29.32	0
2/28/2026 10:00	6.877	354.6	15.47	5.678	29.32	0
2/28/2026 10:15	7.538	1.898	16.29	5.707	29.32	0
2/28/2026 10:30	5.863	325.2	23.01	6.481	29.32	0
2/28/2026 10:45	7.533	329.8	20.02	7.265	29.32	0
2/28/2026 11:00	11.13	1.51	16.49	6.914	29.32	0
2/28/2026 11:15	11.3	11.03	11.21	6.651	29.31	0
2/28/2026 11:30	10.1	359.6	18.94	6.994	29.32	0
2/28/2026 11:45	10.66	358.1	20.89	7.307	29.32	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
2/28/2026 12:00	11.32	358.2	18	7.611	29.31	0
2/28/2026 12:15	8.61	343.8	19.27	8.03	29.31	0
2/28/2026 12:30	11.9	343.7	19.19	8.42	29.29	0
2/28/2026 12:45	11.42	343.9	19.12	8.45	29.29	0
2/28/2026 13:00	12.05	350.5	16.99	8.59	29.28	0
2/28/2026 13:15	11.75	359.9	17.49	8.86	29.28	0
2/28/2026 13:30	10.54	354.8	18.12	9.36	29.27	0
2/28/2026 13:45	12.39	356.1	16.58	9.54	29.27	0
2/28/2026 14:00	11.42	343.1	19.48	9.79	29.26	0
2/28/2026 14:15	10.02	354	16.48	10.01	29.26	0
2/28/2026 14:30	10.35	343.5	15.09	9.94	29.25	0
2/28/2026 14:45	11.96	345.4	14.24	10.08	29.25	0
2/28/2026 15:00	11.88	348.7	17.54	10.01	29.24	0
2/28/2026 15:15	10.43	346.4	16.32	10.09	29.23	0
2/28/2026 15:30	10.68	352.2	17.98	10.32	29.23	0
2/28/2026 15:45	10.91	353.3	17.55	10.35	29.23	0
2/28/2026 16:00	10.75	350.4	18.95	10.44	29.22	0
2/28/2026 16:15	10.15	348.6	15.17	10.32	29.22	0
2/28/2026 16:30	10.58	343.2	14.17	10.43	29.22	0
2/28/2026 16:45	10.05	349.4	17.6	10.31	29.22	0
2/28/2026 17:00	9.87	338.9	17.05	10.25	29.22	0
2/28/2026 17:15	9.16	336.4	17.38	10.06	29.22	0
2/28/2026 17:30	7.569	347.1	20.03	9.81	29.22	0
2/28/2026 17:45	6.276	2.754	16.6	9.11	29.22	0
2/28/2026 18:00	6.78	5.912	15.32	8.54	29.22	0
2/28/2026 18:15	6.914	7.152	15.23	8.33	29.22	0
2/28/2026 18:30	9.07	4.786	15.53	8.05	29.22	0
2/28/2026 18:45	8.98	358.6	17.65	8.08	29.23	0
2/28/2026 19:00	10.4	352.7	19.35	8.05	29.23	0
2/28/2026 19:15	11.58	357.3	18.68	7.753	29.23	0
2/28/2026 19:30	12.41	357.2	18.07	7.542	29.23	0
2/28/2026 19:45	11.96	359	19.08	7.292	29.24	0
2/28/2026 20:00	12.03	3.433	17.09	7.055	29.24	0
2/28/2026 20:15	13.23	3.564	17.22	6.826	29.24	0
2/28/2026 20:30	12.2	3.231	19.21	6.712	29.24	0
2/28/2026 20:45	11.63	356.6	19.33	6.533	29.24	0
2/28/2026 21:00	13.3	1.433	16.65	6.349	29.25	0
2/28/2026 21:15	14.09	3.412	17.17	6.156	29.25	0
2/28/2026 21:30	13.36	1.668	17.08	6.004	29.25	0
2/28/2026 21:45	11.76	1.683	17.97	5.815	29.25	0
2/28/2026 22:00	12.4	2.825	15.39	5.692	29.25	0
2/28/2026 22:15	9.13	14.98	10.15	5.675	29.25	0
2/28/2026 22:30	9.08	15.71	9.3	5.288	29.25	0
2/28/2026 22:45	9.03	17.15	9.28	4.965	29.25	0
2/28/2026 23:00	8.68	17.2	12.81	4.825	29.25	0
2/28/2026 23:15	8.35	16.83	9.26	4.353	29.25	0
2/28/2026 23:30	7.978	20.94	8.61	4.093	29.24	0
2/28/2026 23:45	6.806	23.1	8.21	3.971	29.24	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/1/2026 0:00	6.256	15.37	10.81	3.736	29.25	0
3/1/2026 0:15	5.935	19.24	11.54	3.485	29.24	0
3/1/2026 0:30	6.999	5.754	15.21	3.366	29.25	0
3/1/2026 0:45	5.567	1.174	13.77	3.335	29.25	0
3/1/2026 1:00	6.797	5.438	14.26	3.475	29.25	0
3/1/2026 1:15	7.188	7.233	11.35	3.433	29.25	0
3/1/2026 1:30	7.553	5.243	15.64	3.38	29.25	0
3/1/2026 1:45	7.39	9.5	14.75	3.364	29.25	0
3/1/2026 2:00	7.902	15.89	12.81	3.485	29.25	0
3/1/2026 2:15	7.679	19.05	10.9	3.378	29.25	0
3/1/2026 2:30	10.3	15.43	10.09	3.346	29.25	0
3/1/2026 2:45	10.45	9.01	12.51	3.151	29.25	0
3/1/2026 3:00	8.29	8.22	10.59	2.995	29.25	0
3/1/2026 3:15	8.32	9.93	13.1	3.05	29.25	0
3/1/2026 3:30	6.597	9.91	14.42	3.078	29.25	0
3/1/2026 3:45	7.871	11.38	13.37	2.847	29.25	0
3/1/2026 4:00	8.32	17.02	12.8	2.642	29.25	0
3/1/2026 4:15	7.568	18.72	12.38	2.412	29.25	0
3/1/2026 4:30	7.728	17.36	8.98	2.153	29.25	0
3/1/2026 4:45	8.44	10.09	11.63	2.096	29.25	0
3/1/2026 5:00	7.635	14.21	13.79	2.02	29.25	0
3/1/2026 5:15	8.07	20.01	9.08	1.806	29.25	0
3/1/2026 5:30	6.956	3.519	15.19	1.69	29.24	0
3/1/2026 5:45	7.212	1.376	11.42	1.647	29.24	0
3/1/2026 6:00	6.06	2.041	12.02	1.657	29.24	0
3/1/2026 6:15	6.32	9.57	11.52	1.404	29.24	0
3/1/2026 6:30	4.729	33.1	16.12	1.224	29.24	0
3/1/2026 6:45	3.444	356.9	25.35	1.143	29.24	0
3/1/2026 7:00	7.661	17.78	8.71	1.188	29.24	0
3/1/2026 7:15	8.92	12.76	8.13	1.118	29.24	0
3/1/2026 7:30	8.26	17.05	9.11	1.127	29.23	0
3/1/2026 7:45	7.652	19.31	9.27	1.026	29.23	0
3/1/2026 8:00	8.21	14.44	9.66	1.118	29.24	0
3/1/2026 8:15	5.879	5.272	12.72	1.469	29.24	0
3/1/2026 8:30	7.469	10.76	13.46	2.018	29.24	0
3/1/2026 8:45	7.266	11.25	12.2	1.831	29.24	0
3/1/2026 9:00	7.672	7.228	15.74	2.347	29.24	0
3/1/2026 9:15	6.333	6.531	14.55	2.625	29.24	0
3/1/2026 9:30	5.664	9.55	11.97	3.174	29.23	0
3/1/2026 9:45	6.022	9.33	12.24	3.145	29.24	0
3/1/2026 10:00	3.176	0.847	18.09	3.903	29.24	0
3/1/2026 10:15	5.035	22.84	13.21	4.465	29.24	0
3/1/2026 10:30	4.714	359.3	24.11	5.542	29.23	0
3/1/2026 10:45	8.28	4.294	16.42	7.251	29.23	0
3/1/2026 11:00	10.13	1.984	21.14	8.14	29.23	0
3/1/2026 11:15	8.21	6.789	21.07	8.78	29.23	0
3/1/2026 11:30	9.9	2.787	20.92	9.12	29.22	0
3/1/2026 11:45	7.949	7.083	22.85	9.26	29.22	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/1/2026 12:00	7.394	17.75	18.75	9.47	29.22	0
3/1/2026 12:15	10.11	16.95	14.6	9.32	29.22	0
3/1/2026 12:30	12.7	18.41	16.2	9.27	29.21	0
3/1/2026 12:45	13.01	17.19	15.36	9.31	29.21	0
3/1/2026 13:00	10.32	21.8	15.74	9.76	29.21	0
3/1/2026 13:15	10.35	18.21	14.58	10.19	29.2	0
3/1/2026 13:30	8.94	11.69	19.69	10.82	29.2	0
3/1/2026 13:45	9.49	14.27	17	11.02	29.19	0
3/1/2026 14:00	8.54	17.57	16.87	11.42	29.19	0
3/1/2026 14:15	8.43	20.01	17.72	11.75	29.19	0
3/1/2026 14:30	8.52	22.46	11.66	11.92	29.18	0
3/1/2026 14:45	8.53	19.49	14.33	12.03	29.18	0
3/1/2026 15:00	8.55	20.43	14.96	12.19	29.18	0
3/1/2026 15:15	7.581	11.41	19.16	12.41	29.18	0
3/1/2026 15:30	7.169	2.591	40.38	12.54	29.18	0
3/1/2026 15:45	6.776	300.6	70.85	12.57	29.18	0
3/1/2026 16:00	7.262	340	70.07	12.57	29.18	0
3/1/2026 16:15	6.574	254.5	54.23	12.56	29.18	0
3/1/2026 16:30	6.517	267.2	62.41	12.53	29.17	0
3/1/2026 16:45	4.489	258	56.51	12.48	29.18	0
3/1/2026 17:00	4.386	266.4	62.14	12.21	29.18	0
3/1/2026 17:15	5.023	276.5	69.77	11.94	29.18	0
3/1/2026 17:30	4.825	303.3	73.98	11.59	29.18	0
3/1/2026 17:45	3.839	313.5	63.26	11.25	29.18	0
3/1/2026 18:00	2.213	327.1	7.8	11.16	29.18	0
3/1/2026 18:15	2.256	330.7	6.256	10.54	29.18	0
3/1/2026 18:30	0.339	348.1	6.711	10.41	29.19	0
3/1/2026 18:45	2.983	313.5	61.32	10.3	29.19	0
3/1/2026 19:00	5.111	263.3	61.15	9.57	29.2	0
3/1/2026 19:15	5.27	251.3	48.3	9.12	29.2	0
3/1/2026 19:30	6.573	247.7	32.43	8.92	29.2	0
3/1/2026 19:45	7.093	241.8	11.2	8.53	29.21	0
3/1/2026 20:00	7.752	240.2	9.26	8.22	29.21	0
3/1/2026 20:15	6.083	243.9	6.933	7.83	29.21	0
3/1/2026 20:30	5.347	244.9	8.53	7.552	29.21	0
3/1/2026 20:45	4.895	248.1	9.05	7.707	29.22	0
3/1/2026 21:00	3.628	254	9.28	7.817	29.22	0
3/1/2026 21:15	1.861	249.9	9.5	7.916	29.22	0
3/1/2026 21:30	2.126	252	8.89	7.695	29.22	0
3/1/2026 21:45	2.853	249.6	9.7	7.146	29.23	0
3/1/2026 22:00	2.825	241.5	15.2	6.437	29.23	0
3/1/2026 22:15	3.479	254.1	60.69	6.334	29.23	0
3/1/2026 22:30	3.162	241	10.74	6.176	29.23	0
3/1/2026 22:45	2.498	242.7	8.77	5.982	29.23	0
3/1/2026 23:00	3.335	239.6	9.54	5.912	29.23	0
3/1/2026 23:15	1.143	243.8	6.85	5.62	29.23	0
3/1/2026 23:30	0.487	255.5	5.232	5.414	29.23	0
3/1/2026 23:45	0.877	253.1	7.222	5.556	29.22	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/2/2026 0:00	1.865	245.5	7.922	5.871	29.22	0
3/2/2026 0:15	0.569	248.7	6.263	6.099	29.22	0
3/2/2026 0:30	0.308	265.2	6.776	5.628	29.22	0
3/2/2026 0:45	0.269	274.5	4.968	5.649	29.22	0
3/2/2026 1:00	1.531	290.2	8.05	6.046	29.23	0
3/2/2026 1:15	0.517	284.7	7.794	6.171	29.23	0
3/2/2026 1:30	0.389	279.9	14.45	5.846	29.23	0
3/2/2026 1:45	0.487	277	5.028	5.522	29.23	0
3/2/2026 2:00	2.916	283.9	6.421	5.422	29.23	0
3/2/2026 2:15	3.566	285.9	6.862	5.257	29.23	0
3/2/2026 2:30	4.682	291.2	6.638	4.774	29.23	0
3/2/2026 2:45	3.986	288.5	7.16	4.738	29.23	0
3/2/2026 3:00	3.328	293.5	6.295	4.854	29.23	0
3/2/2026 3:15	2.893	297.2	5.796	4.72	29.23	0
3/2/2026 3:30	0.302	280.8	6.351	4.908	29.23	0
3/2/2026 3:45	0.616	243.1	10.64	3.697	29.23	0
3/2/2026 4:00	0.395	247.3	3.882	4.138	29.23	0
3/2/2026 4:15	0.369	250.6	3.387	4.426	29.23	0
3/2/2026 4:30	0.245	255.2	7.201	4.589	29.23	0
3/2/2026 4:45	0.222	283.5	17.92	4.433	29.23	0
3/2/2026 5:00	0.781	296.6	6.502	4.776	29.24	0
3/2/2026 5:15	0.895	281.1	6.88	5.028	29.24	0
3/2/2026 5:30	1.224	280.9	6.688	5.156	29.24	0
3/2/2026 5:45	1.834	283.8	6.497	4.795	29.24	0
3/2/2026 6:00	3.341	281.6	7.688	4.408	29.24	0
3/2/2026 6:15	0.871	271.9	6.258	4.387	29.24	0
3/2/2026 6:30	0.635	281.5	5.002	4.411	29.25	0
3/2/2026 6:45	0.425	284.7	5.45	4.475	29.25	0
3/2/2026 7:00	0.449	284.3	3.026	3.719	29.25	0
3/2/2026 7:15	0.345	285.3	4.625	4.159	29.26	0
3/2/2026 7:30	0.233	286.4	40.29	4.818	29.26	0
3/2/2026 7:45	0.256	339.6	13.53	5.183	29.27	0
3/2/2026 8:00	0.219	318.2	6.446	4.606	29.28	0
3/2/2026 8:15	1.094	288.4	6.318	5.259	29.28	0
3/2/2026 8:30	0.758	284.5	5.499	5.778	29.29	0
3/2/2026 8:45	0.338	272.9	5.818	6.819	29.29	0
3/2/2026 9:00	1.738	276.4	5.982	7.178	29.3	0
3/2/2026 9:15	1.309	276.2	7.672	7.542	29.3	0
3/2/2026 9:30	2.202	284.2	6.418	7.847	29.3	0
3/2/2026 9:45	1.611	291.3	6.085	8.09	29.3	0
3/2/2026 10:00	2.005	300.2	6.011	8.42	29.3	0
3/2/2026 10:15	2.768	301	5.788	8.79	29.3	0
3/2/2026 10:30	3.165	306.6	7.393	9.19	29.3	0
3/2/2026 10:45	3.604	299.7	10.92	9.83	29.3	0
3/2/2026 11:00	2.211	299.8	12.7	10.26	29.3	0
3/2/2026 11:15	1.207	290.7	12.46	10.86	29.3	0
3/2/2026 11:30	2.441	292.4	7.838	11.17	29.3	0
3/2/2026 11:45	3.073	289	10.46	11.37	29.29	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/2/2026 12:00	2.453	292.6	15.27	11.85	29.3	0
3/2/2026 12:15	2.529	294	13.05	12.36	29.3	0
3/2/2026 12:30	1.836	281.1	16.36	12.56	29.3	0
3/2/2026 12:45	2.76	301.5	13.67	12.85	29.29	0
3/2/2026 13:00	2.474	315.6	13.85	12.96	29.29	0
3/2/2026 13:15	4.951	297.8	9.57	13.18	29.29	0
3/2/2026 13:30	5.243	300.1	8.94	13.47	29.28	0
3/2/2026 13:45	3.437	304.2	16.8	13.82	29.28	0
3/2/2026 14:00	5.104	308.4	14.76	13.92	29.28	0
3/2/2026 14:15	3.831	314.7	17.11	13.83	29.27	0
3/2/2026 14:30	3.346	327.1	9.21	13.92	29.27	0
3/2/2026 14:45	4.622	310.3	13.52	14.2	29.27	0
3/2/2026 15:00	4.206	302.5	11.03	14.33	29.27	0
3/2/2026 15:15	5.079	295.5	9.29	14.29	29.27	0
3/2/2026 15:30	4.22	299.7	10.19	14.46	29.27	0
3/2/2026 15:45	1.919	310.3	28.63	14.73	29.26	0
3/2/2026 16:00	4.266	298.7	10.55	14.54	29.26	0
3/2/2026 16:15	4.805	301.6	9.14	14.47	29.26	0
3/2/2026 16:30	3.46	301.6	8.97	14.51	29.26	0
3/2/2026 16:45	3.928	298.8	8.97	14.35	29.25	0
3/2/2026 17:00	3.291	309.3	10.03	14.33	29.25	0
3/2/2026 17:15	3.654	307.3	5.968	14.2	29.25	0
3/2/2026 17:30	3.994	314.8	8.09	13.68	29.25	0
3/2/2026 17:45	3.828	320.6	3.793	13.14	29.25	0
3/2/2026 18:00	3.714	319.3	3.546	12.76	29.25	0
3/2/2026 18:15	3.01	318.2	3.099	12.66	29.25	0
3/2/2026 18:30	3.428	326	4.669	12.37	29.25	0
3/2/2026 18:45	2.65	335.3	3.637	11.9	29.25	0
3/2/2026 19:00	0.296	319.6	51.09	11.91	29.25	0
3/2/2026 19:15	0.219	309	66.07	11.31	29.25	0
3/2/2026 19:30	0.219	307	57.86	11.27	29.26	0
3/2/2026 19:45	0.219	328.1	1.765	11.52	29.27	0
3/2/2026 20:00	0.767	284.5	10.6	10.82	29.27	0
3/2/2026 20:15	3.194	275.2	7.297	10.35	29.27	0
3/2/2026 20:30	3.919	274.6	8.06	10.39	29.27	0
3/2/2026 20:45	5.029	282	6.556	10.23	29.27	0
3/2/2026 21:00	5.49	281.5	6.371	10.21	29.27	0
3/2/2026 21:15	4.974	288	9.05	10.26	29.28	0
3/2/2026 21:30	6.544	302.9	6.847	9.07	29.29	0
3/2/2026 21:45	4.688	291.1	7.459	9.27	29.29	0
3/2/2026 22:00	3.297	285.3	6.855	9.37	29.29	0
3/2/2026 22:15	0.477	276.7	6.257	9.38	29.29	0
3/2/2026 22:30	0.472	287.6	4.995	9.49	29.3	0
3/2/2026 22:45	1.453	288.8	4.452	9.46	29.29	0
3/2/2026 23:00	0.349	292.3	8.52	9.35	29.29	0
3/2/2026 23:15	0.236	263.5	8.73	9.19	29.29	0
3/2/2026 23:30	0.626	259.7	4.96	9.12	29.28	0
3/2/2026 23:45	0.239	254.2	5.233	8.87	29.28	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/3/2026 0:00	0.256	290.7	47.7	9.24	29.28	0
3/3/2026 0:15	0.519	316.4	3.757	9.31	29.28	0
3/3/2026 0:30	4.113	313.9	4.348	9.03	29.28	0
3/3/2026 0:45	2.164	307.8	10.19	8.98	29.29	0
3/3/2026 1:00	0.899	255.5	9.12	8.26	29.29	0
3/3/2026 1:15	1.181	263.6	6.636	8.22	29.28	0
3/3/2026 1:30	1.845	272	6.979	8.9	29.28	0
3/3/2026 1:45	4.028	273.5	8.69	9.08	29.27	0
3/3/2026 2:00	2.721	273.2	7.707	8.81	29.27	0
3/3/2026 2:15	4.889	273.2	8.11	9.13	29.26	0
3/3/2026 2:30	3.746	275.3	8.46	9.26	29.26	0
3/3/2026 2:45	5.711	284.2	7.046	9.39	29.25	0
3/3/2026 3:00	4.45	289.5	7.448	8.88	29.24	0
3/3/2026 3:15	4.67	288.1	9.04	8.76	29.23	0
3/3/2026 3:30	5.431	287.3	11.3	8.84	29.23	0
3/3/2026 3:45	4.852	282.3	8.53	9.03	29.23	0
3/3/2026 4:00	4.315	291	7.95	8.73	29.23	0
3/3/2026 4:15	4.279	284	8.36	9.11	29.23	0
3/3/2026 4:30	3.86	282	8.11	9.58	29.23	0
3/3/2026 4:45	4.224	285.8	7.834	9.61	29.23	0
3/3/2026 5:00	4.591	282.2	7.934	9.63	29.23	0
3/3/2026 5:15	4.815	293.5	15.84	9.72	29.23	0
3/3/2026 5:30	5.159	311.8	4.632	8.47	29.23	0
3/3/2026 5:45	5.017	308	6.081	8.43	29.23	0
3/3/2026 6:00	4.06	296.6	7.231	8.65	29.23	0
3/3/2026 6:15	4.18	305.2	5.359	8.58	29.23	0
3/3/2026 6:30	5.143	298.5	10.82	8.07	29.23	0
3/3/2026 6:45	2.783	278.9	7.398	8.11	29.23	0
3/3/2026 7:00	1.036	272.8	42.51	7.823	29.23	0
3/3/2026 7:15	0.998	256	8.25	7.986	29.23	0
3/3/2026 7:30	2.023	273.7	7.419	8.29	29.24	0.01
3/3/2026 7:45	1.853	260.3	10.26	8.08	29.24	0.03
3/3/2026 8:00	2.848	264.7	12.08	7.87	29.24	0
3/3/2026 8:15	3.831	266.8	8.66	7.985	29.24	0.01
3/3/2026 8:30	2.577	274.5	8.32	8.21	29.24	0
3/3/2026 8:45	3.323	279.7	8.4	8.49	29.25	0
3/3/2026 9:00	3.692	279.2	9.55	8.59	29.24	0
3/3/2026 9:15	4.302	282	10.73	8.56	29.24	0.02
3/3/2026 9:30	4.291	276.4	8.7	8.71	29.24	0
3/3/2026 9:45	4.728	292.2	7.96	8.67	29.24	0
3/3/2026 10:00	4.643	284.3	7.326	8.88	29.24	0
3/3/2026 10:15	3.818	292.2	7.054	9.05	29.24	0
3/3/2026 10:30	4.386	294.1	6.861	9.28	29.24	0
3/3/2026 10:45	3.436	293.4	8.06	9.3	29.24	0
3/3/2026 11:00	4.507	291.9	9.54	9.63	29.24	0
3/3/2026 11:15	5.085	295.9	6.638	9.94	29.24	0
3/3/2026 11:30	6.158	292.4	6.031	10.29	29.24	0
3/3/2026 11:45	7.28	298.5	6.483	10.45	29.24	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/3/2026 12:00	8.86	301.5	5.093	10.32	29.24	0
3/3/2026 12:15	8.35	303.6	4.714	10.06	29.24	0
3/3/2026 12:30	8.81	301.2	5.002	9.98	29.23	0
3/3/2026 12:45	9.39	299.6	6.091	10.21	29.23	0
3/3/2026 13:00	7.119	300.6	5.106	10.33	29.23	0
3/3/2026 13:15	5.114	293.8	7.672	10.53	29.23	0
3/3/2026 13:30	6.4	294.4	6.525	10.5	29.23	0
3/3/2026 13:45	5.58	296.2	7.063	10.56	29.22	0
3/3/2026 14:00	4.736	294.3	8.71	10.66	29.22	0
3/3/2026 14:15	1.506	283.5	13.76	10.83	29.21	0
3/3/2026 14:30	3.294	293.1	11.32	11.06	29.21	0
3/3/2026 14:45	5.452	294.5	7.294	11.18	29.21	0
3/3/2026 15:00	5.854	295.8	7.1	11.31	29.2	0
3/3/2026 15:15	7.135	299.4	7.61	11.22	29.2	0
3/3/2026 15:30	5.171	300.7	6.501	11.26	29.2	0
3/3/2026 15:45	7	303.4	4.013	11.28	29.2	0
3/3/2026 16:00	6.039	299.9	5.364	11.24	29.2	0
3/3/2026 16:15	9.35	301.2	4.572	11.16	29.2	0
3/3/2026 16:30	9.29	298	5.228	11.05	29.2	0
3/3/2026 16:45	7.845	296.9	4.176	11.01	29.19	0
3/3/2026 17:00	7.469	298.4	4.694	10.87	29.19	0.01
3/3/2026 17:15	6.843	294.1	4.854	10.62	29.19	0
3/3/2026 17:30	6.854	294.3	11.42	10.45	29.19	0
3/3/2026 17:45	7.098	296.6	4.069	10.26	29.19	0.01
3/3/2026 18:00	5.335	293	5.871	9.92	29.19	0.02
3/3/2026 18:15	4.996	288	7.033	9.79	29.19	0
3/3/2026 18:30	5.573	285.1	6.29	9.67	29.19	0.01
3/3/2026 18:45	7.184	284.3	4.691	9.6	29.19	0.01
3/3/2026 19:00	5.766	278.5	6.248	9.52	29.19	0
3/3/2026 19:15	4.971	279.8	7.816	9.4	29.19	0.01
3/3/2026 19:30	4.538	278.4	8.16	9.29	29.18	0
3/3/2026 19:45	4.13	287.4	8.42	9.24	29.18	0.01
3/3/2026 20:00	2.828	278.5	9.49	9.24	29.17	0.01
3/3/2026 20:15	2.83	280.7	8.22	9.14	29.17	0.04
3/3/2026 20:30	3.654	273.3	8.52	9.05	29.16	0.01
3/3/2026 20:45	4.863	274.1	10.94	8.97	29.16	0
3/3/2026 21:00	3.983	275.5	7.831	8.94	29.16	0
3/3/2026 21:15	3.854	272.3	7.949	8.91	29.16	0
3/3/2026 21:30	4.448	270.7	8.09	8.89	29.16	0
3/3/2026 21:45	5.365	271.1	7.995	8.9	29.16	0
3/3/2026 22:00	3.99	274.2	7.991	8.93	29.15	0
3/3/2026 22:15	5.69	272	6.92	9	29.15	0
3/3/2026 22:30	5.029	273	7.353	9.04	29.15	0
3/3/2026 22:45	4.612	271.9	7.975	9.03	29.14	0
3/3/2026 23:00	3.251	270.6	7.517	9.17	29.13	0
3/3/2026 23:15	4.057	268.7	7.761	9.31	29.13	0
3/3/2026 23:30	4.393	269.6	8.25	9.32	29.12	0
3/3/2026 23:45	4.085	269.4	8.06	9.48	29.12	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/4/2026 0:00	4.803	266.9	8.09	9.47	29.11	0
3/4/2026 0:15	5.229	266.6	7.687	9.26	29.1	0
3/4/2026 0:30	5.552	272.2	7.078	9.51	29.1	0
3/4/2026 0:45	5.563	269.1	7.056	9.69	29.09	0
3/4/2026 1:00	5.284	270.5	7.458	9.76	29.08	0
3/4/2026 1:15	3.779	275	7.999	9.74	29.08	0
3/4/2026 1:30	3.462	277.6	8.3	9.72	29.07	0
3/4/2026 1:45	2.51	277.4	8.73	9.48	29.07	0
3/4/2026 2:00	2.885	269.5	7.639	9.43	29.06	0
3/4/2026 2:15	1.265	272.2	14.39	9.15	29.06	0
3/4/2026 2:30	3.192	284.1	8.25	8.93	29.05	0.01
3/4/2026 2:45	2.98	272.1	7.694	8.57	29.05	0.01
3/4/2026 3:00	4.386	274	7.996	8.79	29.04	0.01
3/4/2026 3:15	3.387	273.2	7.042	8.63	29.04	0.01
3/4/2026 3:30	5.051	270.4	7.946	8.62	29.03	0.02
3/4/2026 3:45	5.489	269.2	7.214	8.63	29.02	0.02
3/4/2026 4:00	2.979	275.5	7.419	8.67	29.01	0.01
3/4/2026 4:15	1.672	260.1	11.55	8.47	29.01	0.02
3/4/2026 4:30	1.726	255.3	7.638	8.21	29	0.01
3/4/2026 4:45	0.288	259	5.772	8.16	29	0.02
3/4/2026 5:00	0.219	257.6	6.339	8.07	29	0.02
3/4/2026 5:15	1.781	277.1	5.696	7.971	28.99	0.03
3/4/2026 5:30	2.425	263	9.25	7.973	28.99	0.02
3/4/2026 5:45	2.991	263.4	10.59	7.864	28.98	0.03
3/4/2026 6:00	3.837	267.8	8.06	7.825	28.98	0.02
3/4/2026 6:15	5.036	261.9	8.87	7.79	28.97	0.01
3/4/2026 6:30	5.108	263.5	7.95	7.711	28.97	0
3/4/2026 6:45	8.63	270.5	6.22	8.17	28.96	0
3/4/2026 7:00	8.36	273.6	5.655	8.72	28.96	0
3/4/2026 7:15	8.09	276.5	5.532	8.61	28.97	0
3/4/2026 7:30	7.947	274.6	5.415	8.6	28.97	0
3/4/2026 7:45	8.92	168.7	73.17	8.71	28.97	0
3/4/2026 8:00	11.21	149.2	6.233	8.56	28.98	0
3/4/2026 8:15	10.57	151.3	6.826	8.5	28.98	0.01
3/4/2026 8:30	9.59	146.7	9.44	8.34	28.98	0
3/4/2026 8:45	6.552	148.8	8.53	8.42	28.98	0
3/4/2026 9:00	5.587	166.4	28.55	8.41	28.99	0
3/4/2026 9:15	7.402	176.2	14.09	8.48	29	0
3/4/2026 9:30	7.797	175.7	8.21	8.61	29	0
3/4/2026 9:45	10.65	179.7	12.05	8.57	29.01	0
3/4/2026 10:00	10.67	181.7	9.26	8.43	29.01	0
3/4/2026 10:15	10.23	184.7	10.27	8.37	29.02	0
3/4/2026 10:30	9.43	187.4	10.06	8.46	29.02	0
3/4/2026 10:45	10.05	187.8	10.49	8.48	29.02	0
3/4/2026 11:00	8.76	176.8	9.74	8.68	29.03	0
3/4/2026 11:15	8.57	176.1	11.19	8.66	29.02	0
3/4/2026 11:30	8.62	178.2	11.3	8.56	29.03	0
3/4/2026 11:45	7.963	184.4	13.5	8.49	29.04	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/4/2026 12:00	9.67	184.2	12.43	8.24	29.04	0
3/4/2026 12:15	7.927	152	16.15	7.845	29.05	0.01
3/4/2026 12:30	8.39	140.8	9.72	7.657	29.06	0
3/4/2026 12:45	7.458	138.5	11.28	7.565	29.06	0.01
3/4/2026 13:00	7.792	162.9	14.7	7.719	29.07	0.01
3/4/2026 13:15	7.906	164.8	13.38	8.18	29.07	0
3/4/2026 13:30	7.558	157.3	15.44	8.29	29.07	0
3/4/2026 13:45	6.104	155	12.73	8.55	29.07	0
3/4/2026 14:00	4.284	152.9	19.37	8.74	29.08	0
3/4/2026 14:15	4.911	49.4	43.03	8.33	29.09	0
3/4/2026 14:30	9.18	15.14	20.19	6.91	29.09	0
3/4/2026 14:45	6.976	4.227	16.93	7.173	29.1	0
3/4/2026 15:00	6.623	4.821	18.59	7.403	29.11	0
3/4/2026 15:15	5.616	26.08	11.8	7.052	29.12	0.01
3/4/2026 15:30	3.158	49.97	12.76	7.067	29.12	0.02
3/4/2026 15:45	10.14	19.5	22.74	7.038	29.13	0.03
3/4/2026 16:00	11.7	20.88	15.45	6.886	29.13	0.01
3/4/2026 16:15	7.914	19.06	21.72	6.667	29.14	0.02
3/4/2026 16:30	7.212	26.94	21.83	6.697	29.15	0.03
3/4/2026 16:45	5.954	25.59	10.93	6.553	29.15	0.02
3/4/2026 17:00	3.439	89	53.5	6.522	29.16	0.02
3/4/2026 17:15	7.183	155.1	8.68	6.402	29.16	0.01
3/4/2026 17:30	8.34	142.9	13.58	6.283	29.16	0.01
3/4/2026 17:45	5.945	164.2	19.11	6.331	29.18	0
3/4/2026 18:00	4.989	123.5	27.84	6.261	29.19	0
3/4/2026 18:15	5.022	91.3	11.49	6.066	29.2	0
3/4/2026 18:30	5.224	124.7	18.81	5.95	29.2	0
3/4/2026 18:45	5.403	146.8	7.73	6.089	29.21	0
3/4/2026 19:00	6.148	145.6	11.72	6.052	29.21	0.01
3/4/2026 19:15	6.967	122.9	8.51	5.996	29.22	0
3/4/2026 19:30	5.87	139.5	10.17	5.986	29.22	0
3/4/2026 19:45	5.68	158.1	16.3	6.124	29.23	0
3/4/2026 20:00	4.173	170.3	15.65	5.967	29.23	0
3/4/2026 20:15	3.716	142.9	13.72	6.048	29.23	0
3/4/2026 20:30	2.636	119	20.16	6.191	29.24	0
3/4/2026 20:45	1.872	87.1	23.21	6.096	29.24	0
3/4/2026 21:00	2.204	116.9	35.24	6.172	29.25	0
3/4/2026 21:15	2.313	149.2	18.23	6.457	29.26	0
3/4/2026 21:30	4.768	189.4	12.99	6.489	29.27	0
3/4/2026 21:45	7.222	199.7	6.143	6.776	29.27	0
3/4/2026 22:00	6.967	210.4	6.55	6.805	29.27	0
3/4/2026 22:15	5.259	175.6	15.57	6.582	29.28	0
3/4/2026 22:30	3.993	150.6	19.18	6.646	29.28	0
3/4/2026 22:45	6.175	171.1	11.58	6.77	29.28	0
3/4/2026 23:00	7.278	173.7	8.7	6.812	29.29	0
3/4/2026 23:15	7.765	169.7	8.34	6.901	29.29	0
3/4/2026 23:30	6.892	172.6	7.942	6.87	29.29	0
3/4/2026 23:45	7.83	170.8	7.218	6.845	29.3	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/5/2026 0:00	7.072	169.3	8.95	6.797	29.3	0
3/5/2026 0:15	5.747	182.1	10.94	6.724	29.31	0
3/5/2026 0:30	6.686	179.5	13.95	6.684	29.31	0
3/5/2026 0:45	6.353	178.6	11	6.656	29.31	0
3/5/2026 1:00	8.17	179.2	15.64	6.614	29.32	0
3/5/2026 1:15	9.26	180.2	11.11	6.63	29.32	0
3/5/2026 1:30	12.34	190.6	11.97	6.535	29.32	0
3/5/2026 1:45	8.56	199.8	9.53	6.448	29.33	0
3/5/2026 2:00	9.69	203.9	10.19	6.405	29.33	0
3/5/2026 2:15	9.84	210.5	44.64	6.271	29.33	0
3/5/2026 2:30	9.15	253.8	54.52	6.176	29.34	0
3/5/2026 2:45	8.26	272.4	49.63	6.078	29.34	0
3/5/2026 3:00	8	192.4	27.87	6.065	29.35	0
3/5/2026 3:15	8.94	287.5	33.16	5.975	29.35	0
3/5/2026 3:30	7.946	297.6	8.61	5.897	29.36	0
3/5/2026 3:45	7.566	296.3	6.589	5.84	29.36	0
3/5/2026 4:00	7.991	295.6	5.646	5.784	29.36	0
3/5/2026 4:15	6.416	294.2	5.869	5.594	29.36	0
3/5/2026 4:30	4.512	289.1	8.87	5.554	29.37	0
3/5/2026 4:45	5.928	290.3	6.949	5.584	29.37	0
3/5/2026 5:00	4.612	283.5	9.71	5.452	29.37	0
3/5/2026 5:15	5.734	286.1	9.1	5.428	29.38	0.01
3/5/2026 5:30	5.943	290.1	6.996	5.506	29.38	0
3/5/2026 5:45	5.64	285.9	7.108	5.478	29.38	0
3/5/2026 6:00	5.79	280.4	6.806	5.441	29.39	0
3/5/2026 6:15	5.709	284.3	8.36	5.48	29.39	0
3/5/2026 6:30	5.768	288.8	6.188	5.419	29.39	0
3/5/2026 6:45	5.862	290.9	6.277	5.355	29.39	0.03
3/5/2026 7:00	6.996	292.4	5.333	5.298	29.39	0.01
3/5/2026 7:15	6.111	292.4	5.413	5.195	29.39	0.01
3/5/2026 7:30	8.41	202.4	49.17	5.211	29.4	0.01
3/5/2026 7:45	6.807	177.9	10.99	5.177	29.41	0.01
3/5/2026 8:00	5.43	169.5	13.53	5.123	29.42	0.01
3/5/2026 8:15	4.745	191	32.66	5.318	29.42	0
3/5/2026 8:30	6.148	171.9	23.52	5.368	29.43	0
3/5/2026 8:45	3.866	155.2	18.72	5.376	29.43	0
3/5/2026 9:00	3.316	138	30.18	5.377	29.44	0
3/5/2026 9:15	4.522	160.9	24.4	5.431	29.44	0.02
3/5/2026 9:30	3.062	147.2	39.65	5.443	29.45	0.02
3/5/2026 9:45	2.534	105.5	15.8	5.442	29.45	0.01
3/5/2026 10:00	3.126	101.5	13.86	5.573	29.46	0
3/5/2026 10:15	3.559	106.2	13.05	5.754	29.46	0
3/5/2026 10:30	1.684	68	28.89	5.825	29.47	0.01
3/5/2026 10:45	1.971	41.06	29.22	5.672	29.47	0
3/5/2026 11:00	1.176	63.97	23.26	5.743	29.48	0
3/5/2026 11:15	1.578	25.45	20.64	6.029	29.48	0
3/5/2026 11:30	7.886	36.86	49.63	5.343	29.49	0.08
3/5/2026 11:45	6.953	30.52	30.28	4.843	29.5	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/5/2026 12:00	4.428	44.46	21.4	5.205	29.5	0
3/5/2026 12:15	4.082	41.9	16.68	5.5	29.49	0
3/5/2026 12:30	1.951	56.9	18.34	6.033	29.49	0.01
3/5/2026 12:45	2.55	46.64	24.38	6.383	29.49	0
3/5/2026 13:00	3.163	93.2	14.48	6.425	29.49	0
3/5/2026 13:15	2.273	74.21	31.64	7.236	29.49	0
3/5/2026 13:30	2.656	55.88	42.55	7.482	29.49	0
3/5/2026 13:45	2.046	61.5	34.59	7.699	29.48	0
3/5/2026 14:00	2.107	62.43	44.54	7.941	29.48	0
3/5/2026 14:15	3.087	97	24.52	8.46	29.48	0
3/5/2026 14:30	4.601	150.1	12.02	8.7	29.48	0
3/5/2026 14:45	4.698	147.1	9.98	8.81	29.49	0
3/5/2026 15:00	4.689	139.8	11.02	8.84	29.49	0
3/5/2026 15:15	4.441	130.7	18.09	9.05	29.5	0
3/5/2026 15:30	4.242	140.7	25.1	9.29	29.5	0
3/5/2026 15:45	2.553	144.3	40.03	9.26	29.51	0
3/5/2026 16:00	4.408	188	13.98	9.07	29.51	0
3/5/2026 16:15	4.809	172.3	20.17	8.79	29.5	0
3/5/2026 16:30	3.658	142.7	12.56	8.55	29.5	0
3/5/2026 16:45	3.979	105.5	7.74	8.6	29.5	0
3/5/2026 17:00	3.635	103.5	6.49	8.47	29.5	0
3/5/2026 17:15	3.201	106.5	7.492	8.35	29.51	0
3/5/2026 17:30	3.352	113.4	6.451	8.26	29.51	0
3/5/2026 17:45	2.246	139.9	18.19	8.21	29.52	0
3/5/2026 18:00	0.366	46.76	29.64	8.09	29.52	0
3/5/2026 18:15	3.851	71.38	7.348	7.476	29.51	0
3/5/2026 18:30	3.423	77.2	12.95	7.113	29.51	0.01
3/5/2026 18:45	2.343	95.7	38.11	7.063	29.52	0
3/5/2026 19:00	9.55	192.1	17.63	7.433	29.52	0.01
3/5/2026 19:15	6.95	216.2	7.685	7.078	29.53	0
3/5/2026 19:30	3.874	192.7	12.04	6.983	29.53	0
3/5/2026 19:45	3.962	164.2	13.72	6.894	29.54	0
3/5/2026 20:00	4.506	171.1	9.43	6.862	29.54	0
3/5/2026 20:15	4.409	163.1	10.62	6.873	29.53	0
3/5/2026 20:30	5.182	163.6	10.06	6.721	29.53	0
3/5/2026 20:45	6.907	180.3	7.384	6.873	29.53	0
3/5/2026 21:00	5.724	171.4	9.05	6.826	29.53	0
3/5/2026 21:15	6.266	144.9	9.32	6.624	29.53	0
3/5/2026 21:30	6.865	152.2	9.52	6.581	29.52	0
3/5/2026 21:45	7.516	160.7	8.55	6.562	29.52	0
3/5/2026 22:00	7.521	163.2	9.54	6.498	29.52	0
3/5/2026 22:15	8.82	170.8	7.217	6.554	29.52	0
3/5/2026 22:30	7.5	166.1	8.68	6.487	29.52	0
3/5/2026 22:45	6.688	165.1	9.19	6.358	29.53	0
3/5/2026 23:00	7.754	169.2	7.973	6.379	29.53	0
3/5/2026 23:15	7.823	167.1	7.702	6.346	29.53	0
3/5/2026 23:30	8.9	167.6	8.75	6.298	29.53	0
3/5/2026 23:45	8.1	165.6	7.97	6.264	29.53	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/6/2026 0:00	8.3	168.3	7.115	6.247	29.53	0
3/6/2026 0:15	7.484	162.1	9.93	6.196	29.54	0
3/6/2026 0:30	7.412	155.3	10.08	6.082	29.54	0
3/6/2026 0:45	6.412	146.8	7.893	5.911	29.53	0
3/6/2026 1:00	5.855	144	6.347	5.834	29.54	0.01
3/6/2026 1:15	6.058	142.2	7.04	5.748	29.54	0
3/6/2026 1:30	5.167	140.4	8.09	5.694	29.54	0.01
3/6/2026 1:45	4.957	130.4	8.3	5.621	29.54	0.01
3/6/2026 2:00	5.534	129.7	8.7	5.535	29.53	0.01
3/6/2026 2:15	6.811	128.5	8.62	5.495	29.53	0.01
3/6/2026 2:30	6.889	133.4	7.583	5.541	29.52	0.01
3/6/2026 2:45	6.745	123.8	7.679	5.458	29.52	0.02
3/6/2026 3:00	7.173	126.9	7.602	5.379	29.52	0.01
3/6/2026 3:15	6.713	122.6	8.45	5.365	29.52	0.01
3/6/2026 3:30	8.18	126.5	8.33	5.301	29.51	0.01
3/6/2026 3:45	8.44	130.7	7.865	5.273	29.51	0.01
3/6/2026 4:00	7.926	134	9.81	5.23	29.5	0.01
3/6/2026 4:15	7.806	122.7	7.669	5.201	29.51	0
3/6/2026 4:30	8.3	120.1	8.2	5.182	29.5	0
3/6/2026 4:45	8.91	119.8	9.59	5.193	29.5	0.01
3/6/2026 5:00	9.27	117	9.53	5.199	29.5	0
3/6/2026 5:15	7.254	113.2	9.5	5.258	29.5	0
3/6/2026 5:30	6.628	118.7	9.63	5.282	29.5	0
3/6/2026 5:45	7.728	128.4	7.716	5.442	29.5	0.01
3/6/2026 6:00	7.826	129.4	8.04	5.638	29.49	0
3/6/2026 6:15	6.525	136.1	8.9	5.751	29.49	0
3/6/2026 6:30	6.451	139.4	9.73	5.941	29.49	0
3/6/2026 6:45	5.967	142.9	12.47	5.992	29.49	0
3/6/2026 7:00	5.55	145.7	25.79	6.075	29.49	0
3/6/2026 7:15	5.072	136.9	14.39	6.234	29.49	0
3/6/2026 7:30	5.707	140	18.79	6.472	29.49	0
3/6/2026 7:45	4.946	132.4	35.48	6.572	29.49	0
3/6/2026 8:00	5.424	140.6	15	6.71	29.5	0
3/6/2026 8:15	5.628	150.6	28.63	6.864	29.5	0
3/6/2026 8:30	6.124	139.7	12.1	6.958	29.5	0
3/6/2026 8:45	6.479	131.9	10.39	7.144	29.5	0
3/6/2026 9:00	5.55	136	8.19	7.242	29.5	0
3/6/2026 9:15	6.019	138	10.01	7.396	29.5	0
3/6/2026 9:30	6.482	144.2	12.3	7.548	29.5	0
3/6/2026 9:45	6.877	145	9.52	7.596	29.5	0
3/6/2026 10:00	6.921	142.5	6.638	7.602	29.51	0
3/6/2026 10:15	7.04	140.5	6.509	7.659	29.51	0.01
3/6/2026 10:30	7.014	140.1	9.41	7.712	29.51	0
3/6/2026 10:45	6.135	136	10.4	7.785	29.51	0.01
3/6/2026 11:00	6.363	134.8	8.82	7.816	29.51	0.01
3/6/2026 11:15	7.04	139	10.76	7.962	29.51	0
3/6/2026 11:30	7.364	147.1	9.7	8.11	29.52	0.01
3/6/2026 11:45	7.655	143.4	7.486	8.27	29.52	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/6/2026 12:00	6.962	142.9	9.61	8.31	29.52	0
3/6/2026 12:15	7.653	197.4	52.29	8.46	29.52	0.01
3/6/2026 12:30	8.2	150.5	11.19	8.65	29.52	0.01
3/6/2026 12:45	9.12	153.3	7.779	8.74	29.51	0
3/6/2026 13:00	9.25	149	8.16	8.82	29.51	0.01
3/6/2026 13:15	9.13	148.4	9.94	8.89	29.51	0
3/6/2026 13:30	9.8	153.8	21.63	8.93	29.5	0.01
3/6/2026 13:45	9	159.6	39.67	9.02	29.5	0.01
3/6/2026 14:00	8.66	152	8.19	9.01	29.5	0.01
3/6/2026 14:15	8.72	151.6	6.567	9.02	29.5	0.01
3/6/2026 14:30	7.638	153.5	7.668	9.06	29.5	0.01
3/6/2026 14:45	7.541	150.9	7.939	9.06	29.5	0.01
3/6/2026 15:00	10.07	161	26.78	9.09	29.5	0.02
3/6/2026 15:15	9.4	168.6	8.25	9.11	29.5	0.01
3/6/2026 15:30	10.03	165.5	9.36	9.06	29.5	0.01
3/6/2026 15:45	9.73	165.7	9.63	9.01	29.5	0.02
3/6/2026 16:00	9.13	154.5	7.546	9	29.5	0.01
3/6/2026 16:15	8.76	150.3	6.088	8.97	29.5	0.02
3/6/2026 16:30	9.08	155.5	9.15	8.97	29.49	0.01
3/6/2026 16:45	8.48	165.4	8.85	8.97	29.49	0.01
3/6/2026 17:00	8.71	154	7.649	8.92	29.49	0.02
3/6/2026 17:15	9.14	154.1	7.547	8.85	29.49	0.01
3/6/2026 17:30	8.36	154.5	8.18	8.84	29.49	0.01
3/6/2026 17:45	7.877	147.1	7.356	8.79	29.5	0
3/6/2026 18:00	7.693	150.6	6.5	8.76	29.5	0.01
3/6/2026 18:15	7.701	149.7	7.73	8.75	29.5	0.01
3/6/2026 18:30	8.35	151.4	6.221	8.72	29.5	0.01
3/6/2026 18:45	8.58	148.9	6.778	8.69	29.5	0.01
3/6/2026 19:00	9.39	148.1	7.676	8.67	29.5	0.01
3/6/2026 19:15	8.8	160.3	10.52	8.69	29.5	0.02
3/6/2026 19:30	9.67	164.3	8.51	8.72	29.5	0.01
3/6/2026 19:45	7.733	159.5	7.661	8.69	29.5	0.03
3/6/2026 20:00	7.638	146.3	9.41	8.63	29.5	0.02
3/6/2026 20:15	6.736	138.4	7.983	8.59	29.5	0.03
3/6/2026 20:30	7.351	142.4	7.338	8.58	29.5	0.04
3/6/2026 20:45	6.889	145.1	8.88	8.57	29.51	0.03
3/6/2026 21:00	8.01	145.5	6.918	8.55	29.51	0.01
3/6/2026 21:15	7.209	136.3	7.206	8.52	29.5	0
3/6/2026 21:30	5.976	131.9	10.91	8.54	29.51	0.01
3/6/2026 21:45	7.459	142.6	14.46	8.56	29.51	0
3/6/2026 22:00	9.77	159.1	11.19	8.65	29.5	0.01
3/6/2026 22:15	9.52	169.2	8.45	8.66	29.5	0
3/6/2026 22:30	9.14	172.8	8.42	8.63	29.51	0.01
3/6/2026 22:45	8.77	170.7	9.02	8.62	29.51	0
3/6/2026 23:00	9.24	170.5	8.29	8.62	29.5	0.01
3/6/2026 23:15	10.34	168.8	10.16	8.61	29.5	0
3/6/2026 23:30	9.34	172.6	8.1	8.62	29.5	0
3/6/2026 23:45	9.87	173.1	8	8.62	29.5	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/7/2026 0:00	10.12	173.1	9.73	8.6	29.51	0.01
3/7/2026 0:15	9.44	168.7	9.07	8.62	29.51	0
3/7/2026 0:30	8.62	171.2	9.97	8.63	29.5	0.01
3/7/2026 0:45	8.96	171.5	8.57	8.63	29.5	0
3/7/2026 1:00	8.28	160.7	9.37	8.63	29.5	0.01
3/7/2026 1:15	7.983	155.3	10.25	8.63	29.5	0
3/7/2026 1:30	8.08	154.6	8.98	8.62	29.51	0
3/7/2026 1:45	7.282	158.9	11.31	8.67	29.51	0.01
3/7/2026 2:00	7.159	170.4	8.74	8.66	29.51	0
3/7/2026 2:15	6.844	163.9	10.67	8.66	29.51	0
3/7/2026 2:30	7.73	151.1	8.57	8.61	29.51	0
3/7/2026 2:45	7.479	147.7	7.604	8.6	29.51	0
3/7/2026 3:00	8.83	141.9	8.35	8.59	29.5	0.01
3/7/2026 3:15	8.44	140.9	7.666	8.59	29.5	0
3/7/2026 3:30	8.48	141.7	6.472	8.58	29.5	0
3/7/2026 3:45	7.789	141.2	8.15	8.57	29.5	0
3/7/2026 4:00	7.619	144.9	9.94	8.57	29.49	0.01
3/7/2026 4:15	8.2	140.6	9.91	8.54	29.49	0
3/7/2026 4:30	9.82	148.8	11.24	8.54	29.48	0
3/7/2026 4:45	9.8	162.9	9.26	8.55	29.48	0.01
3/7/2026 5:00	7.87	163.4	10.72	8.53	29.49	0
3/7/2026 5:15	9.34	168.1	8.35	8.49	29.49	0
3/7/2026 5:30	9.26	167	8.13	8.45	29.49	0
3/7/2026 5:45	9.32	166.2	11.18	8.45	29.48	0
3/7/2026 6:00	10.24	170.9	9.99	8.43	29.48	0
3/7/2026 6:15	8.58	173.9	8.74	8.42	29.48	0
3/7/2026 6:30	8.96	180.6	10.1	8.45	29.48	0.01
3/7/2026 6:45	6.026	185.2	16.03	8.44	29.48	0
3/7/2026 7:00	7.833	183.7	14.1	8.42	29.48	0
3/7/2026 7:15	8.46	178.3	14.09	8.39	29.48	0
3/7/2026 7:30	9.14	169.4	10.19	8.42	29.48	0
3/7/2026 7:45	9.93	170.8	10.76	8.47	29.48	0
3/7/2026 8:00	8.28	166.1	11.12	8.47	29.49	0
3/7/2026 8:15	10.31	167.7	8.96	8.46	29.49	0
3/7/2026 8:30	8.54	171.8	12.91	8.48	29.5	0.01
3/7/2026 8:45	8.99	172.4	8.76	8.49	29.5	0
3/7/2026 9:00	8.28	172.4	12.54	8.53	29.51	0
3/7/2026 9:15	8.74	167.8	13.41	8.63	29.5	0
3/7/2026 9:30	7.977	168.3	8.26	8.76	29.5	0
3/7/2026 9:45	8.61	165.8	8.31	8.9	29.49	0
3/7/2026 10:00	6.838	154	13.55	9.08	29.5	0
3/7/2026 10:15	9.32	169.6	9.7	9.11	29.5	0
3/7/2026 10:30	10.65	176	9.65	9.05	29.49	0
3/7/2026 10:45	8.63	175	9.36	8.99	29.49	0
3/7/2026 11:00	7.351	174	11.94	9.01	29.5	0.01
3/7/2026 11:15	6.043	164.5	9.82	8.99	29.5	0
3/7/2026 11:30	4.169	149.7	19.43	9.11	29.5	0
3/7/2026 11:45	3.282	139.2	34.24	9.18	29.5	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/7/2026 12:00	3.707	146.7	31.38	9.3	29.5	0
3/7/2026 12:15	5.144	168.4	12.52	9.36	29.5	0
3/7/2026 12:30	5.202	168.8	10.59	9.43	29.49	0
3/7/2026 12:45	4.412	156.5	16.01	9.5	29.49	0
3/7/2026 13:00	4.553	138.3	11.87	9.55	29.48	0.01
3/7/2026 13:15	4.704	121.9	7.771	9.5	29.47	0
3/7/2026 13:30	4.763	113.8	12.54	9.51	29.47	0
3/7/2026 13:45	4.329	124.6	13.55	9.55	29.46	0
3/7/2026 14:00	2.551	110.7	18.4	9.63	29.46	0
3/7/2026 14:15	2.541	91.7	14.68	9.64	29.45	0
3/7/2026 14:30	2.833	105.4	9.34	9.61	29.45	0
3/7/2026 14:45	2.512	102.6	12.66	9.65	29.45	0
3/7/2026 15:00	2.19	97.9	17.32	9.67	29.44	0
3/7/2026 15:15	1.847	97.6	14.43	9.83	29.44	0
3/7/2026 15:30	2.358	108.7	17.12	9.92	29.43	0
3/7/2026 15:45	2.362	125.3	17.93	10.05	29.43	0
3/7/2026 16:00	2.475	113.7	8.45	10.11	29.43	0
3/7/2026 16:15	3.105	123.2	8.78	10.2	29.42	0
3/7/2026 16:30	3.09	191.2	53.28	10.28	29.42	0
3/7/2026 16:45	4.72	211.2	20.75	10.29	29.42	0
3/7/2026 17:00	4.516	188.4	12.74	10.43	29.42	0
3/7/2026 17:15	3.758	191.9	30.78	10.52	29.42	0
3/7/2026 17:30	5.247	198.6	13.32	10.64	29.41	0
3/7/2026 17:45	7.49	201	13.74	10.7	29.41	0
3/7/2026 18:00	9.55	206.5	10.66	10.74	29.41	0
3/7/2026 18:15	9.95	187.2	12	10.71	29.41	0
3/7/2026 18:30	13.22	187.7	9.26	10.61	29.4	0
3/7/2026 18:45	11.91	189.4	9.41	10.56	29.4	0
3/7/2026 19:00	11.28	189.2	7.762	10.47	29.4	0
3/7/2026 19:15	11.88	189.2	10.46	10.43	29.4	0
3/7/2026 19:30	12.67	193	9.14	10.46	29.39	0
3/7/2026 19:45	12.87	188.5	9.83	10.4	29.39	0
3/7/2026 20:00	11.62	194	13.52	10.3	29.39	0
3/7/2026 20:15	11.48	194.6	11.55	10.18	29.39	0
3/7/2026 20:30	12.27	191.4	9.16	10.15	29.38	0
3/7/2026 20:45	12.5	201.3	8.84	10.14	29.38	0
3/7/2026 21:00	10.09	198	10.99	10.11	29.38	0
3/7/2026 21:15	9.69	188	11.03	10.08	29.38	0
3/7/2026 21:30	9.55	186.3	10.87	10	29.37	0
3/7/2026 21:45	9.37	189.4	10.51	9.95	29.36	0
3/7/2026 22:00	9.66	188.1	10.87	9.91	29.36	0
3/7/2026 22:15	9.39	180.6	9.34	9.91	29.36	0
3/7/2026 22:30	9.1	199	12.11	9.9	29.36	0
3/7/2026 22:45	10.4	207.1	10.34	9.88	29.35	0
3/7/2026 23:00	10.79	201.3	11.96	9.87	29.35	0
3/7/2026 23:15	13.55	207.6	8.97	9.76	29.34	0
3/7/2026 23:30	15.77	192.2	8.08	9.73	29.34	0
3/7/2026 23:45	14.28	178.5	8.68	9.72	29.33	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/8/2026 0:00	15.28	180.7	9.06	9.66	29.32	0
3/8/2026 0:15	11.94	181	8.61	9.68	29.32	0
3/8/2026 0:30	13.12	191.1	8.85	9.55	29.32	0
3/8/2026 0:45	15.61	199.8	8.99	9.57	29.31	0
3/8/2026 1:00	13.83	201.2	8.17	9.58	29.3	0
3/8/2026 1:15	12.94	204.8	8.22	9.59	29.31	0
3/8/2026 1:30	12.17	199.3	10.27	9.61	29.3	0
3/8/2026 1:45	12.48	196.7	8.4	9.47	29.3	0
3/8/2026 2:00	11.28	199.9	11.81	9.34	29.29	0
3/8/2026 2:15	11.98	199.8	9.83	9.11	29.29	0
3/8/2026 2:30	11.42	202.5	9.65	8.92	29.28	0
3/8/2026 2:45	9.01	186.9	10.29	8.72	29.28	0.01
3/8/2026 3:00	8.15	181.8	12.07	8.58	29.27	0
3/8/2026 3:15	8.51	189.1	8.66	8.54	29.27	0.01
3/8/2026 3:30	9.32	181.9	6.927	8.48	29.26	0
3/8/2026 3:45	7.628	180.3	9.23	8.47	29.25	0
3/8/2026 4:00	7.234	172	7.986	8.43	29.25	0
3/8/2026 4:15	8.59	182.2	8.99	8.43	29.24	0
3/8/2026 4:30	11.25	191.5	10.04	8.45	29.23	0
3/8/2026 4:45	12.72	197.4	10.15	8.44	29.23	0
3/8/2026 5:00	14.27	201.4	9.44	8.44	29.22	0.01
3/8/2026 5:15	12.83	199.8	8.96	8.43	29.21	0
3/8/2026 5:30	16.17	203.1	9.56	8.51	29.21	0
3/8/2026 5:45	16.34	200.4	8.36	8.51	29.2	0
3/8/2026 6:00	19.04	197.9	9.27	8.52	29.19	0
3/8/2026 6:15	16.04	202	8.29	8.5	29.19	0
3/8/2026 6:30	16.33	207.7	9.16	8.44	29.19	0.01
3/8/2026 6:45	15.87	206.9	7.95	8.42	29.19	0
3/8/2026 7:00	16.59	205.9	7.563	8.4	29.18	0
3/8/2026 7:15	15.91	208.4	8.15	8.4	29.18	0
3/8/2026 7:30	11.64	217.2	8.39	8.36	29.19	0.01
3/8/2026 7:45	10.89	213.5	8.43	8.33	29.19	0.01
3/8/2026 8:00	13.43	209.4	7.912	8.29	29.19	0
3/8/2026 8:15	13.22	212.3	8.3	8.34	29.19	0
3/8/2026 8:30	13.07	216.2	8.15	8.39	29.2	0
3/8/2026 8:45	14.1	218.8	7.191	8.44	29.2	0
3/8/2026 9:00	13.4	223.5	7.27	8.51	29.2	0
3/8/2026 9:15	13.28	220.5	7.841	8.55	29.19	0.01
3/8/2026 9:30	12.44	224.1	7.616	8.57	29.19	0.01
3/8/2026 9:45	13.61	229.7	6.603	8.64	29.19	0
3/8/2026 10:00	12.87	232.3	7.811	8.67	29.19	0.03
3/8/2026 10:15	12.19	235.6	9.98	8.76	29.19	0
3/8/2026 10:30	14.3	234.6	7.971	9.03	29.19	0
3/8/2026 10:45	11	250.2	11.39	9.1	29.19	0
3/8/2026 11:00	10.23	247.9	12.74	9.21	29.19	0
3/8/2026 11:15	9	242.1	15.78	9.69	29.19	0
3/8/2026 11:30	8.75	218	18.17	10	29.19	0
3/8/2026 11:45	6.385	262.9	20.99	9.99	29.18	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/8/2026 12:00	16.45	249.7	10.89	9.98	29.18	0
3/8/2026 12:15	12.06	12.2	48.26	6.933	29.2	0
3/8/2026 12:30	17.08	30.13	25.29	4.454	29.2	0
3/8/2026 12:45	17.08	39.47	27.45	4.156	29.2	0
3/8/2026 13:00	19.57	45.94	19.96	3.96	29.19	0
3/8/2026 13:15	17.6	54.51	18.73	4.143	29.19	0
3/8/2026 13:30	20.29	55.72	21.48	4.108	29.18	0
3/8/2026 13:45	18.9	49.02	25.4	4.055	29.18	0
3/8/2026 14:00	15.37	35.49	19.38	4.577	29.18	0
3/8/2026 14:15	17.5	33.99	22.12	4.829	29.18	0
3/8/2026 14:30	19.96	39.2	15.44	4.871	29.18	0
3/8/2026 14:45	16.42	46.69	16.71	4.797	29.18	0
3/8/2026 15:00	13.87	42.05	22.92	5.115	29.18	0
3/8/2026 15:15	18.61	41.74	15.43	5.395	29.18	0
3/8/2026 15:30	15.13	42.41	19.81	5.194	29.19	0
3/8/2026 15:45	15.49	48.26	14.58	5.142	29.19	0
3/8/2026 16:00	13.89	45.14	14.3	5.155	29.18	0
3/8/2026 16:15	12.24	47.6	15.8	5.115	29.18	0
3/8/2026 16:30	9.13	55.06	15.22	5.22	29.18	0
3/8/2026 16:45	8.56	64.69	10.53	5.399	29.17	0
3/8/2026 17:00	7.842	52.6	8.34	5.534	29.17	0
3/8/2026 17:15	7.08	67.32	9.43	5.619	29.16	0
3/8/2026 17:30	5.811	54.89	8.17	5.503	29.16	0
3/8/2026 17:45	5.905	55.68	8.86	5.39	29.16	0
3/8/2026 18:00	6.661	65.38	9.77	5.082	29.16	0
3/8/2026 18:15	6.792	48.34	9.74	4.846	29.16	0
3/8/2026 18:30	5.258	69.53	7.509	4.679	29.16	0
3/8/2026 18:45	3.704	82.1	12.94	4.691	29.16	0
3/8/2026 19:00	3.959	82.6	11.4	4.678	29.17	0
3/8/2026 19:15	5.011	82.2	15.53	4.622	29.17	0
3/8/2026 19:30	3.981	118.1	13.41	4.352	29.16	0
3/8/2026 19:45	4.127	121.8	20.65	4.503	29.17	0
3/8/2026 20:00	2.496	118.3	20.89	4.547	29.17	0
3/8/2026 20:15	2.028	98.7	40.31	4.194	29.17	0
3/8/2026 20:30	6.983	193	9.51	4.983	29.17	0
3/8/2026 20:45	9.36	196.3	7.251	5.122	29.17	0
3/8/2026 21:00	11.58	195	7.161	5.01	29.17	0
3/8/2026 21:15	10.52	192.1	7.084	4.82	29.18	0
3/8/2026 21:30	12.38	196	9.06	4.686	29.18	0
3/8/2026 21:45	12.8	193.9	6.65	4.542	29.18	0
3/8/2026 22:00	13.01	198.7	6.296	4.32	29.18	0
3/8/2026 22:15	12.3	204.1	7.621	4.214	29.19	0
3/8/2026 22:30	11.84	216.7	12.89	4.166	29.19	0
3/8/2026 22:45	11.73	195.4	7.242	4.119	29.19	0
3/8/2026 23:00	10.95	201.8	15.38	4.058	29.19	0
3/8/2026 23:15	11.06	207.7	24.67	4	29.19	0
3/8/2026 23:30	10.7	192.7	8.14	3.947	29.19	0
3/8/2026 23:45	9.57	195.4	9.74	3.883	29.19	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/9/2026 0:00	8.06	199.6	9.54	3.819	29.19	0
3/9/2026 0:15	7.545	199.9	7.111	3.765	29.19	0
3/9/2026 0:30	7.587	197.1	7.003	3.656	29.19	0
3/9/2026 0:45	7.698	200.5	9.94	3.55	29.19	0
3/9/2026 1:00	9.29	227.2	12.84	3.396	29.19	0
3/9/2026 1:15	8.38	228.2	10.95	3.31	29.2	0
3/9/2026 1:30	8.09	228.9	6.95	3.262	29.2	0
3/9/2026 1:45	5.882	187.9	9.82	3.245	29.2	0
3/9/2026 2:00	6.557	192.5	10.99	3.212	29.2	0
3/9/2026 2:15	6.174	189.5	7.41	2.874	29.2	0.02
3/9/2026 2:30	2.029	227.9	25.8	2.607	29.2	0.01
3/9/2026 2:45	1.383	299.5	32.11	2.584	29.2	0
3/9/2026 3:00	1.527	308.9	11.73	2.24	29.2	0.01
3/9/2026 3:15	1.91	81.8	70.98	2.218	29.19	0
3/9/2026 3:30	3.855	59.05	7.93	1.667	29.19	0
3/9/2026 3:45	3.17	72.75	19.18	1.536	29.19	0
3/9/2026 4:00	2.793	123.8	22.11	1.744	29.2	0
3/9/2026 4:15	3.713	180.4	17.28	2.158	29.2	0
3/9/2026 4:30	5.428	193.2	9.91	2.524	29.2	0
3/9/2026 4:45	5.217	188.4	21.89	2.526	29.2	0
3/9/2026 5:00	6.935	213.3	8.96	2.601	29.2	0
3/9/2026 5:15	8.84	219.1	9.98	2.392	29.21	0
3/9/2026 5:30	6.066	205	8.78	2.313	29.21	0
3/9/2026 5:45	9.43	205.1	10.08	2.331	29.21	0.01
3/9/2026 6:00	10.21	209.2	7.098	2.296	29.21	0
3/9/2026 6:15	9.89	200.9	7.704	2.261	29.22	0
3/9/2026 6:30	11.29	208.8	7.131	2.197	29.22	0
3/9/2026 6:45	10.63	207	8.96	2.152	29.22	0
3/9/2026 7:00	10.52	205.4	8.03	2.115	29.22	0
3/9/2026 7:15	8.65	205	11.16	2.11	29.23	0
3/9/2026 7:30	8.69	202.2	10.57	2.087	29.23	0
3/9/2026 7:45	10.12	193	8.71	2.032	29.24	0
3/9/2026 8:00	9.2	192	10.64	2.014	29.24	0
3/9/2026 8:15	7.066	182.6	12.61	2.099	29.25	0
3/9/2026 8:30	9.35	176.7	9.04	2.071	29.25	0
3/9/2026 8:45	9.35	176.7	12.78	2.133	29.25	0
3/9/2026 9:00	10.1	178	12.14	2.301	29.25	0
3/9/2026 9:15	9.56	190.5	12.76	2.548	29.25	0
3/9/2026 9:30	10.46	205.6	14.8	2.808	29.25	0
3/9/2026 9:45	13.67	197.5	12.96	3.006	29.25	0
3/9/2026 10:00	11.63	176.9	10.53	3.038	29.25	0
3/9/2026 10:15	12.88	183.7	12.37	3.317	29.24	0
3/9/2026 10:30	12.23	183.3	10.47	3.565	29.24	0
3/9/2026 10:45	9.34	186.7	13.56	4.028	29.24	0
3/9/2026 11:00	9.39	180	13.89	4.355	29.24	0
3/9/2026 11:15	15.18	212.6	12.97	4.897	29.23	0
3/9/2026 11:30	14.29	206	12.15	4.823	29.23	0
3/9/2026 11:45	15.48	207.8	10.2	4.893	29.23	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/9/2026 12:00	14.43	213.3	9.19	5.052	29.23	0
3/9/2026 12:15	13.3	204.6	12.3	5.422	29.23	0
3/9/2026 12:30	14.85	216.2	9.96	5.292	29.22	0
3/9/2026 12:45	15.55	204.4	12.22	5.305	29.22	0
3/9/2026 13:00	16.37	200.3	11.33	5.289	29.21	0
3/9/2026 13:15	18.7	197	10.26	4.499	29.21	0
3/9/2026 13:30	10.87	193.5	13.4	4.318	29.22	0
3/9/2026 13:45	12.62	203.6	12.64	3.733	29.22	0
3/9/2026 14:00	8.72	189	9.95	3.266	29.22	0
3/9/2026 14:15	13.12	189.6	10.94	4.008	29.21	0
3/9/2026 14:30	13.91	175.6	11.89	3.952	29.21	0
3/9/2026 14:45	13.05	185.6	14.77	4.399	29.21	0
3/9/2026 15:00	15.7	183.2	13.3	4.44	29.21	0
3/9/2026 15:15	12.65	165.8	25.15	4.229	29.21	0
3/9/2026 15:30	11.26	164.3	10.46	4.48	29.2	0
3/9/2026 15:45	13.23	179.2	14.09	4.221	29.2	0
3/9/2026 16:00	11.51	193.5	14.37	3.647	29.21	0
3/9/2026 16:15	8.48	174.7	11.07	3.873	29.2	0
3/9/2026 16:30	7.054	169.1	13.97	4.476	29.2	0
3/9/2026 16:45	12.66	184.4	17.68	4.529	29.19	0
3/9/2026 17:00	13.9	183.1	11.51	4.445	29.19	0
3/9/2026 17:15	12.99	190.9	10.77	4.257	29.19	0
3/9/2026 17:30	12.92	196.5	10.27	3.784	29.2	0
3/9/2026 17:45	12.08	186.5	11.22	3.553	29.2	0
3/9/2026 18:00	11.33	184.5	11.86	3.366	29.2	0
3/9/2026 18:15	11.37	177.7	9.42	3.215	29.2	0
3/9/2026 18:30	8.99	170.9	10.61	3.095	29.2	0
3/9/2026 18:45	10.98	153.7	9.33	2.79	29.21	0
3/9/2026 19:00	10.58	152.1	9.78	2.515	29.22	0
3/9/2026 19:15	10.27	171.6	9.36	2.6	29.22	0
3/9/2026 19:30	8.6	156.1	13.75	2.352	29.22	0
3/9/2026 19:45	7.706	147.3	7.931	2.08	29.23	0
3/9/2026 20:00	7.998	144.1	8	1.963	29.23	0
3/9/2026 20:15	9.16	162.8	12	1.961	29.23	0
3/9/2026 20:30	9.76	171.1	7.037	1.924	29.23	0
3/9/2026 20:45	10.72	168.4	7.41	1.847	29.24	0
3/9/2026 21:00	10.16	169.4	8.45	1.899	29.24	0
3/9/2026 21:15	10.91	166.5	7.877	1.821	29.24	0
3/9/2026 21:30	11.69	169.1	7.494	1.823	29.24	0
3/9/2026 21:45	10.99	171.7	9.5	1.792	29.24	0
3/9/2026 22:00	9.48	159.3	9.57	1.826	29.25	0
3/9/2026 22:15	9.79	169.1	8.44	1.89	29.25	0
3/9/2026 22:30	8.37	153.6	13.01	1.883	29.25	0
3/9/2026 22:45	7.843	154.7	26.05	1.859	29.24	0
3/9/2026 23:00	6.12	148.5	18.76	1.839	29.24	0
3/9/2026 23:15	6.318	148.8	9.98	1.755	29.24	0
3/9/2026 23:30	7.243	150.4	11.01	1.704	29.24	0
3/9/2026 23:45	7.595	155.8	10.81	1.677	29.24	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/10/2026 0:00	6.77	160.3	12.21	1.741	29.24	0
3/10/2026 0:15	6.579	147.6	7.782	1.681	29.24	0
3/10/2026 0:30	7.149	146.3	6.335	1.622	29.24	0
3/10/2026 0:45	7.705	142.8	8.6	1.663	29.24	0
3/10/2026 1:00	6.515	160.6	18.76	1.673	29.24	0
3/10/2026 1:15	6.457	179.8	11.8	1.624	29.25	0
3/10/2026 1:30	5.617	180.9	8.61	1.594	29.25	0
3/10/2026 1:45	5.724	178.3	10.98	1.586	29.26	0
3/10/2026 2:00	6.07	180.6	9.53	1.585	29.26	0
3/10/2026 2:15	7.895	186	11.19	1.516	29.26	0
3/10/2026 2:30	10.68	180.5	11.01	1.387	29.26	0
3/10/2026 2:45	11.22	185.6	8.29	1.36	29.26	0
3/10/2026 3:00	9.38	186.6	9.15	1.285	29.27	0
3/10/2026 3:15	8.99	175.7	10.42	1.256	29.27	0
3/10/2026 3:30	9.54	178.9	9.4	1.291	29.27	0
3/10/2026 3:45	7.96	182.9	10.06	1.327	29.27	0
3/10/2026 4:00	9.54	183	10.04	1.365	29.28	0
3/10/2026 4:15	11.57	191.9	8.86	1.261	29.28	0
3/10/2026 4:30	9.33	196	8.99	1.193	29.28	0
3/10/2026 4:45	7.55	190.6	9.6	1.204	29.29	0
3/10/2026 5:00	8.26	184.8	9.54	1.186	29.29	0
3/10/2026 5:15	7.969	190.7	9.64	1.173	29.29	0
3/10/2026 5:30	6.552	194.7	8.89	1.18	29.3	0
3/10/2026 5:45	5.163	182.6	10.42	1.141	29.3	0
3/10/2026 6:00	3.605	197.8	10.87	1.119	29.31	0
3/10/2026 6:15	1.891	168.6	33.14	1.139	29.31	0
3/10/2026 6:30	0.219	144.3	35.07	1.112	29.31	0
3/10/2026 6:45	3.151	128	11.44	1.073	29.31	0
3/10/2026 7:00	3.887	152.6	10.81	1.024	29.31	0
3/10/2026 7:15	2.789	162	9.95	1.075	29.32	0
3/10/2026 7:30	1.271	132.4	30.31	1.053	29.32	0
3/10/2026 7:45	3.48	146	11.94	1.141	29.33	0
3/10/2026 8:00	3.914	159.8	15.4	1.379	29.33	0
3/10/2026 8:15	4.284	137	15.89	1.665	29.34	0
3/10/2026 8:30	5.505	136	6.847	1.972	29.34	0
3/10/2026 8:45	6.355	131.5	11.14	2.462	29.34	0
3/10/2026 9:00	6.22	126.5	12.48	2.71	29.34	0
3/10/2026 9:15	7.309	139.6	15.64	3.168	29.34	0
3/10/2026 9:30	9.87	164.5	11.33	3.6	29.34	0
3/10/2026 9:45	9.36	172.3	14.54	3.954	29.34	0
3/10/2026 10:00	8.37	176.9	19.22	4.387	29.34	0
3/10/2026 10:15	10.17	161.6	14.64	4.583	29.34	0
3/10/2026 10:30	8.68	177.3	15.85	4.584	29.34	0
3/10/2026 10:45	10.38	198.1	17.29	4.545	29.34	0
3/10/2026 11:00	11.54	186.9	25.56	5.473	29.34	0
3/10/2026 11:15	11.78	188.5	18.67	5.461	29.34	0
3/10/2026 11:30	11.9	199.8	10.32	5.081	29.34	0
3/10/2026 11:45	10.87	188.5	12.58	5.478	29.35	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/10/2026 12:00	12.56	197.9	9.74	5.524	29.35	0
3/10/2026 12:15	11.62	188	10.25	5.586	29.35	0
3/10/2026 12:30	10.55	184.5	16.78	5.738	29.34	0
3/10/2026 12:45	11.05	172.1	19.54	6.27	29.34	0
3/10/2026 13:00	11.92	194.4	13.26	6.179	29.34	0
3/10/2026 13:15	11.32	164.4	16.89	6.288	29.33	0
3/10/2026 13:30	12.31	175.6	18.41	6.884	29.33	0
3/10/2026 13:45	12.76	194.2	17.38	6.78	29.33	0
3/10/2026 14:00	12.83	167.9	15.18	6.992	29.33	0
3/10/2026 14:15	14.21	181.1	14.58	7.318	29.32	0
3/10/2026 14:30	11.62	181.9	14.06	7.195	29.32	0
3/10/2026 14:45	17.73	186.9	12.36	6.695	29.32	0
3/10/2026 15:00	18.42	190.7	19.48	6.154	29.33	0
3/10/2026 15:15	16.12	191.5	13.97	5.735	29.34	0
3/10/2026 15:30	16.09	201.3	10.55	5.174	29.34	0
3/10/2026 15:45	15.83	187.5	13.82	4.535	29.35	0
3/10/2026 16:00	14.73	177.7	10.16	3.94	29.35	0
3/10/2026 16:15	13.27	180.7	8.51	4.04	29.35	0
3/10/2026 16:30	11.79	173.5	10.71	3.899	29.35	0
3/10/2026 16:45	10.09	153.4	10.44	4.115	29.35	0
3/10/2026 17:00	8.87	149.3	9.63	4.219	29.35	0
3/10/2026 17:15	7.514	144.2	13.67	4.256	29.35	0
3/10/2026 17:30	6.53	145.2	11.9	4.309	29.35	0
3/10/2026 17:45	9.63	175	15.35	4.547	29.36	0
3/10/2026 18:00	14.98	188.9	10.11	4.691	29.36	0
3/10/2026 18:15	15.26	178.7	8.71	4.561	29.36	0
3/10/2026 18:30	10.71	169.1	9.39	4.437	29.37	0
3/10/2026 18:45	10.14	164.3	8.14	4.369	29.37	0
3/10/2026 19:00	11.17	168.8	10.97	4.311	29.37	0
3/10/2026 19:15	11.48	167.6	8.77	4.182	29.37	0
3/10/2026 19:30	11.27	160.3	9.15	3.862	29.37	0
3/10/2026 19:45	11.24	151.7	7.812	3.643	29.38	0
3/10/2026 20:00	11.94	149.1	7.196	3.523	29.38	0
3/10/2026 20:15	11.26	144.7	6.971	3.455	29.38	0
3/10/2026 20:30	10.86	152.7	10.48	3.419	29.38	0
3/10/2026 20:45	9.83	150.5	8.41	3.253	29.39	0.01
3/10/2026 21:00	7.396	142	8.78	3.132	29.39	0
3/10/2026 21:15	6.843	136.4	9.61	3.131	29.39	0
3/10/2026 21:30	7.884	139.8	8.92	3.136	29.4	0
3/10/2026 21:45	9.42	151.7	8.25	3.237	29.4	0
3/10/2026 22:00	8.5	139.4	6.705	3.109	29.4	0
3/10/2026 22:15	8.82	140.2	6.659	3.121	29.4	0
3/10/2026 22:30	9.31	136.2	8.14	3.303	29.4	0
3/10/2026 22:45	7.853	132.1	9.98	3.421	29.4	0
3/10/2026 23:00	5.771	124.1	9.77	3.496	29.41	0
3/10/2026 23:15	5.89	129.3	13.41	3.541	29.41	0
3/10/2026 23:30	6.519	128.8	14.47	3.662	29.41	0
3/10/2026 23:45	7.177	140.2	7.854	3.628	29.41	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/11/2026 0:00	6.784	138.7	6.206	3.557	29.41	0
3/11/2026 0:15	7.658	141.3	7.303	3.63	29.41	0
3/11/2026 0:30	6.832	150.3	9.04	3.648	29.41	0.01
3/11/2026 0:45	10.26	171.9	9.37	3.757	29.41	0
3/11/2026 1:00	11.17	161.7	8.73	3.715	29.41	0
3/11/2026 1:15	9.7	149.4	12.56	3.519	29.41	0
3/11/2026 1:30	6.012	125.6	10.47	3.364	29.42	0
3/11/2026 1:45	5.13	128.6	8.35	3.369	29.42	0
3/11/2026 2:00	4.899	132.2	8.94	3.322	29.43	0
3/11/2026 2:15	7.063	143.5	7.031	3.279	29.43	0.01
3/11/2026 2:30	9.92	157.8	9.4	3.344	29.43	0.01
3/11/2026 2:45	7.435	162.6	9.03	3.303	29.42	0.01
3/11/2026 3:00	4.286	147.4	18.34	3.219	29.42	0.01
3/11/2026 3:15	3.04	115.9	15.27	3.107	29.41	0.01
3/11/2026 3:30	6.77	144.2	15.13	3.11	29.41	0.01
3/11/2026 3:45	7.04	139.8	9.29	3.176	29.41	0
3/11/2026 4:00	5.352	131.4	9.85	3.103	29.41	0.01
3/11/2026 4:15	5.363	140.8	14.28	3.134	29.41	0.01
3/11/2026 4:30	5.554	110.9	8.5	3.113	29.4	0
3/11/2026 4:45	6.519	114	11.56	3.089	29.4	0
3/11/2026 5:00	5.948	108.5	10.36	3.202	29.4	0
3/11/2026 5:15	5.759	116	10.4	3.357	29.39	0
3/11/2026 5:30	5.623	124.5	11.48	3.461	29.39	0
3/11/2026 5:45	5.691	132.9	9.72	3.513	29.39	0
3/11/2026 6:00	6.648	139.3	7.409	3.48	29.38	0
3/11/2026 6:15	6.282	143.3	8.57	3.481	29.38	0.01
3/11/2026 6:30	5.852	145.5	8.88	3.461	29.38	0.01
3/11/2026 6:45	5.587	157.5	12.07	3.53	29.38	0.01
3/11/2026 7:00	6.466	157.7	18.15	3.561	29.38	0.02
3/11/2026 7:15	4.318	126.2	11.45	3.524	29.38	0.01
3/11/2026 7:30	3.85	112.9	11.43	3.483	29.37	0.01
3/11/2026 7:45	5.457	120.8	10.28	3.431	29.36	0.02
3/11/2026 8:00	7.425	133.3	9.97	3.525	29.36	0.02
3/11/2026 8:15	6.961	133.2	9.73	3.581	29.36	0.02
3/11/2026 8:30	6.842	130.6	12.62	3.434	29.36	0.02
3/11/2026 8:45	7.532	121.7	9.35	3.209	29.35	0.01
3/11/2026 9:00	6.385	114.3	11.9	3.019	29.34	0.02
3/11/2026 9:15	6.757	128.2	27.08	2.952	29.33	0.02
3/11/2026 9:30	6.771	188.8	19.1	3.025	29.33	0.02
3/11/2026 9:45	7.479	158.4	48.47	3.057	29.32	0.02
3/11/2026 10:00	5.874	123.8	43.31	3.144	29.32	0.01
3/11/2026 10:15	4.459	193.8	54.59	3.276	29.31	0.01
3/11/2026 10:30	3.866	229	8.83	3.394	29.29	0.02
3/11/2026 10:45	4.719	230.7	43.62	3.554	29.28	0.03
3/11/2026 11:00	5.129	241.3	60.21	3.854	29.28	0.02
3/11/2026 11:15	3.745	126.8	10.3	4.184	29.28	0.02
3/11/2026 11:30	5.316	133.1	8.39	4.42	29.27	0.03
3/11/2026 11:45	8.24	124	12.18	4.605	29.26	0.02

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/11/2026 12:00	9.88	129.5	14.15	5.116	29.26	0.02
3/11/2026 12:15	9.55	132.2	13.64	5.245	29.25	0.03
3/11/2026 12:30	10.1	134.5	11.46	5.54	29.25	0.03
3/11/2026 12:45	11.36	136.5	12.03	5.767	29.23	0.04
3/11/2026 13:00	13.19	147.6	25.93	6.176	29.21	0.03
3/11/2026 13:15	15.22	144.8	10.54	6.618	29.2	0.03
3/11/2026 13:30	14.49	149.5	10.79	6.824	29.19	0.04
3/11/2026 13:45	14.81	151.1	7.723	7.015	29.18	0.02
3/11/2026 14:00	16.13	151.4	11.01	7.057	29.17	0.01
3/11/2026 14:15	16.58	174.1	16.3	7.267	29.17	0.02
3/11/2026 14:30	16.93	169	14.28	7.44	29.16	0.02
3/11/2026 14:45	17.16	169.3	10.43	7.64	29.16	0.01
3/11/2026 15:00	18.51	171.8	8.75	7.822	29.16	0.02
3/11/2026 15:15	19.4	170.1	20.1	8	29.15	0.01
3/11/2026 15:30	17.15	167.3	9.86	8.1	29.15	0.02
3/11/2026 15:45	19.58	170.5	9.17	8.38	29.14	0.01
3/11/2026 16:00	19.3	171.7	9.06	8.52	29.13	0.02
3/11/2026 16:15	19.92	172.8	9.6	8.6	29.13	0.02
3/11/2026 16:30	17.85	178.6	10.13	8.64	29.13	0.02
3/11/2026 16:45	19.12	180.4	10.17	8.75	29.12	0.03
3/11/2026 17:00	20.18	178.1	11.21	8.85	29.11	0.02
3/11/2026 17:15	18.62	178.1	10.29	8.83	29.11	0.02
3/11/2026 17:30	20.22	176.7	9.34	8.83	29.11	0.03
3/11/2026 17:45	19.87	180.4	9.56	8.86	29.1	0.01
3/11/2026 18:00	17.75	181.3	11.41	8.93	29.1	0.01
3/11/2026 18:15	17.78	179.4	9.29	9.02	29.09	0.02
3/11/2026 18:30	18.7	182.7	10.99	9.11	29.08	0.01
3/11/2026 18:45	19.77	185.7	10.93	9.21	29.08	0.01
3/11/2026 19:00	20.64	194	12.04	9.37	29.08	0
3/11/2026 19:15	20.78	196.1	9.28	9.47	29.08	0.01
3/11/2026 19:30	20.54	200.3	12.18	9.58	29.08	0
3/11/2026 19:45	22.69	202.2	10.32	9.67	29.08	0
3/11/2026 20:00	25.9	200.5	9.77	9.83	29.07	0
3/11/2026 20:15	24.95	202.4	9.41	9.88	29.07	0
3/11/2026 20:30	27.96	205.9	10.65	9.97	29.06	0.01
3/11/2026 20:45	27.73	205.6	8.93	10.12	29.06	0
3/11/2026 21:00	27.39	204.5	10.26	10.16	29.06	0
3/11/2026 21:15	30.36	206.4	10.62	10.22	29.05	0
3/11/2026 21:30	25.56	212.6	10.79	10.18	29.07	0
3/11/2026 21:45	24.75	214.3	9.78	10.21	29.07	0
3/11/2026 22:00	24.69	220.3	9.11	10.13	29.08	0.02
3/11/2026 22:15	28.99	231	12.68	10.03	29.08	0
3/11/2026 22:30	26.47	239.7	9.1	9.43	29.11	0
3/11/2026 22:45	26.83	236.2	9.65	8.91	29.12	0
3/11/2026 23:00	21.27	229.3	9.19	8.37	29.14	0
3/11/2026 23:15	23.13	228.3	10.49	8.21	29.14	0
3/11/2026 23:30	20.63	232.6	9.88	8.07	29.15	0
3/11/2026 23:45	20.38	230.4	9.15	7.868	29.17	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/12/2026 0:00	20.39	226.4	9.27	7.646	29.17	0
3/12/2026 0:15	18.63	221.2	9.72	7.45	29.18	0
3/12/2026 0:30	20.21	219.7	9.35	7.422	29.2	0
3/12/2026 0:45	20.37	213	7.484	7.331	29.21	0
3/12/2026 1:00	20.79	207.6	8.41	7.173	29.22	0
3/12/2026 1:15	19.14	208.9	9.21	7.03	29.22	0
3/12/2026 1:30	20.66	212.7	9.28	6.999	29.24	0
3/12/2026 1:45	18.28	214.2	9.85	6.903	29.25	0
3/12/2026 2:00	19.56	221.9	10.06	6.82	29.25	0
3/12/2026 2:15	18.6	210.2	8.6	6.829	29.26	0
3/12/2026 2:30	17.91	204.7	9.7	6.622	29.26	0
3/12/2026 2:45	17.96	200.2	10.91	6.464	29.26	0
3/12/2026 3:00	20.25	200.5	8.54	6.27	29.26	0
3/12/2026 3:15	17.22	204.7	10.17	6.129	29.28	0
3/12/2026 3:30	17.75	201.4	8.79	6.03	29.28	0
3/12/2026 3:45	19.07	204.8	10.41	5.99	29.29	0
3/12/2026 4:00	18.29	204.9	8.46	5.895	29.3	0
3/12/2026 4:15	17.87	203.9	8.37	5.845	29.31	0
3/12/2026 4:30	18.76	199.9	9.37	5.836	29.31	0
3/12/2026 4:45	19.96	204.4	8.1	5.791	29.32	0
3/12/2026 5:00	17.66	199.5	11.08	5.728	29.34	0
3/12/2026 5:15	17.86	195.9	9.95	5.656	29.34	0
3/12/2026 5:30	18.1	196.2	9.23	5.657	29.34	0
3/12/2026 5:45	16.25	190.8	10.91	5.629	29.35	0
3/12/2026 6:00	16.25	194.7	11.89	5.491	29.36	0
3/12/2026 6:15	16.83	194.3	9.28	5.288	29.37	0
3/12/2026 6:30	18.83	192.1	9.29	5.14	29.38	0
3/12/2026 6:45	17.86	188.1	12.29	5.008	29.38	0
3/12/2026 7:00	15.58	182.8	9.06	4.901	29.38	0
3/12/2026 7:15	16.57	190	11.48	4.888	29.39	0
3/12/2026 7:30	15.98	187.1	11.94	4.836	29.39	0
3/12/2026 7:45	18.48	190.3	9.69	4.879	29.4	0
3/12/2026 8:00	16.48	187	11.08	4.88	29.41	0
3/12/2026 8:15	16.01	192.5	10.22	4.905	29.42	0
3/12/2026 8:30	15.05	184.6	12.07	4.969	29.43	0
3/12/2026 8:45	13.17	188	14.35	4.956	29.44	0
3/12/2026 9:00	13.2	178.2	12.41	4.837	29.43	0
3/12/2026 9:15	13.65	185.8	12.7	4.724	29.44	0
3/12/2026 9:30	14.75	187.9	11.84	4.627	29.44	0
3/12/2026 9:45	13.47	188.4	11.12	4.638	29.45	0
3/12/2026 10:00	12.42	191.7	10.57	4.657	29.46	0
3/12/2026 10:15	11.94	191.7	14.3	4.73	29.46	0
3/12/2026 10:30	9.51	194	13.09	4.794	29.47	0
3/12/2026 10:45	8.85	190	12.37	4.931	29.47	0
3/12/2026 11:00	12.53	191.1	11.58	5.045	29.46	0
3/12/2026 11:15	12.94	200.6	9.9	5.233	29.47	0
3/12/2026 11:30	11.97	280	44.94	5.324	29.47	0
3/12/2026 11:45	12.37	306	4.739	5.297	29.47	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/12/2026 12:00	14.2	308.2	8.03	5.16	29.46	0
3/12/2026 12:15	9.58	306.8	4.125	5.089	29.46	0
3/12/2026 12:30	10.57	303.4	5.713	5.138	29.46	0
3/12/2026 12:45	8.82	305.4	4.938	5.185	29.46	0
3/12/2026 13:00	8.62	301.7	6.841	4.98	29.46	0.01
3/12/2026 13:15	14.47	260.2	41.2	3.951	29.46	0.04
3/12/2026 13:30	10.06	280.8	38.24	2.817	29.46	0.01
3/12/2026 13:45	7.932	314.5	4.312	2.789	29.46	0.01
3/12/2026 14:00	5.709	307.8	6.777	3.063	29.46	0
3/12/2026 14:15	4.111	290.5	8.94	3.105	29.45	0.01
3/12/2026 14:30	4.044	289.1	10.35	3.1	29.45	0.01
3/12/2026 14:45	6.68	300.5	6.063	3.198	29.45	0.01
3/12/2026 15:00	9	307.3	5.711	3.257	29.45	0.01
3/12/2026 15:15	9.16	307.9	4.548	3.256	29.45	0.01
3/12/2026 15:30	9.69	277.9	46.45	3.144	29.45	0.02
3/12/2026 15:45	8.63	252.6	49.43	3.033	29.44	0
3/12/2026 16:00	7.488	255.8	46.68	2.943	29.44	0.01
3/12/2026 16:15	8.57	304.3	4.601	2.723	29.43	0.02
3/12/2026 16:30	7.689	292.5	17.6	2.458	29.43	0
3/12/2026 16:45	6.306	295.1	5.967	2.394	29.42	0.01
3/12/2026 17:00	7.616	193	51.23	2.184	29.41	0.02
3/12/2026 17:15	8.91	289.3	25.78	1.992	29.4	0.02
3/12/2026 17:30	6.604	278.5	38.3	1.901	29.4	0.01
3/12/2026 17:45	6.982	288.5	7.141	1.743	29.39	0.01
3/12/2026 18:00	5.16	282.3	7.846	1.642	29.39	0.02
3/12/2026 18:15	5.083	273	7.896	1.07	29.38	0.01
3/12/2026 18:30	4.79	273.9	7.685	0.505	29.38	0
3/12/2026 18:45	5.312	272.7	7.486	0.367	29.37	0.01
3/12/2026 19:00	5.501	276.1	6.967	0.394	29.36	0.01
3/12/2026 19:15	5.159	277.9	7.421	0.535	29.36	0.01
3/12/2026 19:30	4.13	280	8.24	0.584	29.36	0.01
3/12/2026 19:45	4.054	273.7	8.37	0.693	29.35	0.01
3/12/2026 20:00	3.804	272.6	8.27	0.761	29.35	0.01
3/12/2026 20:15	2.579	269.2	8.17	0.761	29.35	0.01
3/12/2026 20:30	1.849	266.8	7.384	0.733	29.34	0.02
3/12/2026 20:45	2.412	264.3	7.783	0.681	29.34	0.01
3/12/2026 21:00	2.168	259.9	7.203	0.634	29.34	0.02
3/12/2026 21:15	1.288	265.5	6.118	0.564	29.34	0.01
3/12/2026 21:30	3.556	271.5	8.02	0.495	29.33	0
3/12/2026 21:45	2.767	269	7.683	0.392	29.33	0
3/12/2026 22:00	1.907	260.7	7.161	0.306	29.32	0.01
3/12/2026 22:15	2.859	269.8	8.05	0.342	29.32	0.02
3/12/2026 22:30	2.702	271.4	7.24	0.412	29.31	0
3/12/2026 22:45	2.751	269.6	7.37	0.401	29.31	0.01
3/12/2026 23:00	3.238	264.8	8.36	0.386	29.31	0.01
3/12/2026 23:15	2.768	263.8	7.719	0.271	29.3	0.01
3/12/2026 23:30	2.535	264.6	7.104	0.197	29.3	0
3/12/2026 23:45	3.045	268.4	8.1	0.19	29.29	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/13/2026 0:00	3.033	268.2	7.929	0.204	29.28	0.01
3/13/2026 0:15	0.842	265	5.792	0.225	29.28	0.01
3/13/2026 0:30	0.498	266.8	4.418	0.148	29.28	0
3/13/2026 0:45	0.535	261.8	4.031	0.013	29.28	0
3/13/2026 1:00	2.238	266.1	6.593	-0.012	29.27	0
3/13/2026 1:15	2.647	268.7	6.821	-0.049	29.27	0
3/13/2026 1:30	2.912	268.5	7.999	-0.018	29.27	0
3/13/2026 1:45	2.467	269.1	7.127	-0.03	29.27	0
3/13/2026 2:00	2.697	269.4	7.499	-0.025	29.27	0
3/13/2026 2:15	3.504	267.4	8.27	-0.028	29.26	0
3/13/2026 2:30	4.031	267.6	8.82	-0.027	29.25	0
3/13/2026 2:45	2.475	266.3	8.31	0.025	29.25	0
3/13/2026 3:00	1.133	251.1	8.02	-0.043	29.25	0
3/13/2026 3:15	0.707	239.9	14.54	-0.133	29.25	0
3/13/2026 3:30	0.44	240	11.68	-0.094	29.25	0.01
3/13/2026 3:45	0.509	243.4	4.765	-0.109	29.24	0
3/13/2026 4:00	0.239	243	1.642	-0.113	29.24	0
3/13/2026 4:15	0.219	244.7	0.854	-0.088	29.24	0
3/13/2026 4:30	0.219	241.6	0.241	-0.113	29.24	0.01
3/13/2026 4:45	0.219	241.5	0.133	-0.109	29.24	0.01
3/13/2026 5:00	0.219	241.7	0.151	-0.073	29.24	0
3/13/2026 5:15	0.219	245.7	1.386	-0.066	29.24	0.01
3/13/2026 5:30	0.219	247.5	0.715	-0.06	29.24	0.01
3/13/2026 5:45	0.219	248.5	0.544	-0.032	29.24	0
3/13/2026 6:00	0.219	253.7	4.662	-0.01	29.24	0.01
3/13/2026 6:15	0.219	274.6	5.986	-0.022	29.24	0
3/13/2026 6:30	0.219	281.5	0.819	-0.014	29.24	0.01
3/13/2026 6:45	0.219	282.7	0.155	-0.033	29.24	0.01
3/13/2026 7:00	0.219	280.1	1.747	-0.062	29.24	0
3/13/2026 7:15	0.219	272.1	1.618	-0.034	29.25	0
3/13/2026 7:30	0.219	266.1	3.754	-0.056	29.25	0.01
3/13/2026 7:45	0.219	272.3	2.153	-0.046	29.24	0
3/13/2026 8:00	0.219	274.1	1.928	-0.033	29.24	0
3/13/2026 8:15	0.219	274.4	2.105	-0.061	29.24	0.01
3/13/2026 8:30	0.219	271.7	2.163	-0.065	29.25	0
3/13/2026 8:45	0.219	272.9	2.402	-0.038	29.25	0
3/13/2026 9:00	0.219	273.2	2.286	0.04	29.25	0.01
3/13/2026 9:15	0.219	270.6	2.387	0.033	29.25	0.01
3/13/2026 9:30	0.219	274.4	2.852	0.125	29.25	0
3/13/2026 9:45	0.219	273.1	2.447	0.144	29.25	0.01
3/13/2026 10:00	0.219	275.6	3.58	0.076	29.25	0
3/13/2026 10:15	2.849	261.1	72.97	-0.035	29.25	0
3/13/2026 10:30	3.297	99.1	10.56	0.022	29.25	0.01
3/13/2026 10:45	3.392	101.6	9.11	0.11	29.25	0
3/13/2026 11:00	2.892	106	6.617	0.266	29.25	0.01
3/13/2026 11:15	2.292	92.4	12.76	0.373	29.25	0
3/13/2026 11:30	0.219	83.1	6.343	0.515	29.25	0
3/13/2026 11:45	0.219	74.44	6.295	0.585	29.25	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/13/2026 12:00	0.219	54.97	10.63	0.214	29.25	0
3/13/2026 12:15	0.219	33.27	0.96	0.384	29.24	0
3/13/2026 12:30	0.219	30.19	0.131	0.493	29.24	0.01
3/13/2026 12:45	0.219	30.05	0.179	0.501	29.24	0
3/13/2026 13:00	0.219	23.58	4.544	0.287	29.23	0.02
3/13/2026 13:15	0.219	29.65	4.438	0.196	29.22	0.01
3/13/2026 13:30	0.219	31.56	1.715	0.165	29.22	0
3/13/2026 13:45	0.219	17.52	7.59	0.225	29.21	0.01
3/13/2026 14:00	0.219	24.05	10.01	0.216	29.21	0
3/13/2026 14:15	0.219	45.99	4.665	0.196	29.2	0.01
3/13/2026 14:30	0.219	43.77	8.23	0.104	29.2	0.01
3/13/2026 14:45	1.003	77.61	8.72	0.181	29.2	0
3/13/2026 15:00	0.993	74.03	11.06	0.177	29.19	0.01
3/13/2026 15:15	1.15	71.64	5.405	0.186	29.19	0
3/13/2026 15:30	0.488	58.83	11.54	0.15	29.18	0.01
3/13/2026 15:45	0.219	42.71	7.921	0.193	29.18	0.02
3/13/2026 16:00	0.219	46.49	4.365	0.175	29.17	0.01
3/13/2026 16:15	0.219	61.64	12.71	0.092	29.17	0.01
3/13/2026 16:30	0.219	35.37	0.374	-0.036	29.16	0.01
3/13/2026 16:45	0.219	35.21	3.262	-0.099	29.16	0.01
3/13/2026 17:00	0.219	23.13	2.219	-0.132	29.15	0.01
3/13/2026 17:15	0.219	9.12	8.42	-0.085	29.15	0
3/13/2026 17:30	0.219	17.71	3.727	-0.041	29.14	0.01
3/13/2026 17:45	0.219	19.03	3.209	-0.075	29.14	0.01
3/13/2026 18:00	0.219	22.78	4.253	-0.125	29.13	0.01
3/13/2026 18:15	0.219	20.93	4.44	-0.116	29.13	0
3/13/2026 18:30	0.219	20.09	5.455	-0.104	29.13	0.01
3/13/2026 18:45	0.219	22.83	4.893	-0.136	29.13	0.01
3/13/2026 19:00	0.219	19.81	9.58	-0.08	29.14	0.01
3/13/2026 19:15	0.219	31.51	12.65	-0.017	29.13	0.01
3/13/2026 19:30	0.219	9.13	1.502	-0.173	29.13	0.01
3/13/2026 19:45	0.219	25.74	3.78	-0.215	29.12	0.02
3/13/2026 20:00	0.219	26.45	0.14	-0.265	29.12	0.02
3/13/2026 20:15	0.219	26.48	0.275	-0.312	29.12	0.01
3/13/2026 20:30	0.219	358.6	39.61	-0.194	29.12	0.01
3/13/2026 20:45	0.219	335.5	5.2	-0.176	29.12	0.01
3/13/2026 21:00	0.219	30.59	25.45	-0.236	29.12	0
3/13/2026 21:15	0.219	61.57	0.245	-0.29	29.12	0.01
3/13/2026 21:30	0.219	61.88	0.069	-0.291	29.11	0
3/13/2026 21:45	0.219	60.73	2.989	-0.222	29.11	0
3/13/2026 22:00	0.219	347.3	16.83	-0.031	29.12	0.01
3/13/2026 22:15	0.219	341.6	0.364	-0.1	29.12	0
3/13/2026 22:30	0.219	351.4	11.73	-0.017	29.12	0
3/13/2026 22:45	0.219	95.5	64.98	-0.163	29.11	0
3/13/2026 23:00	0.219	241.3	19.17	-0.186	29.12	0.01
3/13/2026 23:15	0.219	272.2	4.37	-0.126	29.12	0
3/13/2026 23:30	0.219	268	5.722	-0.102	29.13	0
3/13/2026 23:45	0.219	272.4	5.03	-0.067	29.13	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/14/2026 0:00	0.219	269.5	6.376	-0.123	29.13	0
3/14/2026 0:15	0.219	266.8	6.804	-0.113	29.14	0
3/14/2026 0:30	0.219	280.1	7.09	-0.113	29.15	0
3/14/2026 0:45	0.219	273.7	9.44	-0.068	29.15	0.01
3/14/2026 1:00	0.219	251	7.766	-0.055	29.16	0
3/14/2026 1:15	0.219	241.1	0.332	-0.119	29.16	0
3/14/2026 1:30	0.219	241	0.098	-0.243	29.17	0
3/14/2026 1:45	0.219	241.2	0.163	-0.295	29.17	0
3/14/2026 2:00	0.219	241.3	0.192	-0.268	29.18	0
3/14/2026 2:15	0.219	241.5	0.088	-0.286	29.18	0
3/14/2026 2:30	0.219	241.8	0.441	-0.266	29.19	0
3/14/2026 2:45	0.219	242.4	0.158	-0.26	29.19	0
3/14/2026 3:00	0.219	242.5	0.125	-0.26	29.2	0
3/14/2026 3:15	0.219	243	1.427	-0.325	29.2	0
3/14/2026 3:30	0.219	241.2	0.843	-0.298	29.2	0.01
3/14/2026 3:45	0.219	240.9	0.054	-0.243	29.2	0
3/14/2026 4:00	0.219	241	0.202	-0.227	29.21	0
3/14/2026 4:15	0.219	241	0.143	-0.188	29.22	0
3/14/2026 4:30	0.219	240.9	0.02	-0.158	29.22	0
3/14/2026 4:45	0.219	241	0.199	-0.216	29.22	0
3/14/2026 5:00	0.219	241.1	0.046	-0.256	29.23	0
3/14/2026 5:15	0.219	241.5	0.238	-0.193	29.24	0
3/14/2026 5:30	0.219	242.4	0.071	-0.232	29.25	0
3/14/2026 5:45	0.219	242.6	0.999	-0.214	29.26	0
3/14/2026 6:00	0.219	241.6	0.129	-0.235	29.26	0
3/14/2026 6:15	0.219	241.6	0.048	-0.228	29.27	0
3/14/2026 6:30	0.219	241.8	0.085	-0.189	29.28	0
3/14/2026 6:45	0.219	241.6	0.849	-0.16	29.3	0
3/14/2026 7:00	0.219	240.4	0.063	-0.109	29.31	0
3/14/2026 7:15	0.219	245.3	3.569	-0.115	29.31	0
3/14/2026 7:30	0.219	247.2	3.529	-0.204	29.32	0
3/14/2026 7:45	0.219	215.1	20.95	-0.085	29.33	0
3/14/2026 8:00	0.219	204.2	4.583	0.047	29.35	0
3/14/2026 8:15	0.219	291.8	42.9	0.125	29.36	0
3/14/2026 8:30	0.219	5.316	22.19	0.165	29.37	0
3/14/2026 8:45	0.219	179.2	78.91	0.446	29.37	0
3/14/2026 9:00	0.219	185.4	44.49	0.445	29.38	0
3/14/2026 9:15	0.85	254.4	12.16	0.532	29.39	0.01
3/14/2026 9:30	1.231	240.2	33.3	0.772	29.39	0
3/14/2026 9:45	3.282	125.2	32.89	0.367	29.4	0.01
3/14/2026 10:00	0.194	33.83	1.419	0.379	29.41	0.01
3/14/2026 10:15	0	0	0	0.414	29.42	0
3/14/2026 10:30	1.216	6.551	2.689	0.228	29.43	0.01
3/14/2026 10:45	1.952	356.5	8.2	0.111	29.43	0.02
3/14/2026 11:00	0	0	0	0.338	29.44	0.01
3/14/2026 11:15	0.883	15.28	4.799	0.185	29.45	0
3/14/2026 11:30	2.107	8.64	6.852	0.445	29.45	0.01
3/14/2026 11:45	2.431	352.6	16.38	1.401	29.46	0.02

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/14/2026 12:00	2.257	356	13.91	2.077	29.47	0.04
3/14/2026 12:15	0.377	347.3	4.959	4.081	29.47	0.02
3/14/2026 12:30	0.564	62.63	50.26	4.883	29.47	0.07
3/14/2026 12:45	0.562	213	6.623	6.236	29.48	0.07
3/14/2026 13:00	0.099	143.8	1.628	7.549	29.48	0.06
3/14/2026 13:15	0	0	0	8.07	29.48	0.06
3/14/2026 13:30	0.349	53.92	9.14	6.726	29.49	0.06
3/14/2026 13:45	0.047	335.8	13.23	6.642	29.49	0.07
3/14/2026 14:00	1.508	9.17	15.25	6.173	29.49	0.06
3/14/2026 14:15	3.809	20.18	9.12	3.846	29.49	0.04
3/14/2026 14:30	3.808	10.41	12.77	4.333	29.5	0.07
3/14/2026 14:45	3.048	39.41	14.89	4.423	29.5	0.05
3/14/2026 15:00	1.948	342.5	17.58	5.256	29.51	0.06
3/14/2026 15:15	1.376	10.14	16.3	5.446	29.51	0.06
3/14/2026 15:30	0	0	0	7.013	29.52	0.06
3/14/2026 15:45	0	0	0	6.678	29.52	0.06
3/14/2026 16:00	0	0	0	5.613	29.52	0.05
3/14/2026 16:15	0	0	0	7.111	29.52	0.05
3/14/2026 16:30	0	0	0	7.572	29.53	0.05
3/14/2026 16:45	0	0	0	7.988	29.53	0.03
3/14/2026 17:00	0.065	91.8	1.056	7.724	29.53	0.04
3/14/2026 17:15	3.222	76.96	9.86	5.099	29.53	0.02
3/14/2026 17:30	2.743	70.75	11.1	4.78	29.53	0.03
3/14/2026 17:45	3.152	35.79	15.8	4.292	29.54	0.01
3/14/2026 18:00	4.338	20.51	5.219	3.546	29.53	0.01
3/14/2026 18:15	4.866	23.44	5.771	3.109	29.53	0.01
3/14/2026 18:30	5.987	24.79	5.388	2.63	29.54	0
3/14/2026 18:45	4.736	22.72	6.954	2.531	29.55	0.01
3/14/2026 19:00	4.675	26.7	7.072	2.176	29.56	0
3/14/2026 19:15	4.056	26.17	7.275	1.909	29.56	0
3/14/2026 19:30	3.91	22.1	6.906	1.703	29.56	0
3/14/2026 19:45	2.83	25.31	15.81	1.72	29.56	0
3/14/2026 20:00	3.256	30.58	9.4	1.734	29.57	0
3/14/2026 20:15	3.593	53.16	14.7	1.557	29.57	0
3/14/2026 20:30	4.551	62.78	8.31	1.981	29.57	0
3/14/2026 20:45	3.315	99.5	24.57	2.061	29.57	0
3/14/2026 21:00	3.042	109.1	11.1	1.801	29.57	0
3/14/2026 21:15	2.686	99.9	7.002	2.098	29.58	0
3/14/2026 21:30	2.24	82.4	15.14	1.654	29.58	0
3/14/2026 21:45	2.45	95.4	14.07	1.549	29.58	0
3/14/2026 22:00	2.755	97	14.84	1.764	29.59	0
3/14/2026 22:15	2.431	124.5	12.37	1.893	29.59	0
3/14/2026 22:30	2.438	113.3	19.34	1.75	29.59	0
3/14/2026 22:45	2.307	129.7	12.94	1.196	29.59	0
3/14/2026 23:00	3.136	105.2	10.01	1.215	29.6	0
3/14/2026 23:15	2.856	101.5	8.14	0.789	29.6	0
3/14/2026 23:30	2.501	103.3	27.67	0.675	29.6	0
3/14/2026 23:45	2.305	78.42	17.06	0.501	29.61	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/15/2026 0:00	3.08	85.8	22.06	0.647	29.61	0
3/15/2026 0:15	2.596	106.1	23.71	0.707	29.61	0
3/15/2026 0:30	2.782	112.1	13.18	0.813	29.61	0
3/15/2026 0:45	3.421	108.6	19.69	0.906	29.61	0
3/15/2026 1:00	3.608	90.7	20.94	0.894	29.61	0
3/15/2026 1:15	3.039	98	10.33	1.087	29.61	0
3/15/2026 1:30	3.095	100.5	8.74	1.191	29.61	0
3/15/2026 1:45	2.79	81.3	10.78	1.016	29.62	0
3/15/2026 2:00	2.944	88.6	17.96	0.728	29.61	0
3/15/2026 2:15	3.255	112	22.95	0.895	29.61	0
3/15/2026 2:30	2.956	121.9	7.36	1.001	29.6	0
3/15/2026 2:45	1.923	97.9	14.57	0.776	29.6	0
3/15/2026 3:00	1.997	31.53	14.85	0.475	29.6	0
3/15/2026 3:15	3.206	22.49	4.007	0.127	29.59	0
3/15/2026 3:30	3.704	9.28	5.908	0.125	29.59	0
3/15/2026 3:45	4.539	9.63	8.24	0.036	29.6	0
3/15/2026 4:00	4.484	27.74	6.416	-0.193	29.59	0
3/15/2026 4:15	4.49	25.93	8.16	-0.41	29.59	0
3/15/2026 4:30	4.357	16.64	6.341	-0.453	29.59	0
3/15/2026 4:45	4.517	12.41	7.157	-0.246	29.59	0
3/15/2026 5:00	3.819	22.59	3.403	-0.25	29.59	0
3/15/2026 5:15	2.926	26	2.313	-0.073	29.59	0
3/15/2026 5:30	0.807	70.38	32.61	0.303	29.59	0
3/15/2026 5:45	1.443	115	9.34	0.462	29.59	0
3/15/2026 6:00	1.346	88.4	19.55	0.788	29.58	0
3/15/2026 6:15	2.061	20.15	22.21	0.762	29.58	0
3/15/2026 6:30	0.991	110.4	59.92	0.452	29.58	0
3/15/2026 6:45	0.755	52.23	0.406	0.593	29.57	0
3/15/2026 7:00	1.369	35.73	2.742	1.106	29.57	0
3/15/2026 7:15	2.194	13.13	17.82	1.061	29.57	0
3/15/2026 7:30	1.288	42.86	26.42	1.268	29.57	0
3/15/2026 7:45	1.684	36.85	5.528	1.282	29.57	0
3/15/2026 8:00	1.521	42.15	8.66	1.744	29.57	0
3/15/2026 8:15	2.369	103.5	21.29	1.736	29.57	0
3/15/2026 8:30	2.798	86.8	12.45	2.785	29.56	0
3/15/2026 8:45	3.316	117	15.52	3.054	29.56	0
3/15/2026 9:00	2.862	119.8	10.83	3.454	29.56	0.01
3/15/2026 9:15	3.551	127.7	13.23	3.692	29.56	0.01
3/15/2026 9:30	4.128	141.9	17.5	3.849	29.55	0.02
3/15/2026 9:45	2.947	96.5	34.46	3.971	29.55	0.02
3/15/2026 10:00	4.435	115.8	22.01	4.35	29.55	0.02
3/15/2026 10:15	4.798	123	26.19	4.549	29.54	0.02
3/15/2026 10:30	4.712	107.9	20.36	4.824	29.54	0.02
3/15/2026 10:45	3.686	98.9	19.91	5.234	29.54	0.03
3/15/2026 11:00	2.929	77.8	16.64	5.58	29.53	0.03
3/15/2026 11:15	2.434	62.54	14.71	5.646	29.53	0.03
3/15/2026 11:30	2.804	48.43	14.91	5.904	29.52	0.04
3/15/2026 11:45	2.508	31.23	24.5	6.31	29.51	0.05

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/15/2026 12:00	1.895	22.43	39.08	7.278	29.51	0.04
3/15/2026 12:15	8.2	122.5	18.72	6.99	29.5	0.04
3/15/2026 12:30	9.41	116.9	15.46	6.963	29.49	0.03
3/15/2026 12:45	7.503	131	11.32	6.952	29.49	0.03
3/15/2026 13:00	10.45	142.5	9.9	6.789	29.48	0.02
3/15/2026 13:15	10.43	146.1	9.79	6.66	29.48	0.02
3/15/2026 13:30	5.681	124.3	17.28	7.116	29.47	0.01
3/15/2026 13:45	5.188	116.2	20.19	7.251	29.47	0.01
3/15/2026 14:00	8.31	126.4	11.18	6.923	29.47	0
3/15/2026 14:15	8	117.9	12.9	7.068	29.47	0
3/15/2026 14:30	8.47	116.9	9.2	7.077	29.46	0
3/15/2026 14:45	8.27	119.1	13.62	6.948	29.47	0
3/15/2026 15:00	6.808	138.1	12.53	6.803	29.48	0
3/15/2026 15:15	7.91	124.2	13.24	6.689	29.48	0
3/15/2026 15:30	7.557	113.5	17.99	6.694	29.48	0
3/15/2026 15:45	6.442	82.5	15	6.697	29.47	0
3/15/2026 16:00	5.99	131.3	26	6.583	29.47	0
3/15/2026 16:15	6.965	132.6	12.03	6.438	29.46	0
3/15/2026 16:30	8.46	132.6	17.69	6.125	29.45	0
3/15/2026 16:45	7.027	180.1	25.99	5.668	29.46	0
3/15/2026 17:00	6.407	116.9	10.91	5.216	29.45	0.01
3/15/2026 17:15	6.257	114.6	13.81	5.097	29.44	0
3/15/2026 17:30	7.336	132.2	10.11	4.804	29.43	0.01
3/15/2026 17:45	8.11	126.1	11.14	4.48	29.43	0.01
3/15/2026 18:00	8.95	112.5	9.69	4.22	29.41	0.01
3/15/2026 18:15	10.02	104.8	10.7	4.064	29.38	0
3/15/2026 18:30	6.431	132.8	19.55	4.305	29.39	0
3/15/2026 18:45	6.897	183.7	17.51	4.344	29.4	0
3/15/2026 19:00	6.5	179.8	12.66	4.137	29.41	0
3/15/2026 19:15	6.109	178.3	12.5	3.639	29.41	0
3/15/2026 19:30	5.67	208.4	17.73	3.567	29.42	0
3/15/2026 19:45	4.481	191.5	17.16	3.632	29.42	0
3/15/2026 20:00	5.731	167.1	13.91	3.554	29.42	0
3/15/2026 20:15	6.814	145.1	6.765	3.305	29.41	0
3/15/2026 20:30	5.767	131.3	9.09	3.292	29.41	0.01
3/15/2026 20:45	6.131	142.2	8.49	3.454	29.41	0
3/15/2026 21:00	6.996	138.7	8.86	3.545	29.41	0
3/15/2026 21:15	7.202	122.8	9.11	3.7	29.41	0
3/15/2026 21:30	8.53	118.2	8.62	3.828	29.41	0
3/15/2026 21:45	9.43	125.8	9.86	3.987	29.41	0
3/15/2026 22:00	9.1	123.6	11.82	4.108	29.4	0
3/15/2026 22:15	10.01	122	9.38	4.25	29.39	0
3/15/2026 22:30	9.67	134.4	9.58	4.505	29.39	0
3/15/2026 22:45	9.08	128.6	9.47	4.842	29.39	0
3/15/2026 23:00	8.31	136.4	9.28	4.973	29.39	0.01
3/15/2026 23:15	8.23	135.1	12.64	5.01	29.39	0
3/15/2026 23:30	8.12	124.9	11.23	5.224	29.39	0
3/15/2026 23:45	7.543	129.5	8.97	5.549	29.38	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/16/2026 0:00	7.093	127.2	9.82	5.763	29.38	0
3/16/2026 0:15	6.693	141.5	9.3	5.702	29.38	0.01
3/16/2026 0:30	6.46	131.5	13.25	6.087	29.38	0
3/16/2026 0:45	6.447	153	17.32	5.427	29.37	0
3/16/2026 1:00	7.854	144.5	12.36	5.502	29.37	0
3/16/2026 1:15	6.265	124.6	9.25	6.003	29.37	0
3/16/2026 1:30	6.022	125.9	11.25	6.42	29.37	0
3/16/2026 1:45	5.55	156.1	13.81	6.013	29.37	0
3/16/2026 2:00	5.998	130.9	11.41	5.76	29.36	0
3/16/2026 2:15	5.652	145.9	15.64	5.998	29.35	0
3/16/2026 2:30	3.959	137.1	16.94	6.062	29.35	0
3/16/2026 2:45	4.877	161.3	20.46	6.176	29.35	0
3/16/2026 3:00	6.812	188.5	12.73	5.012	29.35	0
3/16/2026 3:15	5.577	164.5	13.52	5.012	29.35	0
3/16/2026 3:30	4.594	156.2	17.4	5.098	29.35	0
3/16/2026 3:45	5.302	159.9	20.28	5.225	29.35	0
3/16/2026 4:00	5.99	169.9	15.42	5.015	29.34	0
3/16/2026 4:15	7.422	189.3	11.3	4.703	29.34	0
3/16/2026 4:30	7.529	199	17.66	4.559	29.35	0
3/16/2026 4:45	6.812	211	7.573	4.296	29.36	0
3/16/2026 5:00	7.844	203.7	8.24	4.326	29.37	0
3/16/2026 5:15	8.06	179.3	9.43	4.298	29.36	0
3/16/2026 5:30	6.558	157.4	12.38	4.445	29.36	0
3/16/2026 5:45	5.855	107.8	10.89	4.465	29.34	0
3/16/2026 6:00	4.992	151.5	34.41	4.702	29.34	0
3/16/2026 6:15	7.176	200.8	11.78	4.9	29.35	0.01
3/16/2026 6:30	6.416	153.8	16.41	4.575	29.34	0
3/16/2026 6:45	4.958	116.4	12.15	4.797	29.33	0
3/16/2026 7:00	6.598	142.2	12.09	5.315	29.33	0
3/16/2026 7:15	7.414	160.8	6.855	5.608	29.33	0.01
3/16/2026 7:30	7.541	165.5	8.46	5.51	29.33	0.02
3/16/2026 7:45	5.69	169.9	11.34	5.439	29.33	0.02
3/16/2026 8:00	4.782	174.8	10.64	5.409	29.34	0.01
3/16/2026 8:15	4.545	152.8	19.74	6.163	29.35	0.03
3/16/2026 8:30	5.593	124.5	9.25	6.958	29.34	0.02
3/16/2026 8:45	8.02	127.9	7.385	7.54	29.33	0.02
3/16/2026 9:00	8.5	122.8	9.51	8.21	29.31	0.02
3/16/2026 9:15	8.17	147.1	12.69	8.29	29.31	0
3/16/2026 9:30	7.03	161.8	14.98	7.901	29.32	0
3/16/2026 9:45	7.1	109.1	14.27	8.25	29.31	0
3/16/2026 10:00	5.907	167.5	24.09	8.51	29.32	0
3/16/2026 10:15	5.913	212.8	23.09	7.591	29.32	0
3/16/2026 10:30	7.022	189.3	14.03	7.482	29.32	0
3/16/2026 10:45	5.458	175.1	12.65	7.427	29.32	0
3/16/2026 11:00	4.344	175.2	27.12	7.76	29.31	0
3/16/2026 11:15	5.424	196.1	21.32	7.755	29.32	0
3/16/2026 11:30	3.78	94.8	29.03	8.28	29.31	0
3/16/2026 11:45	3.978	213	53.8	8.53	29.31	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/16/2026 12:00	4.311	170.4	19.75	8.61	29.31	0
3/16/2026 12:15	3.482	172.5	30.5	9.01	29.31	0
3/16/2026 12:30	2.153	156.7	39.47	9.11	29.31	0
3/16/2026 12:45	2.296	118.5	24.26	9.5	29.3	0
3/16/2026 13:00	3.864	141.4	8.41	10.07	29.29	0
3/16/2026 13:15	3.275	174.8	17.8	10.29	29.3	0
3/16/2026 13:30	3.28	170	23.18	9.95	29.29	0
3/16/2026 13:45	3.48	163.4	8.52	10.37	29.28	0
3/16/2026 14:00	1.21	38.64	43.52	11.28	29.27	0
3/16/2026 14:15	0.567	80.7	60.9	10.96	29.27	0
3/16/2026 14:30	0.873	180.8	15.15	10.91	29.26	0
3/16/2026 14:45	2.689	170	15.98	11.46	29.26	0
3/16/2026 15:00	1.624	109.4	26.62	11.02	29.25	0
3/16/2026 15:15	1.257	20.24	22.8	10.66	29.25	0
3/16/2026 15:30	3.908	121.8	11.24	11.15	29.24	0
3/16/2026 15:45	5.528	158.9	25.02	11.32	29.23	0
3/16/2026 16:00	2.158	17.57	52.79	11.58	29.23	0
3/16/2026 16:15	3.142	125.7	30.6	11.25	29.23	0
3/16/2026 16:30	4.54	184.4	22.15	11.13	29.23	0
3/16/2026 16:45	5.444	163.5	9.29	11.78	29.22	0
3/16/2026 17:00	5.012	151.3	13.01	11.89	29.22	0
3/16/2026 17:15	5.785	153.9	7.565	11.87	29.21	0
3/16/2026 17:30	5.154	153.8	9.94	12.26	29.21	0
3/16/2026 17:45	4.69	139.2	20.68	12.46	29.2	0
3/16/2026 18:00	4.849	149.9	11.32	12.6	29.2	0
3/16/2026 18:15	4.352	161	15.76	12.44	29.2	0
3/16/2026 18:30	4.422	111	15.27	12.28	29.2	0
3/16/2026 18:45	3.818	129.8	24.54	12.8	29.2	0
3/16/2026 19:00	6.116	199.8	28.95	12.59	29.19	0
3/16/2026 19:15	5.009	218.7	19.97	10.89	29.2	0
3/16/2026 19:30	5.468	217.6	23.78	11.2	29.2	0
3/16/2026 19:45	5.615	238.5	13.44	10.95	29.2	0
3/16/2026 20:00	3.437	160.5	58.17	11.46	29.18	0
3/16/2026 20:15	3.345	188	20.16	10.84	29.19	0
3/16/2026 20:30	4.907	203.9	10.63	11.15	29.19	0
3/16/2026 20:45	5.107	177.2	28.48	10.93	29.19	0
3/16/2026 21:00	5.322	204.5	15.27	10.38	29.2	0
3/16/2026 21:15	5.906	218.8	9.74	10.63	29.21	0
3/16/2026 21:30	5.812	200.1	6.304	10.98	29.21	0
3/16/2026 21:45	4.49	197.9	14.12	10.68	29.22	0
3/16/2026 22:00	3.324	162.6	22.5	10.79	29.21	0
3/16/2026 22:15	4.569	129.5	18.34	10.68	29.19	0
3/16/2026 22:30	6.735	171.3	14.97	10.96	29.2	0
3/16/2026 22:45	5.86	158.3	12.7	11	29.2	0
3/16/2026 23:00	4.904	144.2	10.62	10.97	29.19	0
3/16/2026 23:15	6.196	188.4	21.22	11.49	29.2	0
3/16/2026 23:30	4.074	179.7	27.76	10.98	29.2	0
3/16/2026 23:45	4.798	222.4	11.04	10.75	29.2	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/17/2026 0:00	4.329	237.6	12.44	10.76	29.21	0
3/17/2026 0:15	3.685	211.7	24.24	10.99	29.21	0
3/17/2026 0:30	4.251	165.8	15.33	10.6	29.21	0
3/17/2026 0:45	4.709	197.7	14.17	10.51	29.23	0
3/17/2026 1:00	5.087	198.1	16.5	10.16	29.24	0
3/17/2026 1:15	4.878	189.4	26.92	9.5	29.24	0
3/17/2026 1:30	2.708	137	16.89	9.11	29.24	0.01
3/17/2026 1:45	4.032	147.4	14.31	9.15	29.24	0.02
3/17/2026 2:00	5.367	142.4	11.62	9.12	29.25	0.01
3/17/2026 2:15	9.03	151	12.73	8.82	29.25	0.01
3/17/2026 2:30	8.18	137.4	14.91	8.92	29.24	0.02
3/17/2026 2:45	8.58	117.8	12.63	8.78	29.24	0.02
3/17/2026 3:00	8.06	119.1	9.96	9.03	29.24	0.01
3/17/2026 3:15	8.19	124	12.26	9.12	29.24	0.03
3/17/2026 3:30	10.66	125.6	9.5	9.1	29.22	0.02
3/17/2026 3:45	10	129.7	9.52	9.14	29.22	0.02
3/17/2026 4:00	12.08	131.4	7.073	9.23	29.21	0.01
3/17/2026 4:15	12.43	128.3	7.77	9.27	29.2	0
3/17/2026 4:30	13.09	128.4	8.87	9.44	29.19	0
3/17/2026 4:45	12.73	130.6	8.44	9.57	29.19	0
3/17/2026 5:00	11.3	133.9	8.31	9.37	29.2	0.01
3/17/2026 5:15	10.66	131.4	9.46	9.48	29.21	0.01
3/17/2026 5:30	9.45	132.6	11.76	9.56	29.21	0
3/17/2026 5:45	9.29	135	7.739	9.44	29.22	0.02
3/17/2026 6:00	9.56	140.7	7.61	9.44	29.22	0.01
3/17/2026 6:15	7.945	135.9	10.26	9.04	29.22	0.01
3/17/2026 6:30	8.65	128.7	8.7	8.77	29.22	0.01
3/17/2026 6:45	8.7	132.7	9.41	9.01	29.22	0.02
3/17/2026 7:00	9.88	131.9	9.25	8.96	29.22	0.01
3/17/2026 7:15	10.93	133.6	7.201	8.89	29.21	0.01
3/17/2026 7:30	10.32	134.4	16.97	9	29.21	0
3/17/2026 7:45	3.345	76.3	19.51	8.99	29.21	0.02
3/17/2026 8:00	9.85	130.5	7.526	8.97	29.21	0.01
3/17/2026 8:15	8.5	124.2	12.16	9.07	29.21	0.01
3/17/2026 8:30	7.633	148.1	8.25	9.48	29.22	0
3/17/2026 8:45	7.107	148	8.55	9.73	29.22	0
3/17/2026 9:00	6.926	151.8	8.75	10.02	29.22	0
3/17/2026 9:15	4.408	182.2	24.92	10.27	29.24	0
3/17/2026 9:30	1.965	214.1	24.91	10.16	29.25	0
3/17/2026 9:45	4.619	166.4	48.05	10.02	29.26	0.01
3/17/2026 10:00	8.32	183	15.95	9.69	29.26	0.03
3/17/2026 10:15	8.98	164.4	11.09	9.41	29.26	0.01
3/17/2026 10:30	9.11	153.8	9.08	9.44	29.26	0.01
3/17/2026 10:45	6.773	148.8	14.52	9.49	29.26	0
3/17/2026 11:00	8.1	141.7	9.88	9.58	29.26	0.01
3/17/2026 11:15	5.857	131.3	10	9.65	29.25	0.01
3/17/2026 11:30	4.918	132.9	13.58	9.79	29.26	0
3/17/2026 11:45	5.516	135.2	9.59	9.83	29.25	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/17/2026 12:00	6.52	140.6	9.49	9.86	29.25	0.01
3/17/2026 12:15	8.99	130.1	7.844	9.93	29.23	0.01
3/17/2026 12:30	5.224	127.7	30.97	10.2	29.23	0.01
3/17/2026 12:45	0.052	41.75	1.873	10.5	29.25	0
3/17/2026 13:00	2.082	52.98	7.357	10.55	29.25	0
3/17/2026 13:15	3.095	75.04	20.71	11.07	29.25	0
3/17/2026 13:30	2.599	125.3	12.36	11.77	29.25	0
3/17/2026 13:45	4.548	148.6	11.82	11.72	29.24	0
3/17/2026 14:00	4.19	142.2	13.38	11.7	29.23	0
3/17/2026 14:15	2.875	142.1	15.64	11.79	29.22	0
3/17/2026 14:30	5.118	207	25.48	11.53	29.22	0
3/17/2026 14:45	4.376	215.4	19.3	11.2	29.22	0
3/17/2026 15:00	5.832	240	7.052	11.12	29.23	0.01
3/17/2026 15:15	4.164	228.5	7.484	11	29.23	0
3/17/2026 15:30	1.026	191.6	56.01	11.1	29.23	0
3/17/2026 15:45	3.91	180.4	22.59	11.08	29.22	0
3/17/2026 16:00	5.317	211.2	4.701	10.95	29.22	0
3/17/2026 16:15	4.692	210.7	4.727	10.84	29.22	0
3/17/2026 16:30	3.449	182.4	12.79	10.86	29.22	0
3/17/2026 16:45	3.024	167.2	13	10.87	29.22	0
3/17/2026 17:00	2.175	135.3	19.62	10.82	29.22	0.01
3/17/2026 17:15	2.943	176.5	15.83	10.77	29.22	0.01
3/17/2026 17:30	2.598	152.8	13.33	10.79	29.22	0.01
3/17/2026 17:45	1.312	132.3	6.36	10.73	29.21	0.02
3/17/2026 18:00	3.021	127.5	11.42	10.71	29.21	0.01
3/17/2026 18:15	2.618	130.3	11.07	10.73	29.21	0.02
3/17/2026 18:30	1.956	180.8	14.91	10.72	29.21	0.01
3/17/2026 18:45	3.444	177.8	11.41	10.73	29.21	0.02
3/17/2026 19:00	4.052	180.6	6.388	10.59	29.21	0.02
3/17/2026 19:15	3.601	155.3	23.43	10.52	29.21	0.02
3/17/2026 19:30	4.673	164.6	22.27	10.51	29.2	0.01
3/17/2026 19:45	3.143	136.4	13.85	10.41	29.19	0.01
3/17/2026 20:00	3.076	139.7	9.05	10.48	29.19	0.01
3/17/2026 20:15	1.995	166.8	35.28	10.41	29.19	0.01
3/17/2026 20:30	0.09	145.7	2	10.43	29.19	0.01
3/17/2026 20:45	2.001	212.5	11.22	10.34	29.19	0.01
3/17/2026 21:00	3.606	208.1	10.75	9.97	29.19	0.01
3/17/2026 21:15	2.959	162.3	25.99	9.82	29.19	0.02
3/17/2026 21:30	3.126	115	18.89	9.85	29.19	0
3/17/2026 21:45	2.669	139.6	24.9	9.92	29.19	0.01
3/17/2026 22:00	3.59	166.9	27.94	9.96	29.19	0.02
3/17/2026 22:15	4.463	132.7	10.41	10.01	29.18	0.01
3/17/2026 22:30	5.76	135.3	7.203	10.21	29.18	0.01
3/17/2026 22:45	5.059	124.5	14.84	10.49	29.16	0
3/17/2026 23:00	4.419	157.2	19.66	10.49	29.18	0
3/17/2026 23:15	5.074	148.8	34.62	10.11	29.18	0.01
3/17/2026 23:30	4.83	114.1	9.49	10.45	29.18	0
3/17/2026 23:45	5.635	134.1	11.6	10.62	29.17	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/18/2026 0:00	4.005	146.9	22.66	10.68	29.17	0
3/18/2026 0:15	3.689	111.7	14.48	10.71	29.16	0
3/18/2026 0:30	3.643	124.3	7.605	10.8	29.16	0
3/18/2026 0:45	4.93	108	13.38	10.95	29.16	0
3/18/2026 1:00	1.91	115.9	17.71	11.12	29.16	0
3/18/2026 1:15	1.353	111.6	8.91	11.4	29.17	0
3/18/2026 1:30	0.049	187.4	0.066	11.61	29.17	0.01
3/18/2026 1:45	3.064	222	24.85	11.76	29.18	0.01
3/18/2026 2:00	4.969	259.9	8.68	11.15	29.18	0.02
3/18/2026 2:15	5.913	252.9	10.16	10.41	29.19	0.02
3/18/2026 2:30	1.052	209.4	7.211	9.83	29.19	0.02
3/18/2026 2:45	0.108	99.3	0.477	9.84	29.19	0.01
3/18/2026 3:00	1.964	107	14.69	9.97	29.19	0.01
3/18/2026 3:15	1.33	147.8	27.25	10	29.19	0.01
3/18/2026 3:30	6.098	172.9	12.14	10.08	29.19	0.01
3/18/2026 3:45	6	144	14.71	10.04	29.18	0.01
3/18/2026 4:00	6.9	146	8.75	10.09	29.18	0.01
3/18/2026 4:15	4.804	130	10.12	10.12	29.18	0.01
3/18/2026 4:30	6.567	147	11.94	10.09	29.18	0
3/18/2026 4:45	6.486	159.3	24.13	10.3	29.18	0
3/18/2026 5:00	5.225	130.6	13.64	10.31	29.18	0.01
3/18/2026 5:15	4.165	133.1	16.41	10.38	29.18	0
3/18/2026 5:30	5.333	164.2	23.7	10.52	29.19	0.02
3/18/2026 5:45	5.497	176.4	22.34	10.33	29.19	0.02
3/18/2026 6:00	5.774	162.9	20.28	10.2	29.19	0.01
3/18/2026 6:15	4.57	127.3	9.81	10.14	29.19	0.02
3/18/2026 6:30	4.52	118.5	14.13	10.15	29.19	0.02
3/18/2026 6:45	4.718	119.5	12.31	10.18	29.19	0.01
3/18/2026 7:00	5.531	141.1	13.07	10.35	29.19	0
3/18/2026 7:15	5.676	148.6	20.98	10.63	29.19	0.01
3/18/2026 7:30	5.712	150.7	11.91	11.05	29.19	0
3/18/2026 7:45	4.31	148.5	18.54	10.95	29.2	0.01
3/18/2026 8:00	4.794	127.8	18.24	11.17	29.2	0.01
3/18/2026 8:15	3.655	159.4	16.99	11.32	29.2	0
3/18/2026 8:30	5.401	160.4	14.81	11.03	29.2	0
3/18/2026 8:45	4.317	148.4	10.57	11.2	29.21	0
3/18/2026 9:00	4.992	148.9	21.76	11.51	29.22	0
3/18/2026 9:15	7.575	161.5	9.87	11.36	29.22	0.01
3/18/2026 9:30	5.336	166.1	9.67	11.23	29.23	0
3/18/2026 9:45	5.04	142.8	10.24	11.29	29.23	0
3/18/2026 10:00	6.314	152.8	8.65	11.32	29.23	0
3/18/2026 10:15	5.76	154	13.17	11.37	29.24	0
3/18/2026 10:30	8.49	187.6	14.62	11.4	29.24	0
3/18/2026 10:45	7.301	187.6	10.32	11.51	29.25	0.01
3/18/2026 11:00	7.643	176.6	12.95	11.5	29.25	0.01
3/18/2026 11:15	7.369	175.7	11.11	11.61	29.25	0
3/18/2026 11:30	7.246	169.4	7.799	11.76	29.25	0
3/18/2026 11:45	5.854	163	11.1	11.88	29.26	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/18/2026 12:00	5.722	173.6	14.45	12.07	29.25	0
3/18/2026 12:15	4.544	152.5	13.73	12.19	29.26	0
3/18/2026 12:30	5.065	156.9	26.16	12.14	29.26	0
3/18/2026 12:45	6.217	180.5	11.33	12.19	29.27	0
3/18/2026 13:00	7.701	188.5	16.28	12.1	29.27	0.01
3/18/2026 13:15	9.05	179.6	19.45	12.25	29.27	0
3/18/2026 13:30	7.526	152.5	9.09	12.26	29.27	0
3/18/2026 13:45	6.044	151.9	14.43	12.28	29.27	0
3/18/2026 14:00	8.05	149.3	11.48	12.35	29.26	0.01
3/18/2026 14:15	7.489	165.9	18.65	12.42	29.25	0
3/18/2026 14:30	7.367	177.5	11.68	12.32	29.25	0
3/18/2026 14:45	6.126	158.2	16.06	12.36	29.25	0
3/18/2026 15:00	5.282	137.3	8.54	12.28	29.24	0
3/18/2026 15:15	3.161	155.3	18.1	12.28	29.24	0
3/18/2026 15:30	5.724	180.8	6.636	12.35	29.24	0
3/18/2026 15:45	8.22	182	7.004	12.25	29.25	0
3/18/2026 16:00	5.147	166.6	16.3	12.15	29.25	0
3/18/2026 16:15	5.578	166	18.44	12.14	29.25	0
3/18/2026 16:30	5.641	139.9	15.55	12.01	29.24	0
3/18/2026 16:45	8.49	145.1	7.691	11.99	29.24	0
3/18/2026 17:00	8.28	138	11.26	11.88	29.24	0
3/18/2026 17:15	7.522	146.5	9.36	11.81	29.24	0
3/18/2026 17:30	7.613	149	7.144	11.77	29.24	0
3/18/2026 17:45	6.684	168	15.39	11.74	29.24	0
3/18/2026 18:00	6.326	166.8	12.7	11.64	29.24	0
3/18/2026 18:15	5.675	147.5	22.75	11.53	29.24	0.01
3/18/2026 18:30	3.211	129.7	43.17	11.36	29.23	0
3/18/2026 18:45	6.459	226.9	12.45	11.41	29.24	0
3/18/2026 19:00	8.37	259.8	11.55	11.12	29.25	0
3/18/2026 19:15	11.53	261.5	8.41	10.48	29.27	0
3/18/2026 19:30	8.31	246.1	10.86	10.24	29.27	0
3/18/2026 19:45	7.264	214.2	18.24	10.17	29.27	0
3/18/2026 20:00	6.998	185.7	10.71	10.01	29.27	0.01
3/18/2026 20:15	6.626	174	14.32	9.9	29.27	0
3/18/2026 20:30	5.828	106.9	29.07	9.8	29.26	0
3/18/2026 20:45	5.214	168.8	38.5	9.79	29.26	0
3/18/2026 21:00	6.267	207.1	9.07	9.83	29.27	0
3/18/2026 21:15	6.569	192.4	9.66	9.8	29.27	0
3/18/2026 21:30	6.183	187.3	6.624	9.74	29.27	0
3/18/2026 21:45	4.87	208.5	11.25	9.72	29.26	0.01
3/18/2026 22:00	4.256	208.5	7.681	9.76	29.27	0
3/18/2026 22:15	3.467	205.2	10.58	9.74	29.28	0
3/18/2026 22:30	3.975	162.6	11.46	9.7	29.28	0
3/18/2026 22:45	4.86	149.1	8.93	9.68	29.27	0.01
3/18/2026 23:00	4.197	145.8	9.97	9.7	29.27	0
3/18/2026 23:15	4.428	172.5	14.47	9.73	29.27	0.03
3/18/2026 23:30	3.829	218	41.21	9.68	29.27	0
3/18/2026 23:45	8.64	235.1	12.66	9.67	29.29	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/19/2026 0:00	7.193	200.8	10.2	9.6	29.29	0
3/19/2026 0:15	6.751	171.1	24.42	9.6	29.29	0
3/19/2026 0:30	6.512	145.4	9.63	9.51	29.29	0.01
3/19/2026 0:45	7.725	139.4	8.92	9.51	29.28	0.01
3/19/2026 1:00	8.12	137.2	9.62	9.53	29.27	0
3/19/2026 1:15	8.88	130.4	7.508	9.62	29.27	0.01
3/19/2026 1:30	8.3	132.7	7.299	9.68	29.26	0
3/19/2026 1:45	7.285	132.7	9.49	9.8	29.26	0
3/19/2026 2:00	4.992	137.1	9.11	10.01	29.27	0
3/19/2026 2:15	2.479	142.2	17.91	10.13	29.27	0
3/19/2026 2:30	0.259	213.7	2.535	10.19	29.27	0
3/19/2026 2:45	1.781	136.7	18.21	10.19	29.27	0.01
3/19/2026 3:00	3.797	168.7	20.24	10.31	29.26	0.01
3/19/2026 3:15	1.755	123.8	22.68	10.18	29.26	0
3/19/2026 3:30	3.272	165	25.91	9.96	29.26	0.01
3/19/2026 3:45	4.365	164.7	16.57	9.75	29.27	0.01
3/19/2026 4:00	3.722	168.5	12.81	9.87	29.27	0.03
3/19/2026 4:15	5.119	142.6	9.53	9.72	29.27	0.03
3/19/2026 4:30	9.5	153.2	8.82	9.75	29.27	0.02
3/19/2026 4:45	7.637	146.1	12.45	9.72	29.27	0.02
3/19/2026 5:00	5.827	144.3	7.98	9.67	29.27	0.01
3/19/2026 5:15	3.978	140.5	10.39	9.65	29.28	0.02
3/19/2026 5:30	1.298	147.1	18.14	9.65	29.28	0.04
3/19/2026 5:45	0.857	74.17	48.75	9.63	29.28	0.01
3/19/2026 6:00	0.655	167.6	45.25	9.61	29.29	0.01
3/19/2026 6:15	2.623	153.3	11.11	9.59	29.3	0
3/19/2026 6:30	1	130.9	47.52	9.62	29.3	0
3/19/2026 6:45	1.962	352.9	19.74	9.62	29.3	0
3/19/2026 7:00	0.102	70.57	2.326	9.64	29.3	0.02
3/19/2026 7:15	0	0	0	9.62	29.3	0.02
3/19/2026 7:30	0.91	99.1	4.37	9.62	29.31	0.01
3/19/2026 7:45	4.43	77.68	9.92	9.6	29.3	0.01
3/19/2026 8:00	3.76	103.4	14.29	9.57	29.31	0.01
3/19/2026 8:15	2.338	89.3	29.23	9.62	29.31	0
3/19/2026 8:30	3.438	59.88	10.39	9.67	29.3	0
3/19/2026 8:45	2.475	18.31	12.44	9.76	29.3	0
3/19/2026 9:00	3.296	345.6	13.04	9.87	29.3	0
3/19/2026 9:15	3.994	353.7	16.35	9.97	29.3	0
3/19/2026 9:30	5.053	284.1	16.32	10.08	29.3	0
3/19/2026 9:45	5.458	269.3	10.08	10.4	29.31	0
3/19/2026 10:00	4.64	297.9	18.75	10.5	29.31	0
3/19/2026 10:15	4.187	295.5	17.73	10.42	29.31	0
3/19/2026 10:30	3.777	321	24.34	10.34	29.32	0
3/19/2026 10:45	1.565	348.7	19.62	10.39	29.32	0.01
3/19/2026 11:00	2.124	310	16.55	10.35	29.32	0
3/19/2026 11:15	2.245	255.4	31.36	10.48	29.33	0
3/19/2026 11:30	5.234	210.4	13.39	10.6	29.33	0
3/19/2026 11:45	4.277	172.2	23.86	10.59	29.33	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/19/2026 12:00	3.02	123.8	15.66	10.75	29.32	0
3/19/2026 12:15	0.783	145.6	12.14	10.83	29.32	0.01
3/19/2026 12:30	1.101	108.9	19.03	10.8	29.32	0
3/19/2026 12:45	3.809	164.4	11.76	10.85	29.32	0
3/19/2026 13:00	5.566	166.7	12.99	10.67	29.32	0.01
3/19/2026 13:15	4.716	180.3	9.96	10.61	29.32	0.01
3/19/2026 13:30	3.078	139.7	25.02	10.73	29.32	0
3/19/2026 13:45	2.89	115.8	12.45	10.67	29.31	0.01
3/19/2026 14:00	2.122	106.1	18.72	10.7	29.31	0.01
3/19/2026 14:15	3.176	113.9	10.74	10.61	29.31	0.01
3/19/2026 14:30	4.125	119.8	8.74	10.6	29.3	0.01
3/19/2026 14:45	2.936	110.3	13.67	10.62	29.3	0.02
3/19/2026 15:00	2.184	101	12.73	10.75	29.29	0.01
3/19/2026 15:15	2.7	99.3	14.21	10.76	29.29	0
3/19/2026 15:30	3.067	98	11.94	10.81	29.29	0.01
3/19/2026 15:45	0.406	93.2	6.299	10.93	29.29	0.01
3/19/2026 16:00	0.004	286.1	5.055	11.01	29.29	0
3/19/2026 16:15	0	0	0	11.09	29.29	0.02
3/19/2026 16:30	0	0	0	10.99	29.29	0.01
3/19/2026 16:45	0	0	0	11.04	29.29	0.01
3/19/2026 17:00	0.005	29.09	1.128	11.06	29.29	0.02
3/19/2026 17:15	3.503	100.7	11.26	11.07	29.28	0.01
3/19/2026 17:30	3.77	106.4	9.1	10.99	29.28	0.01
3/19/2026 17:45	4.729	94.2	10.1	11.01	29.27	0.01
3/19/2026 18:00	5.3	99.8	11.69	10.98	29.27	0
3/19/2026 18:15	3.64	130.2	17.47	11.1	29.27	0
3/19/2026 18:30	5.36	129.9	6.949	11.35	29.27	0.01
3/19/2026 18:45	6.919	119.6	7.769	11.55	29.27	0
3/19/2026 19:00	6.867	124.3	8.35	11.77	29.27	0
3/19/2026 19:15	5.54	120.5	9.28	11.97	29.27	0.01
3/19/2026 19:30	5.9	119.5	8.23	12.12	29.27	0
3/19/2026 19:45	6.473	119.2	6.716	12.36	29.26	0
3/19/2026 20:00	6.059	124.6	6.638	12.57	29.26	0.01
3/19/2026 20:15	5.832	127.2	8.54	12.74	29.26	0
3/19/2026 20:30	7.072	153.9	14.71	12.86	29.26	0.01
3/19/2026 20:45	8.19	167.8	8.64	12.63	29.26	0.01
3/19/2026 21:00	5.762	153.9	15.13	12.51	29.26	0.01
3/19/2026 21:15	2.727	142.2	14.05	12.48	29.26	0.01
3/19/2026 21:30	4.818	152	19.25	12.57	29.26	0.02
3/19/2026 21:45	7.302	163.3	9.77	12.57	29.26	0.02
3/19/2026 22:00	9.45	154.6	11.04	12.5	29.26	0.01
3/19/2026 22:15	8.92	148.9	7.425	12.4	29.26	0.01
3/19/2026 22:30	7.409	139.7	7.621	12.28	29.26	0
3/19/2026 22:45	5.515	131.1	7.645	12.28	29.25	0
3/19/2026 23:00	6.008	131	12.46	12.34	29.25	0
3/19/2026 23:15	5.289	120.6	8.83	12.39	29.24	0
3/19/2026 23:30	6.573	125.9	7.094	12.54	29.25	0
3/19/2026 23:45	5.531	128.1	8.8	12.69	29.24	0.01

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/20/2026 0:00	5.772	122.1	9.63	12.68	29.24	0.01
3/20/2026 0:15	6.79	127.1	10.92	12.67	29.22	0
3/20/2026 0:30	8.06	150.4	8.52	12.96	29.22	0
3/20/2026 0:45	5.296	158.2	6.261	12.75	29.22	0
3/20/2026 1:00	6.066	173.1	6.454	12.62	29.23	0
3/20/2026 1:15	6.452	168.6	10.07	12.53	29.24	0
3/20/2026 1:30	7.464	172	10.12	12.41	29.25	0.01
3/20/2026 1:45	7.092	161.9	7.726	12.21	29.25	0
3/20/2026 2:00	3.556	133.8	26.12	12.17	29.25	0.01
3/20/2026 2:15	2.456	102.7	19.09	12.07	29.25	0
3/20/2026 2:30	3.384	122	12.29	12.02	29.25	0
3/20/2026 2:45	1.933	120.7	17.67	12.06	29.24	0
3/20/2026 3:00	3.254	136.4	18.95	12.11	29.23	0
3/20/2026 3:15	3.67	125.3	10.95	12.09	29.22	0
3/20/2026 3:30	3.133	149.5	23.24	12.46	29.22	0
3/20/2026 3:45	2.073	122.1	41.31	12.62	29.21	0
3/20/2026 4:00	3.618	104.1	21.38	12.48	29.2	0
3/20/2026 4:15	3.031	135.6	28.04	12.47	29.2	0
3/20/2026 4:30	2.702	201.8	28.37	12.64	29.2	0
3/20/2026 4:45	1.915	264.8	69.25	12.44	29.2	0
3/20/2026 5:00	4.801	204.1	22.28	12.82	29.2	0
3/20/2026 5:15	4.274	249.9	21.35	12.5	29.2	0
3/20/2026 5:30	5.249	255.8	11.53	11.99	29.2	0.01
3/20/2026 5:45	8.36	266.4	13.19	11.51	29.22	0.01
3/20/2026 6:00	9.65	235.1	15.98	11.01	29.23	0.03
3/20/2026 6:15	4.926	181.2	18.26	10.85	29.23	0.02
3/20/2026 6:30	3.079	163	13.72	10.76	29.23	0.02
3/20/2026 6:45	4.854	156.8	14.31	10.75	29.23	0.02
3/20/2026 7:00	6.099	156	14.16	10.76	29.23	0.02
3/20/2026 7:15	7.653	159.2	10.69	10.76	29.23	0.02
3/20/2026 7:30	6.585	143.7	14.07	10.68	29.23	0.02
3/20/2026 7:45	8.6	159.1	8.62	10.74	29.23	0.03
3/20/2026 8:00	7.233	157.7	13.68	10.76	29.23	0.04
3/20/2026 8:15	5.243	178.4	10.93	10.75	29.24	0.03
3/20/2026 8:30	6.818	175.9	13.88	10.77	29.24	0.01
3/20/2026 8:45	7.184	174.6	10.91	10.81	29.25	0.01
3/20/2026 9:00	7.797	167	10.3	10.85	29.26	0.02
3/20/2026 9:15	10.07	165.9	9.45	10.99	29.26	0.01
3/20/2026 9:30	10.87	166.8	8.23	11.05	29.26	0.01
3/20/2026 9:45	11.7	165.5	9.47	11.13	29.27	0.02
3/20/2026 10:00	11.46	159.4	8.19	11.26	29.27	0.02
3/20/2026 10:15	12.75	158	8.83	11.3	29.27	0.02
3/20/2026 10:30	11.83	165.6	8.06	11.26	29.27	0.03
3/20/2026 10:45	13.02	170.7	8.21	11.24	29.28	0.03
3/20/2026 11:00	11.93	169.1	8.16	11.3	29.28	0.02
3/20/2026 11:15	10.52	167.1	7.268	11.36	29.28	0.01
3/20/2026 11:30	11.42	164.7	8.18	11.41	29.28	0.01
3/20/2026 11:45	10.82	172.3	8.46	11.45	29.28	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/20/2026 12:00	10.21	169.4	8.14	11.58	29.28	0
3/20/2026 12:15	11.65	169.4	8.87	11.73	29.28	0
3/20/2026 12:30	12.46	172.4	9.23	11.85	29.28	0
3/20/2026 12:45	15.36	198.3	34.51	11.68	29.29	0.06
3/20/2026 13:00	16.86	231.4	9.27	10.55	29.29	0.06
3/20/2026 13:15	15.99	246.3	10.39	10.48	29.3	0.01
3/20/2026 13:30	16.9	230.1	8.7	10.65	29.29	0
3/20/2026 13:45	14.62	226	9.97	11.14	29.3	0
3/20/2026 14:00	14.08	213	8.45	11.03	29.3	0
3/20/2026 14:15	11.11	199.2	10.47	11.2	29.3	0
3/20/2026 14:30	11.62	200.1	12.57	11.52	29.3	0
3/20/2026 14:45	9.66	205.8	15.28	11.98	29.3	0
3/20/2026 15:00	9.89	205.8	12.35	11.76	29.3	0
3/20/2026 15:15	8.21	179	15.01	12.03	29.31	0
3/20/2026 15:30	6.441	171.3	13.67	12.23	29.31	0
3/20/2026 15:45	6.886	182.1	17.49	12.21	29.31	0
3/20/2026 16:00	11.06	208.8	11.3	12.7	29.3	0
3/20/2026 16:15	11.04	203.2	8.59	12.92	29.3	0
3/20/2026 16:30	10.95	202.5	8.25	12.92	29.3	0
3/20/2026 16:45	8.28	204	12.3	12.78	29.3	0
3/20/2026 17:00	7.936	215.3	10.38	12.49	29.3	0
3/20/2026 17:15	9.6	218.4	8.2	12.34	29.3	0
3/20/2026 17:30	5.343	220.8	9.41	12.08	29.3	0
3/20/2026 17:45	6.646	211.1	12.56	11.96	29.29	0
3/20/2026 18:00	7.739	224.8	9.4	11.78	29.29	0
3/20/2026 18:15	6.929	239.3	7.983	11.3	29.29	0
3/20/2026 18:30	5.351	263.5	9.36	11.05	29.3	0
3/20/2026 18:45	7.043	259.5	6.368	10.79	29.29	0
3/20/2026 19:00	4.323	286.8	12.1	10.54	29.3	0
3/20/2026 19:15	3.674	283.3	14.91	10.36	29.3	0
3/20/2026 19:30	3.828	268.1	9.25	10.19	29.3	0
3/20/2026 19:45	4.451	256.4	8.46	10.18	29.3	0
3/20/2026 20:00	7.044	256.8	8.71	10.05	29.3	0
3/20/2026 20:15	6.772	281.3	10.73	9.77	29.3	0
3/20/2026 20:30	3.131	335.1	28.94	9.36	29.29	0
3/20/2026 20:45	7.693	20.42	11.1	8.55	29.29	0
3/20/2026 21:00	7.196	16.64	11.96	8.07	29.29	0
3/20/2026 21:15	8.62	13.42	9.04	8.01	29.3	0
3/20/2026 21:30	9.08	14.92	11.17	7.61	29.29	0
3/20/2026 21:45	8.94	9.24	13.84	7.219	29.29	0
3/20/2026 22:00	7.917	359.1	18.39	7.287	29.3	0
3/20/2026 22:15	7.967	14.93	12.04	7.05	29.29	0
3/20/2026 22:30	8.84	9.25	13.13	6.858	29.28	0
3/20/2026 22:45	8.36	4.323	17.12	6.969	29.29	0
3/20/2026 23:00	9.09	12.8	18.06	6.939	29.29	0
3/20/2026 23:15	8.87	13.1	12.85	6.66	29.29	0
3/20/2026 23:30	7.387	13.81	13.23	6.51	29.28	0
3/20/2026 23:45	8.45	358.9	17.49	6.546	29.29	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/21/2026 0:00	9.2	10.98	12.86	6.461	29.28	0
3/21/2026 0:15	9.65	2.135	17.94	6.404	29.27	0
3/21/2026 0:30	11.12	354.9	19.04	6.398	29.28	0
3/21/2026 0:45	8.86	351.8	17.12	6.413	29.29	0
3/21/2026 1:00	9.42	359.7	19.91	6.221	29.29	0
3/21/2026 1:15	10	357.3	16.73	6.008	29.29	0
3/21/2026 1:30	11	341.3	17.31	5.896	29.29	0
3/21/2026 1:45	9.43	3.075	16.92	5.777	29.3	0
3/21/2026 2:00	12.02	3.951	17.36	5.643	29.3	0
3/21/2026 2:15	11.78	359.4	18.98	5.523	29.3	0
3/21/2026 2:30	11.82	4.02	18.79	5.435	29.3	0
3/21/2026 2:45	11.61	2.384	18.46	5.328	29.31	0
3/21/2026 3:00	10.73	8.22	15.17	5.22	29.31	0
3/21/2026 3:15	10.18	6.705	20.06	5.113	29.31	0
3/21/2026 3:30	10.46	20.03	17.48	5.033	29.31	0
3/21/2026 3:45	11.64	21.39	15.07	4.862	29.3	0
3/21/2026 4:00	12.73	9.61	16.07	4.909	29.29	0
3/21/2026 4:15	14.51	8.05	18.61	4.945	29.29	0
3/21/2026 4:30	16.7	10.03	14.92	4.833	29.3	0
3/21/2026 4:45	11.97	6.402	24.98	4.847	29.31	0
3/21/2026 5:00	12.47	9.9	18.82	4.779	29.32	0
3/21/2026 5:15	10.76	11.76	15.85	4.646	29.33	0
3/21/2026 5:30	8.11	358.5	21.62	4.595	29.34	0
3/21/2026 5:45	7.491	13.64	17.95	4.545	29.34	0
3/21/2026 6:00	5.766	345.1	27.78	4.524	29.35	0
3/21/2026 6:15	7.435	6.791	21.59	4.477	29.35	0
3/21/2026 6:30	6.871	346.3	23.48	4.592	29.36	0
3/21/2026 6:45	5.473	347.3	24.33	4.683	29.37	0
3/21/2026 7:00	2.703	9.57	23.08	4.538	29.38	0
3/21/2026 7:15	3.248	9.7	45.27	4.538	29.39	0
3/21/2026 7:30	4.313	349.4	20.75	4.72	29.39	0
3/21/2026 7:45	6.515	355.2	18.91	4.831	29.39	0
3/21/2026 8:00	6.857	358.2	22.51	4.794	29.4	0
3/21/2026 8:15	4.314	25.56	19.29	4.75	29.4	0
3/21/2026 8:30	5.857	17.96	19.09	4.698	29.41	0
3/21/2026 8:45	8.89	359	17.81	4.707	29.41	0
3/21/2026 9:00	8.87	3.111	16.44	4.717	29.42	0
3/21/2026 9:15	8.86	7.265	14.66	4.56	29.43	0
3/21/2026 9:30	8.24	6.972	15.72	4.72	29.44	0
3/21/2026 9:45	7.048	360	17.32	5	29.44	0
3/21/2026 10:00	7.748	2.833	18.75	5.357	29.44	0
3/21/2026 10:15	7.709	14.08	18.45	5.867	29.45	0
3/21/2026 10:30	5.754	33.94	18.42	6.473	29.45	0
3/21/2026 10:45	3.523	60.01	38.45	6.74	29.45	0
3/21/2026 11:00	3.06	333.6	39.79	6.59	29.45	0
3/21/2026 11:15	3.768	318.1	26.04	6.655	29.45	0
3/21/2026 11:30	2.854	336.6	20.77	6.625	29.45	0
3/21/2026 11:45	3.832	21.83	24.45	7.365	29.45	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/21/2026 12:00	4.776	350.7	49.08	8.38	29.45	0
3/21/2026 12:15	2.998	280.7	51.25	9.11	29.45	0
3/21/2026 12:30	3.993	306.7	20.12	8.67	29.45	0
3/21/2026 12:45	5.505	291.3	16.58	8.04	29.46	0
3/21/2026 13:00	5.028	259.6	33.99	8.57	29.46	0
3/21/2026 13:15	6.026	270.6	29.21	8.84	29.46	0
3/21/2026 13:30	6.366	286.1	6.782	8.12	29.46	0
3/21/2026 13:45	4.416	291.1	13.98	8.1	29.46	0
3/21/2026 14:00	5.167	278	10.87	8.2	29.45	0
3/21/2026 14:15	5.203	292.4	8.95	8.39	29.46	0
3/21/2026 14:30	6.612	288.4	9.26	8.21	29.46	0
3/21/2026 14:45	6.913	288.4	10.37	8.32	29.46	0
3/21/2026 15:00	6.88	290.9	8.99	8.53	29.46	0
3/21/2026 15:15	6.107	285.5	17.48	9.4	29.46	0
3/21/2026 15:30	8.16	273.1	9.66	9.22	29.47	0
3/21/2026 15:45	6.765	280.3	8.82	8.62	29.47	0
3/21/2026 16:00	6.666	294.7	10.98	9.2	29.47	0
3/21/2026 16:15	6.753	303.2	12.41	8.8	29.47	0
3/21/2026 16:30	3.936	299.1	11.04	8.7	29.47	0
3/21/2026 16:45	3.184	351.1	31.41	9.44	29.47	0
3/21/2026 17:00	2.393	268.6	60.5	9.86	29.46	0
3/21/2026 17:15	7.247	234.4	9.61	9.55	29.46	0
3/21/2026 17:30	4.606	236.3	18.31	9.55	29.46	0
3/21/2026 17:45	5.709	227	10.94	9.32	29.46	0
3/21/2026 18:00	6.525	225.6	8.75	9.08	29.47	0
3/21/2026 18:15	6.043	238.1	8.65	8.49	29.47	0
3/21/2026 18:30	4.405	252.8	4.54	8.09	29.48	0
3/21/2026 18:45	2.709	262.1	3.342	8.05	29.48	0
3/21/2026 19:00	2.692	254.4	5.348	8.13	29.48	0
3/21/2026 19:15	1.626	345.8	60.73	7.496	29.48	0
3/21/2026 19:30	2.254	30.02	10.71	7.015	29.48	0
3/21/2026 19:45	1.631	28.91	13.12	6.849	29.49	0
3/21/2026 20:00	1.22	59.99	17.24	6.436	29.49	0
3/21/2026 20:15	1.862	104.4	12.15	6.232	29.49	0
3/21/2026 20:30	5.441	180	23.11	5.802	29.5	0
3/21/2026 20:45	5.281	183.5	10.56	5.475	29.5	0
3/21/2026 21:00	4.557	191	13.18	5.755	29.51	0
3/21/2026 21:15	3.643	191.1	14.07	5.519	29.52	0
3/21/2026 21:30	3.015	163.9	13.96	5.446	29.52	0
3/21/2026 21:45	4.297	181.9	19.4	5.13	29.53	0
3/21/2026 22:00	4.232	155.4	8.27	4.874	29.53	0
3/21/2026 22:15	4.625	158.7	14.61	4.615	29.54	0
3/21/2026 22:30	7.52	144.2	8.22	4.285	29.54	0
3/21/2026 22:45	8.99	151.6	8.07	4.181	29.54	0
3/21/2026 23:00	7.427	169.2	10.06	4.252	29.55	0
3/21/2026 23:15	7.615	167.5	8.34	4.244	29.55	0
3/21/2026 23:30	9.56	154.4	7.707	4.026	29.55	0
3/21/2026 23:45	10.58	155.3	6.061	3.936	29.55	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/22/2026 0:00	9.49	156.8	6.4	3.675	29.56	0
3/22/2026 0:15	8.31	151.8	5.403	3.61	29.56	0
3/22/2026 0:30	7.384	147.4	6.354	3.464	29.56	0
3/22/2026 0:45	9.13	158.9	9.22	3.658	29.56	0
3/22/2026 1:00	8.69	141	8.59	3.454	29.56	0
3/22/2026 1:15	7.262	137.3	7.883	3.406	29.56	0
3/22/2026 1:30	8.42	146.5	6.809	3.19	29.56	0
3/22/2026 1:45	8.04	140.9	5.838	2.987	29.56	0
3/22/2026 2:00	7.635	138.1	7.82	2.981	29.55	0
3/22/2026 2:15	6.723	140.5	7.775	2.834	29.55	0
3/22/2026 2:30	6.703	139.8	9.12	2.63	29.55	0
3/22/2026 2:45	8.4	152.8	6.135	2.664	29.54	0
3/22/2026 3:00	9.2	147.5	6.187	2.694	29.54	0
3/22/2026 3:15	10.1	147.4	6.298	2.91	29.54	0
3/22/2026 3:30	9.86	143.7	8.59	3.051	29.54	0
3/22/2026 3:45	7.14	135.9	8.81	2.949	29.54	0
3/22/2026 4:00	6.308	135.6	8.27	2.882	29.54	0
3/22/2026 4:15	6.3	131.3	6.623	2.721	29.54	0
3/22/2026 4:30	6.448	131.5	6.349	2.769	29.54	0
3/22/2026 4:45	6.197	131.7	7.288	2.879	29.54	0
3/22/2026 5:00	6.159	143.1	16.96	2.908	29.55	0
3/22/2026 5:15	5.659	121.5	7.589	3.079	29.54	0
3/22/2026 5:30	5.941	123.9	7.107	3.295	29.54	0
3/22/2026 5:45	5.054	123.7	5.676	3.352	29.54	0
3/22/2026 6:00	4.195	129.4	8.01	3.382	29.55	0
3/22/2026 6:15	3.692	113.8	8.34	3.684	29.55	0
3/22/2026 6:30	3.136	156.5	19.47	3.161	29.55	0
3/22/2026 6:45	4.28	181.7	15.93	2.407	29.55	0
3/22/2026 7:00	5.658	192.6	12.48	1.99	29.55	0
3/22/2026 7:15	5.121	169.8	14.05	2.643	29.55	0
3/22/2026 7:30	3.596	164.5	15.39	2.996	29.55	0
3/22/2026 7:45	3.056	146.7	13.73	2.632	29.55	0
3/22/2026 8:00	4.388	184.4	16.43	3.056	29.55	0
3/22/2026 8:15	4.996	186.8	13.62	3.267	29.55	0
3/22/2026 8:30	4.844	153.3	11.6	4.491	29.56	0
3/22/2026 8:45	5.444	140.3	9.83	5.561	29.56	0
3/22/2026 9:00	5.058	141.7	17.83	6.091	29.56	0
3/22/2026 9:15	5.047	139.2	14.72	6.372	29.56	0
3/22/2026 9:30	4.879	174.1	29.26	6.755	29.56	0
3/22/2026 9:45	3.247	203.6	31.43	6.942	29.56	0
3/22/2026 10:00	2.544	233.5	28.19	6.925	29.56	0
3/22/2026 10:15	2.378	249.5	26.62	6.843	29.55	0
3/22/2026 10:30	1.82	179.4	66.79	7.883	29.55	0
3/22/2026 10:45	2.277	245.9	58.71	8.45	29.55	0
3/22/2026 11:00	5.355	301.6	33.7	8.08	29.54	0
3/22/2026 11:15	5.095	319.5	34.07	8.22	29.53	0
3/22/2026 11:30	2.825	263.3	59.6	8.91	29.53	0
3/22/2026 11:45	4.17	249.9	40.92	9.18	29.53	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/22/2026 12:00	7.082	336.6	14.27	8.97	29.52	0
3/22/2026 12:15	6.05	357.7	35.23	8.56	29.52	0
3/22/2026 12:30	3.988	295.5	42.58	8.87	29.51	0
3/22/2026 12:45	3.991	354.6	28.56	9.4	29.51	0
3/22/2026 13:00	4.52	330.2	26.78	9.6	29.5	0
3/22/2026 13:15	6.925	314.7	19.19	9.48	29.49	0
3/22/2026 13:30	5.951	310.3	34.27	9.53	29.49	0
3/22/2026 13:45	7.275	293.2	19.34	9.83	29.48	0
3/22/2026 14:00	9.35	285.5	15.84	10.09	29.47	0
3/22/2026 14:15	9.05	279.6	15.6	10.41	29.47	0
3/22/2026 14:30	9.41	315.8	15.05	10.24	29.46	0
3/22/2026 14:45	9.52	304	12.94	10.11	29.46	0
3/22/2026 15:00	8.6	312.5	19.39	10.18	29.46	0
3/22/2026 15:15	8.74	305.8	24.12	10.33	29.45	0
3/22/2026 15:30	8.93	309.6	17.55	10.3	29.45	0
3/22/2026 15:45	9.09	306.5	10.99	10.23	29.44	0
3/22/2026 16:00	8.35	309.2	12.55	10.19	29.44	0
3/22/2026 16:15	9.68	305.1	11.58	10.13	29.44	0
3/22/2026 16:30	11.46	306.5	9.07	9.94	29.43	0
3/22/2026 16:45	9.66	318.9	12.5	9.74	29.43	0
3/22/2026 17:00	11.94	308.1	8.08	9.31	29.42	0
3/22/2026 17:15	11.45	307.1	7.472	8.98	29.42	0
3/22/2026 17:30	10.61	307.6	8.41	8.67	29.41	0
3/22/2026 17:45	9.92	310.2	9.66	8.06	29.41	0
3/22/2026 18:00	8.33	309.9	16.58	7.722	29.41	0
3/22/2026 18:15	7.317	307.5	12.88	7.297	29.41	0
3/22/2026 18:30	8.45	311.7	15.09	7.094	29.41	0
3/22/2026 18:45	6.541	319.8	17.28	6.812	29.41	0
3/22/2026 19:00	9.42	338.3	18.32	6.655	29.4	0
3/22/2026 19:15	9.08	354.8	21.66	6.628	29.4	0
3/22/2026 19:30	6.467	351.1	19.27	6.592	29.41	0
3/22/2026 19:45	6.169	349.4	29.47	6.379	29.41	0
3/22/2026 20:00	6.588	344	24.02	6.213	29.41	0
3/22/2026 20:15	5.024	10.71	23.92	5.984	29.4	0
3/22/2026 20:30	6.674	17.98	21.93	5.791	29.4	0
3/22/2026 20:45	6.535	24.57	16.38	5.518	29.39	0
3/22/2026 21:00	7.369	17.99	15.34	5.509	29.39	0
3/22/2026 21:15	5.499	18.02	19.13	5.348	29.39	0
3/22/2026 21:30	6.163	21.57	21.6	5.271	29.39	0
3/22/2026 21:45	5.272	25.05	20.6	5.014	29.38	0
3/22/2026 22:00	6.193	25.14	22.89	4.942	29.38	0
3/22/2026 22:15	5.879	23.45	17.5	4.848	29.37	0
3/22/2026 22:30	8.15	18.97	15.28	4.985	29.37	0
3/22/2026 22:45	8.03	17.98	13.35	4.914	29.37	0
3/22/2026 23:00	7.897	23.41	8.71	4.391	29.37	0
3/22/2026 23:15	7.404	26.5	8.74	4.147	29.37	0
3/22/2026 23:30	6.615	32.08	10.33	3.968	29.37	0
3/22/2026 23:45	8.43	20.72	14.81	4.174	29.37	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/23/2026 0:00	7.427	25.6	11.22	3.838	29.36	0
3/23/2026 0:15	6.991	29.57	9.23	3.317	29.36	0
3/23/2026 0:30	7.068	32.3	7.567	3.099	29.35	0
3/23/2026 0:45	7.891	25.75	7.191	2.914	29.35	0
3/23/2026 1:00	5.171	19.77	20.01	2.643	29.35	0
3/23/2026 1:15	3.794	357.6	18.36	2.673	29.35	0
3/23/2026 1:30	4.392	353.6	15.63	2.625	29.34	0
3/23/2026 1:45	4.116	0.707	19.07	2.426	29.34	0
3/23/2026 2:00	3.336	348.9	21.12	2.553	29.34	0
3/23/2026 2:15	4.626	17.06	13.53	2.266	29.34	0
3/23/2026 2:30	6.699	22.2	8.81	1.888	29.34	0
3/23/2026 2:45	4.759	23.42	9.35	1.634	29.33	0
3/23/2026 3:00	4.42	34.33	7.799	1.45	29.33	0
3/23/2026 3:15	3.778	56.75	8.37	1.787	29.32	0
3/23/2026 3:30	3.431	38.67	17.23	2.311	29.32	0
3/23/2026 3:45	3.756	28.66	8.47	2.002	29.33	0
3/23/2026 4:00	4.791	34.31	8.98	1.694	29.33	0
3/23/2026 4:15	3.355	40.56	10.03	0.981	29.33	0
3/23/2026 4:30	4.911	32.83	6.805	0.651	29.32	0
3/23/2026 4:45	4.807	37.2	12.62	1.129	29.32	0
3/23/2026 5:00	4.27	42.4	7.376	1.192	29.32	0
3/23/2026 5:15	2.995	63.43	17.17	0.731	29.32	0
3/23/2026 5:30	2.6	63.69	24.23	0.474	29.32	0
3/23/2026 5:45	2.659	95.2	10.85	0.381	29.32	0
3/23/2026 6:00	2.992	103.1	15.36	0.485	29.32	0
3/23/2026 6:15	3.301	132.4	6.583	0.63	29.32	0
3/23/2026 6:30	2.093	131.1	11.19	0.779	29.33	0
3/23/2026 6:45	1.218	71.85	18.98	1.126	29.32	0
3/23/2026 7:00	0.26	45.73	0.779	1.431	29.32	0
3/23/2026 7:15	0.278	63.71	23.01	2.131	29.32	0
3/23/2026 7:30	0.219	92.3	38.26	2.761	29.32	0
3/23/2026 7:45	0.219	339.5	32.52	2.356	29.33	0
3/23/2026 8:00	0.219	280.1	10.42	2.263	29.33	0
3/23/2026 8:15	0.219	157.6	51.42	2.64	29.33	0
3/23/2026 8:30	0.219	82	31.11	2.852	29.33	0
3/23/2026 8:45	0.722	160.9	19.66	2.962	29.33	0
3/23/2026 9:00	1.584	207.9	24.39	3.248	29.33	0
3/23/2026 9:15	1.769	185.7	20.58	3.587	29.32	0
3/23/2026 9:30	1.817	175.2	19.26	4.004	29.32	0
3/23/2026 9:45	1.62	186.6	39.03	4.411	29.32	0
3/23/2026 10:00	1.468	187.8	40.86	4.961	29.32	0
3/23/2026 10:15	2.091	215.2	34.9	5.06	29.32	0
3/23/2026 10:30	1.708	169.8	72.85	5.341	29.31	0
3/23/2026 10:45	1.173	293.5	70.95	5.872	29.31	0
3/23/2026 11:00	2.151	291.5	38.89	5.975	29.31	0
3/23/2026 11:15	0.917	321.1	53.75	6.516	29.31	0
3/23/2026 11:30	1.7	188.5	50.91	6.834	29.3	0
3/23/2026 11:45	1.779	29.76	48.4	6.942	29.3	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/23/2026 12:00	2.128	247.2	43.99	7.097	29.3	0
3/23/2026 12:15	1.274	225.7	72.12	7.677	29.29	0
3/23/2026 12:30	3.658	7.46	27.71	7.743	29.29	0
3/23/2026 12:45	4.369	11.12	28.12	7.831	29.29	0
3/23/2026 13:00	4.1	21.81	26.23	8.34	29.28	0
3/23/2026 13:15	1.905	304	59.67	9.04	29.28	0
3/23/2026 13:30	3.261	16.08	49.37	9.43	29.27	0
3/23/2026 13:45	4.656	8.5	28.03	9.05	29.26	0
3/23/2026 14:00	3.397	4.009	19.99	9.06	29.25	0
3/23/2026 14:15	3.281	357.7	20	9.15	29.25	0
3/23/2026 14:30	3.525	342.7	31.78	9.2	29.25	0
3/23/2026 14:45	3.846	299.9	30.39	9.33	29.25	0
3/23/2026 15:00	4.647	264.9	8.51	9.19	29.25	0
3/23/2026 15:15	3.156	287.9	28.68	9.14	29.24	0
3/23/2026 15:30	3.996	267	27.97	9.12	29.24	0
3/23/2026 15:45	6.472	262.1	9.57	8.9	29.25	0
3/23/2026 16:00	5.717	264.3	10.75	8.87	29.24	0
3/23/2026 16:15	5.158	270.1	6.905	8.81	29.23	0
3/23/2026 16:30	3.355	289.9	21.71	8.79	29.23	0
3/23/2026 16:45	2.228	326.5	15.67	8.72	29.22	0
3/23/2026 17:00	1.729	346	23.7	8.65	29.22	0
3/23/2026 17:15	2.045	330.4	12.59	8.65	29.22	0
3/23/2026 17:30	2.261	300.2	31	8.54	29.2	0
3/23/2026 17:45	3.068	278.9	15.24	8.29	29.2	0
3/23/2026 18:00	2.064	348	41.23	8.1	29.2	0
3/23/2026 18:15	5.241	11.92	15.81	7.75	29.19	0
3/23/2026 18:30	5.392	4.489	18.35	7.667	29.19	0
3/23/2026 18:45	4.899	17.15	11.49	7.501	29.19	0
3/23/2026 19:00	3.967	7.556	15.69	7.259	29.18	0
3/23/2026 19:15	2.767	350	18.08	7.33	29.18	0
3/23/2026 19:30	2.851	12.68	11	7.216	29.18	0
3/23/2026 19:45	2.923	7.061	13	7.07	29.19	0
3/23/2026 20:00	2.154	23.57	15.15	7.045	29.18	0
3/23/2026 20:15	2.266	24.89	9.09	6.801	29.17	0
3/23/2026 20:30	2.623	21.13	7.186	6.66	29.18	0
3/23/2026 20:45	0.811	30.59	7.285	6.617	29.17	0
3/23/2026 21:00	0.998	41.57	8.96	6.57	29.17	0
3/23/2026 21:15	3.601	36.43	7.501	6.361	29.16	0
3/23/2026 21:30	2.159	45.27	10.6	6.099	29.15	0
3/23/2026 21:45	0.558	70.16	16.46	6.066	29.15	0
3/23/2026 22:00	0.219	123.9	5.603	6.255	29.16	0
3/23/2026 22:15	1.984	117.7	18.57	5.906	29.15	0
3/23/2026 22:30	3.463	133.1	5.397	5.993	29.15	0
3/23/2026 22:45	4.41	127.1	6.019	6.103	29.14	0
3/23/2026 23:00	5.781	141.1	9.18	6.026	29.13	0
3/23/2026 23:15	6.218	156.3	7.417	6.166	29.12	0
3/23/2026 23:30	3.841	152.1	16.03	6.252	29.13	0
3/23/2026 23:45	1.682	124.6	69.14	5.926	29.12	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/24/2026 0:00	5.387	215.2	7.006	6.084	29.13	0
3/24/2026 0:15	3.001	185.2	64.5	6.064	29.13	0
3/24/2026 0:30	0.341	307.1	15.6	5.887	29.14	0
3/24/2026 0:45	1.442	298.6	8.98	5.974	29.15	0
3/24/2026 1:00	2.253	324.3	36.01	6.291	29.14	0
3/24/2026 1:15	2.462	12.36	23.23	6.533	29.14	0
3/24/2026 1:30	2.862	52.04	24.66	6.089	29.14	0
3/24/2026 1:45	2.546	59.66	37.12	5.18	29.13	0
3/24/2026 2:00	4.749	163.3	26.83	5.364	29.13	0
3/24/2026 2:15	2.931	96.2	56.71	6.279	29.14	0.01
3/24/2026 2:30	1.388	23.29	37.88	6.141	29.14	0.01
3/24/2026 2:45	1.102	12.74	90.4	5.901	29.13	0
3/24/2026 3:00	3.255	94.6	17.24	6.251	29.12	0.02
3/24/2026 3:15	3.103	108.9	18.87	6.527	29.11	0.01
3/24/2026 3:30	3.335	124.4	14.19	6.411	29.1	0.01
3/24/2026 3:45	4.504	139.3	9.84	6.516	29.09	0.01
3/24/2026 4:00	3.428	106.5	19.21	6.509	29.07	0.01
3/24/2026 4:15	2.577	83.6	9.17	6.012	29.06	0.03
3/24/2026 4:30	3.314	103.6	16.73	6.024	29.06	0
3/24/2026 4:45	3.367	108.3	14.32	6.153	29.05	0.01
3/24/2026 5:00	4.496	99.7	15.58	5.918	29.03	0.01
3/24/2026 5:15	5.463	121.4	15.14	5.777	29.02	0.01
3/24/2026 5:30	8.29	113.5	11.13	5.797	29.01	0.04
3/24/2026 5:45	8.01	109.2	12.58	5.736	29	0.01
3/24/2026 6:00	4.228	116.8	12.09	5.75	28.99	0.02
3/24/2026 6:15	5.427	94.8	16.39	5.779	28.98	0.01
3/24/2026 6:30	3.177	62.57	20.02	5.706	28.97	0.05
3/24/2026 6:45	4.385	33.43	54.14	5.405	28.96	0.04
3/24/2026 7:00	1.115	211	99	5.506	28.97	0.03
3/24/2026 7:15	1.584	42.84	46.74	5.682	28.97	0.05
3/24/2026 7:30	3.764	20.18	27.94	5.443	28.96	0.03
3/24/2026 7:45	4.639	52.71	44.73	5.515	28.94	0.01
3/24/2026 8:00	5.156	236.1	21.28	6.589	28.95	0.06
3/24/2026 8:15	3.71	144.3	24.49	6.404	28.94	0.06
3/24/2026 8:30	5.293	192.3	30.38	6.302	28.95	0.05
3/24/2026 8:45	6.557	135	11.9	6.22	28.93	0.03
3/24/2026 9:00	2.749	145.2	18.65	6.327	28.93	0.03
3/24/2026 9:15	2.477	131	37.68	6.786	28.93	0
3/24/2026 9:30	2.272	162.2	34.47	7.021	28.93	0.02
3/24/2026 9:45	0.02	199.8	0.329	7.142	28.95	0.05
3/24/2026 10:00	0	0	0	7.136	28.94	0.06
3/24/2026 10:15	1.219	202.6	4.171	6.834	28.94	0.04
3/24/2026 10:30	0	0	0	7.087	28.95	0.03
3/24/2026 10:45	0.113	188.5	26.28	7.71	28.96	0.03
3/24/2026 11:00	0.799	152.9	30.93	7.954	28.95	0.01
3/24/2026 11:15	1.548	59.2	14.79	8.35	28.95	0
3/24/2026 11:30	0.997	32.52	8.19	8.61	28.96	0.01
3/24/2026 11:45	1.746	74.22	13.73	8.72	28.96	0.02

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/24/2026 12:00	4.188	96.4	19.75	8.87	28.96	0
3/24/2026 12:15	6.387	108.2	10.75	9.2	28.96	0
3/24/2026 12:30	9.08	121.7	11.87	9.49	28.97	0
3/24/2026 12:45	12.32	136.5	7.107	9.74	28.96	0
3/24/2026 13:00	12.27	148.5	7.379	9.97	28.97	0.01
3/24/2026 13:15	13.35	144.6	7.706	9.96	28.98	0.01
3/24/2026 13:30	11.78	149.9	9.1	10.13	28.98	0
3/24/2026 13:45	13.08	164.1	7.188	10.41	28.98	0
3/24/2026 14:00	14.22	167.6	7.793	10.56	28.99	0
3/24/2026 14:15	16.8	165.2	7.701	10.98	28.99	0
3/24/2026 14:30	17.55	167.9	7.286	11.21	29	0
3/24/2026 14:45	16.27	169.4	8.2	11.33	29	0
3/24/2026 15:00	16.48	171.3	8	11.42	29.01	0
3/24/2026 15:15	17.62	173.2	9.11	11.74	29.01	0
3/24/2026 15:30	17.1	184.5	9.03	11.79	29.02	0
3/24/2026 15:45	14.75	181.3	9.87	11.71	29.04	0
3/24/2026 16:00	16.55	193.6	13.33	11.8	29.04	0
3/24/2026 16:15	23.02	199.4	9.46	11.81	29.04	0
3/24/2026 16:30	19.05	200.2	10.53	11.83	29.05	0
3/24/2026 16:45	14.66	202.7	9.7	11.74	29.06	0
3/24/2026 17:00	18.14	218.8	10.04	11.54	29.07	0
3/24/2026 17:15	19.13	222.9	9.63	10.91	29.08	0
3/24/2026 17:30	17.25	209.8	9.68	9.91	29.09	0
3/24/2026 17:45	15.05	197.4	8.26	9.37	29.09	0.01
3/24/2026 18:00	15.27	204.5	7.028	9.1	29.09	0
3/24/2026 18:15	14.93	204.9	7.674	9.15	29.1	0.01
3/24/2026 18:30	13.97	208.6	7.051	9.1	29.1	0
3/24/2026 18:45	15.74	207.5	7.29	9.08	29.1	0
3/24/2026 19:00	13.25	200.4	8.58	8.91	29.11	0
3/24/2026 19:15	12.98	199.1	8.55	8.78	29.12	0
3/24/2026 19:30	9.43	184.5	11.56	8.57	29.12	0
3/24/2026 19:45	8.91	160.7	7.915	8.31	29.13	0
3/24/2026 20:00	10.08	158.9	9.11	8.12	29.14	0
3/24/2026 20:15	10.51	165.6	8.75	7.98	29.15	0
3/24/2026 20:30	9.51	170.3	11.25	7.722	29.16	0
3/24/2026 20:45	8.49	163.6	11.82	7.522	29.16	0
3/24/2026 21:00	7.519	142	12.67	7.276	29.16	0
3/24/2026 21:15	9.07	139.2	10.48	7.24	29.16	0
3/24/2026 21:30	9.09	145.7	9	7.317	29.17	0
3/24/2026 21:45	8.08	144.7	10.72	7.27	29.17	0
3/24/2026 22:00	9.14	162.5	11.47	7.402	29.17	0
3/24/2026 22:15	8.64	172.7	13.18	7.388	29.18	0
3/24/2026 22:30	9.89	184.2	10.63	7.402	29.18	0
3/24/2026 22:45	11.35	193.6	13.96	7.321	29.19	0
3/24/2026 23:00	10.17	189.9	9.57	7.208	29.19	0
3/24/2026 23:15	7.93	189.1	11.67	7.063	29.19	0
3/24/2026 23:30	8.24	180.2	10.84	6.985	29.19	0
3/24/2026 23:45	8.65	178	9.19	6.939	29.2	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/25/2026 0:00	8.14	175.4	7.929	6.961	29.2	0
3/25/2026 0:15	7.7	173.2	7.305	6.899	29.21	0
3/25/2026 0:30	6.701	165.2	7.732	6.866	29.21	0
3/25/2026 0:45	7.04	165.2	10.41	6.98	29.21	0
3/25/2026 1:00	7.023	167	9.87	6.975	29.21	0
3/25/2026 1:15	6.858	164.3	10.31	6.968	29.21	0
3/25/2026 1:30	5.54	156.4	17.26	6.922	29.22	0
3/25/2026 1:45	5.93	171.5	15.93	6.942	29.22	0
3/25/2026 2:00	5.786	171.4	9.91	6.908	29.22	0
3/25/2026 2:15	3.691	150.4	20.24	6.768	29.22	0
3/25/2026 2:30	1.499	144.4	20.33	6.647	29.22	0
3/25/2026 2:45	3.274	147.6	19.92	6.738	29.22	0
3/25/2026 3:00	4.363	148.1	11.53	6.6	29.22	0
3/25/2026 3:15	4.384	144.8	11.13	6.195	29.22	0
3/25/2026 3:30	4.202	123	10.48	6.153	29.22	0
3/25/2026 3:45	6.978	149.7	21.38	6.503	29.21	0
3/25/2026 4:00	6.073	173.2	10.56	6.633	29.21	0
3/25/2026 4:15	6.312	165	6.52	6.382	29.21	0
3/25/2026 4:30	5.056	163.2	8.46	6.28	29.21	0
3/25/2026 4:45	5.441	165.9	10.08	6.195	29.21	0
3/25/2026 5:00	3.94	156.4	19.37	6.083	29.21	0
3/25/2026 5:15	7.978	229.8	15.34	5.791	29.22	0.04
3/25/2026 5:30	5.815	217.2	11.4	5.476	29.22	0
3/25/2026 5:45	6.818	188.3	15.99	5.367	29.22	0.01
3/25/2026 6:00	6.817	175.9	11.25	5.237	29.23	0
3/25/2026 6:15	6.726	143	10.12	4.85	29.22	0
3/25/2026 6:30	4.797	126.8	10.55	4.741	29.22	0
3/25/2026 6:45	5.767	126.1	8.88	4.754	29.23	0
3/25/2026 7:00	6.826	139.2	7.268	4.841	29.23	0
3/25/2026 7:15	6.416	145.4	11.44	5.107	29.23	0
3/25/2026 7:30	6.301	147.5	15.65	5.476	29.23	0
3/25/2026 7:45	7.753	146	6.259	5.602	29.23	0
3/25/2026 8:00	6.835	142.5	7.575	5.554	29.24	0
3/25/2026 8:15	5.706	125.8	11.67	5.756	29.24	0
3/25/2026 8:30	6.35	136.4	10.11	6.184	29.25	0
3/25/2026 8:45	3.05	117.7	33.83	6.319	29.25	0
3/25/2026 9:00	2.284	102	20.22	6.527	29.25	0
3/25/2026 9:15	2.34	123.6	20.23	6.847	29.25	0
3/25/2026 9:30	5.58	142.5	24.01	7.478	29.26	0
3/25/2026 9:45	9.36	166.5	14.37	7.808	29.26	0
3/25/2026 10:00	12.86	168.9	13.95	8.31	29.26	0
3/25/2026 10:15	12.86	169	14.58	8.66	29.25	0
3/25/2026 10:30	11.77	171.7	14.47	9.25	29.25	0
3/25/2026 10:45	14.28	180	13	9.14	29.25	0
3/25/2026 11:00	15.29	194.1	13.11	9.24	29.24	0
3/25/2026 11:15	17.5	190.7	8.97	9.49	29.24	0
3/25/2026 11:30	17.41	195.5	13.62	9.75	29.24	0
3/25/2026 11:45	19.93	196.3	9.09	9.99	29.24	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/25/2026 12:00	16.5	184.5	13	9.8	29.25	0
3/25/2026 12:15	13.98	199.1	11.94	9.9	29.25	0
3/25/2026 12:30	21.3	226.2	22.72	8.41	29.26	0
3/25/2026 12:45	21.92	244.7	9.2	6.459	29.28	0
3/25/2026 13:00	18.1	234.4	8.73	6.082	29.29	0
3/25/2026 13:15	15	224	11.37	5.976	29.3	0
3/25/2026 13:30	14.31	218.9	9.3	5.712	29.3	0.01
3/25/2026 13:45	14.87	219.5	11.64	5.415	29.31	0
3/25/2026 14:00	12.48	211.7	20.43	5.297	29.31	0
3/25/2026 14:15	11.25	180.5	15.15	5.23	29.3	0
3/25/2026 14:30	11.07	156.1	8.7	5.46	29.3	0
3/25/2026 14:45	11.56	164.7	11.31	5.431	29.32	0
3/25/2026 15:00	12.01	163.6	10.54	5.567	29.32	0
3/25/2026 15:15	11.83	164.9	8.97	5.52	29.33	0
3/25/2026 15:30	10.21	177	12.77	5.863	29.33	0
3/25/2026 15:45	11.43	163.3	11.84	6.302	29.33	0
3/25/2026 16:00	13.71	170.5	27.19	6.021	29.34	0
3/25/2026 16:15	9.84	170.8	13.19	6.602	29.34	0
3/25/2026 16:30	11.14	174.9	16.64	6.528	29.35	0
3/25/2026 16:45	9.94	172.7	11.32	6.385	29.35	0
3/25/2026 17:00	11.09	177.8	16.66	6.575	29.36	0
3/25/2026 17:15	14.02	204.9	14.41	7.025	29.36	0
3/25/2026 17:30	15.09	208.3	9.98	6.982	29.36	0
3/25/2026 17:45	13.77	209.4	9.67	6.624	29.37	0
3/25/2026 18:00	11.09	204.9	9.94	6.772	29.38	0
3/25/2026 18:15	13.45	208.1	7.997	6.595	29.39	0
3/25/2026 18:30	12.7	206.1	9.68	6.306	29.39	0
3/25/2026 18:45	10.68	205.5	9.18	6.162	29.4	0
3/25/2026 19:00	13.06	209	9.32	6.092	29.4	0
3/25/2026 19:15	12.89	218.2	10.72	6.036	29.41	0
3/25/2026 19:30	7.893	173.1	31.68	5.675	29.42	0
3/25/2026 19:45	6.49	140.1	11.92	5.06	29.43	0
3/25/2026 20:00	7.752	140	8.07	4.884	29.43	0
3/25/2026 20:15	7.008	132.1	10.08	4.706	29.44	0
3/25/2026 20:30	6.726	146.8	11.45	4.254	29.44	0
3/25/2026 20:45	3.997	149.3	12.43	4.092	29.45	0
3/25/2026 21:00	5.905	170.2	8.83	3.911	29.46	0
3/25/2026 21:15	8.16	178	7.371	3.804	29.47	0
3/25/2026 21:30	8.11	179.1	10.77	3.789	29.47	0
3/25/2026 21:45	5.151	153	11.75	3.591	29.48	0
3/25/2026 22:00	7.536	144.5	5.926	3.471	29.49	0
3/25/2026 22:15	10.08	151.8	7.881	3.433	29.49	0
3/25/2026 22:30	10.24	164.4	8.42	3.337	29.49	0
3/25/2026 22:45	7.667	165.8	7.116	3.182	29.51	0
3/25/2026 23:00	6.993	147.2	6.07	2.916	29.51	0
3/25/2026 23:15	8.04	152	9.57	2.973	29.51	0
3/25/2026 23:30	6.972	163.2	9.52	3.055	29.52	0
3/25/2026 23:45	5.611	157.4	6.982	2.837	29.53	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/26/2026 0:00	5.827	162	7.034	2.873	29.54	0
3/26/2026 0:15	4.499	151.8	7.691	2.726	29.55	0
3/26/2026 0:30	5.47	162.8	8.37	2.9	29.55	0
3/26/2026 0:45	5.156	159.6	9.15	2.898	29.56	0
3/26/2026 1:00	6.311	165	7.149	2.996	29.57	0
3/26/2026 1:15	5.311	155.3	11.44	2.854	29.57	0
3/26/2026 1:30	4.528	157.7	9.76	2.895	29.58	0
3/26/2026 1:45	7.023	164.8	9.15	3.039	29.58	0
3/26/2026 2:00	7.442	169.9	6.007	3.05	29.59	0
3/26/2026 2:15	5.322	161.2	11.67	3.108	29.59	0
3/26/2026 2:30	4.008	133.1	17.06	2.966	29.6	0
3/26/2026 2:45	4.537	130.2	14.98	2.967	29.6	0
3/26/2026 3:00	4.925	130.8	8.25	2.895	29.6	0
3/26/2026 3:15	5.508	139.4	11.18	2.879	29.61	0
3/26/2026 3:30	5.007	142	9.68	2.732	29.61	0
3/26/2026 3:45	6.123	148.4	7.552	2.515	29.62	0
3/26/2026 4:00	7.469	158.5	13.72	2.572	29.62	0
3/26/2026 4:15	7.356	174.5	5.369	2.83	29.62	0
3/26/2026 4:30	6.616	165.9	8.33	2.575	29.63	0
3/26/2026 4:45	6.498	168.2	5.382	2.536	29.63	0
3/26/2026 5:00	2.598	126.4	36.41	2.474	29.64	0
3/26/2026 5:15	4.079	120.3	12.04	2.269	29.64	0
3/26/2026 5:30	3.83	131.8	6.853	2.254	29.64	0
3/26/2026 5:45	3.862	123.4	8.68	2.095	29.65	0
3/26/2026 6:00	3.809	135.2	6.361	2.199	29.66	0
3/26/2026 6:15	4.112	128.9	6.673	2.319	29.66	0
3/26/2026 6:30	4.522	132.6	6.085	2.4	29.66	0
3/26/2026 6:45	4.176	122.9	6.976	2.665	29.66	0
3/26/2026 7:00	4.077	114.4	5.386	2.758	29.66	0
3/26/2026 7:15	3.428	119.7	6.154	3.226	29.67	0
3/26/2026 7:30	2.301	125.7	9.82	3.314	29.68	0
3/26/2026 7:45	2.521	153.4	15.21	3.606	29.69	0
3/26/2026 8:00	2.04	106.9	16.65	3.937	29.69	0
3/26/2026 8:15	2.311	81.8	13.49	3.956	29.7	0
3/26/2026 8:30	3.789	107.7	15.03	4.684	29.7	0
3/26/2026 8:45	5.036	138.6	16.04	5.36	29.71	0
3/26/2026 9:00	5.365	161.4	20.68	5.506	29.71	0
3/26/2026 9:15	6.279	169.3	15.39	5.682	29.72	0
3/26/2026 9:30	5.434	169.8	21.6	6.229	29.72	0
3/26/2026 9:45	6.301	146.5	24.74	6.435	29.72	0
3/26/2026 10:00	6.19	174.6	10.36	5.789	29.72	0
3/26/2026 10:15	6.976	188.2	14.59	6.25	29.72	0
3/26/2026 10:30	5.247	188	13.69	6.787	29.72	0
3/26/2026 10:45	6.017	192.7	10.6	6.617	29.72	0
3/26/2026 11:00	4.482	217.7	16.92	6.775	29.72	0
3/26/2026 11:15	6.265	189.3	24.46	7.692	29.72	0
3/26/2026 11:30	7.057	157.4	18.36	8.25	29.72	0
3/26/2026 11:45	3.158	201.7	52.89	8.38	29.72	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/26/2026 12:00	4.513	137.9	30.45	8.95	29.72	0
3/26/2026 12:15	6.221	197.7	20.88	8.82	29.72	0
3/26/2026 12:30	5.01	221	15.6	8.99	29.72	0
3/26/2026 12:45	4.538	251.7	38.39	8.77	29.72	0
3/26/2026 13:00	5.133	188	65.01	9.31	29.72	0
3/26/2026 13:15	5.839	185.4	35.15	9.51	29.72	0
3/26/2026 13:30	5.423	213.1	49.93	9.66	29.71	0
3/26/2026 13:45	5.153	167.4	46.75	9.93	29.71	0
3/26/2026 14:00	5.212	228	40.8	10	29.7	0
3/26/2026 14:15	5.322	212.3	27.6	10.33	29.7	0
3/26/2026 14:30	5.181	149.4	19.19	10.14	29.7	0
3/26/2026 14:45	5.229	144.1	48.02	10.12	29.7	0
3/26/2026 15:00	3.118	240.9	75.68	10.63	29.69	0
3/26/2026 15:15	5.297	178.4	33.29	10.74	29.69	0
3/26/2026 15:30	3.864	227.8	43.94	10.83	29.69	0
3/26/2026 15:45	4.35	212.1	38.09	10.88	29.69	0
3/26/2026 16:00	5.697	187.2	12.55	10.84	29.69	0
3/26/2026 16:15	2.082	112	68.5	10.89	29.68	0
3/26/2026 16:30	4.944	221	44.57	11.08	29.68	0
3/26/2026 16:45	2.287	196.7	29.56	11.12	29.68	0
3/26/2026 17:00	1.313	340.6	90.6	11.26	29.68	0
3/26/2026 17:15	5.512	297.6	13.77	10.92	29.67	0
3/26/2026 17:30	8.01	290.9	6.111	10.34	29.67	0
3/26/2026 17:45	6.631	289.2	10.32	10.16	29.67	0
3/26/2026 18:00	7.953	296.6	5.383	9.59	29.67	0
3/26/2026 18:15	7.185	299	6.053	9.21	29.67	0
3/26/2026 18:30	6.826	303.2	6.863	8.77	29.67	0
3/26/2026 18:45	4.32	325.9	6.137	8.42	29.67	0
3/26/2026 19:00	4.274	313.7	6.2	8.33	29.67	0
3/26/2026 19:15	4.294	351	19.5	7.957	29.67	0
3/26/2026 19:30	4.643	4.476	17.46	7.434	29.67	0
3/26/2026 19:45	3.711	353.5	18.07	7.415	29.67	0
3/26/2026 20:00	2.394	34.21	11.16	6.946	29.67	0
3/26/2026 20:15	3.398	45.03	8.48	6.83	29.67	0
3/26/2026 20:30	3.352	40.14	11.93	6.79	29.67	0
3/26/2026 20:45	2.445	56.77	19.61	6.35	29.66	0
3/26/2026 21:00	2.042	65.72	25.2	5.548	29.66	0
3/26/2026 21:15	2.562	102.2	21.45	4.986	29.66	0
3/26/2026 21:30	1.873	120.7	19.39	5.942	29.66	0
3/26/2026 21:45	2.383	106.8	13.73	5.644	29.65	0
3/26/2026 22:00	1.401	65.36	22.67	5.422	29.65	0
3/26/2026 22:15	1.824	60.42	16.49	4.054	29.64	0
3/26/2026 22:30	2.337	88.1	18.05	3.522	29.64	0
3/26/2026 22:45	1.388	97.2	24.09	4.26	29.63	0
3/26/2026 23:00	2.149	91.9	15.94	3.611	29.63	0
3/26/2026 23:15	3.289	102.8	14.03	3.392	29.62	0
3/26/2026 23:30	3.25	116.8	13.94	3.651	29.62	0
3/26/2026 23:45	2.629	66.16	22.26	3.23	29.61	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/27/2026 0:00	2.148	52.98	15.52	3.748	29.61	0
3/27/2026 0:15	3.544	6.546	15.86	3.757	29.6	0
3/27/2026 0:30	4.445	12.12	15.19	3.433	29.59	0
3/27/2026 0:45	3.598	25.65	5.202	3.156	29.59	0
3/27/2026 1:00	4.491	15.01	8.39	3.612	29.58	0
3/27/2026 1:15	4.606	15.45	7.292	3.308	29.58	0
3/27/2026 1:30	5.178	11.25	10.25	2.967	29.57	0
3/27/2026 1:45	4.535	15.24	15.53	3.167	29.57	0
3/27/2026 2:00	4.553	4.784	13.29	2.728	29.56	0
3/27/2026 2:15	3.938	359.7	14.51	2.327	29.55	0
3/27/2026 2:30	4.821	18.04	6.923	2.171	29.55	0
3/27/2026 2:45	5.488	14.4	7.999	2.284	29.54	0
3/27/2026 3:00	5.398	18.68	10.34	1.996	29.54	0
3/27/2026 3:15	5.427	7.45	10.96	2.369	29.53	0
3/27/2026 3:30	5.567	15.96	7.469	1.804	29.52	0
3/27/2026 3:45	5.655	10.36	15.05	1.945	29.52	0
3/27/2026 4:00	4.778	5.197	15.73	1.825	29.51	0
3/27/2026 4:15	4.71	7.163	17.93	1.481	29.51	0
3/27/2026 4:30	4.727	6.661	15.26	1.631	29.5	0
3/27/2026 4:45	4.417	0.087	13.22	1.803	29.5	0
3/27/2026 5:00	4.593	10.35	11.73	1.888	29.5	0
3/27/2026 5:15	4.749	1.793	13.93	1.584	29.5	0
3/27/2026 5:30	3.72	13.56	10.81	1.565	29.49	0
3/27/2026 5:45	3.994	15.99	7.165	0.949	29.49	0
3/27/2026 6:00	4.33	21.71	5.148	1.679	29.48	0
3/27/2026 6:15	4.611	18.61	11.36	1.095	29.48	0
3/27/2026 6:30	5.555	5.017	17.75	1.676	29.48	0
3/27/2026 6:45	4.679	4.098	16.77	1.822	29.47	0
3/27/2026 7:00	4.421	2.442	13.59	1.38	29.47	0
3/27/2026 7:15	4.324	18.32	10.53	1.328	29.47	0
3/27/2026 7:30	3.327	9.15	16.37	1.849	29.46	0
3/27/2026 7:45	3.754	16.08	13.76	2.411	29.46	0
3/27/2026 8:00	3.134	353.5	24.62	3.219	29.45	0
3/27/2026 8:15	3.233	342.5	27.02	4.254	29.45	0
3/27/2026 8:30	3.078	346.9	30.12	4.9	29.45	0
3/27/2026 8:45	3.923	330.9	21.7	6.138	29.45	0
3/27/2026 9:00	3.501	359	26.96	6.498	29.45	0
3/27/2026 9:15	3.278	3.265	20.65	6.818	29.44	0
3/27/2026 9:30	3.519	325.7	16.99	8.03	29.43	0
3/27/2026 9:45	2.031	321.8	24.46	9	29.43	0
3/27/2026 10:00	2.596	353.8	56.57	9.43	29.42	0
3/27/2026 10:15	4.487	19.95	17.61	9.25	29.42	0
3/27/2026 10:30	4.256	18.92	24.81	9.73	29.42	0
3/27/2026 10:45	5.373	19.13	14.15	9.74	29.41	0
3/27/2026 11:00	4.754	17.51	20	10.42	29.41	0
3/27/2026 11:15	6.24	21.52	16.76	10.58	29.41	0
3/27/2026 11:30	7.206	18.35	16.31	10.85	29.4	0
3/27/2026 11:45	7.33	15.91	22.31	11.14	29.39	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/27/2026 12:00	7.048	16.27	17.05	11.56	29.38	0
3/27/2026 12:15	6.746	18.19	13.42	12.1	29.38	0
3/27/2026 12:30	8.41	16.34	12.38	12.25	29.37	0
3/27/2026 12:45	9.4	20.27	13.37	12.48	29.37	0
3/27/2026 13:00	8.61	20.31	14.76	12.77	29.37	0
3/27/2026 13:15	8.3	243.8	38.62	13.23	29.36	0
3/27/2026 13:30	6.433	258.1	56.62	13.92	29.35	0
3/27/2026 13:45	6.705	243.7	36.22	14.1	29.34	0
3/27/2026 14:00	4.46	302	47.93	14.82	29.34	0
3/27/2026 14:15	5.687	334.4	6.545	15.14	29.33	0
3/27/2026 14:30	6.591	331.3	6.414	15.37	29.33	0
3/27/2026 14:45	6.477	336.1	9.41	15.27	29.32	0
3/27/2026 15:00	9.92	326.3	4.053	14.98	29.31	0
3/27/2026 15:15	10.43	327.8	3.924	14.84	29.31	0
3/27/2026 15:30	8.58	332.5	6.334	15.1	29.3	0
3/27/2026 15:45	7.781	335.4	41.36	14.66	29.3	0
3/27/2026 16:00	5.733	338.3	32.03	14.69	29.3	0
3/27/2026 16:15	6.449	327.8	52.87	14.12	29.3	0
3/27/2026 16:30	6.494	337.7	46.16	13.85	29.29	0
3/27/2026 16:45	7.599	340.7	21.47	13.61	29.29	0
3/27/2026 17:00	7.445	341.5	7.748	13.17	29.29	0
3/27/2026 17:15	7.634	337.4	3.703	12.64	29.29	0
3/27/2026 17:30	8.35	334.9	3.353	12.26	29.29	0
3/27/2026 17:45	7.71	337.1	3.355	12.07	29.29	0
3/27/2026 18:00	7.408	339.3	3.586	11.74	29.29	0
3/27/2026 18:15	6.689	340.2	5.498	11.15	29.28	0
3/27/2026 18:30	5.525	341.1	27.11	10.92	29.28	0
3/27/2026 18:45	6.096	339.6	29.89	10.6	29.28	0
3/27/2026 19:00	3.881	335.8	46.86	10.34	29.28	0
3/27/2026 19:15	6.058	309	65.14	10.06	29.29	0
3/27/2026 19:30	8.27	325.1	59.51	9.88	29.29	0
3/27/2026 19:45	6.77	243.2	23.18	9.57	29.29	0
3/27/2026 20:00	6.149	280.9	61.1	9.34	29.29	0
3/27/2026 20:15	4.86	277.3	61.29	9.1	29.29	0
3/27/2026 20:30	5.021	287.4	62.54	9.08	29.29	0
3/27/2026 20:45	5.45	278.7	59.24	8.97	29.29	0
3/27/2026 21:00	1.14	267.7	48.45	8.73	29.3	0
3/27/2026 21:15	1.356	256.3	22.98	8.56	29.3	0
3/27/2026 21:30	3.523	249.6	22.23	8.41	29.3	0
3/27/2026 21:45	5.351	250	20.45	8.28	29.3	0
3/27/2026 22:00	5.29	252.5	46.87	8.23	29.29	0
3/27/2026 22:15	1.051	288.8	55.9	8.25	29.29	0
3/27/2026 22:30	4.16	257.3	44.08	8.23	29.3	0
3/27/2026 22:45	8.71	241.9	9.65	7.875	29.29	0
3/27/2026 23:00	10.85	240.5	27.72	7.492	29.29	0
3/27/2026 23:15	8.87	288.9	69.03	7.2	29.3	0
3/27/2026 23:30	10.8	242.3	24.1	7.173	29.29	0
3/27/2026 23:45	11.69	265.6	64.73	6.897	29.28	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/28/2026 0:00	10.01	244.7	33.44	6.887	29.29	0
3/28/2026 0:15	9.98	244	35.47	6.914	29.29	0
3/28/2026 0:30	8.18	256.3	50.21	6.673	29.29	0
3/28/2026 0:45	10.01	252.7	49.61	6.469	29.29	0
3/28/2026 1:00	12.12	272.2	71.56	6.19	29.29	0
3/28/2026 1:15	8.4	241.2	17.37	5.946	29.29	0
3/28/2026 1:30	7.494	260.7	59.75	5.926	29.29	0
3/28/2026 1:45	6.029	249.7	49.38	5.494	29.29	0
3/28/2026 2:00	7.167	286.4	73.29	5.548	29.28	0
3/28/2026 2:15	8.41	270	70.62	5.821	29.28	0
3/28/2026 2:30	7.667	298.7	72.52	5.486	29.29	0
3/28/2026 2:45	5.693	243.7	7.629	4.92	29.28	0
3/28/2026 3:00	5.096	242.5	9.65	4.885	29.28	0
3/28/2026 3:15	3.512	251.7	9.74	4.844	29.28	0
3/28/2026 3:30	3.431	250.9	9.23	5.295	29.28	0
3/28/2026 3:45	0.519	247.3	6.024	5.532	29.28	0
3/28/2026 4:00	0.913	248.6	9.79	5.376	29.28	0
3/28/2026 4:15	0.332	259	4.614	5.201	29.28	0
3/28/2026 4:30	1.446	254.2	29.39	5.135	29.28	0
3/28/2026 4:45	1.706	249.5	11.06	4.604	29.27	0
3/28/2026 5:00	1.829	307.4	43.02	4.204	29.28	0
3/28/2026 5:15	1.218	335.5	40.48	4.199	29.29	0
3/28/2026 5:30	0.31	270.7	53.09	3.702	29.29	0
3/28/2026 5:45	2.171	327.2	6.208	4.293	29.29	0
3/28/2026 6:00	2.626	336.7	3.822	4.544	29.3	0
3/28/2026 6:15	2.16	287.9	70.01	4.558	29.3	0
3/28/2026 6:30	2.902	250.3	37.78	4.609	29.3	0
3/28/2026 6:45	4.909	245.2	9.5	4.701	29.3	0
3/28/2026 7:00	6.968	251.7	51	5.101	29.3	0
3/28/2026 7:15	8.13	245.3	43.44	5.153	29.3	0
3/28/2026 7:30	5.885	283.2	66.39	5.591	29.31	0
3/28/2026 7:45	5.48	249.9	40.59	5.268	29.31	0
3/28/2026 8:00	2.546	254.9	45.38	4.632	29.31	0
3/28/2026 8:15	4.629	271.1	65.29	5.392	29.32	0
3/28/2026 8:30	5.167	247.9	38.16	5.97	29.32	0
3/28/2026 8:45	6.335	8.69	46.83	6.271	29.32	0
3/28/2026 9:00	6.598	31.98	24.27	7.258	29.32	0
3/28/2026 9:15	4.634	352.2	80.2	7.617	29.32	0
3/28/2026 9:30	4.754	256.8	43.14	8.28	29.32	0
3/28/2026 9:45	4.228	316.4	46.03	8.67	29.33	0
3/28/2026 10:00	4.376	333.6	22.87	8.87	29.33	0
3/28/2026 10:15	5.48	332.9	5.687	8.9	29.33	0
3/28/2026 10:30	3.897	324.8	8.08	9.12	29.32	0
3/28/2026 10:45	4.222	329.7	8.32	9.8	29.32	0
3/28/2026 11:00	3.414	334.3	5.705	10.01	29.32	0
3/28/2026 11:15	3.111	327.1	11.19	10.66	29.32	0
3/28/2026 11:30	3.286	334.1	12.36	11.07	29.31	0
3/28/2026 11:45	4.846	319.6	7.361	11.03	29.31	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/28/2026 12:00	2.905	333.3	26.35	11.13	29.31	0
3/28/2026 12:15	4.678	336.7	42.14	11.4	29.31	0
3/28/2026 12:30	5.073	300.5	62.74	11.4	29.31	0
3/28/2026 12:45	3.314	286.4	55.26	11.62	29.31	0
3/28/2026 13:00	5.478	340.3	23.56	12.05	29.31	0
3/28/2026 13:15	5.648	329.3	16.76	12.64	29.31	0
3/28/2026 13:30	9.21	308.9	17.2	12.73	29.31	0
3/28/2026 13:45	8.25	308.3	5.931	12.82	29.31	0
3/28/2026 14:00	8.86	308.9	6.438	12.91	29.31	0
3/28/2026 14:15	6.951	311.2	11.32	12.79	29.3	0
3/28/2026 14:30	4.078	310.5	21.63	12.61	29.3	0
3/28/2026 14:45	6.922	319.7	5.957	12.39	29.31	0
3/28/2026 15:00	4.46	325.3	8.37	12.15	29.31	0
3/28/2026 15:15	8.18	319.9	7.002	11.97	29.3	0
3/28/2026 15:30	7.31	315.7	4.535	11.92	29.3	0
3/28/2026 15:45	5.874	315	6.06	11.98	29.3	0
3/28/2026 16:00	4.861	317.9	8.11	11.79	29.3	0
3/28/2026 16:15	5.717	327.5	4.378	11.58	29.3	0
3/28/2026 16:30	5.221	330.9	4.036	11.5	29.29	0
3/28/2026 16:45	4.169	332.4	5.105	11.48	29.29	0
3/28/2026 17:00	2.709	345	9.29	11.61	29.28	0
3/28/2026 17:15	0.61	322.1	65.64	11.52	29.28	0
3/28/2026 17:30	1.106	334	39.39	11.33	29.28	0
3/28/2026 17:45	4.264	340.2	2.81	11.2	29.28	0
3/28/2026 18:00	2.595	347.4	3.727	10.99	29.27	0
3/28/2026 18:15	1.282	304.6	60.19	11.01	29.27	0
3/28/2026 18:30	3.261	247.9	38.9	10.5	29.27	0
3/28/2026 18:45	4.375	246.6	36.97	9.8	29.28	0
3/28/2026 19:00	4.189	254.2	50.76	9.27	29.28	0
3/28/2026 19:15	5.228	243.1	32.32	8.74	29.28	0
3/28/2026 19:30	6.216	252.2	53.76	8.49	29.28	0
3/28/2026 19:45	7.194	257.2	56.66	7.967	29.29	0
3/28/2026 20:00	8.24	4.131	76.21	7.549	29.29	0
3/28/2026 20:15	6.387	16.4	16.02	7.298	29.29	0
3/28/2026 20:30	7.03	17.26	15.3	6.932	29.3	0
3/28/2026 20:45	5.27	13.32	20.75	6.687	29.3	0
3/28/2026 21:00	4.918	20.28	13.97	6.449	29.3	0
3/28/2026 21:15	3.301	28.2	15.72	6.393	29.31	0
3/28/2026 21:30	3.047	31.39	14.74	6.023	29.31	0
3/28/2026 21:45	4.262	37.26	11.82	5.773	29.31	0
3/28/2026 22:00	5.688	28.51	7.907	5.535	29.31	0
3/28/2026 22:15	4.878	24.92	12.75	5.324	29.31	0
3/28/2026 22:30	8.18	16.17	13.1	5.312	29.31	0
3/28/2026 22:45	6.257	36.42	13.62	5.107	29.31	0
3/28/2026 23:00	7.186	40.01	10.76	5.126	29.31	0
3/28/2026 23:15	5.867	53.31	12.38	5.145	29.31	0
3/28/2026 23:30	3.905	60.67	15.36	4.868	29.3	0
3/28/2026 23:45	4.629	40.55	12.14	4.819	29.29	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/29/2026 0:00	5.261	35.87	7.042	4.941	29.29	0
3/29/2026 0:15	3.313	38.93	12.6	5.079	29.3	0
3/29/2026 0:30	3.442	43.95	12.42	4.698	29.3	0
3/29/2026 0:45	4.449	38.13	6.156	4.371	29.3	0
3/29/2026 1:00	4.163	49.21	7.841	4.186	29.29	0
3/29/2026 1:15	3.783	43.05	7.484	4.109	29.29	0
3/29/2026 1:30	2.99	40.94	12.12	4.199	29.29	0
3/29/2026 1:45	2.964	87.6	20.71	4.327	29.29	0
3/29/2026 2:00	2.862	112	22.51	3.892	29.29	0
3/29/2026 2:15	3.353	123.1	10.18	3.998	29.29	0
3/29/2026 2:30	3.168	126.7	6.178	4.331	29.29	0
3/29/2026 2:45	5.159	123.7	10.09	4.13	29.28	0
3/29/2026 3:00	4.207	135.8	7.201	4.095	29.28	0
3/29/2026 3:15	2.471	136.9	7.849	4.02	29.28	0
3/29/2026 3:30	1.436	111.3	11	3.914	29.28	0
3/29/2026 3:45	2.813	115.7	11.43	3.963	29.27	0
3/29/2026 4:00	2.359	108.1	8.86	4.182	29.27	0
3/29/2026 4:15	2.191	103.3	8.63	4.339	29.27	0
3/29/2026 4:30	2.488	102.1	5.428	4.398	29.26	0
3/29/2026 4:45	1.619	89.6	7.496	4.387	29.26	0
3/29/2026 5:00	0.307	76.63	0.466	4.47	29.26	0
3/29/2026 5:15	0.219	75.39	0.161	4.571	29.26	0
3/29/2026 5:30	0.219	75.15	0.074	4.584	29.26	0
3/29/2026 5:45	0.219	176.6	46.45	4.551	29.26	0
3/29/2026 6:00	0.506	169.7	14.88	4.466	29.25	0
3/29/2026 6:15	1.286	140.8	23.33	4.093	29.25	0
3/29/2026 6:30	1.783	118.5	0.994	3.787	29.25	0
3/29/2026 6:45	2.509	122.3	5.157	3.804	29.25	0
3/29/2026 7:00	3.157	133.7	5.446	4.141	29.24	0
3/29/2026 7:15	3.013	138.7	7.17	4.264	29.24	0
3/29/2026 7:30	3.032	160.6	14.23	4.351	29.23	0
3/29/2026 7:45	2.085	171.9	15.21	4.545	29.24	0
3/29/2026 8:00	3.125	163.1	10.89	4.622	29.24	0
3/29/2026 8:15	3.548	169.9	12.59	4.746	29.24	0
3/29/2026 8:30	5.095	248.6	63.23	4.631	29.23	0
3/29/2026 8:45	5.695	182.2	13.15	4.762	29.23	0
3/29/2026 9:00	5.086	200.9	11.64	4.944	29.24	0
3/29/2026 9:15	3.846	197.5	17.16	5.337	29.24	0
3/29/2026 9:30	3.842	204.4	31.19	5.695	29.24	0
3/29/2026 9:45	3.62	185.8	14.28	5.712	29.25	0
3/29/2026 10:00	4.268	192.8	17.33	5.927	29.25	0
3/29/2026 10:15	2.817	193.5	14.92	5.978	29.25	0
3/29/2026 10:30	3.998	180.4	13	6.069	29.25	0
3/29/2026 10:45	3.654	169.3	11.53	6.253	29.25	0
3/29/2026 11:00	2.997	155.9	22.73	6.479	29.25	0
3/29/2026 11:15	4.476	186.1	17.22	6.661	29.25	0
3/29/2026 11:30	6.206	186	19.16	6.956	29.25	0
3/29/2026 11:45	8.12	192	11.05	7.179	29.25	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/29/2026 12:00	7.305	191.9	11.91	7.106	29.25	0
3/29/2026 12:15	10.07	231.8	10.31	7.179	29.26	0
3/29/2026 12:30	9.99	211	18.54	7.026	29.26	0
3/29/2026 12:45	11.62	209.7	11.43	6.466	29.26	0
3/29/2026 13:00	13.92	193.9	10.8	6.179	29.26	0
3/29/2026 13:15	13.03	171.6	8.95	5.939	29.25	0
3/29/2026 13:30	10.12	180.1	11.81	5.83	29.25	0.01
3/29/2026 13:45	8.37	178.6	10.91	5.572	29.25	0
3/29/2026 14:00	7.343	174.3	8.76	5.604	29.25	0.01
3/29/2026 14:15	6.833	163.8	8.3	5.525	29.24	0
3/29/2026 14:30	6.459	158.9	8.04	5.48	29.24	0
3/29/2026 14:45	5.434	179.5	15.19	5.535	29.24	0.01
3/29/2026 15:00	3.936	219.4	25.32	5.385	29.24	0
3/29/2026 15:15	3.234	227.6	10.77	5.335	29.24	0.01
3/29/2026 15:30	4.333	225.3	8.85	5.286	29.24	0.01
3/29/2026 15:45	3.46	240.3	12.87	5.157	29.24	0.02
3/29/2026 16:00	4.085	260.4	14.92	5.061	29.23	0.01
3/29/2026 16:15	5.867	359	26.88	4.548	29.23	0.01
3/29/2026 16:30	6.7	337.8	17.67	3.422	29.24	0.02
3/29/2026 16:45	9.95	302.4	7.831	3.063	29.24	0.02
3/29/2026 17:00	9.53	303.6	12.79	2.963	29.24	0.01
3/29/2026 17:15	8.77	312.7	17.24	2.789	29.25	0.02
3/29/2026 17:30	5.704	320.8	10.67	2.51	29.25	0.03
3/29/2026 17:45	5.186	320.5	31.49	2.493	29.25	0.01
3/29/2026 18:00	6.425	297.5	14.33	2.552	29.26	0.02
3/29/2026 18:15	7.785	326.7	23.32	2.527	29.27	0.01
3/29/2026 18:30	3.621	308.8	32.59	2.375	29.27	0.01
3/29/2026 18:45	3.029	284.2	17.06	2.609	29.27	0
3/29/2026 19:00	7.49	312.8	17.16	2.744	29.28	0
3/29/2026 19:15	6.623	299.7	14.91	2.768	29.29	0
3/29/2026 19:30	7.589	334.9	23.97	2.816	29.29	0
3/29/2026 19:45	6.735	343.7	15.32	2.52	29.29	0
3/29/2026 20:00	4.795	326.9	10.76	2.675	29.3	0
3/29/2026 20:15	6.432	312.7	14.03	2.679	29.3	0
3/29/2026 20:30	7.989	332.2	21.65	2.497	29.31	0
3/29/2026 20:45	5.454	20.04	16.02	2.229	29.31	0
3/29/2026 21:00	3.804	27.23	46.44	2.005	29.31	0
3/29/2026 21:15	1.142	344.7	29.94	2.082	29.31	0
3/29/2026 21:30	4.336	223.8	8.4	2.197	29.32	0
3/29/2026 21:45	3.202	219.8	11.88	2.175	29.32	0
3/29/2026 22:00	1.632	209.3	76.07	2.139	29.32	0.01
3/29/2026 22:15	1.976	38.02	29.94	1.73	29.32	0
3/29/2026 22:30	3.791	80.2	6.064	1.659	29.33	0
3/29/2026 22:45	3.635	92.8	6.254	1.729	29.33	0
3/29/2026 23:00	2.445	101	6.594	1.64	29.33	0
3/29/2026 23:15	2.326	90.5	10.14	1.586	29.33	0
3/29/2026 23:30	2.026	54.08	14.03	1.568	29.33	0
3/29/2026 23:45	2.353	27.59	8.26	1.168	29.33	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/30/2026 0:00	2.109	30.2	9.08	0.936	29.34	0
3/30/2026 0:15	1.669	95.5	37.63	1.076	29.34	0
3/30/2026 0:30	5.003	178.7	15.06	0.911	29.34	0
3/30/2026 0:45	5.279	188.1	8.84	0.524	29.35	0
3/30/2026 1:00	4.135	181.8	7.942	0.293	29.36	0
3/30/2026 1:15	3.138	146.8	22.25	0.115	29.36	0
3/30/2026 1:30	2.479	113.5	12.97	-0.172	29.37	0
3/30/2026 1:45	2.054	105.1	8.86	-0.405	29.37	0
3/30/2026 2:00	0.661	68.87	19.57	-0.585	29.37	0
3/30/2026 2:15	0.914	334.6	4.188	-0.507	29.37	0
3/30/2026 2:30	0	0	0	-0.645	29.37	0
3/30/2026 2:45	0.192	310.7	2.675	-0.572	29.37	0
3/30/2026 3:00	0	0	0	-0.235	29.37	0
3/30/2026 3:15	0.563	138.9	2.377	-0.47	29.37	0
3/30/2026 3:30	2.408	125.4	7.384	-0.962	29.37	0
3/30/2026 3:45	2.032	107.6	17.79	-0.899	29.37	0
3/30/2026 4:00	2.761	99.4	15.11	-0.462	29.37	0
3/30/2026 4:15	3.432	83.5	6.416	-0.74	29.37	0
3/30/2026 4:30	3.47	93.8	6.462	-0.45	29.37	0
3/30/2026 4:45	2.856	111	14.65	-0.14	29.37	0
3/30/2026 5:00	1.601	109.5	33.81	0.012	29.37	0
3/30/2026 5:15	0	0	0	-0.285	29.38	0
3/30/2026 5:30	0	0	0	-0.34	29.37	0
3/30/2026 5:45	3.003	305.2	10.75	-0.208	29.38	0
3/30/2026 6:00	2.475	331.9	15.68	-0.436	29.38	0
3/30/2026 6:15	2.294	342.2	11.75	-0.841	29.39	0
3/30/2026 6:30	0.346	13.87	5.213	-1.215	29.39	0
3/30/2026 6:45	0	0	0	-1.19	29.39	0
3/30/2026 7:00	0	0	0	-0.758	29.39	0
3/30/2026 7:15	0	0	0	-1.022	29.4	0
3/30/2026 7:30	1.316	352.4	9.96	-0.686	29.4	0
3/30/2026 7:45	3.337	346.8	11.91	-0.688	29.4	0
3/30/2026 8:00	2.62	24.19	20.67	-0.466	29.41	0
3/30/2026 8:15	1.37	30.86	14.36	-0.013	29.41	0
3/30/2026 8:30	2.233	34.15	12.68	0.216	29.41	0
3/30/2026 8:45	1.713	13.67	28.24	0.473	29.41	0
3/30/2026 9:00	1.966	13.64	34.21	1.379	29.41	0
3/30/2026 9:15	2.348	44.24	17.08	1.654	29.41	0
3/30/2026 9:30	1.621	7.155	42.07	2.428	29.41	0
3/30/2026 9:45	2.141	328.4	40.04	3.011	29.41	0
3/30/2026 10:00	3.387	359.3	32.09	3.5	29.41	0
3/30/2026 10:15	1.547	8.15	34.25	3.521	29.42	0
3/30/2026 10:30	5.385	10.83	17.68	3.379	29.41	0
3/30/2026 10:45	5.375	8.61	17.96	3.729	29.41	0
3/30/2026 11:00	6.887	8.39	17.4	4.395	29.4	0
3/30/2026 11:15	7.958	5.648	17.64	4.753	29.4	0
3/30/2026 11:30	10.67	349	16.95	5.285	29.39	0
3/30/2026 11:45	11.12	343.2	14.31	5.41	29.39	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/30/2026 12:00	10.99	349.8	22.05	5.59	29.38	0
3/30/2026 12:15	10.89	347.2	15.2	5.621	29.38	0
3/30/2026 12:30	8.91	354.5	18.98	6.16	29.38	0
3/30/2026 12:45	10.59	4.379	18.72	6.456	29.37	0
3/30/2026 13:00	9.18	3.129	20.99	6.738	29.37	0
3/30/2026 13:15	8.72	358.5	18.84	7.078	29.36	0
3/30/2026 13:30	8.73	2.577	20.36	7.256	29.36	0
3/30/2026 13:45	9.3	349	19.25	7.576	29.35	0
3/30/2026 14:00	9.86	7.056	20.08	7.805	29.34	0
3/30/2026 14:15	9.7	356.8	21.93	7.893	29.33	0
3/30/2026 14:30	8.89	350.9	26.48	8.31	29.33	0
3/30/2026 14:45	8.78	337.2	24.86	8.47	29.32	0
3/30/2026 15:00	9.09	340.6	18.01	8.6	29.31	0
3/30/2026 15:15	9.64	352	25.28	8.51	29.31	0
3/30/2026 15:30	9.37	353.7	27.3	8.68	29.3	0
3/30/2026 15:45	8.6	356.2	20.32	8.77	29.29	0
3/30/2026 16:00	8.74	346.3	18.43	8.87	29.29	0
3/30/2026 16:15	7.965	342.5	17.11	8.92	29.28	0
3/30/2026 16:30	6.889	347	20.89	8.94	29.28	0
3/30/2026 16:45	8.73	319.4	16.28	9.04	29.27	0
3/30/2026 17:00	8.57	322.1	17.63	8.96	29.27	0
3/30/2026 17:15	8.34	321.7	14.05	8.85	29.26	0
3/30/2026 17:30	8.33	318.6	14.62	8.64	29.26	0
3/30/2026 17:45	9.78	315.1	10.36	8.3	29.25	0
3/30/2026 18:00	8.37	326.3	12.38	8.02	29.25	0
3/30/2026 18:15	8.54	326.6	11.72	7.669	29.24	0
3/30/2026 18:30	9.03	327.4	10.67	7.519	29.23	0
3/30/2026 18:45	8.02	316.2	10.44	7.162	29.23	0
3/30/2026 19:00	5.278	344.1	31.2	6.748	29.23	0
3/30/2026 19:15	4.591	9.27	25.48	6.22	29.23	0
3/30/2026 19:30	5.377	11.92	17.75	6.003	29.22	0
3/30/2026 19:45	3.805	6.754	25.59	6.005	29.22	0
3/30/2026 20:00	4.761	13.7	26.84	5.504	29.22	0
3/30/2026 20:15	7.179	8.28	16.14	5.47	29.22	0
3/30/2026 20:30	11.61	4.891	17.58	5.396	29.21	0
3/30/2026 20:45	13.15	1.67	20.08	5.227	29.21	0
3/30/2026 21:00	13.7	3.471	18.67	5.067	29.21	0
3/30/2026 21:15	12.42	358	20.26	4.898	29.2	0
3/30/2026 21:30	12.04	6.314	19.83	4.847	29.2	0
3/30/2026 21:45	11.37	3.515	18.48	4.468	29.2	0
3/30/2026 22:00	9.93	357.9	16.43	4.296	29.19	0
3/30/2026 22:15	11.92	353.3	18.18	4.457	29.19	0
3/30/2026 22:30	11.77	348.4	17.05	4.349	29.18	0
3/30/2026 22:45	12.22	356.5	18.39	4.238	29.18	0
3/30/2026 23:00	10.38	9.7	17.25	3.976	29.17	0
3/30/2026 23:15	8.97	20.17	14.82	3.656	29.17	0
3/30/2026 23:30	7.838	23.95	13.27	3.32	29.17	0
3/30/2026 23:45	6.741	15.85	11.13	3.186	29.17	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/31/2026 0:00	8.09	10.49	13.11	3.191	29.17	0
3/31/2026 0:15	8.36	358.5	16.75	3.165	29.16	0
3/31/2026 0:30	4.95	8.57	12.57	2.889	29.16	0
3/31/2026 0:45	6.14	3.697	14.88	2.871	29.15	0
3/31/2026 1:00	6.212	358.5	16.83	2.751	29.15	0
3/31/2026 1:15	6.913	0.294	16.75	2.725	29.14	0
3/31/2026 1:30	6.774	359.8	17.48	2.731	29.14	0
3/31/2026 1:45	5.532	4.512	16.24	2.61	29.14	0
3/31/2026 2:00	5.45	3.592	13.46	2.628	29.13	0
3/31/2026 2:15	4.918	2.398	16.1	2.485	29.13	0
3/31/2026 2:30	5.11	3.527	17.07	2.323	29.12	0
3/31/2026 2:45	5.162	2.756	14.05	2.138	29.12	0
3/31/2026 3:00	4.942	358.2	16.73	2.006	29.11	0
3/31/2026 3:15	4.933	4.552	14.23	1.884	29.1	0
3/31/2026 3:30	5.219	359	14.63	1.773	29.1	0
3/31/2026 3:45	5.666	0.007	16.56	1.594	29.09	0
3/31/2026 4:00	5.678	3.131	13.49	1.611	29.08	0
3/31/2026 4:15	5.046	0.161	17.34	1.423	29.07	0
3/31/2026 4:30	4.998	352.5	14.47	1.462	29.07	0
3/31/2026 4:45	4.906	359.6	14.28	1.294	29.07	0
3/31/2026 5:00	4.904	358.3	16.92	1.489	29.06	0
3/31/2026 5:15	3.963	352.7	17.49	1.584	29.06	0
3/31/2026 5:30	4.83	341.4	10.96	1.73	29.06	0
3/31/2026 5:45	4.029	347.1	14.85	1.392	29.05	0
3/31/2026 6:00	4.919	351.7	14.84	1.58	29.05	0
3/31/2026 6:15	4.875	355.6	15.24	1.367	29.05	0
3/31/2026 6:30	4.362	1.434	15.67	1.418	29.05	0
3/31/2026 6:45	4.196	356.5	14.14	1.877	29.04	0
3/31/2026 7:00	3.153	2.163	8.56	2.063	29.04	0
3/31/2026 7:15	1.313	24.27	24.1	2.998	29.04	0
3/31/2026 7:30	0.935	53.96	37.97	3.862	29.04	0
3/31/2026 7:45	1.096	171.3	51.4	5.391	29.03	0
3/31/2026 8:00	3.076	292.4	36	5.333	29.03	0
3/31/2026 8:15	3.73	311.8	16.86	4.1	29.03	0
3/31/2026 8:30	3.573	296.8	19.25	4.472	29.03	0
3/31/2026 8:45	3.401	335.1	18.31	4.282	29.04	0
3/31/2026 9:00	1.944	308.4	19.3	4.874	29.04	0
3/31/2026 9:15	2.657	304.6	15.6	5.457	29.03	0
3/31/2026 9:30	3.017	330.7	11.35	5.436	29.03	0
3/31/2026 9:45	2.047	353.7	26.15	5.493	29.03	0
3/31/2026 10:00	2.6	332.5	16.85	6.006	29.02	0
3/31/2026 10:15	2.923	6.265	21.51	6.172	29.02	0
3/31/2026 10:30	2.331	347.7	29.27	6.125	29.02	0
3/31/2026 10:45	2.65	322.1	22.49	7.09	29.02	0
3/31/2026 11:00	2.493	324.8	42.08	7.744	29.02	0
3/31/2026 11:15	2.311	338.7	22.38	8.06	29.01	0
3/31/2026 11:30	2.593	317.1	17.13	8.74	29.01	0
3/31/2026 11:45	2.207	261.9	24.34	9.62	29	0

Cedar Hills 1st Quarter 2026
Meteorological Data - Main Hill Station

Date / Time (24 hr)	Wind Speed (Average)	Wind Direction	Wind Direction (Standard Dev)	Air Temperature (Average)	Barometric Pressure	Precipitation (Total)
(MM/DD/YYYY hh:mm)	(Miles per Hour)	(Degrees)	(Degrees)	(*C)	(Inches Hg)	(Inches)
3/31/2026 12:00	2.203	317.4	43.52	10.16	29	0
3/31/2026 12:15	2.383	354.7	28.88	10.37	29	0
3/31/2026 12:30	2.568	322.7	34.9	10.91	29	0
3/31/2026 12:45	3.481	300.5	27.47	11.46	28.99	0
3/31/2026 13:00	1.925	345.4	47.76	12.09	28.99	0
3/31/2026 13:15	2.94	40.11	38.36	12.37	28.98	0
3/31/2026 13:30	4.875	178.5	40.08	12.76	28.98	0
3/31/2026 13:45	4.336	187	21.38	12.86	28.97	0
3/31/2026 14:00	5.412	223.6	27.7	13.07	28.97	0
3/31/2026 14:15	3.881	212.4	29.46	13.11	28.96	0
3/31/2026 14:30	4.817	203	16.88	13.29	28.95	0
3/31/2026 14:45	2.495	180.1	68.76	13.32	28.94	0
3/31/2026 15:00	2.22	352	48.1	13.73	28.94	0
3/31/2026 15:15	2.339	351.4	79.66	14.11	28.93	0
3/31/2026 15:30	3.672	206.5	44.01	14.56	28.93	0
3/31/2026 15:45	4.602	259.4	32.2	14.23	28.92	0
3/31/2026 16:00	3.125	191.1	37.4	14.46	28.92	0
3/31/2026 16:15	5.444	241.4	52.77	14.39	28.92	0
3/31/2026 16:30	8.81	244.3	16.74	13.87	28.91	0
3/31/2026 16:45	10.18	237.1	12.61	13.37	28.91	0
3/31/2026 17:00	9.65	247.9	12.37	12.59	28.91	0
3/31/2026 17:15	8.75	238.5	8.15	12.47	28.91	0
3/31/2026 17:30	6.754	235.5	10.03	12.19	28.9	0
3/31/2026 17:45	5.886	226.1	8.05	11.79	28.9	0
3/31/2026 18:00	3.578	229.6	7.771	11.76	28.9	0
3/31/2026 18:15	1.495	257.5	16.45	12.01	28.89	0
3/31/2026 18:30	0.031	254	0.01	11.76	28.89	0
3/31/2026 18:45	1.156	31.82	6.91	11.32	28.89	0
3/31/2026 19:00	0.571	41.2	4.459	11.18	28.89	0
3/31/2026 19:15	1.19	60.9	3.344	11.36	28.89	0
3/31/2026 19:30	2.047	82.7	14.52	11.3	28.89	0
3/31/2026 19:45	3.434	98.3	11.07	11.02	28.89	0
3/31/2026 20:00	3.33	127.7	11.83	11.06	28.89	0
3/31/2026 20:15	3.424	146.3	10.96	11.1	28.89	0
3/31/2026 20:30	5.71	164.6	10.1	10.66	28.89	0
3/31/2026 20:45	5.678	174.1	11.76	10.26	28.89	0
3/31/2026 21:00	4.48	155.1	5.294	10.26	28.89	0
3/31/2026 21:15	2.556	120	21.81	10.32	28.89	0
3/31/2026 21:30	1.739	70.64	18.16	9.61	28.89	0
3/31/2026 21:45	1.965	110.9	12.34	9.74	28.88	0
3/31/2026 22:00	3.324	122.1	10.55	9.74	28.88	0
3/31/2026 22:15	3.808	113.9	12.79	9.69	28.88	0
3/31/2026 22:30	3.425	114.7	11.37	9.71	28.87	0
3/31/2026 22:45	2.984	130.5	7.865	9.56	28.87	0
3/31/2026 23:00	2.833	129.8	11.78	9.59	28.87	0
3/31/2026 23:15	4.263	117.1	14.2	9.64	28.86	0
3/31/2026 23:30	4.706	174.1	18.28	9.17	28.87	0
3/31/2026 23:45	8.14	213.8	20.91	8.38	28.87	0

APPENDIX H

Cedar Hills Regional Landfill
Area 5 Top Deck Monitoring Report

CEDAR HILLS REGIONAL LANDFILL
AREA 5 TOP DECK
MONITORING REPORT

First Quarter 2026

King County

Department of Natural Resources and Parks
Solid Waste Division

August 2026

Contents

I. REPORT OVERVIEW H-1
II. LEACHATE MONITORING H-1
III. SURFACE MONITORING H-3
IV. STORMWATER SAMPLING H-7
V. CONCLUSION H-11

Tables & Figures

Table 1 Cedar Hills Regional Landfill Leachate Production H-2
Table 2 Cedar Hills Regional Landfill Area 5 Surface Survey H-4
Table 3 Cedar Hills Regional Landfill Area 5 Settlement H-6
Table 4 Water Quality Criteria/Benchmarks For Applicable Parameters H-7
Table 5 Area 5 Top Deck – Quarterly Stormwater Monitoring Results H-10
Table 6 SW-S1 - 2015 Stormwater Comparison Monitoring Results H-10
Table 7 Leachate Pond Inflow - Monthly Monitoring Results H-10

Figure H-1 Area 5 Settlement Monitoring Locations
Figure H-2 Area 5 Top Deck Stormwater Monitoring Locations

Appendices

Inspection Reports ..... Attachment H-1
Surface Emission Monitoring ..... Attachment H-2

AREA 5 TOP DECK MONITORING
QUARTERLY REPORT

FIRST QUARTER 2026

I. REPORT OVERVIEW

This report provides the quarterly performance analysis of the interim soil cover system over Area 5 in the Cedar Hills Regional Landfill (CHRLF). The intent of the report is to demonstrate that the top deck cover system is functioning to limit infiltration of rainwater, protect surface water quality, and control landfill gas emissions. Monitoring of surface emissions, leachate quantity, and stormwater quality is conducted, and results are presented in this report.

II. LEACHATE MONITORING

Leachate monitoring is performed to demonstrate that the landfill cover system is effectively limiting rainwater infiltration and therefore leachate production.

King County Solid Waste Division (KCSWD) is no longer able to monitor leachate volume solely from Area 5. KCSWD staff continues to evaluate leachate volumes collected throughout the landfill. Table 1 presents a historical account of leachate generation at the site since 1986. The evaluation accounts for variations in rainfall by normalizing the leachate flows in terms of gallons discharged per inch of rainfall. The flow has also been normalized relative to pounds of waste in-place. These normalized values for the entire site are also included in Table 1.

TABLE 1
CEDAR HILLS REGIONAL LANDFILL
LEACHATE PRODUCTION THROUGH 1st QUARTER OF 2026

Time	Leachate	Surface Area of Refuse	Refuse In Place	Precipitation	Flow			
(year)	(MG/yr)	(Acres)	(lbs)	(in/yr)	(gal/Acre/yr)	(gal/Acre/in)	(gal/lb/yr)	(gal/lb/in)
1986	163.03	138.5	11,328,841,100	54.79	1,177,112	21,484	0.0144	0.00026
1987	139.53	138.5	12,927,926,300	39.6	1,007,422	25,440	0.0108	0.00027
1988	169.67	161.9	14,525,504,000	48.63	1,048,009	21,551	0.0117	0.00024
1989	176	161.9	16,203,204,000	44.12	1,087,110	24,640	0.0109	0.00025
1990	294.75	161.9	17,965,254,000	71.6	1,820,594	25,427	0.0164	0.00023
1991	224.27	221.4	19,778,412,000	45.85	1,012,967	22,093	0.0113	0.00025
1992	156.46	221.4	21,454,600,000	38.64	706,694	18,289	0.0073	0.00019
1993	150.83	221.4	23,051,348,000	35.01	681,264	19,459	0.0065	0.00019
1994	159.8	221.4	24,657,528,000	38.55	721,764	18,723	0.0065	0.00017
1995	201.11	221.4	26,294,654,000	48.4	908,376	18,768	0.0076	0.00016
1996	243.03	221.4	27,946,704,000	57.08	1,097,714	19,231	0.0087	0.00015
1997	239.23	221.4	29,665,380,000	57.24	1,080,511	18,877	0.0081	0.00014
1998	202.8	221.4	31,432,828,000	42.82	916,006	21,392	0.0065	0.00015
1999	219.15	283.42	33,273,828,000	45.9	773,229	16,848	0.0066	0.00014
2000	148.82	283.42	35,167,828,000	33.15	525,102	15,840	0.0042	0.00013
2001	174.08	283.42	37,041,828,000	47.28	614,194	12,991	0.0047	0.0001
2002	133.4	283.42	38,919,828,000	35.13	470,690	13,399	0.0034	0.0001
2003	181.6	283.42	40,877,828,000	46.39	640,761	13,812	0.0044	0.0001
2004	185.72	328.72	42,889,828,000	34.08	564,983	16,578	0.0043	0.00013
2005	175.31	328.72	44,867,538,000	40.75	533,313	13,087	0.0039	0.0001
2006	264.95	328.72	46,820,938,000	52.94	806,009	15,225	0.0057	0.00011
2007	161.48	328.72	47,129,756,000	38.68	491,239	16,143	0.0034	0.000112
2008	126.02	328.72	48,990,990,000	42.32	383,366	9,059	0.0026	0.00006
2009	172.16	328.72	49,414,219,997	42.42	523,741	12,347	0.0035	0.00008
2010	199.4	335.72	51,076,043,997	49.25	593,959	12,060	0.0039	0.00008
2011	180.2	353.12*	52,701,411,694	51.05	510,308	9,996	0.0034	0.00007
2012	202.3	353.12*	54,315,239,773	58.16	572,972	9,852	0.0037	0.00006
2013	156.4	353.12*	55,933,569,773	47.77	442,923	9,272	0.0028	0.00006
2014	189.14	353.12*	57,638,062,970	64.07	535,631	8,360	0.0033	0.00005
2015	176.26	353.12*	59,401,111,988	51.39	499,159	9,713	0.0030	0.00006
2016	180.32	353.12*	61,277,452,914	51.43	510,659	9,929	0.0029	0.00006
2017	218.18	353.12*	63,183,738,844	57.54	617,853	10,738	0.0035	0.00006
2018	175.71	353.12*	64,999,044,304	33.83	497,597	14,709	0.0027	0.00008
2019	165.27	353.12*	66,781,588,304	45.71	468,018	10,239	0.0025	0.00005
2020	185.95	353.12*	68,272,638,304	51.63	526,603	10,200	0.0027	0.00005
2021	174.29	353.12*	70,076,050,304	48.30	493,572	10,903	0.0027	0.00006
2022	138.85	353.12*	71,806,362,304	47.63	393,202	10,363	0.0025	0.00005
2023	123.09	353.12*	73,476,828,304	40.69	348,565	8,566	0.0017	0.00004
2024	122.47	353.12*	74,744,592,304	41.60	346,811	8,337	0.0016	0.00004
2025	145.75	353.12*	76,012,356,304	47.25	412,750	8,735	0.0019	0.00004
2026	70.71	353.12*	76,418,720,304	17.34	200,252	11,549	0.0009	0.00005

* The 353.12 acre value was a plan view area calculated by AUTOCAD, using the area inquiry feature of a closed polyline.

III. SURFACE MONITORING

KCSWD's plan for monitoring the surface of the Area 5 Top Deck is comprised of three (3) components:

1. Landfill gas inspections and surface emissions monitoring.
2. Top Deck surface inspections; and,
3. Settlement monitoring.

The purpose of this monitoring is to detect any conditions affecting the cover system that may permit landfill gas emissions, leachate seeps, or excessive or differential settlement.

Each quarter, monthly Landfill Facility Site Inspections and preventative maintenance are carried out by KCSWD staff. All inspection reports and a summary of maintenance work performed can be viewed in Attachment H-1

Landfill Gas Inspections

Throughout the first quarter of 2026, KCSWD staff performed monthly inspections of the gas system, stormwater system, and cover system of Area 5. During the first quarter, erosion control measures continued to be maintained to mitigate runoff effects at the landfill.

Air Quality Criteria

Each quarter, surface emission monitoring is conducted across the Area 5 Top Deck and its side slopes to verify that methane gas emissions are below regulatory criteria. The first quarter of 2026 surface emission monitoring was conducted through January and February of 2026. The results from the surface emission monitoring this quarter can be found in Attachment H-2.

Top Deck Surface Inspections

Visual inspections for indications of leachate seeps are conducted each quarter by KCSWD personnel in conjunction with the surface emissions monitoring and monthly inspections. No indications of leachate seeps were recorded by KCSWD staff on the Area 5 interim cover system during the first quarter of 2026. Inspections conducted by Public Health noted ponding water and rill erosion along Service Road 3, as well as wind-blown litter along the west haul road. These issues were addressed by SWD Operations.

Settlement Monitoring

Settlement of Area 5 is evaluated both through visual inspections and through topographic surveys at control points on the top deck. Due to the work for the closure of Area 7 and the opening of Area 8, all previously surveyed control points in Area 5 were covered. Monitoring location PMX2015 was added in 2015 as a replacement for PMX20074. Monitoring locations can be viewed in Figure H-1.

The most recent settlement levels for Area 5 were measured on December 15, 2025. The survey data is given in Table 2, and the settlement at each point is given in Table 3. Although settlement is still proceeding, progression is at a very low rate with no indication that any differential settlement is occurring, nor is there any concern with the interim cover system integrity.

TABLE 2
CEDAR HILLS REGIONAL LANDFILL
AREA 5 SURFACE SURVEY DATA THROUGH 1ST QUARTER 2026

A5SM-1 [a]		A5SM-2		A5SM-3 [b]		PMX20074 [c]		PMX2015 [d]	
Date	**Elevation**	**Date**	**Elevation**	**Date**	**Elevation**	**Date**	**Elevation**	**Date**	**Elevation**
10/4/2005	699.18	10/4/2005	785.17	--	--	--	--	--	--
2/1/2006	697.7	2/1/2006	782.52	--	--	--	--	--	--
6/27/2006	696.51	6/27/2006	780.48	--	--	--	--	--	--
2/14/2007	694.53	--	--	2/14/2007	786.4	--	--	--	--
--	--	4/20/2007	776.95	4/20/2007	786.25	--	--	--	--
7/24/2007	693.34	7/24/2007	775.63	7/24/2007	785.68	8/16/2007	781.56	--	--
2/29/2008	691.77	2/29/2008	773.44	2/29/2008	784.87	2/29/2008	780.1	--	--
7/29/2008	691.26	7/29/2008	772.2	7/29/2008	784.31	7/29/2008	779.13	--	--
11/24/2008	690.61	11/24/2008	771.29	11/24/2008	783.76	11/24/2008	778.21	--	--
4/6/2009	690.16	4/6/2009	770.35	4/6/2009	783.35	4/6/2009	777.41	--	--
7/9/2009	689.77	7/9/2009	769.79	7/9/2009	783.05	7/9/2009	776.99	--	--
12/22/2009	689.13	12/22/2009	768.6	12/22/2009	782.44	12/22/2009	776.1	--	--
3/1/2010	688.77	3/1/2010	768.05	3/1/2010	782.08	3/1/2010	775.81	--	--
8/2/2010	688.6	8/2/2010	767.28	8/2/2010	781.78	8/2/2010	775.29	--	--
12/21/2010	688.1	12/21/2010	766.53	12/21/2010	781.25	12/21/2010	774.79	--	--
4/6/2011	687.83	4/6/2011	765.86	4/6/2011	780.94	4/6/2011	774.42	--	--
8/8/2011	687.46	8/8/2011	765.34	8/8/2011	780.66	8/8/2011	774.19	--	--
1/23/2012	687.19	1/23/2012	764.53	1/23/2012	780.26	1/23/2012	773.79	--	--
5/18/2012	686.78	5/18/2012	763.99	5/18/2012	779.9	5/18/2012	773.41	--	--
7/12/2012	686.69	7/12/2012	763.83	7/12/2012	779.69	7/12/2012	773.26	--	--
11/2/2012	686.55	11/6/2012	763.35	11/2/2012	779.56	--	--	--	--
5/22/2013	686.09	5/22/2013	762.77	5/22/2013	779.09	--	--	--	--
--	--	8/8/2013	762.53	9/5/2013	779.66	--	--	--	--
--	--	2/19/2014	762.06	2/19/2014	777.68	--	--	--	--
--	--	2/9/2015	761.09	2/9/2015	777.63	--	--	--	--
--	--	4/6/2015	761.11	4/6/2015	777.51	--	--	4/6/2015	770.48
--	--	7/2/2015	760.96	7/2/2015	777.38	--	--	7/2/2015	770.31
--	--	10/27/2015	760.62	10/27/2015	777.12	--	--	10/27/2015	770.1
--	--	2/3/2016	760.35	2/3/2016	776.83	--	--	2/3/2016	769.87
--	--	4/12/2016	760.35	4/12/2016	776.87	--	--	4/12/2016	769.86
--	--	7/11/2016	760.15	7/11/2016	776.68	--	--	7/11/2016	769.76
--	--	12/21/2016	759.85	12/21/2016	776.43	--	--	12/21/2016	769.57
--	--	5/31/2017	759.56	5/31/2017	776.23	--	--	5/31/2017	769.27
--	--	8/28/2017	759.38	--	--	--	--	8/28/2017	769.16
--	--	11/27/2017	759.28	--	--	--	--	11/27/2017	769
--	--	2/15/2018	759.10	--	--	--	--	2/15/2018	768.96
--	--	9/4/2018	758.61	--	--	--	--	9/4/2018	768.6
		12/15/2018	758.55					12/15/2018	768.6
--	--	2/10/2019	758.44	--	--	--	--	2/10/2019	768.54
--	--	10/31/2019	757.94	--	--	--	--	10/31/2019	768.17
--	--	3/3/2020	757.71	--	--	--	--	3/3/2020	767.98
--	--	5/28/2020	757.63	--	--	--	--	5/28/2020	767.91

TABLE 2
CEDAR HILLS REGIONAL LANDFILL
AREA 5 SURFACE SURVEY DATA THROUGH 1ST QUARTER 2026

A5SM-1 [a]		A5SM-2		A5SM-3 [b]		PMX20074 [c]		PMX2015 [d]	
Date	**Elevation**	**Date**	**Elevation**	**Date**	**Elevation**	**Date**	**Elevation**	**Date**	**Elevation**
--	--	8/12/2020	757.49	--	--	--	--	8/12/2020	767.83
--	--	11/19/2020	757.36	--	--	--	--	11/19/2020	767.67
		2/22/2021	757.47					2/22/2021	767.75
--	--	12/20/2021	757.09	--	--	--	--	12/20/2021	767.41
--	--	5/5/2022	756.96	--	--	--	--	5/5/2022	767.32
--	--	7/7/2022	756.90	--	--	--	--	7/7/2022	767.24
--	--	12/7/2022	756.69	--	--	--	--	12/7/2022	767.07
--	--	3/14/2023	756.61	--	--	--	--	3/14/2023	766.94
--	--	6/29/2023	756.53	--	--	--	--	6/29/2023	766.78
--	--	9/22/2023	756.43	--	--	--	--	9/22/2023	766.82
--	--	2/2/2024	756.24	--	--	--	--	2/2/2024	766.6
--	--	5/6/2024	756.19	--	--	--	--	5/6/2024	766.5
--	--	7/22/2024	756.15	--	--	--	--	7/22/2024	766.45
--	--	8/12/2024	756.16	--	--	--	--	8/12/2024	766.45
--	--	11/20/2024	756.06	--	--	--	--	11/20/2024	766.39
--	--	1/23/2025	755.94	--	--	--	--	1/23/2025	766.26
--	--	4/21/2025	755.89	--	--	--	--	4/21/2025	766.16
--	--	7/30/2025	755.68	--	--	--	--	7/30/2025	765.89
--	--	12/18/2025	755.58	--	--	--	--	12/18/2025	765.77

[a] A5SM-1 was destroyed by filling Area 7 during Lift 4.

[b] A5SM-3 NEW as of 2/14/2007. Destroyed by Area 8 excavation stockpile in 08/2017.

[c] PMX20074 was destroyed during Phase 3 of Area 6.

[d] PMX2015 NEW 04/06/2015; same location as PMX20074

TABLE 3
CEDAR HILLS REGIONAL LANDFILL
AREA 5 SETTLEMENT THROUGH 1ST QUARTER 2026

Settlement Monitoring Locations	Units	SETTLEMENT DATE RANGE (MM/YYYY)																	
		6/2006 - 7/2007	7/2007 - 7/2008	7/2008 - 7/2009	7/2009 - 8/2010	8/2010 - 8/2011	8/2011 - 7/2012	7/2012 - 5/2013	5/2013 - 2/2014	2/2014 - 2/2015	2/2015 - 2/2016	2/2016 - 5/2017	5/2017 - 2/2018	2/2018 - 2/2019	2/2019 - 3/2020	5/2020 - 12/2021	12/2021 – 3/2023	3/2023 - 5/2024	5/2024 - 12/2025
[a] A5SM-1	Feet	3.17	2.08	1.49	1.17	1.14	0.77	0.60	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
A5SM-2	Feet	4.85	3.43	2.41	2.51	1.94	1.51	1.06	0.71	0.97	0.74	0.79	0.46	0.66	0.73	0.54	0.48	0.42	0.57
[b] A5SM-3	Feet	N/A	1.37	1.26	1.27	1.12	0.97	0.60	1.41	0.05	0.8	0.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A
[c] PMX20074	Feet	N/A	2.43	2.14	1.7	1.1	0.93	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
[d] PMX2015	Feet	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.6	0.31	0.42	0.56	0.5	0.47	0.44	0.68
Average Settlement for Area 5	Feet/Date Range	4.01	2.33	1.83	1.66	1.33	1.05	0.75	1.06	0.51	0.77	0.66	0.38	0.54	0.64	0.52	0.47	0.43	0.63
	Feet/Month	0.33	0.19	0.17	0.14	0.11	0.10	0.08	0.13	0.05	0.07	0.04	0.05	0.05	0.05	0.03	0.03	0.03	0.03

[a] A5SM-1 was destroyed by filling Area 7 during Lift 4.

b A5SM-3 NEW as of 2/14/07. Destroyed by Area 8 excavation stockpile in 08/17.

[c] PMX20074 was destroyed during Phase 3 of Area 6.

d PMX2015 NEW 04/06/15; it's the same location as PMX20074

IV. STORMWATER SAMPLING

Collection of Samples

A sample was collected from Area 5 Top Deck stormwater monitoring station SW-TD1 on January 29, 2026. Attempts were made to sample monitoring station SW-TD2, but during these attempts no flow was present and therefore no sample was taken (NST). Figure H-2 shows the Area 5 Top Deck stormwater monitoring station locations.

Comparison stormwater samples were not taken this quarter, as monthly monitoring of surface water sites was discontinued as of January 1st, 2016 per the new Sampling & Analysis Plan (SAP) for the CHRLF. To address this lack of comparative data, the decision was made that the most recent full-year (2015) data available from surface water site SW-S1 would be averaged and used as the comparison basis.

SW-TD1 and SW-TD2 samples are collected and analyzed in accordance with the Area 5 Top Deck Stormwater Runoff Monitoring Plan.

Stormwater Sample Evaluation

Stormwater runoff monitoring locations, field measurements, and laboratory analyses evaluated in this report are intended to assess whether the stormwater runoff from the top deck has been contaminated by the underlying waste. Stormwater samples are collected either during or following significant storm events from four locations on or near the top deck of Area 5. These data are compared to surface water data collected from a location upstream of waste placement activities (monitoring location SW-S1 2015 averaged data).

Stormwater quality is also compared to the leachate quality as collected from the inflow into the aeration ponds (LV1A; formerly LAPI).

The analytes for the top deck stormwater runoff are iron, sulfate, chemical oxygen demand, total organic carbon, alkalinity, and chloride. The stormwater quality results are screened against existing surface water quality criteria (WAC 173-201A) and Benchmarks for the Washington State Industrial Stormwater General Permit. Applicable criteria/benchmarks are listed in Table 4.

TABLE 4		
Water Quality Criteria/Benchmarks For Applicable Parameters		
Parameter	Numerical Criterion	Source
pH	6.5 to 8.5	WAC 173-201A-200
	5 to 9	Industrial Stormwater General Permit
Turbidity	Less than 10 NTU above background if background turbidity is 50 NTU or less, or a 10% increase in turbidity when the background is > 50 NTU.	WAC 173-201A-200
	25 NTU	Industrial Stormwater General Permit
Temperature	20°C	WAC 173-201A-200
Iron	1.0 mg/L	EPA 440/5-86-001 Quality Criteria for Water 1986

Results

Field measurements and analytical results from the Area 5 Top Deck sampling during first quarter 2026 are summarized in Table 5. Results from 2015 stormwater samples collected at location SW-S1 are averaged and presented in Table 6. Leachate results are presented in Table 7.

The following is a parameter-by-parameter discussion of the top deck monitoring results. For each parameter, its importance in evaluating surface water, comparison to water quality criteria/benchmarks (Table 4), to other onsite surface water (SW-S1 – Table 5), to historical surface water data (Table 6), and comparison to representative leachate (LS-V1A – Table 7) is discussed.

- **pH (Field)** result(s) for Area 5 Top Deck sample(s) were within the designated limits per the applicable water quality criteria, and were comparable to historic SW-S1 values. The benchmark range for pH is 6.5 to 8.5 standard pH Units.
- **Specific Conductance (Field)** result(s) for Area 5 Top Deck sample(s) were higher than historic SW-S1 values, potentially due to erosion and entrainment of soil particles. Based on specific conductance results of recent samples at SW-TD1, this value is likely the result of stormwater runoff coming into contact with soil stockpiles stored on top of Area 5. There are no benchmarks or criteria for specific conductance.
- **Temperature (Field)** result(s) for Area 5 Top Deck sample(s) were below the designated limit per the applicable water quality criteria, and were comparable to historic SW-S1 values. Temperature criteria are established for the protection of aquatic life and vary between bodies of water based on use categories designated, per WAC 173-201A-200.
- **Turbidity (Field)** measurement(s) for Area 5 Top Deck sample(s) were above the designated water quality criteria, and higher than historic SW-S1 values. Turbidity criteria are established for the protection of aquatic life and vary between bodies of water based on use categories designated, per WAC 173-201A-200. The Industrial Stormwater General Permit (ISGP) benchmark for turbidity is 25 NTU.
- **Chemical Oxygen Demand** result(s) for Area 5 Top Deck sample(s) were higher than historic SW-S1 values, but were orders of magnitude lower than leachate values at LS-V1A. There are no benchmarks or criteria for COD.

- **Total Organic Carbon** result(s) for Area 5 Top Deck sample(s) were slightly higher than historic SW-S1 values, but were orders of magnitude lower than leachate values at LS-V1A. There are no benchmarks or criteria for TOC.
- **Total Alkalinity** result(s) for Area 5 Top Deck sample(s) were slightly higher than historic SW-S1 values, but were still within the typical range for surface water. There are no benchmarks or criteria for alkalinity.
- **Chloride** result(s) for Area 5 Top Deck sample(s) were lower than historic SW-S1 values and within the typical range for surface water. There are no benchmarks or criteria for chloride.
- **Sulfate** result(s) for the Area 5 Top Deck sample(s) were higher than historical SW-S1 values, but lower than results from leachate samples at LS-V1A. There are no benchmarks or criteria for sulfate.
- **Total iron** result(s) from Area 5 Top Deck sample(s) were higher than historical SW-S1 values, but lower than values for leachate samples collected at LS-V1A. The result was higher than the benchmark value for total iron.

Discussion

The Top Deck stormwater runoff results for first quarter of 2026 were higher than background for some parameters, when compared to historical surface water samples collected from location SW-S1. Current alkalinity, chemical oxygen demand, total organic carbon, total sulfate, and total iron (at SW-TD1) concentrations are higher than the corresponding 2015 results. Results for turbidity and total iron exceeded the benchmark values for surface water quality. Results for specific conductance were lower than historical SW-S1 values but could be the result of field measurement error since they are significantly lower than recent samples collected at SW-TD1.

It is possible that the elevated results are due to erosion of stockpiled soils on top of Area 5. High turbidity and total iron results with relatively low chloride and alkalinity would support this. Upon comparison with surface water and leachate samples, overall, the runoff from the Top Deck much more closely resembles surface water than leachate.

Also considered during evaluation is the possible impact of landfill gas on water quality. Elevated alkalinity (i.e. over 150 mg/L) can indicate a landfill gas contribution to the sample (due to the dissolution of carbon dioxide in water). However, the first quarter sample from SW-TD1 did not have an excessively high alkalinity result, and the serpentine monitoring for LFG emissions did not show any detections in this area. Generally, analysis of the data indicates that landfill gas and leachate are not contributing to increases in surface water parameters; however, continued exposed soil runoff may be marginally impacting surface water quality.

TABLE 5

Area 5 Top Deck - 1Q2026 Stormwater Monitoring Results

Location	Date	Sample ID	Specific Conductance (Field) µmhos/cm	pH units (Field) pH units	Temp (Field) deg °C	Turbidity (Field) NTU	Alkalinity mg/L	Chemical Oxygen Demand mg/L	Chloride mg/L	Dissolved Iron mg/L	Total Iron mg/L	Sulfate mg/L	Total Organic Carbon mg/L
SW-TD1	1/29/2026	STD1260129-	99.4	7.11	8.299	30.7	35	21	1.41	0.0489	1.05	13.2	6.69
SW-TD2	No flow; no sample taken (NST)	--	--	--	--	--	--	--	--	--	--	--	--
SW-TD4	Destroyed durring construction; NST	--	--	--	--	--	--	--	--	--	--	--	--
SW-TD6	Destroyed durring construction; NST	--	--	--	--	--	--	--	--	--	--	--	--
		Average Value =	99.4	7.11	8.299	30.7	35	21	1.41	0.0489	1.05	13.2	6.69

U = UNDETECTED, ANALYTE CONCENTRSTION <MDL; T = ANALYTE CONCENTRATION >MDL & <RDL

TABLE 6

SW-S1 - 2015 Stormwater Comparison Monitoring Results

Location	Date	Sample ID	Specific Conductance (Field) µmhos/cm	pH units (Field) pH units	Temp (Field) deg °C	Turbidity (Field) NTU	Alkalinity mg/L	Chemical Oxygen Demand mg/L	Chloride mg/L	Dissolved Iron mg/L	Total Iron mg/L	Sulfate mg/L	Total Organic Carbon mg/L
SW-S1	1/20/2015	SS1-150120Q	55	7.32	6.7	1.07	11.3	5	2.28	0.012	0.02	2.15	3.27
SW-S1	2/23/2015	SS1-150223M	52	7.31	5.4	0.6	13.4	6.1	2.32	0.01	0.023	2.24	2.2
SW-S1	3/16/2015	SS1-150316M	49	7.13	8.8	2.14	11.9	8.4	1.7	0.027	0.05	1.86	3
SW-S1	4/22/2015	SS1-150422Q	49	6.83	9.4	3.16	17.5	5.7	2.18	0.014	0.029	1.85	2.78
SW-S1	5/19/2015	SS1-150519M	53	6.71	12.4	2.08	19.7	5.5	2.2	0.036	0.0582	0.919	3.34
SW-S1	11/18/2015	SS1-151118Q	65	6.44	8.1	0.42	8.11	9.2	2.69	0.014	0.018	3.32	4.47
SW-S1	12/14/2015	SS1-151214M	53	6.47	7	0.58	7.44	8.6	2.6	0.012	0.017	2.43	3.74
		Average Value =	54	6.89	8.3	1.4	12.8	6.9	2.3	0.018	0.03	2.1	3.3

U = UNDETECTED, ANALYTE CONCENTRSTION <MDL; T = ANALYTE CONCENTRATION >MDL & <RDL

TABLE 7

Leachate Pond Inflow - 1Q2026 Monitoring Results

Location	Date	Sample ID	Specific Conductance (Field) µmhos/cm	pH units (Field) pH units	Temp (Field) deg °C	Turbidity (Field) NTU	Alkalinity mg/L	Chemical Oxygen Demand mg/L	Chloride mg/L	Dissolved Iron ug/L	Total Iron ug/L	Sulfate mg/L	Total Organic Carbon mg/L
LS-V1A	7/9/2025	LV1A260106M	3228	8.16	9.6	N/A	1170	1320	268	1.92	5.05	13.1	534
LS-V1A	8/5/2025	LV1A260203M	4082	8.17	13.4	N/A	3660	3530	767	5.92	7.57	39.2	1150
LS-V1A	9/9/2025	LV1A260304M	13002	8.25	16.7	N/A	3930	4590	875	11.5	16.4	49.2	1570
		Average Value =	6771	8.19	13.2	N/A	2920	3147	637	6.45	9.67	33.8	1085

U = UNDETECTED, ANALYTE CONCENTRSTION <MDL; T = ANALYTE CONCENTRATION >MDL & <RDL

NOTE: LEACHATE IS NOT TYPICALLY ANALYZED (N/A) FOR TURBIDITY

V. CONCLUSION

A sample was collected from Area 5 Top Deck stormwater monitoring station SW-TD1 on January 29, 2026. Attempts were made to sample monitoring station SW-TD2, but during these attempts no flow was present and therefore no sample was taken (NST).

Field and analytical results from third quarter sample(s) indicate several parameters with slightly elevated values compared to historic 2015 surface water sampling results at location SW-S1. Despite these elevated parameters, the runoff from the Top Deck much more closely resembles surface water than leachate. It is likely that the elevated results are due to erosion of stockpiled soils on top of Area 5.

The inspection reports for the first quarter of 2025 showed no issues with the cover system for Area 5 and no indication of LFG presence.


The most recent settlement levels for Area 5 were measured on December 18, 2025 and do not indicate any differential settlement. The survey data is given in Table 2, and the settlement at each point is given in Table 3.

The recent compliant historical performance trend for Area 5, coupled with ongoing inspection results verifying the integrity of the cover all provides evidence that the Area 5 Top Deck Interim Cover System continues to function to prevent interaction between refuse and storm water runoff.

Cedar Hills Regional Landfill
Area 5 Top Deck Report

FIGURES

FIGURE 1
AREA 5 SETTLEMENT MONITORING LOCATIONS



N

W — E

100 0 100 200

SCALE IN FEET

AREA 5 TOP DECK STORMWATER MONITORING STATION

STATION NUMBER	STATION DESCRIPTION
SW–A5TD1	NORTHEAST PORTION OF AREA 5 TOP DECK WHERE RUNOFF FROM THE TOP DECK EXITS AN 18–INCH CULVERT. SAMPLING TO BE PERFORMED AT THE OUTLET OF THE CULVERT.
SW–A5TD2	NORTH SLOPE OF AREA 5 WHERE RUNOFF, FROM THE NORTH SLOPE FLOWING IN A ROADSIDE DITCH, DRAINS INTO A 12–INCH CULVERT. SAMPLING TO BE PERFORMED AT THE OUTLET OF THE CULVERT.
SW–A5TD3*	WEST OF THE AREA 5 TOP DECK, WITHIN THE SCRAPER ROAD 5 ROADSIDE DITCH AT THE OUTLET END OF A TEMPORARY 12–INCH PIPE. THE TEMPORARY 12–INCH PIPE IS IN PLACE, BECAUSE THE WEST SIDESLOPE GEOMEMBRANE DOES NOT CURRENTLY HAVE COVER SOIL. ONCE THE COVER SOIL IS IN PLACE, THE PIPE WILL BE REMOVED AND THE SAMPLE LOCATION WILL NO LONGER BE SAMPLED.
SW–A5TD4	CENTER OF THE WEST PORTION OF AREA 5 TOP DECK WHERE RUNOFF FROM THE TOP DECK DRAINS INTO THE "VALLEY" RUNNING EAST TO WEST. SAMPLING TO BE PERFORMED AT THE INLET OF THE "VALLEY" DITCH.
SW–A5TD5*	THE OUTLET END OF A TEMPORARY 12–INCH HDPE PIPE THAT CONVEYS RUNOFF FROM THE SOUTHWEST CORNER OF THE AREA 5 TOP DECK. THE TEMPORARY 12–INCH PIPE IS IN PLACE, BECAUSE THE SOUTH SIDESLOPE GEOMEMBRANE DOES NOT CURRENTLY HAVE COVER SOIL. ONCE THE COVER SOIL IS IN PLACE, THE PIPE WILL BE REMOVED AND THE SAMPLE LOCATION WILL NO LONGER BE SAMPLED, BECAUSE FLOW IN THE ROADSIDE DITCH AT THIS LOCATION WILL NO LONGER CONTAIN RUNOFF FROM THE AREA 5 TOP DECK.
SW–A5TD6	WEST OF THE AREA 5 TOP DECK, WITHIN THE SCRAPER ROAD 5 ROADSIDE DITCH. THIS SAMPLE POINT RECEIVES TOP DECK FLOW FROM TWO SIDESLOPE DITCHES THAT INTERSECT AT THE SAMPLE LOCATION.

*STATIONS SW–A5TD3 AND SW–A5TD5 WERE TEMPORARY STORMWATER MONITORING STATIONS THAT CEASED TO EXIST AS OF JULY 16, 2007.

LEGEND:

STORMWATER MONITORING STATION

P:\ACAD\PROJECT\King County\Area Expansion Proposal\CARLA WORK\ Figure 1.dwg Aug 01, 2007 - 3:18pm

Figure 1

Area 5 Top Deck Stormwater Monitoring Stations

Cedar Hills Regional Landfill
Area 5 Stage 4 Final Closure
King County, Washington

Cedar Hills Regional Landfill
Area 5 Top Deck Report

ATTACHMENT H-1

Inspection Reports

Monthly Facility Inspection Reports
PHSKC Monthly Inspection Reports
ISGP Monthly Inspection Reports

Docusign Envelope ID: 4B90384B-D9CF-4982-9DB6-A3E0C5FD14CD

SOLID WASTE DIVISION

Cedar Hills Regional Landfill Monthly Facility Inspection

Site Inspection: Permit Compliance

Inspected By: A. Jenkins, S. Peveto Date: 1/13/2026

Location: Cedar Hills Ambient Temperature: (50 ºF) Weather Condition: Partly Cloudy

ACTION CODES

A. Gas System	Good	Fair	Poor	C. Landfill Operations	Good	Fair	Poor	E. Roadway System	Good	Fair	Poor
1. Pipe Penetrations	x			**1.** Fueling Stations	x			**1.** Road Sweeping	x		
2. Collection Piping	x			**2.** Vehicle Wash Stations	x			**2.** Access Roads	x		
3. Extraction Wells	x			**3.** Equipment	x			**3.** Road Erosion	x		
4. Monitoring Probes	x			**4.** Boundary Fences	x			**4.** Road Pavement	x		
5. Valve Stations	x			**5.** Vegetation	x			**5.** Lane Striping	x		
6. North Flare Station		x*		**6.** Landfill Cover	x						
7. Low-BTU Flare		x*		**7.** Drain Rock	x						
8. Noise Control	x			**8.** Air Quality	x			**F. Other Items**			
9. Air Compressors	x			**9.** Stockpiles	x						
				10. Vectors	x						
B. Leachate System				**11.** Litter		x***					
1. Pump Station 1		x**		**12.** Dust Control	x						
2. Pump Station 2	x			**13.** Other							
3. Pump Station 3		x**									
4. Pump Station 4	x			**D. Stormwater System**							
5. Lagoon Facilities		x**		**1.** CSW Pond		x****					
6. Lagoon Aerators		x**		**2.** North Siltation Pond		x****					
7. Collection System:				**3.** North SW Lagoon	x						
a. Collection Pipes	x			**4.** South SW Lagoon	x						
b. Force Mains	x			**5.** South Siltation Pond	x						
c. Manholes	x			**6.** Sand Filter		x****					
d. Cleanouts	x			**7.** CB/ Control Structures	x						
8. Generators	x (PS4)			**8.** Pipes/Culverts	x						
9. Extraction Wells	x			**9.** Trash Racks	x						
10. Valves/Cleanouts	x			**10.** Ditches		x					
11. Groundwater	x			**11.** Best Management	x						
				12. Compliance Points	x						
				Other							



Some stormwater ponding on Areas 5, 6, & 7



Fence damage on south and west perimeter



Vegetation removal needed in southeast stormwater pond



Debris/litter removal needed in asphalt-lined stormwater ditches



N1 Culvert erosion continues



Silt fencing in CSW lagoon needs replaced



Visible erosion around metal lined ditches and sediment deposition in channels



Silt fence damaged and vegetation removal needed in north siltation pond



Rock needed (gravel or 5/8th) in turn-around near GP-43 and access road west of MW-55



Vault doors/lids near north end of Pump Station 2 damaged and need repaired or replaced



Nested well completion along SW buffer road needs a locking lid installed



Surface water staff gage 4 (at Pump Station 2) overgrown with vegetation and needs cleared

Docusign Envelope ID: 4B90384B-D9CF-4982-9DB6-A3E0C5FD14CD

AREA CODES (Cedar Hills):

Area 2/3 = A2/3	Area 7 = A7	East Main Hill = EMH	Southwest Main Hill = SWMH
Area 4 = A4	Area 8 = A8	Leachate Lagoon = LL	Stockpile = SP
Area 5 = A5	Central Pit = CP	North Flare Station = NFS	
Area 6 = A6	CSW Lagoon = CSW	Southeast Pit Area = SEPA	

State the needs of the repairs in the suggested remedy box.

1. *Emergency*
2. *Regulatory Priority*
3. *Safety Priority*
4. *Maintenance Priority*
    a. *Urgent*
    b. *Routine*
    c. *Deferred*

Overall site description day of site inspection:

The site is in generally good condition, however, specific maintenance actions are required to ensure continued SWPPP compliance and structural integrity.

Action Needed:
1. Fenceline damage needs repaired along west perimeter road and near SW corner of property at the E-W easement.
2. Silt fencing needs to be repaired/replaced in northwest siltation pond and in CSW lagoon.
3. Areas with standing water and/or ruts may need regraded and/or stabilized with rock to prevent erosion and ponding; ruts and/or standing water noted northeast of North Flare Station, along south perimeter road near GP-43, and on top of Areas 4, 5, and 6.
4. Vegetation removal needed in/around southeast stormwater pond; two open catch basin/overflow structures near stormwater pond are uncovered and need to have covers installed for safety.
5. Vegetation removal needed in/around northwest stormwater pond; vegetation should be removed and trees cut back to maintain access and sight lines for inspectors.
6. Vegetation removal needed around surface water staff gaging stations to improve access and visibility, particularly stations SSG4 (at Pump Station 2), SSG8 (W2), and SSG9 (S1).
7. Metal-lined stormwater ditches on Main Hill have signs of erosion around/under them and are filled with sediment and vegetation in some areas. Edges of sheet metal need to be secured/keyed into soil, and sediment/vegetation needs to be removed from ditches.
8. Vault lids immediately north of leachate Pump Station 2 are damaged and coming off of hinges; lids need to be repaired/replaced.
9. Well casing with two 2" well completions along southwest buffer road is currently uncovered and needs to have a locking lid installed.

Long-term plans:
-Culvert embankment stabilization near surface water gaging station SSG2 (N1)

SWPPP Modifications Necessary? NO

If **Y**, *log changes in Appendix I of SWPPP*

Potential Pollutant Sources NO

Docusign Envelope ID: 4B90384B-D9CF-4982-9DB6-A3E0C5FD14CD

INSPECTION REPORT SIGNATURE PAGE

INSPECTION DATE: 1/13/2026 SITE: Cedar Hills Regional Landfill

INSPECTOR / QUALIFIED PERSONNEL

Based on professional judgment, which of the following statements is true: (select one)

☑ *The site is in compliance with the terms and conditions of the SWPPP and the ISGP.*

☐ *The site is NOT in compliance with the terms and conditions of the SWPPP and the ISGP*.*


* Immediately notify Environmental Compliance Coordinator

I certify that this report is true, accurate and complete, to the best of my knowledge and belief.

Printed name: Andrew Jenkins

Signature: DocuSigned by: 7CD8606F0EED409... Date: 1/13/2026

Docusign Envelope ID: 4B90384B-D9CF-4982-9DB6-A3E0C5FD14CD



Docusign Envelope ID: F42FCC49-5E0B-8725-8394-2D7FE3FD0463

SOLID WASTE DIVISION

Cedar Hills Regional Landfill Monthly Facility Inspection

Site Inspection: Permit Compliance

Inspected By: Subrina Tahsin Date: 2/11/2026

Location: Cedar Hills Ambient Temperature: (47 ºF) Weather Condition: Light Rain

ACTION CODES

A. Gas System	Good	Fair	Poor	C. Landfill Operations	Good	Fair	Poor	E. Roadway System	Good	Fair	Poor
1. Pipe Penetrations	x			**1.** Fueling Stations	x			**1.** Road Sweeping	x		
2. Collection Piping	x			**2.** Vehicle Wash Stations	x			**2.** Access Roads		x****	
3. Extraction Wells	x			**3.** Equipment	x			**3.** Road Erosion		x****	
4. Monitoring Probes	x			**4.** Boundary Fences	x			**4.** Road Pavement	x		
5. Valve Stations	x			**5.** Vegetation	x			**5.** Lane Striping	x		
6. North Flare Station	x			**6.** Landfill Cover	x						
7. Low-BTU Flare		x*		**7.** Drain Rock	x						
8. Noise Control	x			**8.** Air Quality	x			**F. Other Items**			
9. Air Compressors	x			**9.** Stockpiles	x						
				10. Vectors	x						
B. Leachate System				**11.** Litter	x						
1. Pump Station 1		x**		**12.** Dust Control	x						
2. Pump Station 2	x			**13.** Other	x						
3. Pump Station 3		x**									
4. Pump Station 4	x			**D. Stormwater System**							
5. Lagoon Facilities		x**		**1.** CSW Pond	x						
6. Lagoon Aerators		x**		**2.** North Siltation Pond		x***					
7. Collection System:				**3.** North SW Lagoon	x						
a. Collection Pipes	x			**4.** South SW Lagoon	x						
b. Force Mains	x			**5.** South Siltation Pond	x						
c. Manholes	x			**6.** Sand Filter		x***					
d. Cleanouts	x			**7.** CB/ Control Structures	x						
8. Generators	x			**8.** Pipes/Culverts		x***					
9. Extraction Wells	x			**9.** Trash Racks	x						
10. Valves/Cleanouts	x			**10.** Ditches		x***					
11. Groundwater	x			**11.** Best Management	x						
				12. Compliance Points	x						
				Other							

*Low-mmBTU HMI - has been out of service for an extended period. Tech-U is currently troubleshooting to determine repair needs.

**Pump Station 1 - Operating with only 1 of 3 pumps due to electrical malfunctions. CCRU is assisting Operations in gathering specifications for a replacement backup pump.
Pump Station 3 - Currently down one pump due to electrical issues. Evaluation and repair planning underway.
Lagoon Facilities - Isolation valve requires repair to restore full operational control.
Aerator is out of commission - replacement has been ordered.

***North Siltation Pond - silt fence in pond needs replaced.
Sand Filter - vegetation removal needed in sand filter.
Ditches - Vegetation removal needed in asphalt ditches East of landfill.

**** Road erosion: Perimeter road ponding requires leveling with rock at the southeast access.
Access road on Culvert N1: Road embankment and around the culvert is undergoing massive erosion. Monitoring ongoing until repaired in next 3 years.



Photo: Staff gauge S2 (AKA SG-7) damaged



Photo: Overflow structure cracks



Photo: Surface water ponding in Top deck area S



Photo: Cattail growing fast in the wet pools in the



Photo: Pool of water in a dry day in the east perir



Large water ponding near the SL3 gauge almost



Photo: Sand filter has vegetation that needs remo



Photo: East perimeter road natural drainage char



Photo: Silt fence damage in the south-east storm



Photo: Silt fence damage near north siltation pon



Photo: Surface water ponding in east perimeter r

Docusign Envelope ID: F42FCC49-5E0B-8725-8394-2D7FE3FD0463

AREA CODES (Cedar Hills):

Area 2/3 = A2/3	Area 7 = A7	East Main Hill = EMH	Southwest Main Hill = SWMH
Area 4 = A4	Area 8 = A8	Leachate Lagoon = LL	Stockpile = SP
Area 5 = A5	Central Pit = CP	North Flare Station = NFS	
Area 6 = A6	CSW Lagoon = CSW	Southeast Pit Area = SEPA	

State the needs of the repairs in the suggested remedy box.

1. *Emergency*
2. *Regulatory Priority*
3. *Safety Priority*
4. *Maintenance Priority*
    a. *Urgent*
    b. *Routine*
    c. *Deferred*

Overall site description day of site inspection:

Work in Progress:

-General Condition: The site is generally in good condition.
-Active Maintenance: Sediment removal in the Contaminated Storm water Lagoon (CSW) and vegetation removal in asphalt-lined storm water ditches were observed in-progress during the inspection.
-Infrastructure Status: Area 5 Top Deck monitoring location SW-TD2 appears to have been buried or destroyed during construction activities.

Major Inspection Findings
1) Staff Gauge Damage: The CHRLF_S2 (AKA SG-7) gauge along the south fence is corroded at the bottom, but remains functional for data collection through manual tape measurements. KC-WRLD has confirmed they will replace the staff plate by the end of the water year as part of their maintenance duties.
2) Infrastructure Cracks: A significant 0.5" wide separation crack was observed extending across the apron, which presents a risk of internal erosion (piping) and potential embankment failure given its location on a critical slope. Recommended short-term actions include sealing the crack with structural grout or epoxy and monitoring for widening, while a comprehensive structural integrity evaluation is suggested for the long term.
3) Silt Fencing: Significant damage was observed in the south-east storm water area and near the north siltation pond, compromising the site's ability to filter runoff and prevent sediment transport.
4) Drainage Issues: Significant water accumulation is occurring in natural ditch neat the east perimeter road on both sides that should typically remain flowing during high rains. Also, extensive ponding was noted near the SL3 gauge.
5) Surface Ponding: Large pools of water were noted in the Top deck area S, near area 6 and along the east perimeter road.
6) Sand Filter Overgrowth: The sand filter currently has vegetation that needs removal to maintain its filtration efficiency.
7) Invasive Growth: Cattails are growing rapidly within the six wet pools, which may require management to ensure proper water capacity and flow.

Potential Pollutant Sources & Regulatory Risks
-Turbidity Issue: High turbidity was identified in storm water originating from exposed soils at the southeast corner of Area 6.
-Stabilization Deadline: Operations must stabilize these soils before the construction contractor takes over the site (anticipated by late April 2026) to avoid Construction Storm water General Permit (CSGP) violations.
Aside from the Area 6 turbidity, no other sources of potential storm water pollution were identified during the primary inspection.

Long Term Watch and Projects
- N4 Pipe Replacement: Designs for slip-lining the N4 pipe are complete; contractor assigned, permits in schedule. Aiming 2026.
- N1 Culvert: Monitoring for erosion continues until permitting is complete; switched to full replacement. Pending RFP.
- Southwest Ditch: Restructuring around CHRL is currently in-progress.

SWPPP Modifications Necessary? NO

If **Y**, *log changes in Appendix I of SWPPP*

Potential Pollutant Sources NO

Docusign Envelope ID: F42FCC49-5E0B-8725-8394-2D7FE3FD0463

INSPECTION REPORT SIGNATURE PAGE

INSPECTION DATE: 2/11/2026 SITE: Cedar Hills Regional Landfill

INSPECTOR / QUALIFIED PERSONNEL

Based on professional judgment, which of the following statements is true: (select one)

☑ *The site is in compliance with the terms and conditions of the SWPPP and the ISGP.*

☐ *The site is NOT in compliance with the terms and conditions of the SWPPP and the ISGP*.*


* Immediately notify Environmental Compliance Coordinator

I certify that this report is true, accurate and complete, to the best of my knowledge and belief.

Printed name: Subrina tahsin

Signature: DocuSigned by: Subrina Tahsin EF99849298E4443... Date: 2/11/2026 Apr 7, 2026

Docusign Envelope ID: F42FCC49-5E0B-8725-8394-2D7FE3FD0463



Docusign Envelope ID: B7B0ED23-4936-8BCF-8250-26405CED40BE

SOLID WASTE DIVISION

Cedar Hills Regional Landfill Monthly Facility Inspection

Site Inspection: Permit Compliance

Inspected By: A. Jenkins Date: 3/24/2026

Location: Cedar Hills Ambient Temperature: (45 ºF) Weather Condition: Heavy Rain

ACTION CODES

A. Gas System	Good	Fair	Poor	C. Landfill Operations	Good	Fair	Poor	E. Roadway System	Good	Fair	Poor
1. Pipe Penetrations	x			**1.** Fueling Stations	x			**1.** Road Sweeping	x		
2. Collection Piping	x			**2.** Vehicle Wash Stations	x			**2.** Access Roads	x		
3. Extraction Wells	x			**3.** Equipment	x			**3.** Road Erosion	x		
4. Monitoring Probes	x			**4.** Boundary Fences	x			**4.** Road Pavement	x		
5. Valve Stations	x			**5.** Vegetation	x			**5.** Lane Striping	x		
6. North Flare Station		x		**6.** Landfill Cover	x						
7. Low-BTU Flare		x		**7.** Drain Rock	x						
8. Noise Control	x			**8.** Air Quality	x			**F. Other Items**			
9. Air Compressors	x			**9.** Stockpiles	x						
				10. Vectors	x						
B. Leachate System				**11.** Litter	x						
1. Pump Station 1		x*		**12.** Dust Control		x					
2. Pump Station 2		x*		**13.** Other	x						
3. Pump Station 3		x									
4. Pump Station 4	x*			**D. Stormwater System**							
5. Lagoon Facilities		x		**1.** CSW Pond		x					
6. Lagoon Aerators		x**		**2.** North Siltation Pond		x					
7. Collection System:				**3.** North SW Lagoon	x						
a. Collection Pipes	x			**4.** South SW Lagoon	x						
b. Force Mains	x			**5.** South Siltation Pond	x						
c. Manholes	x			**6.** Sand Filter		x					
d. Cleanouts	x			**7.** CB/ Control Structures	x						
8. Generators	x (PS4*)			**8.** Pipes/Culverts	x						
9. Extraction Wells	x			**9.** Trash Racks	x						
10. Valves/Cleanouts	x			**10.** Ditches		x					
11. Groundwater	x			**11.** Best Management	x						
				12. Compliance Points	x						
				Other							

*PS1 pump was tested for compatibility, ETA April 20th; PS2 down to one pump; PS3 no update; PS4 Cummins coming to repair generator.
**Lagoon aerator sent to BNK for repair

Docusign Envelope ID: B7B0ED23-4936-8BCF-8250-26405CED40BE



Silt fence in CSW lagoon needs replaced



Silt fence in north siltation pond needs replaced



CB cover near SE pond needs replaced



Vegetation removal complete around SE pond



Erosion around N1 outlet continues



Silt fence installed around SW-TD1 outlet



EMC collected soil and SW samples at V-notch



High turbidity seen coming from Area 6



Silt fence and/or soil stabilization needed on A6



Water clear at SW-GS1, no oily sheen



Water clear at SW-N4, no oily sheen



Water slightly turbid at SW-SL3, no oily sheen

Docusign Envelope ID: B7B0ED23-4936-8BCF-8250-26405CED40BE

AREA CODES (Cedar Hills):

Area 2/3 = A2/3	Area 7 = A7	East Main Hill = EMH	Southwest Main Hill = SWMH
Area 4 = A4	Area 8 = A8	Leachate Lagoon = LL	Stockpile = SP
Area 5 = A5	Central Pit = CP	North Flare Station = NFS	
Area 6 = A6	CSW Lagoon = CSW	Southeast Pit Area = SEPA	

State the needs of the repairs in the suggested remedy box.

1. *Emergency*
2. *Regulatory Priority*
3. *Safety Priority*
4. *Maintenance Priority*
    a. *Urgent*
    b. *Routine*
    c. *Deferred*

Overall site description day of site inspection:

Work in Progress:

1. Silt fence in Contaminated Stormwater Lagoon (CSW) needs replaced.
2. Silt fence in North Siltation Pond needs replaced; vegetation removal in-progress during inspection.
3. Replacement cover needs installed on catch basin near Southeast Stormwater Lagoon.
4. Erosion around surface water outfall N1 continues.
5. High turbidity seen coming from Area 6 stormwater ditches behind Operators break room and office trailers. Silt fence and/or soil stabilization is needed on top of Area 6; Completed in May.
6. Release from maintenance hole near leachate pump station LS-P1A discovered on March 23, 2026; soil and surface water samples collected by Environmental Monitoring crew on March 23-24, 2026; ERTS 60-day report submitted on May 22, 2026; analytical results need to be evaluated to inform next steps.
7. Due to heavy rains, stormwater observed over-topping ditch along south perimeter road, flowing across road and leaving property at fence line instead of at intended outfall; needs sandbags installed or ditch cut deeper to accommodate additional flow.

SWPPP Modifications Necessary? NO

If **Y**, *log changes in Appendix I of SWPPP*

Potential Pollutant Sources NO

Docusign Envelope ID: B7B0ED23-4936-8BCF-8250-26405CED40BE

INSPECTION REPORT SIGNATURE PAGE

INSPECTION DATE: 3/24/2026 SITE: Cedar Hills Regional Landfill

INSPECTOR / QUALIFIED PERSONNEL

Based on professional judgment, which of the following statements is true: (select one)

☑ *The site is in compliance with the terms and conditions of the SWPPP and the ISGP.*

☐ *The site is NOT in compliance with the terms and conditions of the SWPPP and the ISGP*.*

* Immediately notify Environmental Compliance Coordinator

I certify that this report is true, accurate and complete, to the best of my knowledge and belief.

Printed name: Andrew Jenkins

Signature: DocuSigned by: 7CD8606F0EED409... Date: 3/24/2026

Docusign Envelope ID: B7B0ED23-4936-8BCF-8250-26405CED40BE

SG-2
SG-3
SN4-
SG-1
SG-4
TD 2
TD 1
SG-5
Station East 1
SSL3
SG-9
SG-7
S

1



2



3



4



5



6



Unprotected stormwater inlet

Outlet to stormwater ditch behind office trailers

Merges with stormwater from East side of landfill at wiers.

Stormwater overtopping ditch, flowing across road and offsite to the south.

N

File Path: C:\Users\jrheuben\OneDrive - King County\Desktop\Maps\Cedar Hills Regional Landfill.mxd || Coordinate System: WGS 1984 Web Mercator Auxiliary Sphere || Date: 3/9/2022 || User: jrheuben || Service Layer Credits: EagleView Technologies, Inc.

King County
Cedar Hills Regional Landfill Site Map
Solid Waste Division
Facilities Engineering and Science Section
Environmental Science and Compliance Unit

H-33

Legend

- Parcel Boundary
- Access Road
- Stormwater Station
- Surface Water Station
- Stream Gage

SOLID WASTE INSPECTION REPORT

Public Health
Seattle & King County

PUBLIC HEALTH - SEATTLE & KING COUNTY Downtown Office 401 - 5th Ave., Ste 1100 Seattle, WA 98104 206-263-9566	**PURPOSE OF VISIT:** Routine Inspection/Field Review of a Municipal Landfill establishment (PE=1006)
ESTABLISHMENT INFORMATION: **CHRLF** CEDAR HILLS SANITARY LAND 16645 228TH AVE SE MAPLE VALLEY, WA 98038 206-263-8863 **Program Record:** SW-PR-0021088 / Legacy ID PR0015736	**INSPECTION INFORMATION:** **Date of Inspection:** Tuesday, January 20, 2026 **Time In:** 10:45 am **Time Out:** 2:00 pm **Inspector:** Jeromeo Cruz **Result:** **COMPLETE**

VIOLATIONS OBSERVED (if any)

OVERALL INSPECTION COMMENTS:

Weather was slightly cloudy at the time of inspection.

Actions and Recommendations:

1. Clogging in the metal sheet lined canal along the dirt road in Area 2/3 (Service Road 3) caused by sod/grass appears corrected. Location is south of recently repaired sheet metal canal noted in past inspections. However, flow appears stagnant at this low spot with overflow into the road causing ponding that is still observable (see pictures). Some litter was seen strewn beside the canal and inside it. Continue maintenance of this ditch and report back to Public Health on the remaining issue of proper flow by February 16, 2026. WAC 173-351-500(2)(a)(i) requires maintaining and repairing the cover as well as preventing run-on and runoff from eroding or otherwise damaging the final cover. WAC 173-351-220(2) requires collecting scattered litter to prevent vector harborage, a fire hazard, an aesthetic nuisance, and adversely affect wildlife or its habitat.

2. Rill erosion was observed within the dirt haul road in Area 2/3, west of riser A23GL003 (see pictures). The soil erosion may undermine road integrity. WAC 173-351-500(2)(a)(i) requires maintenance of cover including preventing run-on and runoff from eroding or otherwise damaging the final cover. Section 1.10.3 (Road Maintenance, Dust Control, and Air-Quality Criteria) in the Plan of Operations includes road maintenance.

3. A noticeable ponded area was observed near the plastic covered soil piles at Area 4 (see picture). Per WAC 173-351-500(2)(a)(i), report back to Public Health on this issue on or before February 16, 2026.

4. Discarded cardboard boxes and a wood pallet were seen outside the leachate lagoon fence (see picture). Please remove litter per WAC 173-351-220(2).

Observations:

- Aerators were operating in both leachate lagoons. Some foam was observed at both leachate lagoons.

- Byers odor control system was in operation at the leachate lagoons and west perimeter road west of Area 8.

- Good work installing orange warning fencing marking the abandoned extraction wells near the Water Tower and along the southeast perimeter road.

- Overgrown vegetation in rock lined ditch along dirt haul road in Area 2/3 appears to have been trimmed or cut down.

Jerome Cruz

Environmental Scientist III

Scott Barden

Assistant Operations Manager

PIC Phone #:

Email:

INSPECTION CHECKLIST

The following items are evaluated during inspections.
Violations cited as out of compliance during this inspection are highlighted below.
Out=out of compliance

OUT

Additional Operating Criteria WAC 173-351-220(1)

- ☐ 0837-Road dust must be controlled
- ☐ 0838-Litter must be controlled
- ☐ 0839-Scavenging must be prohibited
- ☐ 0840-Staffing must be a minimum 2 personnel on site with one at the active portion when open
- ☐ 0841-Certification of operators of solid waste landfills must be current
- ☐ 0842-Reserve operational equipment must be available and adequate
- ☐ 0843-Active area boundaries must be clearly marked
- ☐ 0844-Must compact solid waste before succeeding layers are added per WAC
- ☐ 0845-Maintain monitoring systems for groundwater, explosive gas and other monitoring per permit
- ☐ 0846-Provide orderly and sanitary recycling methods to general public unless alternatives provided
- ☐ 0847-Prohibit disposal of dangerous waste unless DWR are met
- ☐ 0848-Must allow inspections by public health

Annual Report

- ☐ 0828-Annual report due April 1st

Closure and post-closure care WAC 173-351-500

- ☐ 0852-Equipment used for groundwater monitoring is maintained
- ☐ 0856-Final cover installed to minimize, infiltration and erosion per design
- ☐ 0857-Closure plan followed for areas of the MSWLF unit within 30 days of final receipt of wa-stes
- ☐ 0858-For closed areas, closure activities must be completed within 180 days
- ☐ 0859-For closed areas post closure care must be conducted per post-closure plan and WAC
- ☐ 0860-Final cover for closed areas must be maintained (vegetation, settlement, erosion,# run on/off)
- ☐ 0861-Leachate collection systems maintained and operated per post-closure plan and WAC 173-351-300
- ☐ 0862-Gas monitoring systems maintained and operated per post-closure plan and WAC 173-351-200

Design Criteria New MSWLF expansion 173-351-300

- ☐ 0849-New MSWLF units and expansions have approved liner & leachate collection system construction

Groundwater sampling and analysis requirements WAC 173-351-410

- ☐ 0853-Roundwater monitoring must be accordance with an approved sampling / analysis document

Liquids Restrictions

- ☐ 0826-Containers holding liquid waste may not be placed in a MSWLF unit unless meet 200 (9)(b)(i-iii)

MSLF Groundwater reporting WAC 173-351-415

- ☐ 0854-Annual groundwater report due by April 1st
- ☐ 0855-Quarterly groundwater monitoring reports submitted

MSLF Leachate Managementfor Surface Impoundments WAC 173-350-330

Design Standards - Surface Impoundments

- ☐ 0740-Embankments and slopes must be maintained and be in good condition
- ☐ 0741-Freeboard for the surface impoundment is > 18 inches or as specified per the permit

Ground Water monitoring requirment for surface impoundment and tanks

- ☐ 0766-Surface impoundments not equipped with a leak detection layer must meet WAC 173-350-500
- ☐ 0767-Surface impoundments w/a leak detection layer are subject to WAC 173-350-040 (5),173-350-330(b)

OUT

Operating standards - Surface Impoundments and tanks

- ☐ 0750-Must prevent overfilling and maintain required freeboard = 18 inches from wave action/precip
- ☐ 0751-Must control access to the site
- ☐ 0752-Must control nuisance odors for wastes or liquids
- ☐ 0753-Must control birds at impoundments storing wastes capable of attracting birds
- ☐ 0754-Records kept of weekly inspections and liner inspections at least every 5 years
- ☐ 0755-Daily records kept on-site of the quantity and type of wastes removed for at least 5 years

Operating Criteria WAC 173-351-200

Access Restriction

- ☐ 0819-Lockable gate at each entry must be maintained and in good condition

Air Criteria

- ☐ 0816-MSWLF units must meet all applicable air standards
- ☐ 0817-Open burning of garbage is prohibited. Other types of burning only under appropriate permit
- ☐ 0818-Access must be controlled (public /animal/vehicle). Barriers must be maintained.

Cover Material Requirements

- ☐ 0806-Approved cover material must be applied at a depth of 6 in# at the end of the day or as needed
- ☐ 0807-Only approved alternative cover materials are in use and are applied at an approved depth

Disease Vectors Controlled

- ☐ 0808-Procedures must be in place to control disease vectors e g. (rodents, flies, mosquitoes, other)

Explosive Gases Control

- ☐ 0809-Methane gas must not exceed 25% of lower explosive limit for facility structures
- ☐ 0810-Methane gas concentration must not exceed lower explosive limit at the property boundary-beyond
- ☐ 0811-Methane gas concentration must not exceed 100ppm/volume of methane in offsite structures
- ☐ 0812-Explosive gases must be controlled and a routine methane monitoring program in place
- ☐ 0813-Monitoring for explosive gas occurs quarterly at a minimum
- ☐ 0814-Required measures must be taken if methane gas levels exceed limits (notify, monitor, evacuate)
- ☐ 0815-Must have procedures for methane gas level exceedance (gas levels, interim steps, remediation)

Incoming Waste Management

- ☐ 0800-Procedures must be in place for excluding the receipt of prohibited waste
- ☐ 0801-Random inspections must be conducted for incoming loads to prevent receipts of prohibited waste
- ☐ 0802-Record must be kept of random inspections of incoming loads to prevent prohibited waste
- ☐ 0803-Facility personnel must be trained to recognize prohibited wastes and training logs kept
- ☐ 0804-Immediate notification to Public Health and Ecology for any prohibited waste discovered

Performance Standards

- ☐ 0290-Must not pose a threat to human health or environment
- ☐ 0291-Protects from ground water contamination
- ☐ 0292-The facility must conform to the approved local comprehensive solid waste management plan
- ☐ 0293-Complies with RCW 70.94 Emission or ambient air quality standards

☐ 0294-Complies with all other local/state/federal laws and regulations

Performance Standards for groundwater monitoring System Design

☐ 0850-All groundwater monitoring system must be designed and maintained per WAC 173-351-405

☐ 0851-All wells must be clearly labeled, capped and locked

Permit Requirements

☐ 0863-Permit Required

Plan of Operation

☐ 0829-Plan of operation is current, complete and a hard copy present at the permit approved location

☐ 0830-Operators handle solid waste as described in plan of operations

☐ 0831-Operators conducting inspections per plan of operation

☐ 0832-Plan of operation procedures followed for fire or explosion

☐ 0833-Plan of operation procedures followed for actions to take for sudden releases of gas, leachate

☐ 0834-Maintain and operate leachate and gas collection equipment per plan of operation

☐ 0835-Safety equipment listed in plan of operation must be on-site and working (shower, eyewash)

☐ 0836-Any additional requirements by Public Health are followed as outlined on the plan of operation

Record Keeping

☐ 0827-Operating record is available at the approved location and is complete for all required records

Run-on/runoff Control Systems

☐ 0820-Prevent run-on to the active portion of the landfill during the peak discharge from 25yr storm

☐ 0821-Must provide runoff control for active portions to collect & control water vol. 24hr/25yr storm

☐ 0822-Runoff from active portion of the landfill must be handled in accordance w. WAC 173-351-200(8)

Surface Water Requirements

☐ 0823-MSWLF units must not discharge pollutants into waters of the state

☐ 0824-Must not cause the discharge of a nonpoint source pollution to waters of the state

☐ 0825-Bulk or non-containerized liquid waste may not be placed in MSWLF unit unless exceptions allow

Chinook Environmental Health Services Division
401 Fifth Avenue , Suite 1100
Seattle, WA 98104-1818
Ph# (206) 263-9566 Fax (206) 296-0189
TTY Relay: 711
https://kingcounty.gov/ehs

Public Health
Seattle & King County

Solid Waste Inspection Report

Facility Name: CHRLF				
Physical Address: 228th Ave SE, Maple Valley, WA 98038				
Classification: Municipal Landfill				**Purpose of Visit:** Municipal Landfill Routine Inspection (SW)
Inspection Date: **02/23/2026**	**Time In:** 08:00 AM	**Time Out:** 10:50 AM	**Inspection Number:** SW-MLF-RT-110423-2026	**Inspection Results:** **Scheduled**
Operational Permit Number: SW-PR-0021088		**Permit Expires:** **05/07/2029**	**Permit Status:** **In Review**	**Follow-up Required:** ☐ **Yes** ☑ **No**

Items Out of Compliance


OBSERVATIONS, CODE REFERENCES, AND CORRECTIVE ACTIONS
No Items Noted

Items that Require Actions

OBSERVATIONS, CODE REFERENCES, AND CORRECTIVE ACTIONS
WAC 173-351-220 (2): Litter must be controlled **Observations:** A large amount of litter was observed along the trees and shoulder of the west perimeter road (see pictures) near the horseshoe (dissipator vault west of Area 8) and north of it. All owners or operators of MSWLF units must operate the facility so as to collect scattered litter as necessary to prevent vector harborage, a fire hazard, an aesthetic nuisance, or adversely affect wildlife or its habitat. WAC 173-351-220 (2). Provide a schedule for cleaning up litter in this area by March 15, 2026.
WAC 173-351-220 (3): Scavenging must be prohibited **Observations:** Bald eagles were observed flying or roosting at the active landfill face. Step up bird control to prevent scattered litter, disease vector control and scavenging per WAC 173-351-200 and WAC 173-351-220. Provide plan or steps that will be taken by March 15, 2026.
WAC 173-351-500 (2)(a)(i): Final cover for closed areas must be maintained (vegetation, settlement, erosion, run-on, runoff) **Observations:** 1. Water overflowing from the sheet lined canal along the dirt road in Area 2/3 (Service Road 3) observed in last inspection (1/20/2026) continues to run down the slope and puddle at the road (see pictures). WAC 173- 351-500(2)(a)(i) which requires maintenance of cover including preventing run -on and runoff from eroding or otherwise damaging the final cover. Although improvement in flow and appearance was noted, this issue persists. KCSWD has responded that their HEOs (Heavy Equipment Operators) and utility crews will enhance the water flow and pick up litter on the week of February 23, 2026. Please provide pictures to Public Health affirming completion of the task by March 6, 2026. 2. Ponded areas were observed near the equipment shack (roughly near A5L00H3N) Central Pit, and plastic covered soil piles (Area 4?). See pictures. WAC 173-351-500(2)(a)(i) requires preventing run-on and runoff from eroding or otherwise damaging the final cover. Provide plan to address ponded areas by March 15, 2026.

General Inspection Information

NOTES
Overall Comments
Inspector Notes: 1. Aerators were operating in both leachate lagoons. Gate was unlocked. 2. Discarded cardboard boxes and PVC were observed in this inspection and 1/20/2025 inspection outside the gate enclosing the leachate lagoons (see pictures). KCSWD has responded that they will have Utility pick up their mess by the weekend of February 28 -March 1, 2026.



Inspector: Jeromeo Cruz

Title: Environmental Scientist III

Phone: 206-477-3017

Email: jercruz@kingcounty.gov

Chinook Environmental Health Services Division
401 Fifth Avenue , Suite 1100
Seattle, WA 98104-1818
Ph# (206) 263-9566 Fax (206) 296-0189
TTY Relay: 711
https://kingcounty.gov/ehs

Public Health
Seattle & King County

Solid Waste Inspection Report

Facility Name:	CHRLF			
Physical Address:	16645 228TH AVE SE, MAPLE VALLEY, WA 98038			
Classification: Municipal Landfill - Municipal Solid Waste Landfill Unit				**Purpose of Visit:** Municipal Landfill Routine Inspection (SW)
Inspection Date: 03/24/2026	**Time In:** 09:50 AM	**Time Out:** 02:10 PM	**Inspection Number:** SW-MLF-RT-124840-2026	**Inspection Results:** **Scheduled**
Operational Permit Number: SW-PR-0021088		**Permit Expires:** 05/07/2029	**Permit Status:** In Review	**Follow-up Required:** ☐ **Yes** ☑ **No**

Items Out of Compliance

OBSERVATIONS, CODE REFERENCES, AND CORRECTIVE ACTIONS
No Items Noted

Items that Require Actions

OBSERVATIONS, CODE REFERENCES, AND CORRECTIVE ACTIONS
WAC 173-351-220 (2): Litter must be controlled **Observations:** A large amount of litter continues to be observed along the trees and shoulder of the west perimeter road (see pictures) near the horseshoe (dissipator vault west of Area 8) and north of it. All owners or operators of MSWLF units must operate the facility so as to collect scattered litter as necessary to prevent vector harborage, a fire hazard, an aesthetic nuisance, or adversely affect wildlife or its habitat. WAC 173-351-220 (2). **Code:** WAC 173-351-220 (2) - Criteria for municipal solid waste landfills - Additional operating criteria **Corrective Action:** A schedule for cleaning up litter in this area was requested by March 15, 2026, but not provided. Provide schedule for litter removal by April 30, 2026.
WAC 173-351-500 (2)(a)(i): Final cover for closed areas must be maintained (vegetation, settlement, erosion, run-on, runoff) **Observations:** Water overflowing from the sheet lined canal along the dirt road in Area 2/3 (Service Road 3) observed in inspections (1/20/2026, 2/23/2026, and 3/24, 2026) continues to run down the slope and puddle at the road (see pictures). WAC 173- 351-500(2)(a)(i) which requires maintenance of cover including preventing run -on and runoff from eroding or otherwise damaging the final cover. **Code:** WAC 173-351-500 (2)(a)(i) - Criteria for municipal solid waste landfills - Post-closure care requirements **Corrective Action:** Although improvement in flow and appearance was noted along other segments, overflow, erosion, and ponding remains at the same location. KCSWD responded that their HEOs (Heavy Equipment Operators) and utility crews will enhance the water flow and pick up litter on the week of February 23, 2026. Public Health requested photos verifying completion of the task by March 6, 2026 although none were submitted. Provide pictures to Public Health affirming completion of the task by April 30, 2026.

General Inspection Information

NOTES
Overall Observations **Inspector Notes:** Jerome Cruz was accompanied by Sumaya Aden, Health and Environmental Investigator, Public Health Seattle & King County. Weather was overcast with light rain at the time of inspection. 1. Aerators were operating in both leachate lagoons. Gate was open. 2. Turbidity issues with stormwater at the covered soil piles at Area 2/3 observed. Plastic cover sheets were down in sections and soil was being eroded into runoff. Silt fences pooled water and straw wattles were displaced and no longer functioned to control erosion, runoff, and filtration. KCSWD personnel (Justine and Nigel) were at the scene and spoke with us on the issues, including the need for sediment dams to allow sediments to settle properly.

Inspector: Jeromeo Cruz

Title: Environmental Scientist III

Phone: 206-477-3017

Email: jercruz@kingcounty.gov

Docusign Envelope ID: 4B90384B-D9CF-4982-9DB6-A3E0C5FD14CD

SOLID WASTE DIVISION

Cedar Hills Regional Landfill Monthly Facility Inspection

Site Inspection: Stormwater Permit Compliance (ISGP Permit # WAR000756)

Inspected By: A. Jenkins, S. Peveto Date: 1/13/2026

Location: Cedar Hills Ambient Temperature: (50 ºF) Weather Condition: Partly Cloudy

Inspection Requirements

1. Observations of the discharge points were stormwater leaves the site (N4, GS1, and SL3).
2. Observations for the presence of floating materials, visible oil sheen, discoloration, turbidity, odor, etc. in stormwater leaving site (See field sheets for that information).
3. Observations for the presence of an illicit discharge.
4. Verification that the descriptions of potential pollutant sources in this SWPPP are accurate.
5. Verification that the site map in this SWPPP is accurate.
6. Assessment of BMPs for effectiveness, maintenance needs, and any deficiencies warranting new or different BMP's than those implemented at the time of the inspection.

Stormwater System Action Code	Good	Fair	Poor	Comments
A. CSW Pond		X		
B. North Siltation Pond		X		Silt fence and baffles need replacement; Vegetation needs removed in pond.
C. North SW Lagoon (Lined Lagoon)	X			Some vegetation and weeds that need removed.
D. South SW Pond	X			
E. South Siltation Pond	X			
F. South Sand Filter		X		Outlet structure has multiple cracks and needs repair.
G. CB/ Control Structures	X			
H. Pipes/Culverts	X			N1 both inlet and outlet erosion is continuing both sides of the culvert
I. Trash Racks	X			
J. Ditches	X			Trash, sediment, and vegetation removal needed in ditches near operations trailer and metal-lined ditches on Main Hill; signs of erosion around/under metal-lined ditches needs addressed.
K. Best Management Practices	X			Areas with standing water and/or ruts may need regraded and/or stabilized with rock to prevent erosion and ponding, including: -northeast of North Flare Station -along south perimeter road at turn-around near gas monitoring probe GP-43 -on top of west Area 4, east Area 5, and south Area 6.
L. Compliance Points:				
a. SW-N4		X		Project underway
b. SW-GS1	X			
c. SW-SL3	X			
e. Other				S1 (SSG9) along South property line needs some ditch maintenance & vegetation removal

Docusign Envelope ID: 4B90384B-D9CF-4982-9DB6-A3E0C5FD14CD



Some stormwater ponding on Areas 5, 6, and 7



Rock needed (gravel or 5/8th) in turn-around near GP-43 and access road west of MW-55



Vegetation removal needed in southeast stormwater pond



Silt fence damaged and vegetation removal needed in north siltation pond



Silt fencing in CSW lagoon needs replaced



Debris/litter removal needed in asphalt-lined stormwater ditches



Visible erosion around metal lined ditches and sediment deposition in channels



N1 culvert erosion continues



Surface water staff gage 4 (at pump station 2) overgrown with vegetation and needs cleared



Ditch maintenance and vegetation removal needed at surface water staff gage 9 (S1) along south perimeter road



Ditch maintenance and vegetation removal needed at surface water staff gage 8 (S2)



Debris in creek is diverting side-channel flow away from sampling location SGS1, potentially making samples less representative

Docusign Envelope ID: 4B90384B-D9CF-4982-9DB6-A3E0C5FD14CD

AREA CODES (Cedar Hills):

Area 2/3 = A2/3	Area 7 = A7	East Main Hill = EMH	Southwest Main Hill = SWMH
Area 4 = A4	Area 8 = A8	Leachate Lagoon = LL	Stockpile = CP
Area 5 = A5	Central Pit = CP	North Flare Station = NFS	
Area 6 = A6	CSW Lagoon = CSW	Southeast Pit Area = SEPA	

State the needs of the repairs in the suggested remedy box.

1. *Emergency*
2. *Regulatory Priority*
3. *Safety Priority*
4. *Maintenance Priority*
    a. *Urgent*
    b. *Routine*
    c. *Deferred*

Overall site description day of site inspection:

The site is in generally good condition, however, specific maintenance actions are required to ensure continued SWPPP compliance.

Action Needed:
1. Areas with standing water and/or ruts may need regraded and/or stabilized with rock to prevent erosion and ponding, including:
- northeast of North Flare Station
- along south perimeter road at turnaround near gas monitoring probe GP-43
- on top of west Area 4, east Area 5, and south Area 6

2. Vegetation removal needed in/around southeast stormwater pond; two open catch basin/overflow structures near stormwater pond are uncovered and need to have covers installed for safety.
3. Vegetation removal needed in/around northwest stormwater pond; vegetation should be removed and trees cut back to maintain access and sight lines for inspectors.
4. Vegetation removal needed around surface water staff gaging stations to improve access and visibility, particularly stations SSG4 (at Pump Station 2), SSG8 (W2), and SSG9 (S1).
5. Silt fencing needs to be repaired/replaced in northwest siltation pond and in CSW lagoon.
6. Metal-lined stormwater ditches on Main Hill have signs of erosion around/under them and are filled with sediment and vegetation in some areas. Edges of sheet metal need to be secured/keyed into soil, and sediment/vegetation needs to be removed from ditches.

Long-term plans:
- Culvert embankment stabilization near surface water gaging station SSG2 (N1).

SWPPP Modifications Necessary? NO

Potential Pollutant Sources NO

If **Y**, *log changes in Appendix I of SWPPP*

Docusign Envelope ID: 4B90384B-D9CF-4982-9DB6-A3E0C5FD14CD

INSPECTION REPORT SIGNATURE PAGE

INSPECTION DATE: 1/13/2026 SITE: Cedar Hills Regional Landfill

INSPECTOR / QUALIFIED PERSONNEL

Based on professional judgment, which of the following statements is true: (select one)

☑ *The site is in compliance with the terms and conditions of the SWPPP and the ISGP.*

☐ *The site is NOT in compliance with the terms and conditions of the SWPPP and the ISGP*.*

* Immediately notify Environmental Compliance Coordinator

I certify that this report is true, accurate and complete, to the best of my knowledge and belief.

Printed name: Inspection Engineer

Signature: DocuSigned by: 7CD8606F0EED409... Date: 3/6/2026

DULY AUTHORIZED REPRESENTATIVE

Based on professional judgment, which of the following statements is true: (select one)

___ *The site is in compliance with the terms and conditions of the SWPPP and the ISGP.*

___ *The site is NOT in compliance with the terms and conditions of the SWPPP and the ISGP*.*


* Immediately notify Environmental Compliance Coordinator

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Printed name: Landfill Supervisor/Manager

Signature: DocuSigned by: Scott Barden 3C6E21EE72DF43C... Date: Mar 10, 2026

Docusign Envelope ID: 4B90384B-D9CF-4982-9DB6-A3E0C5FD14CD



Docusign Envelope ID: 2C07BB9D-0F45-4B4D-9EB6-8087227C3FFA

SOLID WASTE DIVISION
Cedar Hills Regional Landfill Monthly Facility Inspection
Site Inspection: Stormwater Permit Compliance (ISGP Permit # WAR000756)

Inspected By: Subrina Tahsin Date: 2/11/2026

Location: Cedar Hills Ambient Temperature: (47 ºF) Weather Condition: Light Rain

Inspection Requirements

1. Observations of the discharge points were stormwater leaves the site (N4, GS1, and SL3).
2. Observations for the presence of floating materials, visible oil sheen, discoloration, turbidity, odor, etc. in stormwater leaving site (See field sheets for that information).
3. Observations for the presence of an illicit discharge.
4. Verification that the descriptions of potential pollutant sources in this SWPPP are accurate.
5. Verification that the site map in this SWPPP is accurate.
6. Assessment of BMPs for effectiveness, maintenance needs, and any deficiencies warranting new or different BMP's than those implemented at the time of the inspection.

Stormwater System Action Code	Good	Fair	Poor	Comments
A. CSW Pond		X		Silt fence need replacement;
B. North Siltation Pond		X		Silt fense needs replacement. Some vegetation and weeds that need removed.
C. North SW Lagoon (Lined Lagoon)	X			
D. South SW Pond	X			
E. South Siltation Pond	X			
F. South Sand Filter		X		Outlet structure has multiple cracks and needs repair.
G. CB/ Control Structures	X			
H. Pipes/Culverts	X			N1 both inlet and outlet erosion is continuing both sides of the culvert.
I. Trash Racks	X			
J. Ditches	X			Trash, sediment, and vegetation removal needed in ditches near operations trailer and metal-li
K. Best Management Practices	X			Some rock check dams near operators trailers are sagging. Areas with standing water and/or ruts may need regraded and/or stabilized with rock to prevent erosion and ponding, including: -northeast of North Flare Station -along south perimeter road at turn-around near gas monitoring probe GP-43
L. Compliance Points:				
a. SW-N4		X		Project underway
b. SW-GS1	X			
c. SW-SL3	X			
e. Other				S1 (SSG9) along South property line needs some ditch maintenance & vegetation removal



Photo: Staff gauge S2 (AKA SG-7) damaged



Photo: Overflow structure cracks



Photo: Surface water ponding in Top deck area S



Photo: Cattail growing fast in the 6 wet pools in th



Photo: Pool of water in a dry day in the east perir



Large water ponding near the SL3 gauge almost



Photo: Sand filter has vegetation that needs remo



Photo: East perimeter road natural drainage char



Photo: Silt fence damage in the south-east storm



Photo: Silt fence damage near north siltation pon



Photo: Surface water ponding in east perimeter r

Docusign Envelope ID: 2C07BB9D-0F45-4B4D-9EB6-8087227C3FFA

AREA CODES (Cedar Hills):

Area 2/3 = A2/3	Area 7 = A7	East Main Hill = EMH	Southwest Main Hill = SWMH
Area 4 = A4	Area 8 = A8	Leachate Lagoon = LL	Stockpile = CP
Area 5 = A5	Central Pit = CP	North Flare Station = NFS	
Area 6 = A6	CSW Lagoon = CSW	Southeast Pit Area = SEPA	

State the needs of the repairs in the suggested remedy box.

1. *Emergency*
2. *Regulatory Priority*
3. *Safety Priority*
4. *Maintenance Priority*
    a. *Urgent*
    b. *Routine*
    c. *Deferred*

Overall site description day of site inspection:

-General Condition: The site is generally in good condition.
-Active Maintenance: Sediment removal in the Contaminated Storm water Lagoon (CSW) and vegetation removal in asphalt-lined storm water ditches were observed in-progress during the inspection.
-Infrastructure Status: Area 5 Top Deck monitoring location SW-TD2 appears to have been buried or destroyed during construction activities.

Major Inspection Findings
1) Staff Gauge Damage: The CHRLF_S2 (AKA SG-7) gauge along the south fence is corroded at the bottom, but remains functional for data collection through manual tape measurements. KC-WRLD has confirmed they will replace the staff plate by the end of the water year as part of their maintenance duties.
2) Infrastructure Cracks: A significant 0.5" wide separation crack was observed extending across the apron, which presents a risk of internal erosion (piping) and potential embankment failure given its location on a critical slope. Recommended short-term actions include sealing the crack with structural grout or epoxy and monitoring for widening, while a comprehensive structural integrity evaluation is suggested for the long term.
3) Silt Fencing: Significant damage was observed in the south-east storm water area and near the north siltation pond, compromising the site's ability to filter runoff and prevent sediment transport.
4) Drainage Issues: Significant water accumulation is occurring in natural ditch neat the east perimeter road on both sides that should typically remain flowing during high rains. Also, extensive ponding was noted near the SL3 gauge.
5) Surface Ponding: Large pools of water were noted in the Top deck area S, near area 6 and along the east perimeter road.
6) Sand Filter Overgrowth: The sand filter currently has vegetation that needs removal to maintain its filtration efficiency.
7) Invasive Growth: Cattails are growing rapidly within the six wet pools, which may require management to ensure proper water capacity and flow.

Potential Pollutant Sources & Regulatory Risks
-Turbidity Issue: High turbidity was identified in storm water originating from exposed soils at the southeast corner of Area 6.
-Stabilization Deadline: Operations must stabilize these soils before the construction contractor takes over the site (anticipated by late April 2026) to avoid Construction Storm water General Permit (CSGP) violations.
Aside from the Area 6 turbidity, no other sources of potential storm water pollution were identified during the primary inspection.

Long Term Watch and Projects
- N4 Pipe Replacement: Designs for slip-lining the N4 pipe are complete; contractor assigned, permits in schedule. Aiming 2026.
- N1 Culvert: Monitoring for erosion continues until permitting is complete; switched to full replacement. Pending RFP.
- Southwest Ditch: Restructuring around CHRL is currently in-progress.

SWPPP Modifications Necessary? NO

Potential Pollutant Sources NO

If **Y**, *log changes in Appendix I of SWPPP*

Docusign Envelope ID: 2C07BB9D-0F45-4B4D-9EB6-8087227C3FFA

INSPECTION REPORT SIGNATURE PAGE

INSPECTION DATE: 2/11/2026 SITE: Cedar Hills Regional Landfill

INSPECTOR / QUALIFIED PERSONNEL

Based on professional judgment, which of the following statements is true: (select one)

☑ *The site is in compliance with the terms and conditions of the SWPPP and the ISGP.*

☐ *The site is NOT in compliance with the terms and conditions of the SWPPP and the ISGP*.*

* Immediately notify Environmental Compliance Coordinator

I certify that this report is true, accurate and complete, to the best of my knowledge and belief.

Printed name: Subrina Tahsin

Signature: DocuSigned by: Subrina Tahsin EF99840290E4443... Date: Apr 7, 2026

DULY AUTHORIZED REPRESENTATIVE

Based on professional judgment, which of the following statements is true: (select one)

ST

___ *The site is in compliance with the terms and conditions of the SWPPP and the ISGP.*

___ *The site is NOT in compliance with the terms and conditions of the SWPPP and the ISGP*.*


* Immediately notify Environmental Compliance Coordinator

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Printed name: Landfill Supervisor/Manager

Signature: Signed by: Mark Monteiro A49393306BDC47D... Date: Apr 7, 2026

Docusign Envelope ID: 2C07BB9D-0F45-4B4D-9EB6-8087227C3FFA



Docusign Envelope ID: B7B0ED23-4936-8BCF-8250-26405CED40BE

SOLID WASTE DIVISION
Cedar Hills Regional Landfill Monthly Facility Inspection
Site Inspection: Stormwater Permit Compliance (ISGP Permit # WAR000756)

Inspected By: A. Jenkins Date: 3/24/2026

Location: Cedar Hills Ambient Temperature: (45 ºF) Weather Condition: Heavy Rain

Inspection Requirements

1. Observations of the discharge points were stormwater leaves the site (N4, GS1, and SL3).
2. Observations for the presence of floating materials, visible oil sheen, discoloration, turbidity, odor, etc. in stormwater leaving site (See field sheets for that information).
3. Observations for the presence of an illicit discharge.
4. Verification that the descriptions of potential pollutant sources in this SWPPP are accurate.
5. Verification that the site map in this SWPPP is accurate.
6. Assessment of BMPs for effectiveness, maintenance needs, and any deficiencies warranting new or different BMP's than those implemented at the time of the inspection.

Stormwater System Action Code	Good	Fair	Poor	Comments
A. CSW Pond		X		
B. North Siltation Pond		X		Silt fence and baffles need replacement; vegetation removal in-progress at time of inspection.
C. North SW Lagoon (Lined Lagoon)	X			
D. South SW Pond	X			
E. South Siltation Pond	X			Signs of recent vegetation removal on north side of pond.
F. South Sand Filter		X		
G. CB/ Control Structures	X			
H. Pipes/Culverts	X			N1 outlet erosion continues.
I. Trash Racks	X			
J. Ditches	X			Litter/debris removal needed in ditches behind office trailers; sediment and vegetation removal needed in metal-lined ditches on Main Hill; signs of erosion around/under metal-lined ditches need addressed.
K. Best Management Practices	X			- Stormwater ditches along south property line need to be maintained/improved to accommodate peak flow and avoid flooding. - Silt fence and/or other BMP needs to be installed on top of southeast Area 6 to prevent disturbed and exposed soils from impacting stormwater. - Erosion blanket, check dams, and/or other BMP needs to be installed in stormwater channels on top of Area 7 to prevent erosion of cover.
L. Compliance Points:				
a. SW-N4		X		
b. SW-GS1	X			
c. SW-SL3	X			
e. Other				

Docusign Envelope ID: B7B0ED23-4936-8BCF-8250-26405CED40BE



Silt fence in CSW lagoon needs replaced



Silt fence in north siltation pond needs replaced



CB cover near SE pond needs replaced



Vegetation removal complete around SE pond



Erosion around N1 outlet continues



Silt fence installed around SW-TD1 outlet



EMC collected soil and SW samples at V-notch



High turbidity seen coming from Area 6



Silt fence and/or soil stabilization needed on A6



Water clear at SW-GS1, no oily sheen



Water clear at SW-N4, no oily sheen



Water slightly turbid at SW-SL3, no oily sheen

Docusign Envelope ID: B7B0ED23-4936-8BCF-8250-26405CED40BE

AREA CODES (Cedar Hills):

Area 2/3 = A2/3	Area 7 = A7	East Main Hill = EMH	Southwest Main Hill = SWMH
Area 4 = A4	Area 8 = A8	Leachate Lagoon = LL	Stockpile = CP
Area 5 = A5	Central Pit = CP	North Flare Station = NFS	
Area 6 = A6	CSW Lagoon = CSW	Southeast Pit Area = SEPA	

State the needs of the repairs in the suggested remedy box.

1. *Emergency*
2. *Regulatory Priority*
3. *Safety Priority*
4. *Maintenance Priority*
    a. *Urgent*
    b. *Routine*
    c. *Deferred*

Overall site description day of site inspection:

The site is in generally good condition, however, specific maintenance actions are required to ensure continued SWPPP compliance and structural integrity.

Action Needed:
1. Silt fence in Contaminated Stormwater Lagoon needs replaced.
2. Silt fence in North Siltation Pond needs replaced; vegetation removal in-progress during inspection.
3. Replacement cover needs installed on catch basin near Southeast Stormwater Lagoon.
4. Erosion around surface water outfall N1 continues.
5. High turbidity seen coming from Area 6 stormwater ditches behind Operators breakroom and office trailers. Silt fence and/or soil stabilization is needed on top of Area 6; Completed in May.
6. Release from maintenance hole near leachate pump station LS-P1A discovered on March 23, 2026; soil and surface water samples collected by Environmental Monitoring crew on March 23-24, 2026; ERTS 60-day report submitted on May 22, 2026; analytical results need to be evaluated to inform next steps.
7. Due to heavy rains, stormwater observed overtopping ditch along south perimeter road, flowing across road and leaving property at fenceline instead of at intended outfall; needs sandbags installed or ditch cut deeper to accommodate additional flow.

SWPPP Modifications Necessary? NO

Potential Pollutant Sources NO

If **Y**, *log changes in Appendix I of SWPPP*

Docusign Envelope ID: B7B0ED23-4936-8BCF-8250-26405CED40BE

INSPECTION REPORT SIGNATURE PAGE

INSPECTION DATE: 03/24/2026 SITE: Cedar Hills Regional Landfill

INSPECTOR / QUALIFIED PERSONNEL

Based on professional judgment, which of the following statements is true: (select one)

☑ *The site is in compliance with the terms and conditions of the SWPPP and the ISGP.*

☐ *The site is NOT in compliance with the terms and conditions of the SWPPP and the ISGP*.*

* Immediately notify Environmental Compliance Coordinator

I certify that this report is true, accurate and complete, to the best of my knowledge and belief.

Printed name: Inspection Engineer

Signature: DocuSigned by: 7CD8606F0EED409... Date: Jun 2, 2026

DULY AUTHORIZED REPRESENTATIVE

Based on professional judgment, which of the following statements is true: (select one)

___ *The site is in compliance with the terms and conditions of the SWPPP and the ISGP.*

___ *The site is NOT in compliance with the terms and conditions of the SWPPP and the ISGP*.*

* Immediately notify Environmental Compliance Coordinator

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Printed name: Landfill Supervisor/Manager

Signature: Signed by: 247B2244A74F4FA... Date: Jul 28, 2026

Docusign Envelope ID: B7B0ED23-4936-8BCF-8250-26405CED40BE

SG-2
SG-3
SN4-
SG-1
SG-4
TD 2
TD 1
SG-5
Station East 1

1



2



Unprotected stormwater inlet

3



Outlet to stormwater ditch behind office trailers

5



6



4



Merges with stormwater from East side of landfill at wiers.

SG-9
SG-7
SSL3

N

File Path: C:\Users\jrheuben\OneDrive - King County\Desktop\Maps\Cedar Hills Regional Landfill.mxd || Coordinate System: WGS 1984 Web Mercator Auxiliary Sphere || Date: 3/9/2022 || User: jrheuben || Service Layer Credits: EagleView Technologies, Inc.

King County
Cedar Hills Regional Landfill Site Map
Solid Waste Division
Facilities Engineering and Science Section
Environmental Science and Compliance Unit

H-56

Stormwater overtopping ditch, flowing across road and offsite to the south.

Legend

- Parcel Boundary
- Access Road
- Stormwater Station
- Surface Water Station
- Stream Gage

Cedar Hills Regional Landfill
Area 5 Top Deck Report


ATTACHMENT H-2

Surface Emissions Monitoring Records

Serpentine Log
Quarterly SEM Map
Quarterly SEM Field Sheets
H2S Active Face Monitoring
Component Monitoring
Maintenance Work Orders

Cedar Hills Landfill
Serpentine Logs
First Quarter of 2026

Date	Easting (10 T)	Northing (UTM)	CH4 PPM	H2S PPM	COMMENTS (200ppm-499ppm non-recordable to be logged)
1/9/2026					No exceedances detected Fixed Traverse 2 - 40567. GC
1/10/2026					No exceedances detected Fixed Traverse 2 - 40567. GC
1/13/2026					No exceedances detected Fixed Traverse 1 CC
1/14/2026					No exceedances detected Fixed Traverse 2 CC
1/14/2026					No excedences detected Fixed Traverse. LM
1/16/2026					No exceedances detected Fixed Traverse 1 AT
1/17/2026					No exceedances detected Fixed Traverse 1 AT
1/17/2026					No exceedances detected Fixed Traverse 2 - 40567. GC
1/19/2026					No exceedances detected. JF
1/20/2026					No exceedances detected Fixed Traverse 2 (top 7 south)- 40567 RK
1/22/2026					No exceedances detected Fixed Traverse 1 BB
1/23/2026					No exceedances detected Fixed Traverse 2 CC
1/23/2026					No exceedances detected Fixed Traverse 1 RH
1/24/2026					No exceedances detected Fixed Traverse 2 - 40567. GC
1/25/2026					No exceedances, FT 1 CS
1/26/2026					No exceedances detected. JF
1/26/2026					No exceedances, FT 1 CS
1/27/2026					No exceedances detected Fixed Traverse 1 CC
2/3/2026					No exceedences detected cover penatrations. BB
2/4/2026	571523	5257016	672		Non repeatable detection Variable 3- 19883. GC
2/5/2026	571639.38	5257267.46	250		North side of the top deck of area 5. A5A4 lines potentially able to influence. CC
2/5/2026	571346.68	5256551.52	494		Northeast corner of the west side of area 8 slope. Right next to active area, blow over from refuse packing. CC
2/5/2026	571365.29	5256447.04	325		Central portion on the upper east slope near anchor trench of Westside slope of area 8. Blow over of active area refuse packing. CC
2/6/2026					No exceedances detected. Covered Penetration. AT
2/6/2026					No exceedances detected Fixed Traverse 2- 19883. GC
2/11/2026					No exceedences detected cover penatrations. BB
2/11/2026					No exceedances detected Fixed Traverse 3 BB
2/11/2026					No exceedances detected. Green Liner, GBI. CC
2/20/2026					No exceedances detected Fixed Traverse 1 AT
2/20/2026					No exceedances detected. Landfill perimeter. Serpentine Completed. CC
2/27/2026					


200 100 0 200 400
GRAPHIC SCALE IN FEET
ACTIVE WORKING FACE
POTENTIAL AREA 8 SODDEN SOILS/TARPS
COVER PENETRATION EMISSION SOURCE
AREA EMISSION SOURCE
FIXED TRAVERSE PATH
VARIABLE TRAVERSE PATH DUE TO CONSTRUCTION ACTIVITIES

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1-27-2026

Cal. Time: 7:05 AM

Technician: County

Surveyor PJ

Calibration :

Test Instrument used: 19883 - Sem5000

Cal. Gas Lot No: Air: 4417902 CH4: 25-2809

Cal Gas Used:

CH_4 500 PPM

O_2 Ultra Zero Grade

Barometric Pressure	Time
Start 30.02	7:30 AM
Stop 29.96	3:15 PM

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2.33 seconds

Weather Conditions: Overcast no rain

Wind Speed & Direction (out of): 7 MPH SE

Northing (UTM #)	Easting (10 T #)	Time	Comments
			No exceedances detected

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1-26-26

Cal. Time: 7:55

Technician: CS

Surveyor PJ

Calibration :

Test Instrument used: SEM 5000

Cal. Gas Lot No: 25-2809/4417902

Cal Gas Used:

CH_4 500 PPM

O_2 ZERO AIR

Barometric Pressure	Time
Start 30.04	7:55
Stop 30.09	4:30

90% response time in seconds:

1 2 seconds

2 1 seconds

3 2 seconds

avg. 2 seconds

Weather Conditions: Partly cloudy

Wind Speed &

Direction (out of): 2mph SE

Northing (UTM #)	Easting (10 T #)	Time	Comments
	NO EXCEEDANCES		

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1.26.2C

Cal. Time: 7:55

Calibration :

Technician: JF

Test Instrument used: Sen 4000 /19863

Surveyor PJ

Cal. Gas Lot No: 25-2009

Cal Gas Used:

CH_4 500 ppm

O_2 Zero Air

Barometric Pressure	Time
Start 30.06	8:30
Stop 30.09	16:45

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2 seconds

Weather Conditions: partly cloudy, no precipitation

Wind Speed &

Direction (out of): 2 mph SE

Northing (UTM #)	Easting (10 T #)	Time	Comments
	No Exceedances		

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1-25-26

Cal. Time: 8:00

Calibration :

Technician: CS

Test Instrument used: SEM 5000

Surveyor PJ

Cal. Gas Lot No: 25-2809/4917902

Cal Gas Used:

CH_4 500 PPM

O_2 ZERO AIR

Barometric Pressure	Time
Start 30.08	8:30
Stop 30.08	11:00

90% response time in seconds:

1 1 seconds

2 2 seconds

3 2 seconds

avg. 1 seconds

Weather Conditions: Sunny

Wind Speed &

Direction (out of): 4mph E

Northing (UTM #)	Easting (10 T #)	Time	Comments
NO EXCEEDANCES			

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hill

Date: 1-24-26

Cal. Time: 7:41 A.M.

Calibration :

Technician: GC

Test Instrument used: 40567 SEM

Surveyor PJ

Cal. Gas Lot No: 25-2809 + 4417902

Cal Gas Used:

CH_4 500 PPM

O_2 Ultra Grade Zero Air

Barometric Pressure	Time
Start 30.18	7:32 a.m
Stop 30.10	1:54 pm

90% response time in seconds:

1 5 seconds

2 4 seconds

3 4 seconds

avg. 4 seconds

Weather Conditions: Sunny +

Wind Speed &

Direction (out of): E 1 MPH

Northing (UTM #)	Easting (10 T #)	Time	Comments
			No exceedances

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1-23-26

Cal. Time: 10:50 am

Calibration :

Technician: RH

Test Instrument used: 19883

Surveyor PS

Cal. Gas Lot No: 25-2859, 4417902

Cal Gas Used:

CH_4 500 ppm

O_2 Ultra zero grade

Barometric Pressure	Time
Start 30.13	10:90
Stop 30.10	12:30

90% response time in seconds:

1 3 seconds

2 2.5 seconds

3 2.5 seconds

avg. 2.66 seconds

Weather Conditions: Sunny

Wind Speed &

Direction (out of): 2 mph NE

Northing (UTM #)	Easting (10 T #)	Time	Comments
NO exceedences			

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills Fixed Traverse 2

Date: 1-23-2026

Cal. Time: 9:25 AM

Calibration :

Technician: County

Test Instrument used: 40567 - Sem 5000

Surveyor PJ

Cal. Gas Lot No: CH4: 25-2809 Air-4417902

Cal Gas Used:

CH_4 500 PPM

O_2 Ultra Zero Grade

Barometric Pressure	Time
Start 30.13	9:40 AM
Stop 30.12	3:00 PM

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2.33 seconds

Weather Conditions: Sunny

Wind Speed &

Direction (out of): NE 2 MPH

Northing (UTM #)	Easting (10 T #)	Time	Comments
			No Exceedances
			Detected

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1/22/26

Cal. Time: 7:30 A

Technician: B.B.

Surveyor P.S.

Calibration :

Test Instrument used: Sem 5000

Cal. Gas Lot No: 500 ppm-25-2809

Cal Gas Used: Ø Air 4417902

CH_4 500 ppm

O_2 Zero Air

Barometric Pressure		Time
Start	30.04	8:40 AM
Stop	30.00	5:30 pm

90% response time in seconds:

1 3 seconds

2 5 seconds

3 5 seconds

avg. 5 seconds

Weather Conditions: Sunny

Wind Speed &

Direction (out of): 1 mph SW

Northing (UTM #)	Easting (10 T #)	Time	Comments
No Exceedances detected			

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1/21/26

Cal. Time: 7:45 AM

Calibration :

Technician: LM

Test Instrument used: SEM 5000 40567

Surveyor PJ

Cal. Gas Lot No: O^2 4417902

Cal Gas Used: CH_4 25-2809

CH_4 500 ppm

O_2 0 air

Barometric Pressure	Time
Start 30.08	8:30 AM
Stop 30.02	3:00 PM

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2 seconds

Weather Conditions: Sunny

Wind Speed & Direction (out of): NW 1 mph

Northing (UTM #)	Easting (10 T #)	Time	Comments
	No exceedences detected		

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1/20/26

Cal. Time: 9:00 AM

Technician: KOKICH

Surveyor PJ

Calibration :

Test Instrument used: 40567

Cal. Gas Lot No: 500-25-2809 ULTRA ZERO-4917902

Cal Gas Used:

CH_4 500 ppm

O_2 ULTRA ZERO

Barometric Pressure	Time
Start 30.09	9:00 AM
Stop 30.08	2:00 pm

90% response time in seconds:

1 3.1 seconds

2 1.9 seconds

3 2.0 seconds

avg. 2.33 seconds

Weather Conditions: Sunny

Wind Speed &

Direction (out of): NE 3 mph.

Northing (UTM #)	Easting (10 T #)	Time	Comments
			NO EXCEEDANCES.
			FIXED TRAVERSE.

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1.19.26

Cal. Time: 10:29

Calibration :

Technician: JR

Test Instrument used: SEM 5000

Surveyor PJ

Cal. Gas Lot No: 23-0500

Cal Gas Used:

CH_4 500 ppm

O_2 Zero Air

Barometric Pressure		Time
Start	30.18	10:57
Stop	30.14	13:20

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2 seconds

Weather Conditions: Sunny, no clouds

Wind Speed &

Direction (out of): 4 mph, East

Northing (UTM #)	Easting (10 T #)	Time	Comments
	No Exceedences		

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hill

Date: 1·17·26

Cal. Time: 10:16 a.m

Calibration :

Technician: GC

Test Instrument used: SEM 40567

Surveyor PJ

Cal. Gas Lot No: 25-2809 +4417902

Cal Gas Used:

CH_4 500 ppm

O_2 Ultra Grade Zero Air

Barometric Pressure	Time
Start 30.18	10:12 am
Stop 30.10	3:40 p.m

90% response time in seconds:

1 4 seconds

2 4 seconds

3 3.5 seconds

avg. 4 seconds

Weather Conditions: Sunny & Clear

Wind Speed &

Direction (out of): NE 4mph

Northing (UTM #)	Easting (10 T #)	Time	Comments
			No exceedances detected

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: CEDAR HILLS

Date: 1/17/26

Cal. Time: 11:15 A

Calibration :

Technician: AT

Test Instrument used: SEM 5000

Surveyor PJ

Cal. Gas Lot No: 25-2809 & 4417902

Cal Gas Used:

CH_4 500 PPM

O_2 ZERO AIR

Barometric Pressure	Time
Start 30.15	11:30 A
Stop 30.12	2:50 A

90% response time in seconds:

1 3 seconds

2 3 seconds

3 3 seconds

avg. 3 seconds

Weather Conditions: SUNNY

Wind Speed &

Direction (out of): 1 MPH NORTH

Northing (UTM #)	Easting (10 T #)	Time	Comments
			NO EXCEEDANCES

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: CEDAR HILLS

Date: 1/16/26

Cal. Time: 7:24A

Calibration :

Technician: AT

Test Instrument used: SEM 5000

Surveyor PJ

Cal. Gas Lot No: 25-2809 & 4417902

Cal Gas Used:

CH_4 500 PPM

O_2 ZERO AIR

Barometric Pressure	Time
Start 30.25	8:00A
Stop 30.20	4:45P

90% response time in seconds:

1 3 seconds

2 3 seconds

3 3 seconds

avg. 3 seconds

Weather Conditions: CLEAR

Wind Speed &

Direction (out of): 1 MPH NORTH

Northing (UTM #)	Easting (10 T #)	Time	Comments
			NO EXCEEDANCES

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1-15-26

Cal. Time: 10:45 Am

Calibration :

Technician: BL

Test Instrument used: SEM 5000 19883.19

Surveyor PJ

Cal. Gas Lot No: 25-2809 4417902

Cal Gas Used:

CH4 500 ppm

O2 Zero Air

Barometric Pressure		Time
Start	30.32	11:00 Am
Stop	30.26	4:00 pm

90% response time in seconds:

1 4 seconds

2 4 seconds

3 4 seconds

avg. 4 seconds

Weather Conditions: Mostly cloudy

Wind Speed &

Direction (out of): 3 mph N

Northing (UTM #)	Easting (10 T #)	Time	Comments
	No Exceedances		

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1/14/26

Cal. Time: 6:45 AM

Technician: LM

Surveyor PJ

Calibration :

Test Instrument used: SEM 5000 50328

Cal. Gas Lot No: CH4 25-2809

Cal Gas Used: O2 4417902

CH_4 500 ppm

O_2 O air

Barometric Pressure	Time
Start 30.30	6:45 AM
Stop 30.27	2:45 PM

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2 seconds

Weather Conditions: Sunny

Wind Speed & Direction (out of): 0 mph NE

Northing (UTM #)	Easting (10 T #)	Time	Comments
	No		
	Exceedences detected		

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills Fixed Transect 2

Date: 1-14-2026

Cal. Time: 9:30 AM

Calibration :

Technician: County

Test Instrument used: 19883

Surveyor PJ

Cal. Gas Lot No: ~~Air~~ 4417902 ~~CH4~~ -25-2809

Cal Gas Used:

CH_4 500 PPM

O_2 Ultra Zero Grade

Barometric Pressure	Time
Start 30.31	9:45 AM
Stop 30.29	2:45 pm

90% response time in seconds:

1 2.5 seconds

2 2 seconds

3 2 seconds

avg. 2.16 seconds

Weather Conditions: Clear and Mostly Sunny

Wind Speed &

Direction (out of): NE 1 MPH

Northing (UTM #)	Easting (10 T #)	Time	Comments
			No exceedances

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills Fixed Traverse I

Date: 1-13-2026

Cal. Time: 9:40 AM

Calibration :

Technician: Conty

Test Instrument used: 40567 - Sem 5000

Surveyor PJ

Cal. Gas Lot No: CH4: 25-2809 Air - 4417902

Cal Gas Used:

CH_4 500 ppm

O_2 Ultra Zero Grade

Barometric Pressure	Time
Start 30.22	10AM
Stop 30.23	3:15pm

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2.33 seconds

Weather Conditions: Mostly Cloudy

Wind Speed & Direction (out of): East 2 mph

Northing (UTM #)	Easting (10 T #)	Time	Comments
			No exceedances

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1-10-26

Cal. Time: 9:05 a.m.

Technician: GC

Surveyor PJ

Calibration :

Test Instrument used: SEM 40567

Cal. Gas Lot No: 25-2809+4417902

Cal Gas Used:

CH_4 500 PPM

O_2 Ultra Grade Zero Air

Barometric Pressure	Time
Start 30.20	8:11 am
Stop 30.21	1:06 pm

90% response time in seconds:

1 5 seconds

2 4 seconds

3 4 seconds

avg. 4.333 seconds

Weather Conditions: Partly Cloudy + Dry

Wind Speed &

Direction (out of): SE 5 MPH

Northing (UTM #)	Easting (10 T #)	Time	Comments
			No exceedances detected

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 1·9·26

Cal. Time: 7:40 A.m

Technician: GC

Surveyor PJ

Calibration :

Test Instrument used: SEM 40567

Cal. Gas Lot No: 25-2809 + 4417902

Cal Gas Used:

CH_4 500 PPm

O_2 Ultra Zero Grade Air

Barometric Pressure	Time
Start 30.27	7:30 am
Stop 30.27	1:33 p.m

90% response time in seconds:

1 5 seconds

2 4 seconds

3 4 seconds

avg. 4.33 seconds

Weather Conditions: Over Cast

Wind Speed & Direction (out of): SE 2mph

Northing (UTM #)	Easting (10 T #)	Time	Comments
			No exceedances deteded

DNRP / King County Solid Waste
Cover Penetration Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 2-20-2026

Cal. Time: 11:20 AM

Calibration :

Technician: Conty

Test Instrument used: 19883 - sem 5000

Surveyor PJ

Cal. Gas Lot No: Air-4417902 CH4: 25-2809

Cal Gas Used:

CH_4 500 PPM

O_2 Ultra Zero Grade

Barometric Pressure		Time
Start	29.88	11:40 AM
Stop	29.87	2:15 PM

90% response time in seconds:

1 3 seconds

2 2.5 seconds

3 2 seconds

avg. 2.5 seconds

Weather Conditions: Overcast no Rain

Wind Speed & Direction (out of): 2 MPH SE

Northing (UTM #)	Easting (10 T #)	Time	Comments
			no exceedances

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: CEDAR HILLS

Date: 2/20/26

Cal. Time: 1:30P

Calibration :

Technician: AT

Test Instrument used: SEM 5000

Surveyor PJ

Cal. Gas Lot No: 25-2809 & 4417902

Cal Gas Used:

CH_4 500 PPM

O_2 ZERO AIR

Barometric Pressure	Time
Start 29.85	1:45P
Stop 29.85	2:45P

90% response time in seconds:

1 A seconds

2 A seconds

3 A seconds

avg. A seconds

Weather Conditions: OVERCAST

Wind Speed & Direction (out of): 2 MPH, SE

Northing (UTM #)	Easting (10 T #)	Time	Comments
			NO EXCEEDANCES

DNRP / King County Solid Waste
Cover Penetration Surface Monitoring Data

Landfill Site: 2/11/26

Date: 2/11/26

Cal. Time: 7:AM

Technician: B.B.

Surveyor P.J.

Calibration :

Test Instrument used: Sim 5000

Cal. Gas Lot No: CH4 - 4417902

Cal Gas Used: QAir-25-2809

CH_4 500 ppm

O_2 Ø Air

Barometric Pressure	Time
Start 29.99	7:AM
Stop 29.99	5:PM

90% response time in seconds:

1 3 seconds

2 4 seconds

3 3 seconds

avg. 3 seconds

Weather Conditions: Sunny

Wind Speed &

Direction (out of): No Wind

Northing (UTM #)	Easting (10 T #)	Time	Comments
No Exceedences detected			

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: 2/12/2026

Date: 2/11/26

Cal. Time: 7:AM

Technician: B.B.

Surveyor P.S.

Calibration :

Test Instrument used: SEM 5000

Cal. Gas Lot No: ~~CH4~~ Air - 25-2809

Cal Gas Used: ~~Air~~ CH4 - 4417902

CH_4 500 PPM

O_2 Ø Air

Barometric Pressure		Time
Start	29.99	7:AM
Stop	29.99	5:PM

90% response time in seconds:

1 3 seconds

2 4 seconds

3 3 seconds

avg. 3 seconds

Weather Conditions: Sunny

Wind Speed &

Direction (out of): NO Wind

Northing (UTM #)	Easting (10 T #)	Time	Comments
NO Exceedances detected			

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 2-11-2026

Cal. Time: 9:07AM

Technician: County

Surveyor PJ

Calibration :

Test Instrument used: 19883 SEM5000

Cal. Gas Lot No: 25-28[illegible]CH4441 7902

Cal Gas Used:

CH_4 500PPM

O_2 Ultra Zero Grade

Barometric Pressure	Time
Start 29.98	9:30AM
Stop 29.99	1:30PM

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2.33 seconds

Weather Conditions: Sunny

Wind Speed & Direction (out of): 5 MPH NE

Northing (UTM #)	Easting (10 T #)	Time	Comments
			No exceedances detected

DNRP / King County Solid Waste
Cover Penetration Surface Monitoring Data

Landfill Site: CEDAR HILLS

Date: 2/6/26

Cal. Time: 10:20A

Calibration :

Technician: AT

Test Instrument used: SEM 5000

Surveyor PJ

Cal. Gas Lot No: 25-2809 & 4417902

Cal Gas Used:

CH_4 500 PPM

O_2 ZERO AIR

Barometric Pressure	Time
Start 29.94	10:30A
Stop 29.95	2:10P

90% response time in seconds:

1 4 seconds

2 3 seconds

3 3 seconds

avg. 3.33 seconds

Weather Conditions: SUNNY

Wind Speed &

Direction (out of): 1 MPH SW

Northing (UTM #)	Easting (10 T #)	Time	Comments
			NO EXCEEDANCES

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 2·6·26

Cal. Time: 7:42 AM

Technician: GC

Surveyor DJ

Calibration :

Test Instrument used: SEM 19883

Cal. Gas Lot No: 25-2809+4417902

Cal Gas Used:

CH_4 500 PPM

O_2 Ultra Zero Grade Air

Barometric Pressure	Time
Start 29.93	7:40 AM
Stop 29.94	2:32 P.M

90% response time in seconds:

1 5 seconds

2 4 seconds

3 4 seconds

avg. 4 seconds

Weather Conditions: Sunny + Dry

Wind Speed & Direction (out of): SE 4 mph

Northing (UTM #)	Easting (10 T #)	Time	Comments
			NO Exceedances detected

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 2-5-2026

Cal. Time: 7:00 AM

Calibration :

Technician: County

Test Instrument used: 40567 - Sem5000

Surveyor AJ

Cal. Gas Lot No: CH4: 25-2809 Air - 4417902

Cal Gas Used:

CH_4 500 PPM

O_2 Ultra Zero Grade

Barometric Pressure	Time
Start 29.99	7:45 AM
Stop 29.92	3:00 PM

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2.33 seconds

Weather Conditions: ~~Windy~~ Mostly Sunny

Wind Speed & Direction (out of): North 3 MPH

Northing (UTM #)	Easting (10 T #)	Time	Comments
			No exceedances Detected

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 2/5/26

Cal. Time: 10:45 AM

Technician: LM

Surveyor PJ

Calibration :

Test Instrument used: SEM 5000

Cal. Gas Lot No: CH4 25-2809

Cal Gas Used: O air 4417902

CH4 500 PPM

O2 0 air

Barometric Pressure	Time
Start 30.00	10:45 AM
Stop 29.95 AM	2:15 PM

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2 seconds

Weather Conditions: Sunny

Wind Speed & Direction (out of): 3 mph, North

Northing (UTM #)	Easting (10 T #)	Time	Comments
	No excesences detected		

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hill

Date: 2-4-26

Cal. Time: 7:24 A.M

Calibration :

Technician: GC

Test Instrument used: SEM 19883

Surveyor PJ

Cal. Gas Lot No: 25-2809 +4417902

Cal Gas Used:

CH_4 500 PPM

O_2 Ultra Grade Zero Air

Barometric Pressure	Time
Start 30.15	7:20 AM
Stop 30.10	3:40 pm

90% response time in seconds:

1 5 seconds

2 4 seconds

3 4 seconds

avg. 4 seconds

Weather Conditions: Cloudy + Dry

Wind Speed &

Direction (out of): S 3MPH

Northing (UTM #)	Easting (10 T #)	Time	Comments
			No exceedances.

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 2/4/26

Cal. Time: 8:40 AM

Calibration :

Technician: LM

Test Instrument used: SEM 5000 40567

Surveyor PJ

Cal. Gas Lot No: CH4 25-2809

Cal Gas Used: O air 4417902

CH_4 500 ppm

O_2 O air

Barometric Pressure		Time
Start	30.13	8:45 AM
Stop	30.10	2:00 PM

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2 seconds

Weather Conditions: Partly Cloudy

Wind Speed &

Direction (out of): 5 mph NW

Northing (UTM #)	Easting (10 T #)	Time	Comments
	No exceedences		
	detected		

DNRP / King County Solid Waste
Serpentine Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 2-3-2026

Cal. Time: 10:10 AM

Calibration :

Technician: CC

Test Instrument used: 40567-Sem5000

Surveyor PJ

Cal. Gas Lot No: CH4 25-2809 Air-4417902

Cal Gas Used:

CH_4 500PPM

O_2 Ultra Zero Grade

Barometric Pressure	Time
Start 30.18	10:30 AM
Stop 30.18	2:00 PM

90% response time in seconds:

1 3 seconds

2 2 seconds

3 2 seconds

avg. 2.33 seconds

Weather Conditions: Overcast no Rain

Wind Speed & Direction (out of): SE 3 mpH

Northing (UTM #)	Easting (10 T #)	Time	Comments
			no exceedances Detected

DNRP / King County Solid Waste
Cover Penetration Surface Monitoring Data

Landfill Site: Cedar Hills

Date: 2/3/26

Cal. Time: 8 A.M.

Calibration :

Technician: B. B.

Test Instrument used: S. EM. 5000

Surveyor P. S.

Cal. Gas Lot No: 500 - 25-2809
BAir - 4417902

Cal Gas Used:

CH_4 500 PPM

O_2 Zero Air

Barometric Pressure	Time
Start 30.10	8 AM
Stop 30.10	5:30 PM

90% response time in seconds:

1 3 seconds

2 3 seconds

3 3 seconds

avg. 3 seconds

Weather Conditions: Partly cloudy

Wind Speed &

Direction (out of): SW, 2MPH

Northing (UTM #)	Easting (10 T #)	Time	Comments
NO EXCEEDENCES DETECTED			

KCSW H2S Active Face Monitoring

Landfill Site: Cedar Hills

Date: 3.1.22

Technician: JF

Instrument: Jerome

Surveyor PJ

Weather Conditions: Sunny

Wind Speed & Direction (out of): 4 mph North

Barometric Pressure	Time
Start 29.91	10:45
Stop 29.91	12:45

Northing (UTM #)	Easting (10 T #)	Time	Comments
	No Exceedances		

Landfill Site: Cedar Hills

Date: 2-27-26

Component Monitoring

Cal. Time: 8:05 am

Technician: RH

Surveyor PJ

Calibration :

Test Instrument used: 19883

Cal. Gas Lot No: 25-2809, 4417902

Cal Gas Used:

CH_4 500 ppm

O_2 Ultra Zero grade

Barometric Pressure	Time
Start 30.16	8:15 am
Stop 30.16	8:45 am

90% response time in seconds:

1 3 seconds

2 2.5 seconds

3 2.5 seconds

avg. 2.67 seconds

Weather Conditions: Cloudy

Wind Speed &

Direction (out of): 3 mph SE

Location	Reading	Comments
Blower 1	4.5	
Blower 2	10.5	
Blower 3	2.5	
Blower 4	35	
Blower 5	40	
Flare 1	19.5	
Flare 2	2.3	
Flare 3	2.2	
Flare 4	3.7	
Flare 5	33	
Flare Inlet Plenum	18	
Turn Down Flare	2.5	
Low BTU Flare (Migration)	6.2	

Tivoli. software

IBM.

Work Order Details

761339: Cedar Hills , PMQ BS , Gas

Asset:
Location: CEDARHILLS Site Cedar Hills
CI:

Sched Start:	
Sched Finish:	
Target Start:	1/1/26
Target Finish:	1/31/26
Actual Start:	
Actual Finish:	
Report Date:	2/10/26
Reported By:	RBOGART

Site:	KCSW
Priority:	
Work Type:	PM
Status:	APPR
Parent:	
Failure Class:	
Problem Code:	
GL Account:	

Job Plan:	SJP-068
Supervisor:	
Lead:	CCOUTY
Vendor:	
Owner:	
Owner Group:	
Service:	
Service Group:	
Classification:	

Task IDs

Task ID	Description	Status	Measurement Point	Value	Date	Observations
10	Gas- Ck liner integrity- Serpentine walk	APPR		0		

1-13-26 - CC - 6.5 Hours
1-14-26 - CC - 5.5 Hours
1-27-26 CC - 7.5 Hours
1-26-26 JR - 8.15 HRS
1-14-26 JR - 3 HRS
1-25-26 CS - 2.5 hrs
1-26-26 CS - 8.5 hrs
1-15-26 BL - 5.5 hrs
1/14/26 LM - 8 hrs
1/21/26 LM - 6.5 hrs
1/22/26 BB - 8 hrs

1-9-2026 - 5 Hours - GC
1-15-2026 - 5.25 Hours - GC
1-16-2026 - 7.75 Hours - AT
1-17-2026 - 3.5 Hours - AT
1-10-2026 - 3.5 Hours - GC
1-17-2026 - 4 Hours - GC
1-24-2026 - 5.5 Hours - GC
~~2-20-2026 - 1 Hour AT~~
1-20-2026 5.5 Hours - RK

1-23-2026 - RH - 2 Hours
~~1-25-2026 - CS - 2.5 Hours~~

Tivoli. software

IBM

Work Order Details

761337: Cedar Hills , PMQ BS , Gas

Asset:
Location: CEDARHILLS Site Cedar Hills
CI:

Sched Start:	
Sched Finish:	
Target Start:	2/1/26
Target Finish:	2/28/26
Actual Start:	
Actual Finish:	
Report Date:	2/10/26
Reported By:	RBOGART

Site:	KCSW
Priority:	
Work Type:	PM
Status:	APPR
Parent:	
Failure Class:	
Problem Code:	
GL Account:	

Job Plan:	SJP-068
Supervisor:	
Lead:	LMCDONALD
Vendor:	
Owner:	
Owner Group:	
Service:	
Service Group:	
Classification:	

Task IDs

Task ID	Description	Status	Measurement Point	Value	Date	Observations
10	Gas- Ck liner integrity- Serpentine walk	APPR		0		

2-3-2026 - BB 6 hrs
2-3-2026 - CC - 4 Hours
2-5-2026 - CC - 8 Hours
2-5-2026 - LM - 4 hours
2-4-2026 - LM - 6 hours
2-4-2026 - GC - 6 hours
2-6-2026 - GC - 5.5 hours
2-6-2026 - AT - 4 hours
2-10-2026 - AT - 1 hour
2-11 12C BB. - 10 hrs