

LARGE WOOD REFERENCES

DRAFT v. 12/31/09

This document is a sampling of approximately 400 references from scientific literature emphasizing peer reviewed articles, also including a handful of technical reports, reviews and books on large wood in rivers. This is not intended to be a comprehensive or exhaustive list (which would if done consist of thousands of articles). This is a working draft and will be refined and updated as necessary. To access copies of references try visiting the University of Washington Library.

TABLE OF CONTENTS

I. Wood Sources, Characteristics, and Dynamics	2
II. Effects on Hydraulics.....	8
III. Effects on Sediment, Nutrients, and Organic Matter	11
IV. Effects on River Patterns and Dynamics.....	14
V. Effects on Animals, Habitat, and Productivity	17
VI. Effects of Wood Removal	26
VII. Effects of Wood Placement.....	28
VIII. Further Reading	31

I. Wood Sources, Characteristics, and Dynamics

- Abbe, T. B., and D. R. Montgomery. 2003. Patterns and processes of wood debris accumulation in the Queets River basin, Washington. *Geomorphology* **51**:81-107.
- Acker, S. A., S. V. Gregory, G. W. Lienkaemper, W. A. McKee, F. J. Swanson, and S. D. Miller. 2002. Composition, complexity, and tree mortality in riparian forests in the central Western Cascades of Oregon. *Forest Ecology and Management* **173**:293-308.
- Alonso, C. V. 2004. Transport mechanics of stream-borne logs. Pages 59-69 in S. J. Bennett and A. Simon, editors. *Riparian vegetation and fluvial geomorphology*. American Geophysical Union.
- Angradi, T. R., E. W. Schweiger, D. W. Bolgrien, P. Ismert, and T. Selle. 2004. Bank stabilization, riparian land use and the distribution of large woody debris in a regulated reach of the upper Missouri River, North Dakota, USA. *River Research and Applications* **20**:829-846.
- Balian, E. V., and R. J. Naiman. 2005. Abundance and production of riparian trees in the lowland floodplain of the Queets River, Washington. *Ecosystems* **8**:841-861.
- Beechie, T., G. R. Pess, P. Kennard, R. E. Bilby, and S. Bolton. 2000. Modeling recovery rates and pathways for woody debris recruitment in northwestern Washington streams. *North American Journal of Fisheries Management* **20**:436-452.
- Benda, L. E., P. Bigelow, and T. M. Worsley. 2002. Recruitment of wood to streams in old-growth and second-growth redwood forests, northern California, U.S.A. *Canadian Journal of Forest Research* **32**:1460-1477.
- Benda, L. E., and J. C. Sias. 2003. A quantitative framework for evaluating the mass balance of in-stream organic debris. *Forest Ecology and Management* **172**:1-16.
- Bendix, J., and M. C. Cowell. 2009. Fire, floods and woody debris: Interactions between biotic and geomorphic processes. *Geomorphology*. doi:10.1016/j.geomorph.2009.09.043
- Berg, N., A. Carlson, and D. Azuma. 1998. Function and dynamics of woody debris in stream reaches in the central Sierra Nevada, California. *Canadian Journal of Fisheries and Aquatic Sciences* **55**:1807-1820.
- Bilby, R. E., and P. A. Bisson. 1998. Function and distribution of large woody debris. Pages 324-338 in R. J. Naiman and R. E. Bilby, editors. *River ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag Inc., New York, New York, USA.
- Bilby, R. E., J. T. Heffner, B. R. Fransen, and J. W. Ward. 1999. Effects of immersion in water on deterioration of wood from five species of trees used for habitat enhancement projects. *North American Journal of Fisheries Management* **19**:687-695.
- Bilby, R. E., and J. W. Ward. 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. *Transactions of the American Fisheries Society* **118**:368-378.
- Bisson, P. A., R. E. Bilby, M. D. Bryant, C. A. Dolloff, G. B. Grette, and R. A. House. 1987. Large woody debris in the Pacific Northwest: Past, present and future. Pages 143-190 in E. O. Salo and T. W. Cundy, editors. *Streamside management: Forestry and fishery interactions*. Institute of Forest Resources, University of Washington, Seattle, WA, USA.
- Bocchiola, D., M. C. Rulli, and R. Rosso. 2006. Transport of large woody debris in the presence of obstacles. *Geomorphology* **76**:166-178.
- Bragg, D. C. 2000. Simulating catastrophic and individualistic large woody debris recruitment for a small riparian system. *Ecology* **81**:1383-1394.
- Bragg, D. C., and J. L. Kershner. 2004. Sensitivity of a riparian large woody debris recruitment model to the number of contributing banks and tree fall pattern. *Western Journal of Applied Forestry* **19**:117-122.
- Braudrick, C. A., and G. E. Grant. 2000. Why do logs move in rivers? *Water Resources Research* **36**:571-583.
- Braudrick, C. A., and G. E. Grant. 2001. Transport and deposition of large woody debris in streams: A flume experiment. *Geomorphology* **41**:263-283.
- Bunn, J. T., and D. R. Montgomery. 2004. Patterns of wood and sediment storage along debris-flow impacted headwater channels in old-growth and industrial forests of the Western Olympic mountains, Washington. Pages 99-112 in S. J. Bennett and A. Simon, editors. *Riparian vegetation and fluvial geomorphology*. American Geophysical Union.
- Carlson, J. Y., C. Andrus, and H. A. Froelich. 1990. Woody debris, channel features, and macroinvertebrates of streams with logged and undisturbed riparian timber in Northeastern Oregon, USA. *Canadian Journal of Fisheries and Aquatic Sciences* **47**:1103-1111.

- Chen, X., X. Wei, and R. Scherer. 2005. Influence of wildfire and harvest on biomass, carbon pool, and decomposition of large woody debris in forested streams of southern interior British Columbia. *Forest Ecology and Management* **208**:101-114.
- Collier, K. J., and E. J. Bowman. 2003b. Role of wood in pumice-bed streams: II: Breakdown and colonisation. *Forest Ecology and Management* **177**:261-276.
- Collins, B. D., D. R. Montgomery, and A. D. Haas. 2002. Historical changes in the distribution and functions of large wood in Puget Lowland rivers. *Canadian Journal of Fisheries and Aquatic Sciences* **59**:66-76.
- Comiti, F., A. Andreoli, M. A. Lenzi, and L. Mao. 2006. Spatial density and characteristics of woody debris in five mountain rivers of the Dolomites (Italian Alps). *Geomorphology*.
- D'Aoust, S. G., and R. G. Miller. 2000. Stability of ballasted woody debris structures. *Journal of Hydrologic Engineering* **126**:810-817.
- Dahlstrom, N., K. Jonsson, and C. Nilsson. 2005. Long-term dynamics of large woody debris in a managed boreal forest stream. *Forest Ecology and Management* **210**:363-373.
- Daniels, M. D. 2006. Distribution and dynamics of large woody debris and organic matter in a low-energy meandering stream. *Geomorphology* **77**:286-298.
- Deng, H.-b., Q.-c. Wang, and Q.-l. Wang. 2002. A preliminary study of in-stream large woody debris in broad-leaved and Korean pine forest in Changbai Mountain, Northeast China. *Journal of Forest Research Harbin* **13**:196-200.
- deWaal, L. C. 2002. The nature and spatial distribution of large woody debris in the Upper Luznice river, the Czech Republic. *Ekologia Bratislava* **21**:85-101.
- Diez, J. R., A. Elosegi, and J. Pozo. 2001. Woody debris in North Iberian streams: influence of geomorphology, vegetation, and management. *Environmental Management* **28**:687-698.
- Downs, P. W., and A. Simon. 2001. Fluvial geomorphological analysis of the recruitment of large woody debris in the Yalobusha River network, Central Mississippi, USA. *Geomorphology* **37**:65-91.
- Elosegi, A., J. R. Diez, and J. Pozo. 1999. Abundance, characteristics, and movement of woody debris in four Basque streams. *Archiv für Hydrobiologie* **144**:455-471.
- Fetherston, K. L., R. J. Naiman, and R. E. Bilby. 1995. Large woody debris, physical process, and riparian forest development in montane river networks of the Pacific Northwest. *Geomorphology* **13**:133-144.
- Fox, M., S. Bolton, and L. Conquest. 2003. Reference conditions for instream wood in western Washington. Pages 361-393 in D. R. Montgomery, S. Bolton, D. B. Booth, and L. Wall, editors. *Restoration of Puget Sound Rivers*. University of Washington Press, Seattle.
- Gomi, T., R. C. Sidle, M. D. Bryant, and R. D. Woodsmith. 2001. The characteristics of woody debris and sediment distribution in headwater streams, southeastern Alaska. *Canadian Journal of Forest Research* **31**:1386-1399.
- Gregory, K. J., and R. J. Davis. 1992. Coarse woody debris in stream channels in relation to river channel management in woodland areas. *Regulated Rivers: Research & Management* **7**:117-136.
- Gregory, S., K. Boyer, and A. Gurnell, editors. 2003. *The ecology and management of wood in world rivers*. American Fisheries Society, Symposium 37, Bethesda, Maryland, USA.
- Gurnell, A. 2003. Wood storage and mobility. Pages 75-92 in S. Gregory, K. Boyer, and A. Gurnell, editors. *Wood in world rivers*. American Fisheries Society, Bethesda, MA.
- Gurnell, A., G. E. Petts, D. M. Hannah, B. P. G. Smith, P. J. Edwards, J. Kollmann, J. V. Ward, and K. Tockner. 2000a. Wood storage within the active zone of a large European gravel-bed river. *Geomorphology* **34**:55-72.
- Gurnell, A., G. E. Petts, N. Harris, J. V. Ward, K. Tockner, P. J. Edwards, and J. Kollman. 2000b. Large wood retention in river channels: The case of the Fiume Tagliamento, Italy. *Earth Surface Processes and Landforms* **25**:255-275.
- Guyette, R. P., and W. G. Cole. 1999. Age characteristics of coarse woody debris (*Pinus strobus*) in a lake littoral zone. *Canadian Journal of Fisheries and Aquatic Sciences* **56**:496-505.
- Guyette, R. P., W. G. Cole, D. C. Dey, and R.-M. Muzika. 2002. Perspectives on the age and distribution of large wood in riparian carbon pools. *Canadian Journal of Fisheries and Aquatic Sciences* **59**:578-585.
- Hairston-Strang, A. B., and P. W. Adams. 1998. Potential large woody debris sources in riparian buffers after harvesting in Oregon, U.S.A. *Forest Ecology and Management* **112**:67-77.
- Harmon, M. E., and J. F. Franklin. 1989. Tree seedlings on logs in *Picea-Tsuga* forests of Oregon and Washington. *Ecology* **70**:48-59.
- Harmon, M. E., J. F. Franklin, F. J. Swanson, P. Sollins, S. V. Gregory, J. D. Lattin, N. H. Anderson, S. P. Cline, N. G. Aumen, J. R. Sedell, G. W. Lienkaemper, K. Cromack, Jr., and K. W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* **15**:133-302.

- Harmon, M. E., and C. Hua. 1991. Coarse woody debris dynamics in two old-growth ecosystems. *BioScience* **41**:604-610.
- Hedman, C. W., D. H. VanLear, and W. T. Swank. 1996. In-stream large woody debris loading and riparian forest seral stage associations in the southern Appalachian Mountains. *Canadian Journal of Forest Research* **26**:1218-1227. *Transactions of the American Fisheries Society* **131**:287-298.
- Hering, D., M. Gerhard, R. Manderbach, and M. Riech. 2004. Impact of a 100-yr flood on vegetation, benthic invertebrates, riparian fauna and large woody debris standing stock in an alpine floodplain. *River Research and Applications* **20**:445-457.
- Hyatt, T. L., and R. J. Naiman. 2001. The residence time of large woody debris in the Queets river, Washington, USA. *Ecological Applications* **11**:191-202.
- Jacobsen, P. J., K. M. Jacobsen, P. L. Angermeier, and D. S. Cherry. 1999. Transport, retention, and ecological significance of woody debris within a large ephemeral river. *Journal of the North American Benthological Society* **18**:429-444.
- Johnson, S. L., F. J. Swanson, G. E. Grant, and S. M. Wondzell. 2000. Riparian forest disturbances by a mountain flood-the influence of floated wood. *Hydrological Processes* **14**:3031-3050.
- Johnson, W. C. 2000. Tree recruitment and survival in rivers: influence of hydrological processes. *Hydrological Processes* **14**:3051-3074.
- Johnson, W. C. 2002. Riparian vegetation diversity along regulated rivers: contribution of novel and relict habitats. *Freshwater Biology* **47**:749-759.
- Keim, R. F., A. E. Skaugset, and D. S. Bateman. 2000. Dynamics of coarse woody debris placed in three Oregon streams. *Forest Science* **46**:13-22.
- Keller, E. A., and F. J. Swanson. 1979. Effects of large organic material on channel form and fluvial processes. *Earth Surface Processes* **4**:361-380.
- Kollmann, J., M. Veili, P. J. Edwards, K. Tockner, and J. V. Ward. 1999. Interactions between vegetation development and island formation in the alpine river Tagliamento. *Applied Vegetation Science* **2**:25-36.
- Kraft, C. E., R. L. Schneider, and D. R. Warren. 2002. Ice storm impacts on woody debris and debris dam formation in northeastern U.S. streams. *Canadian Journal of Fisheries and Aquatic Sciences* **59**:1677-1684.
- Kraft, C. E., and D. R. Warren. 2003. Development of spatial pattern in large woody debris and debris dams in streams. *Geomorphology* **51**:127-139.
- Kruckeberg, A. R. 1991. *The Natural History of Puget Sound*. University of Washington Press, Seattle.
- Latterell, J. J., J. S. Bechtold, T. C. O'Keefe, R. Van Pelt, and R. J. Naiman. 2006. Dynamic patch mosaics and channel movement in an unconfined river valley of the Olympic Mountains. *Freshwater Biology* **51**:523-544.
- Latterell, J. J., and R. J. Naiman. 2007. Sources and dynamics of large logs in a temperate floodplain river. *Ecological Applications* **17**:1127-1141.
- Lienkaemper, G. W., and F. J. Swanson. 1987. Dynamics of large woody debris in streams in old-growth Douglas-fir forests. *Canadian Journal of Forest Research* **17**:150-156.
- Likens, G. E., and R. E. Bilby. 1982. Development, maintenance and role of organic debris dams in New England streams. Pages 122-128 in F. J. Swanson, R. J. Janda, T. Dunne, and D. N. Swanston, editors. *Sediment budgets and routing in forested drainage basins*. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon, USA.
- Mackensen, J., J. Bauhus, and E. Webber. 2003. Decomposition rates of coarse woody debris: a review with particular emphasis on Australian tree species. *Australian Journal of Botany* **51**:27-37.
- Macmillan, P. C. 1988. Decomposition of coarse woody debris in an old-growth Indiana USA forest. *Canadian Journal of Forest Research* **18**:1353-1362.
- Malanson, G. P., and J. A. Kupfer. 1993. Simulated fate of leaf litter and large woody debris at a riparian cutbank. *Canadian Journal of Forest Research* **23**:582-590.
- Marburg, A. E., M. G. Turner, and T. K. Kratz. 2006. Natural and anthropogenic variation in coarse wood among and within lakes. *Journal of Ecology* **94**:558-568.
- Marcus, W. A., C. J. Legleiter, R. J. Aspinall, J. W. Boardman, and R. L. Crab. 2004. High spatial resolution hyperspectral mapping of instream habitats, depths, and woody debris in mountain streams. *Geomorphology* **55**:363-380.
- Marcus, W. A., R. A. Marston, C. R. Colvard Jr., and R. D. Gray. 2002. Mapping the spatial and temporal distributions of woody debris in streams of the Greater Yellowstone Ecosystem, USA. *Geomorphology* **44**:323-325.

- Martin, D. J. 2001. The influence of geomorphic factors and geographic region on large woody debris loading and fish habitat in Alaska coastal streams. *North American Journal of Fisheries Management* **21**:429-440.
- Martin, D. J., and L. E. Benda. 2001. Patterns of instream wood recruitment and transport at the watershed scale. *Transactions of the American Fisheries Society* **130**:940-958.
- Maser, C., R. G. Andersen, K. Cromack Jr., J. T. Williams, and R. E. Martin. 1979. Dead and down woody material. Pages 78-95 in J. W. Thomas, editor. *Wildlife Habitats in Managed Forests: The Blue Mountains of Oregon and Washington*. Agriculture Handbook 553. United States Department of Agriculture, Washington, D.C.
- Maser, C., R. F. Tarrant, J. M. Trappe, and J. F. Franklin. 1988. From forest to sea: A story of fallen trees. General Technical Report PNW-GTR-229, USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon, USA.
- May, C. L., and R. E. Gresswell. 2003a. Large wood recruitment and redistribution in headwater streams in the southern Oregon Coast Range, U.S.A. *Canadian Journal of Forest Research* **33**:1352-1362.
- McCullough, H. A. 1948. Plant succession on fallen logs in a virgin spruce-fir forest. *Ecology* **29**:508-513.
- McDade, M. H., F. J. Swanson, W. A. McKee, J. F. Franklin, and J. Van Sickle. 1990. Source distances for coarse woody debris entering small streams in western Oregon and Washington. *Canadian Journal of Forest Research* **20**:326-330.
- McHenry, M. I., E. Shott, R. H. Conrad, and G. B. Grette. 1998. Changes in the quantity and characteristics of large woody debris in streams of the Olympic Peninsula, Washington, U.S.A. (1982-1993). *Canadian Journal of Fisheries and Aquatic Sciences* **55**:1395-1407.
- Meleason, M. A., S. V. Gregory, and J. P. Bolte. 2002. Simulation of stream wood source distance for small streams in the Western Cascades, Oregon. General Technical Report PSW-GTR-181, USDA Forest Service
- Moulin, B., and H. Piegay. 2004. Characteristics and temporal variability of large woody debris trapped in a reservoir on the River Rhone (Rhone): implications for river basin management. *River Research and Applications* **20**:79-97.
- Murphy, M. L., and K. V. Koski. 1989. Input and depletion of woody debris in Alaska streams and implications for streamside management. *North American Journal of Fisheries Management* **9**:427-436.
- Murphy, M. L., and W. R. Meehan. 1991. Stream ecosystems. Pages 17-46 in W. R. Meehan, editor. *Influences of forest and rangeland management on salmonid fishes and their habitats*. Special Publication 19, American Fisheries Society, Bethesda, Maryland, USA.
- Naiman, R. J., E. V. Balian, K. K. Bartz, R. E. Bilby, and J. J. Latterell. 2002. Dead wood dynamics in stream ecosystems. Pages 23-48 in P. J. Shea, W. F. Laudenslayer, B. Valentine, C. P. Weatherspoon, and T. E. Lisle, editors. *Symposium on the Ecology and Management of Dead Wood in Western Forests*. USDA Forest Service, Pacific Southwest Research Station, Albany, California, USA.
- Naiman, R. J., J. S. Bechtold, T. J. Beechie, J. J. Latterell, and R. Van Pelt. 2010. A process-based view of floodplain forest patterns in coastal river valleys of the Pacific Northwest. *Ecosystems*.
- Naiman, R. J., J. S. Bechtold, D. C. Drake, J. J. Latterell, T. C. O'Keefe, and E. V. Balian. 2005a. Origins, patterns, and importance of heterogeneity in riparian systems. Pages 279-309 in G. Lovett, C. G. Jones, M. G. Turner, and K. C. Weathers, editors. *Ecosystem Function in Heterogeneous Landscapes*. Springer-Verlag, New York.
- Naiman, R. J., and R. E. Bilby. 1998. River ecology and management in the Pacific Coastal Ecoregion. Pages 1-8 in R. J. Naiman and R. E. Bilby, editors. *River Ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag New York, Inc., New York, New York.
- Naiman, R. J., H. Decamp, and M. E. McClain. 2005b. *Riparia*. Academic Press, San Diego.
- Nakamura, F., and F. J. Swanson. 1994. Distribution of coarse woody debris in a mountain stream, western Cascade Range, Oregon. *Canadian Journal of Forest Research* **24**:2395-2403.
- Ott, R. A., M. A. Lee, W. E. Putman, O. K. Mason, G. T. Worum, and D. N. Burns. 2002. Bank erosion and large woody debris recruitment along the entire Tanana River, interior Alaska. in *Arctic Science Conference Abstracts*, 53rd Arctic Science Conference, Fairbanks, Alaska, USA, September 18-21, 2002.
- Palik, B., S. W. Golladay, P. C. Goebel, and B. W. Taylor. 1998. Geomorphic variation in riparian tree mortality and stream coarse woody debris recruitment from record flooding in a coastal plain stream. *Ecoscience* **5**:551-560.
- Pettit, N. E., J. J. Latterell, and R. J. Naiman. 2006. Formation, distribution and ecological consequences of flood-related wood debris piles in a bedrock confined river in semi-arid South Africa. *River Research and Management* **22**:1097-1110.

- Pettit, N. E., and R. J. Naiman. 2005. Flood deposited wood debris and its contribution to heterogeneity and regeneration in a semi-arid riparian landscape. *Oecologia* **145**:434-444.
- Pettit, N. E., R. J. Naiman, K. H. Rogers, and J. E. Little. 2005. Post-flooding distribution and characteristics of large woody debris piles along the semi-arid Sabie River, South Africa. *River Research and Applications* **21**:27-38.
- Piegay, H. 1993. Nature, mass and preferential sites of coarse woody debris deposits in the lower Ain Valley (Mollon reach), France. *Regulated Rivers: Research & Management* **8**:359-372.
- Piegay, H. 2003. Dynamics of wood in large rivers. Pages 109-134 in S. Gregory, K. Boyer, and A. Gurnell, editors. *The ecology and management of wood in world rivers*. American Fisheries Society Symposium 37, Bethesda, Maryland.
- Piegay, H., A. Thenevet, and A. Citterio. 1999. Input, storage, and distribution of large woody debris along a mountain river continuum, the Drome River, France. *Catena* **35**:19-39.
- Reeves, G. H., K. M. Burnett, and E. V. McGarry. 2003. Sources of large wood in the main stem of a fourth-order watershed in coastal Oregon. *Canadian Journal of Forest Research* **33**:1363-1370.
- Robison, E. G., and R. L. Beschta. 1990a. Characteristics of coarse woody debris for several coastal streams of Southeast Alaska, USA. *Canadian Journal of Fisheries and Aquatic Sciences* **47**:1684-1693.
- Robison, E. G., and R. L. Beschta. 1990b. Identifying trees in riparian areas that can provide coarse woody debris to streams. *Forest Science* **36**:790-801.
- Scherer, R. 2004. Decomposition and longevity of in-stream woody debris: A review of literature from North America. Pages 127-133 in G. J. Scrimgeour, G. Eisler, B. McCulloch, U. Silins, and M. Monita, editors. *Forest Land-Fish Conference II - Ecosystem Stewardship through Collaboration*, Edmonton, Alberta.
- Sollins, P. 1982. Input and decay of coarse woody debris in coniferous stands in western Oregon and Washington. *Canadian Journal of Forest Research* **12**:18-28.
- Spaenhoff, B., C. Alecke, and E. I. Meyer. 2001. Simple method for rating the decay stages of submerged woody debris. *Journal of the North American Benthological Society* **20**:385-394.
- Swanson, F. J. 2003. Wood in rivers: A landscape perspective. Pages 299-313 in S. Gregory, K. Boyer, and A. Gurnell, editors. *The ecology and management of wood in world rivers*. American Fisheries Society, Bethesda, Maryland, USA.
- Swanson, F. J., M. S. Bryant, G. W. Lienkaemper, and J. R. Sedell. 1984. Organic debris in small streams, Prince of Wales Island, Southeast Alaska. USDA Forest Service General Technical Report PNW-166. Pacific Northwest Forests and Range Experimental Station, Portland, Oregon, USA.
- Swanson, F. J., S. V. Gregory, J. R. Sedell, and A. G. Campbell. 1982. Land-water interactions: The riparian zone. Pages 267-291 in R. L. Edmonds, editor. *Analysis of coniferous forest ecosystems in the western United States*. Hutchinson Ross, Stroudsburg, Pennsylvania.
- Swanson, F. J., S. L. Johnson, S. V. Gregory, and S. A. Acker. 1998. Flood disturbance in a forested mountain landscape. *BioScience* **48**:681-689.
- Swanson, F. J., T. K. Kratz, N. Caine, and R. G. Woodmansee. 1988. Landform effects on ecosystem patterns and processes. *BioScience* **38**:92-98.
- Tabacchi, E., and A.-M. Planty-Tabacchi. 2003. Recent changes in riparian vegetation: possible consequences on dead wood processing along rivers. *River Research and Applications* **19**:251-263.
- Thenevet, A., A. Citterio, and H. Piegay. 1998. A new methodology for the assessment of large woody debris accumulations on highly modified rivers (Example of two French piedmont rivers). *Regulated Rivers: Research & Management* **14**:467-483.
- Trotter, E. H. 1990. Woody debris forest-stream succession and catchment geomorphology. *Journal of the North American Benthological Society* **9**:141-156.
- Twain, M. 1883. *Life on the Mississippi*. James R. Osgood and Co., Boston, MA.
- van der Nat, D. 2003. Large wood dynamics of complex Alpine river floodplains. *Journal of the North American Benthological Society* **22**:35-50.
- Van Sickle, J., and S. V. Gregory. 1990. Modeling inputs of large woody debris to streams from falling trees. *Canadian Journal of Forest Research* **20**:1593-1601.
- Waddell, K. L. 2002. Sampling coarse woody debris for multiple attributes in extensive resource inventories. *Ecological Indicators* **1**:139-153.
- Wallace, J. B., and A. C. Benke. 1984. Quantification of wood habitat in subtropical coastal plain streams. *Canadian Journal of Fisheries and Aquatic Sciences* **41**:1643-1652.

- Wallace, J. B., J. R. Webster, S. L. Eggert, J. L. Meyer, and E. R. Siler. 2001. Large woody debris in a headwater stream: Long-term legacies of forest disturbance. *Internationale Revue der Gesamten Hydrobiologie* **86**:501-513.
- Warren, D. R., and C. E. Kraft. 2008. Dynamics of large wood in an eastern U.S. mountain stream. *Forest Ecology and Management* **256**:808-814.
- Webb, A. A., and W. D. Erskine. 2003. Distribution, recruitment, and geomorphic significance of large woody debris in an alluvial forest stream: Tonghi Creek, southeastern Australia. *Geomorphology* **51**:109-126.
- Welty, J. J., T. Beechie, K. Sullivan, D. M. Hyink, R. E. Bilby, C. Andrus, and G. R. Pess. 2002. Riparian aquatic interaction simulator (RAIS): a model of riparian forest dynamics for the generation of large woody debris and shade. *Forest Ecology and Management* **162**:299-318.
- Wing, M. G., and A. E. Skaugset. 2002. Relationships of channel characteristics, land ownership, and land use patterns to large woody debris in western Oregon streams. *Canadian Journal of Fisheries and Aquatic Sciences* **59**:796-807.
- Young, M. K. 1994. Movement and characteristics of stream-borne coarse woody debris in adjacent burned and undisturbed watersheds in Wyoming. *Canadian Journal of Forest Research* **24**:1933-1938.
- Zelt, R. B., and E. E. Wohl. 2004. Channel and woody debris characteristics in adjacent burned and unburned watersheds a decade after wildfire, Park County, Wyoming. *Geomorphology* **57**:217-233.

II. Effects on Hydraulics

- Abbe, T. B., and D. R. Montgomery. 1996. Large woody debris jams, channel hydraulics, and habitat formation in large rivers. *Regulated Rivers: Research & Management* **12**:201-221.
- Anderson, B. G., I. D. Rutherford, and A. W. Western. 2006. An analysis of the influence of riparian vegetation on the propagation of flood waves. *Environmental Modelling and Software* **21**:1290-1296.
- Angradi, T. R., E. W. Schweiger, D. W. Bolgrien, P. Ismert, and T. Selle. 2004. Bank stabilization, riparian land use and the distribution of large woody debris in a regulated reach of the upper Missouri River, North Dakota, USA. *River Research and Applications* **20**:829-846.
- Berg, N., A. Carlson, and D. Azuma. 1998. Function and dynamics of woody debris in stream reaches in the central Sierra Nevada, California. *Canadian Journal of Fisheries and Aquatic Sciences* **55**:1807-1820.
- Bilby, R. E., and P. A. Bisson. 1998. Function and distribution of large woody debris. Pages 324-338 in R. J. Naiman and R. E. Bilby, editors. *River ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag Inc., New York, New York, USA.
- Bilby, R. E., and J. W. Ward. 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. *Transactions of the American Fisheries Society* **118**:368-378.
- Bisson, P. A., R. E. Bilby, M. D. Bryant, C. A. Dolloff, G. B. Grette, and R. A. House. 1987. Large woody debris in the Pacific Northwest: Past, present and future. Pages 143-190 in E. O. Salo and T. W. Cundy, editors. *Streamside management: Forestry and fishery interactions*. Institute of Forest Resources, University of Washington, Seattle, WA, USA.
- Brooks, A. P., P. C. Gehrke, J. D. Jansen, and T. B. Abbe. 2004. Experimental reintroduction of woody debris on the Williams River, NSW: geomorphic and ecological responses. *River Research and Applications* **20**:513-536.
- Brummer, C. J., T. B. Abbe, J. R. Sampson, and D. R. Montgomery. 2006. Influence of vertical channel change associated with wood accumulations on delineating channel migration zones, Washington, USA. *Geomorphology* **80**:295-309.
- Buffington, J. M., T. E. Lisle, R. D. Woodsmith, and S. Hilton. 2002. Controls on the size and occurrence of pools in coarse-grained forest rivers. *River Research and Applications* **18**:507-531.
- Buffington, J. M., and D. R. Montgomery. 1999. Effects of hydraulic roughness on surface textures of gravel-bed rivers. *Water Resources Research* **35**:3507-3522.
- Curran, J. H., and E. E. Wohl. 2003. Large woody debris and flow resistance in step-pool channels, Cascade Range, Washington. *Geomorphology* **51**:141-157.
- Daniels, M. D., and B. L. Rhoads. 2003. Influence of a large woody debris obstruction on three-dimensional flow structure in a meander bend. *Geomorphology* **51**:159-173.
- Ehrman, T. P., and G. A. Lamberti. 1992. Hydraulic and particulate matter retention in a 3rd-order Indiana stream. *Journal of the North American Benthological Society* **11**:341-349.
- Gippel, C. J. 1995. Environmental hydraulics of large woody debris in streams and rivers. *Journal of Environmental Engineering* **121**:388-395.
- Gippel, C. J., B. L. Finlayson, and I. C. O'Neill. 1996a. Distribution and hydraulic significance of large woody debris in a lowland Australian river. *Hydrobiologia* **318**:179-194.
- Gippel, C. J., I. C. O'Neill, B. L. Finlayson, and I. Schnatz. 1996b. Hydraulic guidelines for the re-introduction and management of large woody debris in lowland rivers. *Regulated Rivers: Research & Management* **12**:223-236.
- Gregory, S., K. Boyer, and A. Gurnell, editors. 2003. *The ecology and management of wood in world rivers*. American Fisheries Society, Symposium 37, Bethesda, Maryland, USA.
- Gurnell, A., H. Piegay, F. J. Swanson, and S. V. Gregory. 2002. Large wood and fluvial processes. *Freshwater Biology* **47**:601-619.
- Gurnell, A., K. Tockner, P. Edwards, and G. Petts. 2005. Effects of deposited wood on biocomplexity of river corridors. *Frontiers in Ecology and the Environment* **3**:377-382.
- Harmon, M. E., J. F. Franklin, F. J. Swanson, P. Sollins, S. V. Gregory, J. D. Lattin, N. H. Anderson, S. P. Cline, N. G. Aumen, J. R. Sedell, G. W. Lienkaemper, K. Cromack, Jr., and K. W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* **15**:133-302.
- Haschenburger, J. K., and S. P. Rice. 2004. Changes in woody debris and bed material texture in a gravel-bed channel. *Geomorphology* **60**:241-267.

- Keller, E. A., and F. J. Swanson. 1979. Effects of large organic material on channel form and fluvial processes. *Earth Surface Processes* **4**:361-380.
- Knighton, D. 1998. *Fluvial forms and processes: A new perspective*. Oxford University Press Inc., New York, NY.
- Lacey, R. W. J., and R. G. Millar. 2004. Reach scale hydraulic assessment of instream salmonid habitat restoration. *Journal of the American Water Resources Association* **40**:1631-1644.
- Lassette, N. S., and R. R. Harris. 2001. The geomorphic and ecological influence of large woody debris in streams and rivers.
- Maser, C., R. F. Tarrant, J. M. Trappe, and J. F. Franklin. 1988. *From forest to sea: A story of fallen trees*. General Technical Report PNW-GTR-229, USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon, USA.
- Montgomery, D. R., and T. Abbe. 2006. Influence of logjam-formed hard points on the formation of valley-bottom landforms in an old-growth forest valley, Queets River, Washington, USA. *Quaternary Research* **65**:147-155.
- Montgomery, D. R., T. B. Abbe, N. P. Peterson, J. M. Buffington, K. M. Schmidt, and J. D. Stock. 1996. Distribution of bedrock and alluvial channels in forested mountain drainage basins. *Nature* **381**:587-589.
- Montgomery, D. R., E. M. Beamer, G. R. Pess, and T. P. Quinn. 1999. Channel type and salmonid spawning distribution and abundance. *Canadian Journal of Fisheries and Aquatic Sciences* **56**:377-387.
- Montgomery, D. R., and J. M. Buffington. 1997. Channel reach morphology in mountain drainage basins. *Geological Society of America Bulletin* **109**:596-611.
- Montgomery, D. R., and J. M. Buffington. 1998. Channel processes, classification, and response. Pages 13-42 in R. J. Naiman and R. E. Bilby, editors. *River ecology and management: Lessons from the Pacific coastal ecoregion*. Springer-Verlag New York, Inc., New York, New York, USA.
- Montgomery, D. R., J. M. Buffington, R. D. Smith, K. M. Schmidt, and G. R. Pess. 1995. Pool spacing in forest channels. *Water Resources Research* **31**:1097-1105.
- Montgomery, D. R., B. Collins, D., J. M. Buffington, and T. B. Abbe. 2003a. Geomorphic effects of wood in rivers. Pages 21-48 in S. Gregory, K. Boyer, and A. Gurnell, editors. *The ecology and management of wood in world rivers*. American Fisheries Society, Symposium 37, Bethesda, Maryland.
- Montgomery, D. R., T. M. Massong, and S. C. S. Hawley. 2003b. Influence of debris flows and log jams on the location of pools and alluvial reaches, Oregon Coast Range. *GSA Bulletin* **115**:78-88.
- Mutz, M. 2000. Influences of woody debris on flow patterns and channel morphology in a low energy, sand-bed stream reach. *International Review of Hydrobiology* **85**:107-121.
- Naiman, R. J., E. V. Balian, K. K. Bartz, R. E. Bilby, and J. J. Latterell. 2002. Dead wood dynamics in stream ecosystems. Pages 23-48 in P. J. Shea, W. F. Laudenslayer, B. Valentine, C. P. Weatherspoon, and T. E. Lisle, editors. *Symposium on the Ecology and Management of Dead Wood in Western Forests*. USDA Forest Service, Pacific Southwest Research Station, Albany, California, USA.
- Naiman, R. J., H. Decamp, and M. E. McClain. 2005b. *Riparia*. Academic Press, San Diego.
- Richmond, A. D., and K. D. Fausch. 1995. Characteristics and function of large woody debris in subalpine Rocky Mountain streams in northern Colorado. *Canadian Journal of Fisheries and Aquatic Sciences* **52**:1789-1802.
- Rosenfeld, J. S., and L. Huato. 2003. Relationship between large woody debris characteristics and pool formation in small coastal British Columbia streams. *North American Journal of Fisheries Management* **23**:928-938.
- Shields, F. D., Jr., N. Morin, and C. M. Cooper. 2004. Large woody debris structures for sand-bed channels. *Journal of Hydrologic Engineering* **130**:208-217.
- Shields, F. D., Jr., N. Morin, and R. A. Kuhnle. 2001. Effect of large woody debris structures on stream hydraulics. Pages 1-12 in D. F. Hayes, editor. *Wetlands 2001: Wetlands Engineering and River Restoration*, Reno, Nevada, USA.
- Smock, L. A., G. M. Metzler, and J. E. Gladden. 1989. Role of debris dams in the structure and functioning of low gradient headwater streams. *Ecology* **70**:764-775.
- Wallace, J. B., J. R. Webster, and J. L. Meyer. 1995. Influence of log additions on physical and biotic characteristics of a mountain stream. *Canadian Journal of Fisheries and Aquatic Sciences* **52**:2120-2137.
- Wallerstein, N. P. 2003. Dynamic model for constriction scour caused by large woody debris. *Earth Surface Processes and Landforms* **28**:49-68.
- Wallerstein, N. P., C. V. Alonso, S. J. Bennett, and C. R. Thorne. 2001. Distorted Froude-scaled flume analysis of large woody debris. *Earth Surface Processes and Landforms* **26**:1265-1283.
- Wallerstein, N. P., C. V. Alonso, S. J. Bennett, and C. R. Thorne. 2002. Surface wave forces acting on submerged logs. *Journal of Hydrologic Engineering* **128**:349-353.

Young, W. J. 1991. Flume study of the hydraulic effects of large woody debris in lowland rivers. *Regulated Rivers: Research & Management* **6**:203-212.

III. Effects on Sediment, Nutrients, and Organic Matter

- Abbe, T. B., and D. R. Montgomery. 1996. Large woody debris jams, channel hydraulics, and habitat formation in large rivers. *Regulated Rivers: Research & Management* **12**:201-221.
- Abbe, T. B., and D. R. Montgomery. 2003. Patterns and processes of wood debris accumulation in the Queets River basin, Washington. *Geomorphology* **51**:81-107.
- Bendix, J., and M. C. Cowell. 2009. Fire, floods and woody debris: Interactions between biotic and geomorphic processes. *Geomorphology*. doi:10.1016/j.geomorph.2009.09.043
- Berg, N., A. Carlson, and D. Azuma. 1998. Function and dynamics of woody debris in stream reaches in the central Sierra Nevada, California. *Canadian Journal of Fisheries and Aquatic Sciences* **55**:1807-1820.
- Beschta, R. L. 1979. Debris removal and its effects on sedimentation in an Oregon Coast Range stream. *Northwest Science* **53**:71-77.
- Bilby, R. E. 1981. Role of organic debris dams in regulating the export of dissolved and particulate matter from a forested watershed. *Ecology* **62**:1234-1243.
- Bilby, R. E. 1984. Post-logging removal of woody debris affects stream channel stability. *Journal of Forestry* **82**:609-613.
- Bilby, R. E., and P. A. Bisson. 1998. Function and distribution of large woody debris. Pages 324-338 in R. J. Naiman and R. E. Bilby, editors. *River ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag Inc., New York, New York, USA.
- Bilby, R. E., and G. E. Likens. 1980. Importance of organic debris dams in the structure and function of stream ecosystems. *Ecology* **61**:1107-1113.
- Bisson, P. A., R. E. Bilby, M. D. Bryant, C. A. Dolloff, G. B. Grette, and R. A. House. 1987. Large woody debris in the Pacific Northwest: Past, present and future. Pages 143-190 in E. O. Salo and T. W. Cundy, editors. *Streamside management: Forestry and fishery interactions*. Institute of Forest Resources, University of Washington, Seattle, WA, USA.
- Brooks, A. P., P. C. Gehrke, J. D. Jansen, and T. B. Abbe. 2004. Experimental reintroduction of woody debris on the Williams River, NSW: geomorphic and ecological responses. *River Research and Applications* **20**:513-536.
- Brummer, C. J., T. B. Abbe, J. R. Sampson, and D. R. Montgomery. 2006. Influence of vertical channel change associated with wood accumulations on delineating channel migration zones, Washington, USA. *Geomorphology* **80**:295-309.
- Buffington, J. M., T. E. Lisle, R. D. Woodsmith, and S. Hilton. 2002. Controls on the size and occurrence of pools in coarse-grained forest rivers. *River Research and Applications* **18**:507-531.
- Buffington, J. M., and D. R. Montgomery. 1999. Effects of hydraulic roughness on surface textures of gravel-bed rivers. *Water Resources Research* **35**:3507-3522.
- Bunn, J. T., and D. R. Montgomery. 2004. Patterns of wood and sediment storage along debris-flow impacted headwater channels in old-growth and industrial forests of the Western Olympic mountains, Washington. Pages 99-112 in S. J. Bennett and A. Simon, editors. *Riparian vegetation and fluvial geomorphology*. American Geophysical Union.
- Daniels, M. D. 2006. Distribution and dynamics of large woody debris and organic matter in a low-energy meandering stream. *Geomorphology* **77**:286-298.
- Diez, J. R., S. Larranga, A. Elosegi, and J. Pozo. 2000. Effect of removal of wood on streambed stability and retention of organic matter. *Journal of the North American Benthological Society* **19**:621-632.
- Ehrman, T. P., and G. A. Lamberti. 1992. Hydraulic and particulate matter retention in a 3rd-order Indiana stream. *Journal of the North American Benthological Society* **11**:341-349.
- Gomi, T., R. C. Sidle, M. D. Bryant, and R. D. Woodsmith. 2001. The characteristics of woody debris and sediment distribution in headwater streams, southeastern Alaska. *Canadian Journal of Forest Research* **31**:1386-1399.
- Gregory, S., K. Boyer, and A. Gurnell, editors. 2003. *The ecology and management of wood in world rivers*. American Fisheries Society, Symposium 37, Bethesda, Maryland, USA.
- Gurnell, A., G. E. Petts, D. M. Hannah, B. P. G. Smith, P. J. Edwards, J. Kollmann, J. V. Ward, and K. Tockner. 2000a. Wood storage within the active zone of a large European gravel-bed river. *Geomorphology* **34**:55-72.
- Gurnell, A., H. Piegay, F. J. Swanson, and S. V. Gregory. 2002. Large wood and fluvial processes. *Freshwater Biology* **47**:601-619.

- Gurnell, A., K. Tockner, P. Edwards, and G. Petts. 2005. Effects of deposited wood on biocomplexity of river corridors. *Frontiers in Ecology and the Environment* **3**:377-382.
- Harmon, M. E., J. F. Franklin, F. J. Swanson, P. Sollins, S. V. Gregory, J. D. Lattin, N. H. Anderson, S. P. Cline, N. G. Aumen, J. R. Sedell, G. W. Lienkaemper, K. Cromack, Jr., and K. W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* **15**:133-302.
- Haschenburger, J. K., and S. P. Rice. 2004. Changes in woody debris and bed material texture in a gravel-bed channel. *Geomorphology* **60**:241-267.
- Jeffries, R., S. E. Darby, and D. A. Sear. 2003. The influence of vegetation and organic debris on flood-plain sediment dynamics: case study of a low-order stream in the New Forest, England. *Geomorphology* **129**:1.
- Kauffman, P. R., J. M. Faustini, D. P. Larsen, and M. A. Shirazi. 2007. A roughness-corrected index of relative bed stability for regional stream surveys. *Geomorphology* **99**:150-170.
- Keller, E. A., and F. J. Swanson. 1979. Effects of large organic material on channel form and fluvial processes. *Earth Surface Processes* **4**:361-380.
- Knighton, D. 1998. *Fluvial forms and processes: A new perspective*. Oxford University Press Inc., New York, NY.
- Lancaster, S. T., S. K. Hayes, and G. E. Grant. 2003. Effects of wood on debris flow runout in small watersheds. *Water Resources Research* **39**:1-17.
- Lassette, N. S., and R. R. Harris. 2001. The geomorphic and ecological influence of large woody debris in streams and rivers.
- Latterell, J. J., J. S. Bechtold, T. C. O'Keefe, R. Van Pelt, and R. J. Naiman. 2006. Dynamic patch mosaics and channel movement in an unconfined river valley of the Olympic Mountains. *Freshwater Biology* **51**:523-544.
- Likens, G. E., and R. E. Bilby. 1982. Development, maintenance and role of organic debris dams in New England streams. Pages 122-128 in F. J. Swanson, R. J. Janda, T. Dunne, and D. N. Swanston, editors. *Sediment budgets and routing in forested drainage basins*. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon, USA.
- Malanson, G. P., and D. R. Butler. 1990. Woody debris, sediment, and riparian vegetation of a subalpine river, Montana USA. *Arctic and Alpine Research* **22**:183-194.
- Maser, C., R. F. Tarrant, J. M. Trappe, and J. F. Franklin. 1988. *From forest to sea: A story of fallen trees*. General Technical Report PNW-GTR-229, USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon, USA.
- May, C. L., and R. E. Gresswell. 2003b. Processes and rates of sediment and wood accumulation in headwater streams of the Oregon Coast Range, USA. *Earth Surface Processes and Landforms* **28**:409-424.
- Montgomery, D. R., and T. Abbe. 2006. Influence of logjam-formed hard points on the formation of valley-bottom landforms in an old-growth forest valley, Queets River, Washington, USA. *Quaternary Research* **65**:147-155.
- Montgomery, D. R., T. B. Abbe, N. P. Peterson, J. M. Buffington, K. M. Schmidt, and J. D. Stock. 1996. Distribution of bedrock and alluvial channels in forested mountain drainage basins. *Nature* **381**:587-589.
- Montgomery, D. R., E. M. Beamer, G. R. Pess, and T. P. Quinn. 1999. Channel type and salmonid spawning distribution and abundance. *Canadian Journal of Fisheries and Aquatic Sciences* **56**:377-387.
- Montgomery, D. R., and J. M. Buffington. 1997. Channel reach morphology in mountain drainage basins. *Geological Society of America Bulletin* **109**:596-611.
- Montgomery, D. R., and J. M. Buffington. 1998. Channel processes, classification, and response. Pages 13-42 in R. J. Naiman and R. E. Bilby, editors. *River ecology and management: Lessons from the Pacific coastal ecoregion*. Springer-Verlag New York, Inc., New York, New York, USA.
- Montgomery, D. R., J. M. Buffington, R. D. Smith, K. M. Schmidt, and G. R. Pess. 1995. Pool spacing in forest channels. *Water Resources Research* **31**:1097-1105.
- Montgomery, D. R., B. Collins, D., J. M. Buffington, and T. B. Abbe. 2003a. Geomorphic effects of wood in rivers. Pages 21-48 in S. Gregory, K. Boyer, and A. Gurnell, editors. *The ecology and management of wood in world rivers*. American Fisheries Society, Symposium 37, Bethesda, Maryland.
- Montgomery, D. R., T. M. Massong, and S. C. S. Hawley. 2003b. Influence of debris flows and log jams on the location of pools and alluvial reaches, Oregon Coast Range. *GSA Bulletin* **115**:78-88.
- Mutz, M. 2000. Influences of woody debris on flow patterns and channel morphology in a low energy, sand-bed stream reach. *International Review of Hydrobiology* **85**:107-121.
- Naiman, R. J., E. V. Balian, K. K. Bartz, R. E. Bilby, and J. J. Latterell. 2002. Dead wood dynamics in stream ecosystems. Pages 23-48 in P. J. Shea, W. F. Laudenslayer, B. Valentine, C. P. Weatherspoon, and T. E.

- Lisle, editors. Symposium on the Ecology and Management of Dead Wood in Western Forests. USDA Forest Service, Pacific Southwest Research Station, Albany, California, USA.
- Naiman, R. J., J. S. Bechtold, T. J. Beechie, J. J. Latterell, and R. Van Pelt. 2010. A process-based view of floodplain forest patterns in coastal river valleys of the Pacific Northwest. *Ecosystems*.
- Naiman, R. J., J. S. Bechtold, D. C. Drake, J. J. Latterell, T. C. O'Keefe, and E. V. Balian. 2005a. Origins, patterns, and importance of heterogeneity in riparian systems. Pages 279-309 in G. Lovett, C. G. Jones, M. G. Turner, and K. C. Weathers, editors. *Ecosystem Function in Heterogeneous Landscapes*. Springer-Verlag, New York.
- Naiman, R. J., and R. E. Bilby. 1998. River ecology and management in the Pacific Coastal Ecoregion. Pages 1-8 in R. J. Naiman and R. E. Bilby, editors. *River Ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag New York, Inc., New York, New York.
- Naiman, R. J., H. Decamp, and M. E. McClain. 2005b. *Riparia*. Academic Press, San Diego.
- Naiman, R. J., and J. R. Sedell. 1979. Benthic organic matter as a function of stream order in Oregon. *Archiv für Hydrobiologie* **87**:404-422.
- Nakamura, F., and F. J. Swanson. 1993. Effects of coarse woody debris on morphology and sediment storage of a mountain stream system in western Oregon. *Earth Surface Processes and Landforms* **18**:43-61.
- Newbold, J. D., P. J. Mulholland, J. W. Elwood, and R. V. O'Neill. 1982. Organic carbon spiralling in stream ecosystems. *Oikos* **38**:266-272.
- Pettit, N. E., J. J. Latterell, and R. J. Naiman. 2006. Formation, distribution and ecological consequences of flood-related wood debris piles in a bedrock confined river in semi-arid South Africa. *River Research and Management* **22**:1097-1110.
- Robertson, A. I., S. E. Bunn, P. I. Boon, and K. F. Walker. 1999. Sources, sinks, and transformations of organic carbon in Australian floodplain rivers. *Marine and Freshwater Research* **50**:813-829.
- Sedell, J. R., and J. L. Froggatt. 1984. Importance of streamside forests to large rivers: the isolation of the Willamette River, Oregon, USA, from its floodplain by snagging and streamside forest removal. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* **22**:1828-1834.
- Shields, F. D., and C. J. Gippel. 1995. Prediction of effects of woody debris removal on flow resistance. *Journal of Hydrologic Engineering* **121**:341-354.
- Shields, F. D., Jr., N. Morin, and C. M. Cooper. 2004. Large woody debris structures for sand-bed channels. *Journal of Hydrologic Engineering* **130**:208-217.
- Shields, F. D., Jr., N. Morin, and R. A. Kuhnle. 2001. Effect of large woody debris structures on stream hydraulics. Pages 1-12 in D. F. Hayes, editor. *Wetlands 2001: Wetlands Engineering and River Restoration*, Reno, Nevada, USA.
- Smock, L. A., G. M. Metzler, and J. E. Gladden. 1989. Role of debris dams in the structure and functioning of low gradient headwater streams. *Ecology* **70**:764-775.
- Speaker, R., K. Moore, and S. Gregory. 1984. Analysis of the process of retention of organic matter in stream ecosystems. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* **22**:1835-1841.
- Thompson, D. M. 1995. The effects of large organic debris on sediment processes and stream morphology in Vermont. *Geomorphology* **11**:235-244.
- Valett, H. M., C. L. Crenshaw, and P. F. Wagner. 2002. Stream nutrient uptake, forest succession, and biogeochemical theory. *Ecology* **83**:2888-2901.
- Wallace, J. B., and J. W. Grubaugh. 1996. Transport and storage of FPOM. Pages 191-215 in F. R. Hauer and G. A. Lamberti, editors. *Methods in Stream Ecology*. Academic Press, San Diego, California.
- Wallace, J. B., J. R. Webster, and J. L. Meyer. 1995. Influence of log additions on physical and biotic characteristics of a mountain stream. *Canadian Journal of Fisheries and Aquatic Sciences* **52**:2120-2137.
- Ward, G. M., and N. G. Aumen. 1986. Woody debris as a source of fine particulate organic matter in coniferous forest stream ecosystems. *Canadian Journal of Fisheries and Aquatic Sciences* **43**:1635-1642.
- Webster, J. R., A. P. Covich, J. L. Tank, and T. V. Crockett. 1994. Retention of coarse organic particles in streams in the southern Appalachian Mountains. *Journal of the North American Benthological Society* **13**:140-150.

IV. Effects on River Patterns and Dynamics

- Abbe, T. B., and D. R. Montgomery. 1996. Large woody debris jams, channel hydraulics, and habitat formation in large rivers. *Regulated Rivers: Research & Management* **12**:201-221.
- Abbe, T. B., and D. R. Montgomery. 2003. Patterns and processes of wood debris accumulation in the Queets River basin, Washington. *Geomorphology* **51**:81-107.
- Angradi, T. R., E. W. Schweiger, D. W. Bolgrien, P. Ismert, and T. Selle. 2004. Bank stabilization, riparian land use and the distribution of large woody debris in a regulated reach of the upper Missouri River, North Dakota, USA. *River Research and Applications* **20**:829-846.
- Arscott, D. B., K. Tockner, D. van der Nat, and J. V. Ward. 2002. Aquatic habitat dynamics along a braided alpine river ecosystem (Tagliamento River, Northeast Italy). *Ecosystems* **5**:802-814.
- Baillie, B. R., and T. R. Davies. 2002. Influence of large woody debris on channel morphology in native forest and pine plantation streams in the Nelson region, New Zealand. *New Zealand Journal of Marine and Freshwater Research* **36**:763-774.
- Beechie, T. J., M. Liermann, M. Pollock, S. Baker, and J. Davies. 2006. Channel pattern and river-floodplain dynamics in forested mountain systems. *Geomorphology* **78**:124-141.
- Bendix, J., and M. C. Cowell. 2009. Fire, floods and woody debris: Interactions between biotic and geomorphic processes. *Geomorphology*. doi:10.1016/j.geomorph.2009.09.043
- Bilby, R. E., and P. A. Bisson. 1998. Function and distribution of large woody debris. Pages 324-338 in R. J. Naiman and R. E. Bilby, editors. *River ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag Inc., New York, New York, USA.
- Bilby, R. E., and G. E. Likens. 1980. Importance of organic debris dams in the structure and function of stream ecosystems. *Ecology* **61**:1107-1113.
- Bilby, R. E., and J. W. Ward. 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. *Transactions of the American Fisheries Society* **118**:368-378.
- Bisson, P. A., R. E. Bilby, M. D. Bryant, C. A. Dolloff, G. B. Grette, and R. A. House. 1987. Large woody debris in the Pacific Northwest: Past, present and future. Pages 143-190 in E. O. Salo and T. W. Cundy, editors. *Streamside management: Forestry and fishery interactions*. Institute of Forest Resources, University of Washington, Seattle, WA, USA.
- Brooks, A. P., and G. J. Brierley. 2002. Mediated equilibrium: the influence of riparian vegetation and wood on the long-term evolution and behavior of a near-pristine river. *Earth Surface Processes and Landforms* **27**:343-367.
- Brooks, A. P., G. J. Brierley, and R. G. Millar. 2003. The long-term control of vegetation and woody debris on channel and flood-plain evolution: insights from a paired catchment study in southeastern Australia. *Geomorphology* **51**:7-29.
- Brooks, A. P., P. C. Gehrke, J. D. Jansen, and T. B. Abbe. 2004. Experimental reintroduction of woody debris on the Williams River, NSW: geomorphic and ecological responses. *River Research and Applications* **20**:513-536.
- Brummer, C. J., T. B. Abbe, J. R. Sampson, and D. R. Montgomery. 2006. Influence of vertical channel change associated with wood accumulations on delineating channel migration zones, Washington, USA. *Geomorphology* **80**:295-309.
- Collins, B. D., and D. R. Montgomery. 2002. Forest development, wood jams, and restoration of floodplain rivers in the Puget lowland, Washington. *Restoration Ecology* **10**:237-247.
- Collins, B. D., D. R. Montgomery, and A. D. Haas. 2002. Historical changes in the distribution and functions of large wood in Puget Lowland rivers. *Canadian Journal of Fisheries and Aquatic Sciences* **59**:66-76.
- Dahlstrom, N., and C. Nilsson. 2004. Influence of woody debris on channel structure in old growth and managed forest streams in central Sweden. *Ecosystems* **33**:376-384.
- Downs, P. W., and A. Simon. 2001. Fluvial geomorphological analysis of the recruitment of large woody debris in the Yalobusha River network, Central Mississippi, USA. *Geomorphology* **37**:65-91.
- Dykaar, B. B., and P. J. Wigington Jr. 2000. Floodplain formation and cottonwood colonization patterns on the Willamette River, Oregon, USA. *Environmental Management* **25**:87-104.
- Edwards, P. J., J. Kollman, A. Gurnell, G. E. Petts, K. Tockner, and J. V. Ward. 1999a. A conceptual model of vegetation dynamics on gravel bars of a large alpine river. *Wetlands Ecology and Management* **7**:141-153.
- Edwards, P. J., J. Kollman, K. Tockner, and N. E. Ward III. 1999b. The role of island dynamics in the maintenance of biodiversity in an Alpine river system. *Bulletin of the Geobotanical Institute ETH* **65**:73-86.

- Faustini, J. M., and J. A. Jones. 2003. Influence of large woody debris on channel morphology and dynamics in steep, boulder-rich mountain streams, western Cascades, Oregon. *Geomorphology* **51**:187-205.
- Fetherston, K. L. 2005. Pattern and process in mountain river valley networks. University of Washington.
- Fetherston, K. L., R. J. Naiman, and R. E. Bilby. 1995. Large woody debris, physical process, and riparian forest development in montane river networks of the Pacific Northwest. *Geomorphology* **13**:133-144.
- Gerhard, M., and M. Reich. 2000. Restoration of Streams with Large Wood: Effects of accumulated and built-in wood on channel morphology, habitat diversity, and aquatic fauna. *International Review of Hydrobiology* **85**:123-137.
- Gottesfeld, A. S., and L. M. J. Gottesfeld. 1990. Floodplain dynamics of a wandering river, dendrochronology of the Morice River, British Columbia, Canada. *Geomorphology* **3**:159-179.
- Gregory, S., K. Boyer, and A. Gurnell, editors. 2003. The ecology and management of wood in world rivers. American Fisheries Society, Symposium 37, Bethesda, Maryland, USA.
- Gurnell, A., and G. E. Petts. 2002. Island-dominated landscapes of large floodplain rivers, a European perspective. *Freshwater Biology* **47**:581-600.
- Gurnell, A., G. E. Petts, D. M. Hannah, B. P. G. Smith, P. J. Edwards, J. Kollman, J. V. Ward, and K. Tockner. 2001. Riparian vegetation and island formation along the gravel-bed Fiume Tagliamento, Italy. *Earth Surface Processes and Landforms* **26**:31-62.
- Gurnell, A., H. Piegay, F. J. Swanson, and S. V. Gregory. 2002. Large wood and fluvial processes. *Freshwater Biology* **47**:601-619.
- Gurnell, A., K. Tockner, P. Edwards, and G. Petts. 2005. Effects of deposited wood on biocomplexity of river corridors. *Frontiers in Ecology and the Environment* **3**:377-382.
- Harmon, M. E., J. F. Franklin, F. J. Swanson, P. Sollins, S. V. Gregory, J. D. Lattin, N. H. Anderson, S. P. Cline, N. G. Aumen, J. R. Sedell, G. W. Lienkaemper, K. Cromack, Jr., and K. W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* **15**:133-302.
- Kail, J. 2003. Influence of large woody debris on the morphology of six central European streams. *Geomorphology* **51**:207-223.
- Keller, E. A., and F. J. Swanson. 1979. Effects of large organic material on channel form and fluvial processes. *Earth Surface Processes* **4**:361-380.
- Kellerhals, R., M. Church, and D. I. Bray. 1976. Classification and analysis of river processes. *Journal of the Hydraulics Division, ASCE* **102**:no. HY6, Proceedings Paper 12232, 12813-12827.
- Knighton, D. 1998. *Fluvial forms and processes: A new perspective*. Oxford University Press Inc., New York, NY.
- Lassette, N. S., and R. R. Harris. 2001. The geomorphic and ecological influence of large woody debris in streams and rivers.
- Latterell, J. J., J. S. Bechtold, T. C. O'Keefe, R. Van Pelt, and R. J. Naiman. 2006. Dynamic patch mosaics and channel movement in an unconfined river valley of the Olympic Mountains. *Freshwater Biology* **51**:523-544.
- Latterell, J. J., and R. J. Naiman. 2007. Sources and dynamics of large logs in a temperate floodplain river. *Ecological Applications* **17**:1127-1141.
- Likens, G. E., and R. E. Bilby. 1982. Development, maintenance and role of organic debris dams in New England streams. Pages 122-128 *in* F. J. Swanson, R. J. Janda, T. Dunne, and D. N. Swanston, editors. *Sediment budgets and routing in forested drainage basins*. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon, USA.
- Madej, M. A., W. E. Weaver, and D. K. Hagans. 1994. Analysis of bank erosion on the Merced River, Yosemite Valley, Yosemite National Park, California, USA. *Environmental Management* **18**:235-250.
- Marston, R. A., J. Girel, G. Pautou, H. Piegay, J.-P. Bravard, and C. Arneson. 1995. Channel metamorphosis, floodplain disturbance, and vegetation development: Ain River, France. *Geomorphology* **13**:121-131.
- Maser, C., R. F. Tarrant, J. M. Trappe, and J. F. Franklin. 1988. *From forest to sea: A story of fallen trees*. General Technical Report PNW-GTR-229, USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon, USA.
- McKenney, R., R. B. Jacobsen, and R. C. Wertheimer. 1995. Woody vegetation and channel morphogenesis in low-gradient, gravel-bed streams in the Ozark Plateaus, Missouri and Arkansas. *Geomorphology* **13**:175-198.
- Montgomery, D. R., and T. Abbe. 2006. Influence of logjam-formed hard points on the formation of valley-bottom landforms in an old-growth forest valley, Queets River, Washington, USA. *Quaternary Research* **65**:147-155.
- Montgomery, D. R., T. B. Abbe, N. P. Peterson, J. M. Buffington, K. M. Schmidt, and J. D. Stock. 1996. Distribution of bedrock and alluvial channels in forested mountain drainage basins. *Nature* **381**:587-589.

- Montgomery, D. R., E. M. Beamer, G. R. Pess, and T. P. Quinn. 1999. Channel type and salmonid spawning distribution and abundance. *Canadian Journal of Fisheries and Aquatic Sciences* **56**:377-387.
- Montgomery, D. R., and J. M. Buffington. 1997. Channel reach morphology in mountain drainage basins. *Geological Society of America Bulletin* **109**:596-611.
- Montgomery, D. R., and J. M. Buffington. 1998. Channel processes, classification, and response. Pages 13-42 *in* R. J. Naiman and R. E. Bilby, editors. *River ecology and management: Lessons from the Pacific coastal ecoregion*. Springer-Verlag New York, Inc., New York, New York, USA.
- Montgomery, D. R., J. M. Buffington, R. D. Smith, K. M. Schmidt, and G. R. Pess. 1995. Pool spacing in forest channels. *Water Resources Research* **31**:1097-1105.
- Montgomery, D. R., B. Collins, D., J. M. Buffington, and T. B. Abbe. 2003a. Geomorphic effects of wood in rivers. Pages 21-48 *in* S. Gregory, K. Boyer, and A. Gurnell, editors. *The ecology and management of wood in world rivers*. American Fisheries Society, Symposium 37, Bethesda, Maryland.
- Montgomery, D. R., T. M. Massong, and S. C. S. Hawley. 2003b. Influence of debris flows and log jams on the location of pools and alluvial reaches, Oregon Coast Range. *GSA Bulletin* **115**:78-88.
- Mutz, M. 2000. Influences of woody debris on flow patterns and channel morphology in a low energy, sand-bed stream reach. *International Review of Hydrobiology* **85**:107-121.
- Naiman, R. J., E. V. Balian, K. K. Bartz, R. E. Bilby, and J. J. Latterell. 2002. Dead wood dynamics in stream ecosystems. Pages 23-48 *in* P. J. Shea, W. F. Laudenslayer, B. Valentine, C. P. Weatherspoon, and T. E. Lisle, editors. *Symposium on the Ecology and Management of Dead Wood in Western Forests*. USDA Forest Service, Pacific Southwest Research Station, Albany, California, USA.
- Naiman, R. J., J. S. Bechtold, T. J. Beechie, J. J. Latterell, and R. Van Pelt. 2010. A process-based view of floodplain forest patterns in coastal river valleys of the Pacific Northwest. *Ecosystems*.
- Naiman, R. J., J. S. Bechtold, D. C. Drake, J. J. Latterell, T. C. O'Keefe, and E. V. Balian. 2005a. Origins, patterns, and importance of heterogeneity in riparian systems. Pages 279-309 *in* G. Lovett, C. G. Jones, M. G. Turner, and K. C. Weathers, editors. *Ecosystem Function in Heterogeneous Landscapes*. Springer-Verlag, New York.
- Naiman, R. J., and R. E. Bilby. 1998. River ecology and management in the Pacific Coastal Ecoregion. Pages 1-8 *in* R. J. Naiman and R. E. Bilby, editors. *River Ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag New York, Inc., New York, New York.
- Naiman, R. J., H. Decamp, and M. E. McClain. 2005b. *Riparia*. Academic Press, San Diego.
- Nakamura, F., and F. J. Swanson. 1993. Effects of coarse woody debris on morphology and sediment storage of a mountain stream system in western Oregon. *Earth Surface Processes and Landforms* **18**:43-61.
- O'Connor, J. E., M. A. Jones, and T. L. Haluska. 2003. Floodplain and channel dynamics of the Quinault and Queets Rivers, Washington, USA. *Geomorphology* **51**:31-59.
- Palmer, M. A., P. Arensburger, A. P. Martin, and D. W. Denman. 1996. Disturbance and patch-specific responses: the interactive effects of woody debris and floods on lotic invertebrates. *Oecologia* **105**:247-257.
- Parsons, H., and D. Gilvear. 2002. Valley floor landscape change following almost 100 years of flood embankment abandonment on a wandering gravel-bed river. *River Research and Applications* **18**:461-479.
- Poole, G. C., J. A. Stanford, C. A. Frissell, and S. W. Running. 2002. Three-dimensional mapping of geomorphic controls on flood-plain hydrology and connectivity from aerial photos. *Geomorphology* **48**:329-347.
- Ralph, S. C., G. C. Poole, L. L. Conquest, and R. J. Naiman. 1994. Stream channel morphology and woody debris in logged and unlogged basins of western Washington. *Canadian Journal of Fisheries and Aquatic Sciences* **51**:37-51.
- Rosenfeld, J. S., and L. Huato. 2003. Relationship between large woody debris characteristics and pool formation in small coastal British Columbia streams. *North American Journal of Fisheries Management* **23**:928-938.
- Rot, B. W., R. J. Naiman, and R. E. Bilby. 2000. Stream channel configuration, landform, and riparian forest structure in the Cascade mountains, Washington. *Canadian Journal of Fisheries and Aquatic Sciences* **57**:699-707.
- Smock, L. A., G. M. Metzler, and J. E. Gladden. 1989. Role of debris dams in the structure and functioning of low gradient headwater streams. *Ecology* **70**:764-775.
- Thompson, D. M. 1995. The effects of large organic debris on sediment processes and stream morphology in Vermont. *Geomorphology* **11**:235-244.
- Tremolieres, M., J. M. Sanchez-Perez, A. Schnitzler, and D. Schmitt. 1998. Impact of river management history on the community structure, species composition, and nutrient status in the Rhine alluvial hardwood forest. *Plant Ecology* **135**:59-78.

- Triska, F. J. 1984. Role of wood debris in modifying channel geomorphology and riparian areas of a large lowland river under pristine conditions: a historical case study. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* **22**:1876-1892.
- Triska, F. J., and K. Cromack, Jr. 1980. Role of wood debris in forests and streams. Pages 171-190 in R. H. Waring, editor. *Proceedings of the Annual Biology Colloquium (Oregon State University)*, NO. 40. Forests: Fresh Perspectives from Ecosystem Analysis. Oregon State University Press: Corvallis, Oregon, USA, Corvallis.
- van der Nat, D., K. Tockner, P. J. Edwards, J. V. Ward, and A. Gurnell. 2003. Habitat change in braided floodplains (Tagliamento, NE - Italy). *Freshwater Biology* **48**:1799-1812.
- Van Pelt, R., T. C. O'Keefe, J. J. Latterell, and R. J. Naiman. 2006. Riparian forest stand development along the Queets River in Olympic National Park, Washington. *Ecological Applications* **76**:277-298.
- Wallace, J. B., J. R. Webster, and J. L. Meyer. 1995. Influence of log additions on physical and biotic characteristics of a mountain stream. *Canadian Journal of Fisheries and Aquatic Sciences* **52**:2120-2137.
- Wallerstein, N. P., and C. R. Thorne. 2004. Influence of large woody debris on morphological evolution of incised, sand-bed channels. *Geomorphology* **27**:53-73.
- Webb, A. A., and W. D. Erskine. 2003. Distribution, recruitment, and geomorphic significance of large woody debris in an alluvial forest stream: Tonghi Creek, southeastern Australia. *Geomorphology* **51**:109-126.
- Zelt, R. B., and E. E. Wohl. 2004. Channel and woody debris characteristics in adjacent burned and unburned watersheds a decade after wildfire, Park County, Wyoming. *Geomorphology* **57**:217-233.

V. Effects on Animals, Habitat, and Productivity

- Abbe, T. B., and D. R. Montgomery. 1996. Large woody debris jams, channel hydraulics, and habitat formation in large rivers. *Regulated Rivers: Research & Management* **12**:201-221.
- Anderson, N. H., J. R. Sedell, L. M. Roberts, and F. J. Triska. 1978. The role of aquatic invertebrates in processing of wood debris in coniferous forest streams. *American Midland Naturalist* **100**:64-82.
- Anderson, N. H., R. J. Steedman, and T. Dudley. 1984. Patterns of exploitation by stream invertebrates of wood debris (xylophagy). *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* **22**:1847-1852.
- Angermeier, P. L., and J. R. Karr. 1984. Relationships between woody debris and fish habitat in a small warmwater stream. *Transactions of the American Fisheries Society* **113**:716-726.
- Aumen, N. G., C. P. Hawkins, and K. J. Gregory. 1990. Influence of woody debris on nutrient retention in catastrophically disturbed streams. *Hydrobiologia* **190**:183-192.
- Beechie, T., M. Liermann, E. M. Beamer, and R. Henderson. 2005. A classification of habitat types in a large river and their use by juvenile salmonids. *Transactions of the American Fisheries Society* **134**:717-729.
- Beechie, T., and T. H. Sibley. 1997. Relationships between channel characteristics, woody debris, and fish habitat in northwestern Washington streams. *Transactions of the American Fisheries Society* **126**:217-229.
- Berg, N., A. Carlson, and D. Azuma. 1998. Function and dynamics of woody debris in stream reaches in the central Sierra Nevada, California. *Canadian Journal of Fisheries and Aquatic Sciences* **55**:1807-1820.
- Bilby, R. E., and P. A. Bisson. 1992. Allochthonous versus autochthonous organic matter contributions to the trophic support of fish populations in clear-cut and old-growth forested streams. *Canadian Journal of Fisheries and Aquatic Sciences* **49**:540-551.
- Bilby, R. E., and P. A. Bisson. 1998. Function and distribution of large woody debris. Pages 324-338 in R. J. Naiman and R. E. Bilby, editors. *River ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag Inc., New York, New York, USA.
- Bilby, R. E., and G. E. Likens. 1980. Importance of organic debris dams in the structure and function of stream ecosystems. *Ecology* **61**:1107-1113.
- Bisson, P. A., R. E. Bilby, M. D. Bryant, C. A. Dolloff, G. B. Grette, and R. A. House. 1987. Large woody debris in the Pacific Northwest: Past, present and future. Pages 143-190 in E. O. Salo and T. W. Cundy, editors. *Streamside management: Forestry and fishery interactions*. Institute of Forest Resources, University of Washington, Seattle, WA, USA.
- Bisson, P. A., and J. R. Sedell. 1984. Salmonid populations in clearcut vs. old-growth forests of western Washington. Pages 121-129 in W. R. Meehan, T. R. Merrell Jr., and T. A. Hanley, editors. *Fish and*

- wildlife relationships in old-growth forests: Proceedings of a symposium. American Institute of Fishery Biologists, Morehead City, North Carolina, USA.
- Bisson, P. A., K. Sullivan, and J. L. Nielsen. 1988. Channel hydraulics, habitat use, and body form of juvenile coho salmon, steelhead, and cutthroat trout. *Transactions of the American Fisheries Society* **117**:262-273.
- Bjornn, T. C. 1971. Trout and salmon movements in two Idaho streams as related to temperature, food, streamflow, cover, and population density. *Transactions of the American Fisheries Society* **100**:423-438.
- Bowman, J. C., D. Sleep, G. J. Forbes, and M. Edwards. 2000. The association of small mammals with coarse woody debris at log and stand scales. *Forest Ecology and Management* **129**:119-124.
- Brooks, A. P., P. C. Gehrke, J. D. Jansen, and T. B. Abbe. 2004. Experimental reintroduction of woody debris on the Williams River, NSW: geomorphic and ecological responses. *River Research and Applications* **20**:513-536.
- Bryant, M. G. 1983. The role and management of woody debris in West Coast salmonid nursery streams. *North American Journal of Fisheries Management* **3**:322-330.
- Bull, E. L. 2002. The value of coarse woody debris to vertebrates in the Pacific Northwest. Pages 171-178 in P. J. Shea, W. F. Laudenslayer, B. Valentine, C. P. Weatherspoon, and T. E. Lisle, editors. *Symposium on the Ecology and Management of Dead Wood in Western Forests*. USDA Forest Service, Pacific Southwest Research Station, Albany, California, USA.
- Carlson, J. Y., C. Andrus, and H. A. Froelich. 1990. Woody debris, channel features, and macroinvertebrates of streams with logged and undisturbed riparian timber in Northeastern Oregon, USA. *Canadian Journal of Fisheries and Aquatic Sciences* **47**:1103-1111.
- Cederholm, C. J., R. E. Bilby, P. A. Bisson, T. W. Bumstead, B. R. Fransen, W. J. Scarlett, and J. W. Ward. 1997. Response of juvenile coho salmon and steelhead to placement of large woody debris in a coastal Washington stream. *North American Journal of Fisheries Management* **17**:947-963.
- Cederholm, C. J., D. B. Houston, D. L. Cole, and W. J. Scarlett. 1989. Fate of coho salmon (*Oncorhynchus kisutch*) carcasses in spawning streams. *Canadian Journal of Fisheries and Aquatic Sciences* **46**:1347-1355.
- Coe, H. J., P. M. Kiffney, and G. R. Pess. 2006. A comparison of methods to evaluate the response of periphyton and invertebrates to wood placement in large Pacific coastal rivers. *Northwest Science* **80**:298-307.
- Collier, K. J., and E. J. Bowman. 2003a. Role of wood in pumice-bed streams: I: impacts of post-harvest management on water quality, habitat, and benthic invertebrates. *Forest Ecology and Management* **177**:243-259.
- Collier, K. J., and E. J. Bowman. 2003b. Role of wood in pumice-bed streams: II: Breakdown and colonisation. *Forest Ecology and Management* **177**:261-276.
- Collins, B. D., and D. R. Montgomery. 2002. Forest development, wood jams, and restoration of floodplain rivers in the Puget lowland, Washington. *Restoration Ecology* **10**:237-247.
- Connolly, P. J., and J. D. Hall. 1999. Biomass of coastal cutthroat trout in unlogged and previously clear-cut basins in the Central Coast Range of Oregon. *Transactions of the American Fisheries Society* **128**:890-899.
- Crispin, V., R. House, and D. Roberts. 1993. Changes in instream habitat, large woody debris, and salmon habitat after the restructuring of a coastal Oregon stream. *North American Journal of Fisheries Management* **13**:96-102.
- Dolloff, C. A. 1986. Effects of stream clearing on juvenile coho salmon and Dolly Varden in Southeast Alaska. *Transactions of the American Fisheries Society* **125**:743-755.
- Elliott, J. M. 2000. Pools as refugia for brown trout during two summer droughts: trout responses to thermal and oxygen stress. *Journal of Fish Biology* **56**:938-948.
- Elliott, S. T. 1986. Reduction of a Dolly Varden population and macrobenthos after removal of logging debris. *Transactions of the American Fisheries Society* **115**:392-400.
- Fausch, K. D. 1984. Profitable stream positions for salmonids: relating specific growth rate to net energy gain. *Canadian Journal of Zoology* **62**:441-451.
- Fausch, K. D. 1992. Experimental analysis of microhabitat selection by juvenile steelhead (*Oncorhynchus mykiss*) and coho salmon (*O. kisutch*) in a British Columbia stream. *Canadian Journal of Fisheries and Aquatic Sciences* **50**:1198-1207.
- Fausch, K. D., and T. G. Northcote. 1992. Large woody debris and salmonid habitat in a small coastal British Columbia stream. *Canadian Journal of Fisheries and Aquatic Sciences* **49**:682-693.
- Flebbe, P. A. 1999. Trout use of woody debris and habitat in Wine Spring Creek, North Carolina. *Forest Ecology and Management* **114**:367-376.
- Fransen, B. R., P. A. Bisson, J. W. Ward, and R. E. Bilby. 1993. Physical and biological constraints on summer rearing of juvenile coho salmon (*Oncorhynchus kisutch*) in small western Washington streams. Pages 271-

- 288 in L. Berg and P. W. Delaney, editors. Coho salmon workshop. Department of Fisheries and Oceans, Canada, Nanaimo, British Columbia.
- Gerhard, M., and M. Reich. 2000. Restoration of Streams with Large Wood: Effects of accumulated and built-in wood on channel morphology, habitat diversity, and aquatic fauna. *International Review of Hydrobiology* **85**:123-137.
- Giannico, G. R. 2000. Habitat selection by juvenile coho in response to food and woody debris manipulations in suburban and rural stream sections. *Canadian Journal of Fisheries and Aquatic Sciences* **57**:1804-1813.
- Giannico, G. R., and S. G. Hinch. 2003. The effect of wood and temperature on juvenile coho salmon winter movement, growth, density, and survival in side-channels. *River Research and Applications* **19**:219-231.
- Glova, G. L. 1986. Interaction for food and space between experimental populations of juvenile coho salmon (*Oncorhynchus kisutch*) and coastal cutthroat trout (*Salmo clarki*) in a laboratory stream. *Hydrobiologia* **131**:155-168.
- Gregory, S., K. Boyer, and A. Gurnell, editors. 2003. The ecology and management of wood in world rivers. American Fisheries Society, Symposium 37, Bethesda, Maryland, USA.
- Gregory, S. V., G. A. Lamberti, D. C. Erman, K. V. Koski, M. L. Murphy, and J. R. Sedell. 1987. Influence of forest practices on aquatic production. in E. O. Salo and T. W. Cundy, editors. *Streamside management: Forestry and fishery interactions*. Institute of Forest Resources, University of Washington, Seattle, Washington, USA.
- Grette, G. B. 1985. The role of large organic debris in juvenile salmonid rearing habitat in small streams. M.S. Thesis. University of Washington, Seattle, Washington, USA.
- Grove, S. L. 2002. Saproxylic insect ecology and the sustainable management of forests. *Annual Review of Ecology and Systematics* **33**:1-23.
- Gurtz, M. E., and J. B. Wallace. 1984. Substrate mediated response of stream invertebrates to disturbance. *Ecology* **65**:1556-1569.
- Hansen, L. D., and J. H. Klotz. 2005. *Carpenter ants of the United States and Canada*. Cornell University Press, Ithaca, New York.
- Harmon, M. E., and J. F. Franklin. 1989. Tree seedlings on logs in *Picea-Tsuga* forests of Oregon and Washington. *Ecology* **70**:48-59.
- Harmon, M. E., J. F. Franklin, F. J. Swanson, P. Sollins, S. V. Gregory, J. D. Lattin, N. H. Anderson, S. P. Cline, N. G. Aumen, J. R. Sedell, G. W. Lienkaemper, K. Cromack, Jr., and K. W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* **15**:133-302.
- Hart, S. C. 1999. Nitrogen transformations in fallen tree boles and mineral soil of an old-growth forest. *Ecology* **80**:1385-1394.
- Hartman, G. F., and T. G. Brown. 1987. Use of small, temporary, floodplain tributaries by juvenile salmonids in a West Coast rainforest drainage basin, Carnation Creek, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* **44**:262-270.
- Hartman, G. F., and C. A. Gill. 1968. Distributions of juvenile steelhead and cutthroat trout (*Salmo gairdneri* and *S. clarki clarki*) within streams in southwestern British Columbia. *Fisheries Research Board Of Canada* **25**:33-48.
- Hartzler, J. R. 1983. The effects of half-log covers on angler harvest and standing crop of brown trout in McMichaels Creek, Pennsylvania. *North American Journal of Fisheries Management* **3**:228-238.
- Harvey, B. C. 1998. Influence of large woody debris on retention, immigration, and growth of coastal cutthroat trout (*Oncorhynchus clarki clarki*) in stream pools. *Canadian Journal of Fisheries and Aquatic Sciences* **55**:1902-1908.
- Harvey, B. C., R. J. Nakamoto, and J. L. White. 1999. Influence of large woody debris and a bankfull flood on movement of adult resident coastal cutthroat trout (*Oncorhynchus clarki*) during fall and winter. *Canadian Journal of Fisheries and Aquatic Sciences* **56**:2161-2166.
- Harvey, B. C., and A. J. Stewart. 1991. Fish size and habitat depth relationships in headwater streams. *Oecologia* **87**:336-342.
- Hauer, F. R., G. C. Poole, J. T. Gangemi, and C. V. Baxter. 1999. Large woody debris in bull trout (*Salvelinus confluentus*) spawning streams of logged and wilderness watersheds in northwest Montana. *Canadian Journal of Fisheries and Aquatic Sciences* **56**:915-924.
- Hawkins, C. P., M. L. Murphy, and N. H. Anderson. 1982. Effects of canopy, substrate composition, and gradient on the structure of macroinvertebrate communities in Cascade Range streams of Oregon. *Ecology* **63**:1840-1856.

- Hawkins, C. P., M. L. Murphy, N. H. Anderson, and M. A. Wilzbach. 1983. Density of fish and salamanders in relation to riparian canopy and physical habitat in streams of the Northwest United States. *Canadian Journal of Fisheries and Aquatic Sciences* **40**:1173-1185.
- Hayes, D. B., C. P. Ferreri, and W. W. Taylor. 1996. Linking fish habitat to their population dynamics. *Canadian Journal of Fisheries and Aquatic Sciences* **53(Suppl. 1)**:383-390.
- Heggenes, J. 2002. Flexible summer habitat selection by wild, allopatric brown trout in lotic environments.
- Hicks, B. J., J. D. Hall, P. A. Bisson, and J. R. Sedell. 1991. Response of salmonid populations to habitat changes caused by timber harvest. Pages 483-518 *in* W. D. Meehan, editor. *Influence of forest and rangeland management on salmonid fishes and their habitats*. American Fisheries Society Special Publication 19, Bethesda, Maryland, USA.
- Hicks, W., M. E. Harmon, and R. P. Griffiths. 2003. Abiotic controls on nitrogen fixation and respiration in selected woody debris from the Pacific Northwest, USA. *Ecoscience* **10**:66-73.
- Hillman, T. W., J. S. Griffith, and W. S. Platts. 1987. Summer and winter habitat selection by juvenile Chinook salmon in a highly sedimented Idaho stream. *Transactions of the American Fisheries Society* **116**:185-195.
- Holub, S. M., J. D. H. Spears, and K. Lajtha. 2001. A reanalysis of nutrient dynamics in coniferous coarse woody debris. *Canadian Journal of Forest Research* **31**:1984-1902.
- House, R. A., and P. L. Boehne. 1986. Effects of instream structures on salmonid habitat and populations in Tobe Creek, Oregon, USA. *North American Journal of Fisheries Management* **6**:38-46.
- House, R. A., and P. L. Boehne. 1985. Evaluation of instream enhancement structures for salmonid spawning and rearing in a coastal Oregon stream. *North American Journal of Fisheries Management* **5**:283-295.
- Huryn, A. D., and J. B. Wallace. 1987. Local geomorphology as a determinant of macrofaunal production in a mountain stream. *Ecology* **68**:1932-1942.
- Inoue, M., and S. Nakano. 1998. Effects of woody debris on the habitat of juvenile masu salmon (*Oncorhynchus masou*) in northern Japanese streams. *Freshwater Biology* **40**:1-16.
- Isaak, D. J., R. F. Thurhow, B. E. Reiman, and J. B. Dunham. 2007. Chinook use of spawning patches: Relative roles of habitat quality, size, and connectivity. *Ecological Applications* **17**:352-364.
- Jackson, D. A., P. R. Peres-Neto, and J. D. Olden. 2001. What controls who is where in freshwater fish communities- the roles of biotic, abiotic, and spatial factors. *Canadian Journal of Fisheries and Aquatic Sciences* **58**:157-170.
- Janisch, J. E., and M. E. Harmon. 2002. Successional changes in live and dead wood carbon stores: implications for net ecosystem productivity. *Tree Physiology* **22**:77-89.
- Jeanes, E. D., and P. J. Hilgert. 2001. Juvenile salmonid use of lateral stream habitats, Middle Green River, Washington, 2000 Data Report. Prepared for U.S. Army Corps of Engineers, Seattle District, Seattle.
- Johnson, S. L., J. D. Rodgers, M. F. Solazzi, and T. E. Nickelson. 2005. Effects of an increase in large wood on abundance and survival of juvenile salmonids (*Oncorhynchus* spp.) in an Oregon coastal stream. *Canadian Journal of Fisheries and Aquatic Sciences* **62**:412-424.
- Jowett, I. G., J. Richardson, and R. M. McDowall. 1996. Relative effects of in-stream habitat and land use on fish distribution and abundance in tributaries of the Grey River, New Zealand. *New Zealand Journal of Marine and Freshwater Research* **30**:463-475.
- Kayahara, G. J. 1998. Effects of decaying wood on the weathering of soils in coastal British Columbia, Canada. Pages 74-76 *in* J. A. Trofymow and A. MacKinnon, editors. *Structure, Process, and Diversity in Successional Forests of Coastal British Columbia*, Feb 17-19. Northwest Science, Special Issue No. 2, Victoria, British Columbia.
- Keeley, E. R. 2001. Demographic responses to food and space competition by juvenile steelhead trout. *Ecology* **82**:1247-1259.
- Keim, R. F., A. E. Skaugset, and D. S. Bateman. 2002. Physical habitat II. Pools and cover affected by large woody debris in three western Oregon streams. *North American Journal of Fisheries Management* **22**:151-164.
- Kelly, D. J., and M. L. Bothwell. 2002. Avoidance of solar ultraviolet radiation by juvenile coho salmon (*Oncorhynchus kisutch*). *Canadian Journal of Fisheries and Aquatic Sciences* **59**:474-482.
- Laiho, R., and C. E. Prescott. 2004. Decay and nutrient dynamics of coarse woody debris in northern coniferous forests: a synthesis. *Canadian Journal of Forest Research* **34**:763-777.
- Laitung, B., J. L. Pretty, E. Chauvet, and M. Dobson. 2002. Response of aquatic hyphomycete communities to enhanced stream retention in areas impacted by commercial forestry. *Freshwater Biology* **47**:313-323.
- Lanka, R. P., W. A. Hubert, and T. A. Wesche. 1987. Relations of geomorphology to stream habitat and trout standing stock in small Rocky Mountain streams. *Transactions of the American Fisheries Society* **116**:21-28.

- Larson, M. G., D. B. Booth, and S. A. Morley. 2001. Effectiveness of large woody debris in stream rehabilitation projects in urban basins. *Ecological Engineering* **18**:211-226.
- Lassette, N. S., and R. R. Harris. 2001. The geomorphic and ecological influence of large woody debris in streams and rivers.
- Latterell, J. J., J. S. Bechtold, T. C. O'Keefe, R. Van Pelt, and R. J. Naiman. 2006. Dynamic patch mosaics and channel movement in an unconfined river valley of the Olympic Mountains. *Freshwater Biology* **51**:523-544.
- Latterell, J. J., and R. J. Naiman. 2007. Sources and dynamics of large logs in a temperate floodplain river. *Ecological Applications* **17**:1127-1141.
- Lehane, B. M., P. S. Giller, J. O'Halloran, C. Smith, and J. Murphy. 2002. Experimental provision of large woody debris in streams as a trout management technique. *Aquatic Conservation* **12**:289-311.
- Lemly, D. A., and R. H. Hilderbrand. 2000. Influence of large woody debris on stream insect communities and benthic detritus. *Hydrobiologia* **421**:179-185.
- Lepori, F., D. Palm, E. Brannas, and B. Malmqvist. 2005. Does restoration of structural heterogeneity in streams enhance fish and macroinvertebrate diversity? *Ecological Applications* **15**:2060-2071.
- Lindgren, B. S., and A. M. MacIsaac. 2002. A preliminary study of ant diversity and of ant dependence on dead wood in central interior British Columbia. USDA Forest Service General Technical Report PSW-GTR-181.
- Lisle, T. E. 1986. Effects of woody debris on anadromous salmonid habitat, Prince of Wales Island, Southeast Alaska, USA. *North American Journal of Fisheries Management* **6**:538-550.
- Mac Nally, R., A. Parkinson, G. Horrocks, L. Canole, and C. Tzaros. 2001. Relationships between terrestrial vertebrate diversity, abundance and availability of coarse woody debris on south-eastern Australian floodplains. *Biological Conservation* **99**:191-205.
- Magee, J. P., T. E. McMahon, and R. F. Thurrow. 1996. Spatial variation in spawning habitat of cutthroat trout in a sediment-rich stream basin. *Transactions of the American Fisheries Society* **125**:760-779.
- Marcus, W. A., C. J. Legleiter, R. J. Aspinall, J. W. Boardman, and R. L. Crab. 2004. High spatial resolution hyperspectral mapping of instream habitats, depths, and woody debris in mountain streams. *Geomorphology* **55**:363-380.
- Maret, T. R., C. T. Robinson, and G. W. Minshall. 1997. Fish assemblages and environmental correlates in least-disturbed streams of the Upper Snake river basin. *Transactions of the American Fisheries Society* **126**:200-216.
- Maser, C., R. F. Tarrant, J. M. Trappe, and J. F. Franklin. 1988. From forest to sea: A story of fallen trees. General Technical Report PNW-GTR-229, USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon, USA.
- Mathooko, J. M., and C. O. Otieno. 2002. Does surface textural complexity of woody debris in lotic ecosystems influence their colonization by aquatic invertebrates? *Hydrobiologia* **489**:11-20.
- Minns, C. K., J. R. M. Kelso, and R. G. Randall. 1996. Detecting the response of fish to habitat alterations in freshwater ecosystems. *Canadian Journal of Fisheries and Aquatic Sciences* **53 (Suppl. 1)**:403-414.
- Mobrand, L. E., J. A. Lichatowich, L. C. Lestelle, and T. S. Vogel. 1997. An approach to describing ecosystem performance "through the eyes of salmon". *Canadian Journal of Fisheries and Aquatic Sciences* **54**:2964-2973.
- Moore, K. M. S., and S. V. Gregory. 1988a. Response of young-of-the-year cutthroat trout to manipulation of habitat structure in a small stream. *Transactions of the American Fisheries Society* **117**:162-170.
- Moore, K. M. S., and S. V. Gregory. 1988b. Summer habitat utilization and ecology of cutthroat trout fry (*Salmo clarki*) in Cascade mountain streams. *Canadian Journal of Fisheries and Aquatic Sciences* **117**:162-170.
- Moore, R. D., and J. S. Richardson. 2003. Progress toward understanding the structure, function, and ecological significance of small stream channels and their riparian zones. *Canadian Journal of Forest Research* **33**:1349-1351.
- Murphy, M. L., and J. D. Hall. 1981. Varied effects of clear-cut logging on predators and their habitat in small streams of the Cascade mountains, Oregon. *Canadian Journal of Fisheries and Aquatic Sciences* **38**:137-145.
- Murphy, M. L., C. P. Hawkins, and N. H. Anderson. 1981. Effects of canopy modification and accumulated sediment on stream communities. *Transactions of the American Fisheries Society* **110**:469-478.
- Murphy, M. L., J. Hefietz, S. W. Johnson, K. V. Koski, and J. F. Thedinga. 1986. Effects of clear-cut logging with and without buffer strips on juvenile salmonids in Alaskan streams. *Canadian Journal of Fisheries and Aquatic Sciences* **43**:1521-1533.

- Nagayama, S., Y. Kawaguchi, D. Nakano, and F. Nakamura. 2009. Summer microhabitat partitioning by different size classes of masu salmon (*Oncorhynchus masou*) in habitats formed by installed large wood in a large lowland river. *Canadian Journal of Fisheries and Aquatic Sciences* **66**:42-51.
- Naiman, R. J., E. V. Balian, K. K. Bartz, R. E. Bilby, and J. J. Latterell. 2002. Dead wood dynamics in stream ecosystems. Pages 23-48 in P. J. Shea, W. F. Laudenslayer, B. Valentine, C. P. Weatherspoon, and T. E. Lisle, editors. *Symposium on the Ecology and Management of Dead Wood in Western Forests*. USDA Forest Service, Pacific Southwest Research Station, Albany, California, USA.
- Naiman, R. J., J. S. Bechtold, T. J. Beechie, J. J. Latterell, and R. Van Pelt. 2010. A process-based view of floodplain forest patterns in coastal river valleys of the Pacific Northwest. *Ecosystems*.
- Naiman, R. J., J. S. Bechtold, D. C. Drake, J. J. Latterell, T. C. O'Keefe, and E. V. Balian. 2005a. Origins, patterns, and importance of heterogeneity in riparian systems. Pages 279-309 in G. Lovett, C. G. Jones, M. G. Turner, and K. C. Weathers, editors. *Ecosystem Function in Heterogeneous Landscapes*. Springer-Verlag, New York.
- Naiman, R. J., and R. E. Bilby. 1998. River ecology and management in the Pacific Coastal Ecoregion. Pages 1-8 in R. J. Naiman and R. E. Bilby, editors. *River Ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag New York, Inc., New York, New York.
- Naiman, R. J., H. Decamp, and M. E. McClain. 2005b. Riparia. Academic Press, San Diego.
- Narver, D. W. 1971. Effects of logging debris on fish production. Pages 100-111 in J. T. Krygier and J. D. Hall, editors. *Forest land uses and stream environment: Proceedings of a symposium*, Oregon State University, Corvallis, Oregon, USA.
- Narver, D. W. 1971. Effects of logging debris on fish production. Pages 100-111 in J. T. Krygier and J. D. Hall, editors. *Forest land uses and stream environment: Proceedings of a symposium*, Oregon State University, Corvallis, Oregon, USA.
- Naslund, I. 1989. Effects of habitat improvement on the brown trout *Salmo trutta* L., population of a northern Swedish stream. *Aquaculture and Fisheries Management* **20**:463-474.
- Nelson, R. L., W. S. Platts, D. P. Larsen, and S. E. Jensen. 1992. Trout distribution and habitat in relation to geology and geomorphology in the North Fork Humboldt river drainage, Northeastern Nevada. *Transactions of the American Fisheries Society* **121**:405-426.
- Neumann, R. M., and T. L. Wildman. 2002. Relationships between trout habitat use and woody debris in two southern New England streams. *Ecology of Freshwater Fish* **11**:240-250.
- Nickelson, T. E., M. F. Solazzi, S. L. Johnson, and J. D. Rodgers. 1992. Effectiveness of selected stream improvement techniques to create suitable summer and winter rearing habitat for juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences* **49**:790-794.
- Nilsen, H. C., and R. W. Larimore. 1973. Establishment of invertebrate communities on log substrates in the Kaskaskia River, Illinois. *Ecology* **54**:366-374.
- Nislow, K. H., C. L. Folt, and D. L. Parrish. 1999. Favorable foraging locations for young atlantic salmon: application to habitat and population restoration. *Ecological Applications* **9**:1085-1099.
- Opperman, J. J., and A. M. Merenlender. 2004. The effectiveness of riparian restoration for improving instream fish habitat in four hardwood-dominated California streams. *North American Journal of Fisheries Management* **24**:822-834.
- Pasternack, G. B., and A. E. Senter. 2008. Investigating the Role of Large Woody Materials to Aid River Rehabilitation in a Regulated California River. University of California Water Resources Center. Retrieved from: <http://www.escholarship.org/uc/item/31d1s0n9>.
- Paul, A. J., and J. R. Post. 2001. Spatial distribution of native and nonnative salmonids in streams of the eastern slopes of the Canadian Rocky Mountains. *Transactions of the American Fisheries Society* **130**:417-430.
- Pess, G. R., M. Liermann, M. L. McHenry, and R. J. Peters. In review. Juvenile salmonid response to the placement of engineered logjams (ELJs) in the Elwha River.
- Pettit, N. E., J. J. Latterell, and R. J. Naiman. 2006. Formation, distribution and ecological consequences of flood-related wood debris piles in a bedrock confined river in semi-arid South Africa. *River Research and Management* **22**:1097-1110.
- Pettit, N. E., and R. J. Naiman. 2005. Flood deposited wood debris and its contribution to heterogeneity and regeneration in a semi-arid riparian landscape. *Oecologia* **145**:434-444.
- Platts, W. S., and R. L. Nelson. 1988. Fluctuations in trout populations and their implication for land-use evaluation. *North American Journal of Fisheries Management* **8**:333-345.

- Power, M. E., R. J. Stout, C. E. Cushing, P. P. Harper, F. R. Hauer, W. J. Matthews, P. B. Moyle, B. Statzner, and I. R. Wais de Badgen. 1988. Biotic and abiotic controls in river and stream communities. *Journal of the North American Benthological Society* **7**:456-479.
- Pusey, B. J., and A. H. Arthington. 2003. Importance of the riparian zone to the conservation and management of freshwater fish: A review. *Marine and Freshwater Research* **54**:1-16.
- Quinn, T. P. 2005. The behavior and ecology of Pacific salmon and trout. University of Washington Press, Seattle.
- Quinn, T. P., and N. P. Petersen. 1996. The influence of habitat complexity and fish size on over-winter survival and growth of individually-marked juvenile coho salmon (*Oncorhynchus kisutch*) in Big Beef Creek, Washington. *Canadian Journal of Fisheries and Aquatic Sciences* **53**:1555-1564.
- Reeves, G. H., F. H. Everest, and J. R. Sedell. 1993. Diversity of juvenile anadromous salmonid assemblages in coastal Oregon basins with different levels of timber harvest. *Transactions of the American Fisheries Society* **122**:309-317.
- Reeves, G. H., J. D. Hall, and S. V. Gregory. 1997. The impact of land-management activities on coastal cutthroat trout and their freshwater habitats. Pages 138-144 in P. A. Bisson and R. E. Gresswell, editors. *Sea-run cutthroat trout: Biology, management, and future conservation*. Oregon Chapter, American Fisheries Society, Corvallis, Oregon, USA.
- Rice, J. C. 2005. Understanding fish habitat ecology to achieve habitat conservation. *Journal of Fish Biology* **67** (Supplement B):1-22.
- Richardson, J. S., R. J. Naiman, F. J. Swanson, and D. J. Hibbs. 2005. Riparian communities associated with Pacific Northwest headwater streams: Assemblages, processes, and uniqueness. *Journal of the American Water Resources Association* **41**:935-947.
- Richmond, A. D., and K. D. Fausch. 1995. Characteristics and function of large woody debris in subalpine Rocky Mountain streams in northern Colorado. *Canadian Journal of Fisheries and Aquatic Sciences* **52**:1789-1802.
- Riley, S. C., and K. D. Fausch. 1995. Trout population response to habitat enhancement in six northern Colorado streams. *Canadian Journal of Fisheries and Aquatic Sciences* **52**:34-53.
- Roberge, M. 2000. Influence of physical habitat on the seasonal movement, growth, and habitat association of individual coastal cutthroat trout. Master's thesis. University of British Columbia, Vancouver, British Columbia, Canada.
- Roni, P. 2003. Responses of benthic fishes and giant salamanders to placement of large woody debris in small Pacific Northwest streams. *North American Journal of Fisheries Management* **23**.
- Roni, P., and T. P. Quinn. 2001a. Density and size of juvenile salmonids in response to placement of large woody debris in western Oregon and Washington streams. *Canadian Journal of Fisheries and Aquatic Sciences* **58**:282-292.
- Roni, P., and T. P. Quinn. 2001b. Effects of wood placement on movements of trout and juvenile coho salmon in natural and artificial stream channels. *Transactions of the American Fisheries Society* **130**:675-685.
- Roper, B. B., D. L. Scarnecchia, and T. J. La Marr. 1994. Summer distribution and habitat use by chinook salmon and steelhead within a major river basin of the South Umpqua River, Oregon. *Transactions of the American Fisheries Society* **123**:298-308.
- Rosenfeld, J. 2002. Functional redundancy in ecology and conservation. *Conservation Biology* **98**:156-162.
- Rosenfeld, J., M. Porter, and E. Parkinson. 2000. Habitat factors affecting the abundance and distribution of juvenile cutthroat trout (*Oncorhynchus clarki*) and coho salmon (*Oncorhynchus kisutch*). *Canadian Journal of Fisheries and Aquatic Sciences* **57**:766-774.
- Rosenfeld, J. S., and S. Boss. 2001. Fitness consequences of habitat use for juvenile cutthroat trout: energetic costs and benefits in pools and riffles. *Canadian Journal of Fisheries and Aquatic Sciences* **58**:585-593.
- Rosenfeld, J. S., and L. Huato. 2003. Relationship between large woody debris characteristics and pool formation in small coastal British Columbia streams. *North American Journal of Fisheries Management* **23**:928-938.
- Rosenfeld, J. S., T. Leiter, G. Lindner, and L. Rothman. 2005. Food abundance and fish density alters habitat selection, growth, and habitat suitability curves for juvenile coho salmon (*Oncorhynchus kisutch*). *Canadian Journal of Fisheries and Aquatic Sciences* **62**:1691-1701.
- Schlosser, I. J. 1991. Stream fish ecology: A landscape perspective. *BioScience* **41**:704-712.
- Schlosser, I. J. 1998. Fish recruitment, dispersal, and trophic interactions in a heterogeneous lotic environment. *Oecologia* **113**:260-268.
- Schmetterling, D. A., and S. B. Adams. 2004. Summer movements within the fish community of a small montane stream. *North American Journal of Fisheries Management* **24**:1163-1172.

- Schowalter, T. D. 1994. Coarse woody debris chewers in the Columbia River Basin. A report to the U.S. Forest Service Eastside Ecosystems Management Strategy Project., Entomology Department, Oregon State University., Corvallis, Oregon.
- Schwartz, J. S. 1991. Influence of geomorphology and land use on the distribution and abundance of salmonids in a coastal Oregon basin. Master's thesis. Oregon State University, Corvallis, Oregon, USA.
- Scrivener, J. C., and B. C. Andersen. 1984. Logging impacts and some mechanisms that determine the size of spring and summer populations of coho salmon fry (*Oncorhynchus kisutch*) in Carnation Creek, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* **41**:1097-1105.
- Scrivener, J. C., and M. J. Brownlee. 1989. Effects of forest harvesting on spawning gravel and incubation survival of chum (*Oncorhynchus keeta*) and coho salmon (*O. kisutch*) in Carnation Creek, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* **46**:681-696.
- Shields Jr., F. D., S. S. Knight, N. Morin, and J. Blank. 2003. Response of fishes and aquatic habitats to sand-bed restoration using large woody debris. *Hydrobiologia* **494**:251-257.
- Shirvell, C. S. 1990. Role of instream rootwads as juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*O. mykiss*) cover habitat under varying streamflows. *Canadian Journal of Fisheries and Aquatic Sciences* **47**:852-861.
- Smock, L. A., G. M. Metzler, and J. E. Gladden. 1989. Role of debris dams in the structure and functioning of low gradient headwater streams. *Ecology* **70**:764-775.
- Solazzi, M. F., T. E. Nickelson, S. L. Johnson, and J. D. Rodgers. 2000. Effects of increasing winter rearing habitat on abundance of salmonids in two coastal Oregon streams. *Canadian Journal of Fisheries and Aquatic Sciences* **57**:906-914.
- Spies, T. A., J. F. Franklin, and T. B. Thomas. 1988. Coarse woody debris in douglas-fir forests of western Washington and Oregon. *Ecology* **69**:1689-1702.
- Steel, A. E. 1999. Use of woody debris piles by birds and small mammals in a riparian corridor. *Northwest Science* **73**:19-26.
- Steel, E. A., W. H. Richards, and K. A. Kelsey. 2003. Wood and wildlife: benefits of river wood to terrestrial and aquatic vertebrates. Pages 235-248 in S. V. Gregory, K. L. Boyer, and A. M. Gurnell, editors. *The ecology and management of wood in world rivers*. American Fisheries Society, Bethesda, Maryland, USA.
- Stevens, M. H. H., and K. W. Cummins. 1999. Effects of long-term disturbance on riparian vegetation and in-stream characteristics. *Journal of Freshwater Ecology* **14**:1-17.
- Stevens, V. 1997. The ecological role of woody debris: an overview of the ecological importance of CWD in BC forests. Working Paper 30, Research Branch, British Columbia Ministry of Forests Research Program, Victoria, British Columbia, Canada.
- Stoneman, C. L., and M. L. Jones. 2000. The influence of habitat features on the biomass and distribution of three species of Southern Ontario stream salmonines. *Transactions of the American Fisheries Society* **129**:639-657.
- Sukhodolov, A., W. Bertoldi, C. Wolter, N. Surian, and M. Tubino. 2009. Implications of channel processes for juvenile fish habitats in Alpine rivers. *Aquatic Sciences* **71**:338-349.
- Sweka, J. A., and K. J. Hartman. 2006. Effects of large woody debris additions on stream habitat and brook trout populations in Appalachian streams. *Hydrobiologia* **559**:363-378.
- Tremolieres, M., J. M. Sanchez-Perez, A. Schnitzler, and D. Schmitt. 1998. Impact of river management history on the community structure, species composition, and nutrient status in the Rhine alluvial hardwood forest. *Plant Ecology* **135**:59-78.
- Triska, F. J. 1984. Role of wood debris in modifying channel geomorphology and riparian areas of a large lowland river under pristine conditions: a historical case study. *Verhandlungen der Internationalen Vereinigung fur Theoretische und Angewandte Limnologie* **22**:1876-1892.
- Triska, F. J., and K. Cromack, Jr. 1980. Role of wood debris in forests and streams. Pages 171-190 in R. H. Waring, editor. *Proceedings of the Annual Biology Colloquim (Oregon State University)*, NO. 40. Forests: Fresh Perspectives from Ecosystem Analysis. Oregon State University Press: Corvallis, Oregon, USA, Corvallis.
- Ucitel, D., D. P. Christian, and J. M. Graham. 2003. Vole use of coarse woody debris and implications for habitat and fuel management. *Journal of Wildlife Management* **67**:65-72.
- van der Nat, D., K. Tockner, P. J. Edwards, J. V. Ward, and A. Gurnell. 2003. Habitat change in braided floodplains (Tagliamento, NE - Italy). *Freshwater Biology* **48**:1799-1812.
- Van Pelt, R., T. C. O'Keefe, J. J. Latterell, and R. J. Naiman. 2006. Riparian forest stand development along the Queets River in Olympic National Park, Washington. *Ecological Applications* **76**:277-298.

- Waite, I. R., and K. D. Carpenter. 2000. Associations among fish assemblage structure and environmental variables in Willamette river basin streams, Oregon. *Transactions of the American Fisheries Society* **129**:754-770.
- Wallace, J. B., and A. C. Benke. 1984. Quantification of wood habitat in subtropical coastal plain streams. *Canadian Journal of Fisheries and Aquatic Sciences* **41**:1643-1652.
- Wallace, J. B., J. R. Webster, S. L. Eggert, J. L. Meyer, and E. R. Siler. 2001. Large woody debris in a headwater stream: Long-term legacies of forest disturbance. *Internationale Revue der Gesamten Hydrobiologie* **86**:501-513.
- Warren, D. R., and C. E. Kraft. 2003. Brook trout (*Salvelinus fontinalis*) response to wood removal from high-gradient streams of the Adirondack Mountains (N.Y., U.S.A.). *Canadian Journal of Fisheries and Aquatic Sciences* **60**:379-389.
- Watson, G., and T. W. Hillman. 1997. Factors affecting the distribution and abundance of bull trout: An investigation at heirarchical scales. *North American Journal of Fisheries Management* **17**:237-252.
- Werner, E. E., J. F. Gilliam, D. J. Hall, and G. G. Mittelbach. 1983. An experimental test of the effects of predation risk on habitat use in fish. *Ecology* **64**:1540-1548.
- Wipfli, M. S., J. Hudson, and J. Caouette. 1998. Influence of salmon carcasses on stream productivity: response of biofilm and benthic macroinvertebrates in southeastern Alaska, U.S.A. *Canadian Journal of Fisheries and Aquatic Sciences* **55**:1503-1511.
- Wold, A. K., and A. E. Hershey. 1999. Effects of salmon carcass deposition on biofilm growth and wood decomposition. *Canadian Journal of Fisheries and Aquatic Sciences* **56**:767-773.
- Young, K. A., S. G. Hinch, and T. G. Northcote. 1999. Status of resident coastal cutthroat trout and their habitat twenty-five years after riparian logging. *North American Journal of Fisheries Management* **19**:901-911.
- Young, M. K. 1995. Summer movements and habitat use by Colorado River cutthroat trout (*Oncorhynchus clarki pleuriticus*) in small, montane streams. *Canadian Journal of Fisheries and Aquatic Sciences* **53**:1403-1408.
- Young, M. K. 1998. Absence of autumnal changes in habitat use and location of adult Colorado River cutthroat trout in a small stream. *Transactions of the American Fisheries Society* **127**:147-151.
- Zika, U., and A. Peter. 2002. The introduction of woody debris into a channelized stream: effect on trout populations and habitat. *River Research and Applications* **18**:355-366.

VI. Effects of Wood Removal

- Bilby, R. E. 1981. Role of organic debris dams in regulating the export of dissolved and particulate matter from a forested watershed. *Ecology* **62**:1234-1243.
- Bilby, R. E. 1984. Post-logging removal of woody debris affects stream channel stability. *Journal of Forestry* **82**:609-613.
- Bilby, R. E., and G. E. Likens. 1980. Importance of organic debris dams in the structure and function of stream ecosystems. *Ecology* **61**:1107-1113.
- Bryant, M. G. 1983. The role and management of woody debris in West Coast salmonid nursery streams. *North American Journal of Fisheries Management* **3**:322-330.
- Collins, B. D., D. R. Montgomery, and A. D. Haas. 2002. Historical changes in the distribution and functions of large wood in Puget Lowland rivers. *Canadian Journal of Fisheries and Aquatic Sciences* **59**:66-76.
- Dolloff, C. A. 1986. Effects of stream clearing on juvenile coho salmon and Dolly Varden in Southeast Alaska. *Transactions of the American Fisheries Society* **115**:743-755.
- Elliott, S. T. 1986. Reduction of a Dolly Varden population and macrobenthos after removal of logging debris. *Transactions of the American Fisheries Society* **115**:392-400.
- Erskine, W. D., and A. A. Webb. 2003. Desnagging to resnagging: new directions in river rehabilitation in southeastern Australia. *River Research and Applications* **19**:233-249.
- Everett, R. A., and G. M. Ruiz. 1993. Coarse woody debris as a refuge from predation in aquatic communities: An experimental test. *Oecologia* **93**:475-486.
- Gregory, K. J., and R. J. Davis. 1992. Coarse woody debris in stream channels in relation to river channel management in woodland areas. *Regulated Rivers: Research & Management* **7**:117-136.
- Gregory, S., K. Boyer, and A. Gurnell, editors. 2003. *The ecology and management of wood in world rivers*. American Fisheries Society, Symposium 37, Bethesda, Maryland, USA.
- Gregory, S. V., G. A. Lamberti, D. C. Erman, K. V. Koski, M. L. Murphy, and J. R. Sedell. 1987. Influence of forest practices on aquatic production. *in* E. O. Salo and T. W. Cundy, editors. *Streamside management: Forestry and fishery interactions*. Institute of Forest Resources, University of Washington, Seattle, Washington, USA.
- Harmon, M. E., J. F. Franklin, F. J. Swanson, P. Sollins, S. V. Gregory, J. D. Lattin, N. H. Anderson, S. P. Cline, N. G. Aumen, J. R. Sedell, G. W. Lienkaemper, K. Cromack, Jr., and K. W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* **15**:133-302.
- Hartman, G. F., J. C. Scrivener, and M. J. Miles. 1996. Impacts of logging in Carnation Creek, a high-energy coastal stream in British Columbia, and their implication for restoring fish habitat. *Canadian Journal of Fisheries and Aquatic Sciences* **53**:237-251.
- Likens, G. E., and R. E. Bilby. 1982. Development, maintenance and role of organic debris dams in New England streams. Pages 122-128 *in* F. J. Swanson, R. J. Janda, T. Dunne, and D. N. Swanston, editors. *Sediment budgets and routing in forested drainage basins*. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon, USA.
- Mac Nally, R., A. Parkinson, G. Horrocks, and M. Young. 2002. Current loads of coarse woody debris on southeastern Australian floodplains: evaluation of change and implications for restoration. *Restoration Ecology* **10**:627-635.
- Maser, C., R. F. Tarrant, J. M. Trappe, and J. F. Franklin. 1988. *From forest to sea: A story of fallen trees*. General Technical Report PNW-GTR-229, USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon, USA.
- Sedell, J. R., and J. L. Froggatt. 1984. Importance of streamside forests to large rivers: the isolation of the Willamette River, Oregon, USA, from its floodplain by snagging and streamside forest removal. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* **22**:1828-1834.
- Shields, F. D., and C. J. Gippel. 1995. Prediction of effects of woody debris removal on flow resistance. *Journal of Hydrologic Engineering* **121**:341-354.
- Tremolieres, M., J. M. Sanchez-Perez, A. Schnitzler, and D. Schmitt. 1998. Impact of river management history on the community structure, species composition, and nutrient status in the Rhine alluvial hardwood forest. *Plant Ecology* **135**:59-78.

- Triska, F. J. 1984. Role of wood debris in modifying channel geomorphology and riparian areas of a large lowland river under pristine conditions: a historical case study. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* **22**:1876-1892.
- Triska, F. J., and K. Cromack, Jr. 1980. Role of wood debris in forests and streams. Pages 171-190 in R. H. Waring, editor. *Proceedings of the Annual Biology Colloquium (Oregon State University), NO. 40. Forests: Fresh Perspectives from Ecosystem Analysis*. Oregon State University Press: Corvallis, Oregon, USA, Corvallis.
- Trotter, P. C. 2000. Headwater fishes and their uppermost habitats: A review as background for stream typing. FY00-134, CMER Committee, Washington Department of Natural Resources, Forest Practices Division.
- Tschaplinski, P. J., and G. F. Hartman. 1983. Winter distribution of juvenile coho salmon (*Oncorhynchus kisutch*) before and after logging in Carnation Creek, British Columbia, and some implications for overwinter survival. *Canadian Journal of Fisheries and Aquatic Sciences* **40**:452-461.
- Warren, D. R., and C. E. Kraft. 2003. Brook trout (*Salvelinus fontinalis*) response to wood removal from high-gradient streams of the Adirondack Mountains (N.Y., U.S.A.). *Canadian Journal of Fisheries and Aquatic Sciences* **60**:379-389.
- Young, M. K., D. Haire, and M. A. Bozek. 1994. The effect and extent of railroad tie drives in streams of southwestern Wyoming. *Western Journal of Applied Forestry* **9**:125-130.

VII. Effects of Wood Placement

- Abbe, T., G. Pess, D. R. Montgomery, and K. L. Fetherston. 2003. Integrating engineered log jam technology into river rehabilitation. Pages 483-490 in D. R. Montgomery, S. Bolton, D. B. Booth, and L. Wall, editors. Restoration of Puget Sound Rivers. University of Washington Press, Seattle, Washington, USA.
- Angermeier, P. L., and J. R. Karr. 1984. Relationships between woody debris and fish habitat in a small warmwater stream. Transactions of the American Fisheries Society **113**:716-726.
- Binns, N. A. 1994. Long-term responses of trout and macrohabitats to habitat management in a Wyoming headwater stream. North American Journal of Fisheries Management **14**:87-98.
- Binns, N. A. 2004. Effectiveness of habitat manipulations for wild salmonids in Wyoming streams. North American Journal of Fisheries Management **24**:911-921.
- Binns, N. A., and R. Remmick. 1994. Response of Bonneville cutthroat trout and their habitat to drainage-wide habitat management at Huff Creek, Wyoming. North American Journal of Fisheries Management **14**:669-680.
- Bjornn, T. C., S. C. Kirking, and W. R. Meehan. 1991. Relation of cover alterations to the summer standing crop of young salmonids in small southeast Alaska streams. Transactions of the American Fisheries Society **120**.
- Boss, S. M., and J. S. Richardson. 2002. Effects of food and cover on the growth, survival, and movement of cutthroat trout (*Oncorhynchus clarki*) in coastal streams. Canadian Journal of Fisheries and Aquatic Sciences **59**.
- Brooks, A. P., P. C. Gehrke, J. D. Jansen, and T. B. Abbe. 2004. Experimental reintroduction of woody debris on the Williams River, NSW: geomorphic and ecological responses. River Research and Applications **20**:513-536.
- Brooks, A. P., T. Howell, T. B. Abbe, and A. H. Arthington. 2006. Confronting hysteresis: Wood based river rehabilitation in highly altered riverine landscapes of south-eastern Australia. Geomorphology **79**:395-422.
- Burnett, K. M., G. R. Giannico, and J. Behan. 2008. A Pilot Test of Systematic Review Techniques: Evaluating Whether Wood Placements in Streams of the Pacific Northwest Affect Salmonid Abundance, Growth, Survival, or Habitat Complexity.
- Cederholm, C. J., R. E. Bilby, P. A. Bisson, T. W. Bumstead, B. R. Fransen, W. J. Scarlett, and J. W. Ward. 1997. Response of juvenile coho salmon and steelhead to placement of large woody debris in a coastal Washington stream. North American Journal of Fisheries Management **17**:947-963.
- Coe, H. J., P. M. Kiffney, and G. R. Pess. 2006. A comparison of methods to evaluate the response of periphyton and invertebrates to wood placement in large Pacific coastal rivers. Northwest Science **80**:298-307.
- Crispin, V., R. House, and D. Roberts. 1993. Changes in instream habitat, large woody debris, and salmon habitat after the restructuring of a coastal Oregon stream. North American Journal of Fisheries Management **13**:96-102.
- Everett, R. A., and G. M. Ruiz. 1993. Coarse woody debris as a refuge from predation in aquatic communities: An experimental test. Oecologia **93**:475-486.
- Frissell, C. A., and R. K. Kawa. 1992. Incidence and causes of physical failure of artificial habitat structures in streams of western Washington and Oregon. North American Journal of Fisheries Management **12**:182-197.
- Gerhard, M., and M. Reich. 2000. Restoration of Streams with Large Wood: Effects of accumulated and built-in wood on channel morphology, habitat diversity, and aquatic fauna. International Review of Hydrobiology **85**:123-137.
- Giannico, G. R. 2000. Habitat selection by juvenile coho in response to food and woody debris manipulations in suburban and rural stream sections. Canadian Journal of Fisheries and Aquatic Sciences **57**:1804-1813.
- Giannico, G. R., and S. G. Hinch. 2003. The effect of wood and temperature on juvenile coho salmon winter movement, growth, density, and survival in side-channels. River Research and Applications **19**:219-231.
- Gippel, C. J., I. C. O'Neill, B. L. Finlayson, and I. Schnatz. 1996b. Hydraulic guidelines for the re-introduction and management of large woody debris in lowland rivers. Regulated Rivers: Research & Management **12**:223-236.
- Gowan, C., and K. D. Fausch. 1996. Mobile brook trout in two high-elevation Colorado streams: re-evaluating the concept of restricted movement. Canadian Journal of Fisheries and Aquatic Sciences **53**:1370-1381.
- Gowan, C., M. K. Young, K. D. Fausch, and S. C. Riley. 1994. Restricted movement in resident stream salmonids: a paradigm lost? Canadian Journal of Fisheries and Aquatic Sciences **51**:2626-2637.

- Gregory, S., K. Boyer, and A. Gurnell, editors. 2003. The ecology and management of wood in world rivers. American Fisheries Society, Symposium 37, Bethesda, Maryland, USA.
- Hartzler, J. R. 1983. The effects of half-log covers on angler harvest and standing crop of brown trout in McMichaels Creek, Pennsylvania. *North American Journal of Fisheries Management* **3**:228-238.
- House, R. A., and P. L. Boehne. 1986. Effects of instream structures on salmonid habitat and populations in Tobe Creek, Oregon, USA. *North American Journal of Fisheries Management* **6**:38-46.
- House, R. A., and P. L. Boehne. 1985. Evaluation of instream enhancement structures for salmonid spawning and rearing in a coastal Oregon stream. *North American Journal of Fisheries Management* **5**:283-295.
- Inoue, M., and S. Nakano. 1998. Effects of woody debris on the habitat of juvenile masu salmon (*Oncorhynchus masou*) in northern Japanese streams. *Freshwater Biology* **40**:1-16.
- Johnson, S. L., J. D. Rodgers, M. F. Solazzi, and T. E. Nickelson. 2005. Effects of an increase in large wood on abundance and survival of juvenile salmonids (*Oncorhynchus* spp.) in an Oregon coastal stream. *Canadian Journal of Fisheries and Aquatic Sciences* **62**:412-424.
- Lacey, R. W. J., and R. G. Millar. 2004. Reach scale hydraulic assessment of instream salmonid habitat restoration. *Journal of the American Water Resources Association* **40**:1631-1644.
- Larson, M. G., D. B. Booth, and S. A. Morley. 2001. Effectiveness of large woody debris in stream rehabilitation projects in urban basins. *Ecological Engineering* **18**:211-226.
- Lassette, N. S., and R. R. Harris. 2001. The geomorphic and ecological influence of large woody debris in streams and rivers.
- Lehane, B. M., P. S. Giller, J. O'Halloran, C. Smith, and J. Murphy. 2002. Experimental provision of large woody debris in streams as a trout management technique. *Aquatic Conservation* **12**:289-311.
- Nagayama, S., Y. Kawaguchi, D. Nakano, and F. Nakamura. 2009. Summer microhabitat partitioning by different size classes of masu salmon (*Oncorhynchus masou*) in habitats formed by installed large wood in a large lowland river. *Canadian Journal of Fisheries and Aquatic Sciences* **66**:42-51.
- Narver, D. W. 1971. Effects of logging debris on fish production. Pages 100-111 in J. T. Krygier and J. D. Hall, editors. *Forest land uses and stream environment: Proceedings of a symposium*, Oregon State University, Corvallis, Oregon, USA.
- Naslund, I. 1989. Effects of habitat improvement on the brown trout *Salmo trutta* L., population of a northern Swedish stream. *Aquaculture and Fisheries Management* **20**:463-474.
- Nickelson, T. E., M. F. Solazzi, S. L. Johnson, and J. D. Rodgers. 1992. Effectiveness of selected stream improvement techniques to create suitable summer and winter rearing habitat for juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences* **49**:790-794.
- Opperman, J. J., and A. M. Merenlender. 2004. The effectiveness of riparian restoration for improving instream fish habitat in four hardwood-dominated California streams. *North American Journal of Fisheries Management* **24**:822-834.
- Pasternack, G. B., and A. E. Senter. 2008. Investigating the Role of Large Woody Materials to Aid River Rehabilitation in a Regulated California River. University of California Water Resources Center. Retrieved from: <http://www.escholarship.org/uc/item/31d1s0n9>.
- Pess, G. R., M. Liermann, M. L. McHenry, and R. J. Peters. In review. Juvenile salmonid response to the placement of engineered logjams (ELJs) in the Elwha River.
- Riley, S. C., and K. D. Fausch. 1995. Trout population response to habitat enhancement in six northern Colorado streams. *Canadian Journal of Fisheries and Aquatic Sciences* **52**:34-53.
- Roni, P. 2003. Responses of benthic fishes and giant salamanders to placement of large woody debris in small Pacific Northwest streams. *North American Journal of Fisheries Management* **23**.
- Roni, P., K. Hanson, and T. J. Beechie. 2008. Global review of the physical and biological effectiveness of stream habitat rehabilitation techniques. *North American Journal of Fisheries Management* **28**:856-890.
- Roni, P., T. J. Beechie, R. E. Bilby, F. E. Leonetti, M. M. Pollock, and G. R. Pess. 2002. A review of stream restoration techniques and a hierarchical strategy for prioritizing restoration in Pacific Northwest watersheds. *North American Journal of Fisheries Management* **22**:1-20.
- Roni, P., and T. P. Quinn. 2001a. Density and size of juvenile salmonids in response to placement of large woody debris in western Oregon and Washington streams. *Canadian Journal of Fisheries and Aquatic Sciences* **58**:282-292.
- Roni, P., and T. P. Quinn. 2001b. Effects of wood placement on movements of trout and juvenile coho salmon in natural and artificial stream channels. *Transactions of the American Fisheries Society* **130**:675-685.

- Roper, B. B., D. Konoff, D. Heller, and K. Weiman. 1998. Durability of Pacific Northwest instream structures following floods. *North American Journal of Fisheries Management* **18**:686-693.
- Rubin, J. F., C. Glimsater, and T. Jarvi. 2004. Characteristics and rehabilitation of the spawning habitats of the sea trout, *Salmo trutta*, in Gotland (Sweden). *Fisheries Management and Ecology* **11**:15-22.
- Shields Jr., F. D., S. S. Knight, N. Morin, and J. Blank. 2003. Response of fishes and aquatic habitats to sand-bed restoration using large woody debris. *Hydrobiologia* **494**:251-257.
- Shirvell, C. S. 1990. Role of instream rootwads as juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*O. mykiss*) cover habitat under varying streamflows. *Canadian Journal of Fisheries and Aquatic Sciences* **47**:852-861.
- Solazzi, M. F., T. E. Nickelson, S. L. Johnson, and J. D. Rodgers. 2000. Effects of increasing winter rearing habitat on abundance of salmonids in two coastal Oregon streams. *Canadian Journal of Fisheries and Aquatic Sciences* **57**:906-914.
- Stewart, G. B., H. R. Bayliss, D. A. Showler, W. J. Sutherland, and A. S. Pullin. 2009. Effectiveness of engineered in-stream structure mitigation measures to increase salmonid abundance: a systematic review. *Ecological Applications* **19**:931-941.
- Sweka, J. A., and K. J. Hartman. 2006. Effects of large woody debris additions on stream habitat and brook trout populations in Appalachian streams. *Hydrobiologia* **559**:363-378.
- Thompson, D. M. 2006. Did the pre-1980 use of in-stream structures improve streams? A reanalysis of historical data. *Ecological Applications* **16**:784-796.
- Wallace, J. B., J. R. Webster, and J. L. Meyer. 1995. Influence of log additions on physical and biotic characteristics of a mountain stream. *Canadian Journal of Fisheries and Aquatic Sciences* **52**:2120-2137.
- White, M. L., and T. Abbe. 2003. Monitoring of engineered logjams in the North Fork Stillaguamish River, 1998-2003. Submitted to Salmon Recovery Funding Board. August 31, 2004. Washington Trout, Duvall, WA.
- Zika, U., and A. Peter. 2002. The introduction of woody debris into a channelized stream: effect on trout populations and habitat. *River Research and Applications* **18**:355-366.

VIII. Further Reading

- Amoros, C., and G. Bornette. 2002. Connectivity and biocomplexity in waterbodies of riverine floodplains. *Freshwater Biology* **47**:761-776.
- Arscott, D. B., K. Tockner, D. van der Nat, and J. V. Ward. 2002. Aquatic habitat dynamics along a braided alpine river ecosystem (Tagliamento River, Northeast Italy). *Ecosystems* **5**:802-814.
- Baker, M. E., and B. V. Barnes. 1998. Landscape ecosystem diversity of river floodplains in northwestern Lower Michigan, USA. *Canadian Journal of Forest Research* **28**:1405-1418.
- Bayley, P. B. 2002. A review of studies on responses of salmon and trout to habitat change, with potential for application in the Pacific Northwest. Report to the Washington State Independent Science Panel.
- Beach, E. W., and C. B. Halpern. 2001. Controls on conifer regeneration in managed riparian forests: effects of seed source, substrate, and vegetation. *Canadian Journal of Forest Research* **31**:471-482.
- Beechie, T., and S. Bolton. 1999. An approach to restoring salmonid habitat-forming processes in Pacific Northwest watersheds. *Fisheries* **24**:6-15.
- Beechie, T. J., M. Liermann, M. Pollock, S. Baker, and J. Davies. 2006. Channel pattern and river-floodplain dynamics in forested mountain systems. *Geomorphology* **78**:124-141.
- Benda, L. E., N. L. Poff, D. Miller, T. Dunne, G. H. Reeves, G. R. Pess, and M. M. Pollack. 2004. The network dynamics hypothesis: How channel networks structure riverine habitats. *BioScience* **54**:413-427.
- Berg, D. R., A. McKee, and M. J. Maki. 2003. Restoring floodplain forests. Pages 248-291 in D. R. Montgomery, S. Bolton, D. B. Booth, and L. Wall, editors. *Restoration of Puget Sound Rivers*. University of Washington Press, Seattle.
- Bergen, S. D., S. M. Bolton, and J. L. Fridley. 2001. Design principles for ecological engineering. *Ecological Engineering* **18**:201-210.
- Bradshaw, A. D. 1996. Underlying principles of restoration. *Canadian Journal of Fisheries and Aquatic Sciences* **53**:3-9.
- Brown, A. G. 1997. Biogeomorphology and diversity in multiple channel river systems. *Global Ecology and Biogeography Letters* **6**:179-185.
- Brown, R. A., and G. B. Pasternack. 2008. Engineered channel controls limiting spawning habitat rehabilitation success on regulated gravel-bed rivers. *Geomorphology* **97**:631-654.
- Buckley, M. C., and E. E. Crone. 2008. Negative off-site impacts of ecological restoration: Understanding and addressing the conflict. *Conservation Biology* **22**:1118-1124.
- Budy, P., and H. Schaller. 2007. Evaluating tributary restoration potential for Pacific salmon recovery. *Ecological Applications* **17**:1068-1086.
- Burnett, K. M., G. H. Reeves, D. J. Miller, S. Clarke, K. Vance-Borland, and K. Christiansen. 2007. Distribution of salmon-habitat potential relative to landscape characteristics and implications for conservation. *Ecological Applications* **17**:66-80.
- Chin, A., M. D. Daniels, M. A. Urban, H. Peigay, K. J. Gregory, W. Bigler, A. Z. Butt, J. L. Grable, S. V. Gregory, M. Lafrenz, L. R. Laurencio, and E. E. Wohl. 2008. Perceptions of wood in rivers and challenges for stream restoration in the United States. *Environmental Management* **41**:893-903.
- Collins, B. D., and D. R. Montgomery. 2002. Forest development, wood jams, and restoration of floodplain rivers in the Puget lowland, Washington. *Restoration Ecology* **10**:237-247.
- Collins, B. D., D. R. Montgomery, and A. D. Haas. 2002. Historical changes in the distribution and functions of large wood in Puget Lowland rivers. *Canadian Journal of Fisheries and Aquatic Sciences* **59**:66-76.
- Collins, B. D., D. R. Montgomery, and A. J. Sheikh. 2003. Reconstructing the historical riverine landscape of the Puget lowland. Pages 79-128 in D. R. Montgomery, S. Bolton, D. B. Booth, and L. Wall, editors. *Restoration of Puget Sound Rivers*. University of Washington Press, Seattle.
- Decamps, H. 1996. The renewal of floodplain forests along rivers: a landscape perspective. *Verh. Internat. Verein. Limnol.* **26**:35-59.
- Erskine, W. D., and A. A. Webb. 2003. Desnagging to resnagging: new directions in river rehabilitation in southeastern Australia. *River Research and Applications* **19**:233-249.
- Florsheim, J. L., J. F. Mount, and A. Chin. 2008. Bank erosion as a desirable attribute of rivers. *BioScience* **58**:519-529.
- Gomi, T., R. C. Sidle, and J. S. Richardson. 2002. Understanding processes and downstream linkages of headwater systems. *BioScience* **52**:905-916.

- Goodwin, C. N., C. P. Hawkins, and J. L. Kershner. 1997. Riparian restoration in the western United States: overview and perspective. *Restoration Ecology* **5**:4-14.
- Gregory, S., K. Boyer, and A. Gurnell, editors. 2003. *The ecology and management of wood in world rivers*. American Fisheries Society, Symposium 37, Bethesda, Maryland, USA.
- Gregory, K. J., and R. J. Davis. 1992. Coarse woody debris in stream channels in relation to river channel management in woodland areas. *Regulated Rivers: Research & Management* **7**:117-136.
- Gunderson, L. H. 2000. Ecological resilience - in theory and application. *Annual Review of Ecology and Systematics* **31**.
- Gunderson, L. H., C. S. Holling, L. Pritchard Jr., and G. D. Peterson. 2002. Resilience of large-scale resource systems. Pages 3-18 *in* L. H. Gunderson and L. Pritchard Jr., editors. *Resilience and behavior of large-scale systems*. Island Press, Washington.
- Gurnell, A. 1997. The hydrological and geomorphological significance of forested floodplains. *Global Ecology and Biogeography Letters* **6**:219-229.
- Harmon, M. E., J. F. Franklin, F. J. Swanson, P. Sollins, S. V. Gregory, J. D. Lattin, N. H. Anderson, S. P. Cline, N. G. Aumen, J. R. Sedell, G. W. Lienkaemper, K. Cromack, Jr., and K. W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* **15**:133-302.
- Hauer, F. R., and M. S. Lorang. 2004. River regulation, decline of ecological resources, and potential for restoration in a semi-arid lands river in the western USA. *Aquatic Sciences* **66**:388-401.
- Hibbs, D. E., and A. L. Bower. 2001. Riparian forests in the Oregon Coast Range. *Forest Ecology and Management* **154**:201-213.
- Hickin, E. J. 1984. Vegetation and river channel dynamics. *Canadian Geographer* **28**:110-126.
- Holling, C. S., and L. H. Gunderson. 2002. Resilience and adaptive cycles. Pages 25-62 *in* L. H. Gunderson and C. S. Holling, editors. *Panarchy*. Island Press, Washington DC.
- Hooper, D. U., F. S. Chapin III, J. J. Ewel, A. Hector, P. Inchausti, S. Lavorel, J. H. Lawton, D. M. Lodge, M. Loreau, S. Naeem, B. Schmid, H. Setälä, A. J. Symstad, J. Vandermeer, and D. A. Wardle. 2005. Effects of biodiversity on ecosystem functioning: a consensus of current knowledge. *Ecological Monographs* **75**:3-35.
- Huggenberger, P., E. Hoehn, R. L. Beschta, and W. Woessner. 2002. Abiotic aspects of channels and floodplains in riparian ecology. *Freshwater Biology* **40**:407-425.
- Hughes, F. M. R., W. M. Adams, E. Muller, C. Nilsson, K. S. Richards, N. Barsoum, H. Decamps, R. Foussadier, J. Girel, H. Guillois, A. Hayes, M. Johansson, L. Lambs, G. Patou, J.-L. Peiry, M. Perrow, F. Vautier, and M. Winfield. 2001. The importance of different scale processes for the restoration of floodplain wetlands. *Regulated Rivers: Research and Management* **17**:325-345.
- Hupp, C. R. 1992. Riparian vegetation recovery patterns following stream channelization: a geomorphic perspective. *Ecology* **73**:1209-1226.
- Hupp, C. R., and W. R. Osterkamp. 1996. Riparian vegetation and fluvial geomorphic processes. *Geomorphology* **14**:277-295.
- Hyatt, T. L., T. Z. Waldo, and T. Beechie. 2004. A watershed scale assessment of riparian forests, with implications for restoration. *Restoration Ecology* **12**:175-183.
- Innis, S. A., R. J. Naiman, and S. R. Elliott. 2000. Indicators and assessment methods for measuring the ecological integrity of semi-aquatic terrestrial environments. *Hydrobiologia* **422/423**:111-131.
- Jungwirth, M., S. Muhar, and S. Schmutz. 2002. Re-establishing and assessing ecological integrity in riverine landscapes. *Freshwater Biology* **47**:867-887.
- Kerwin, J., and T. S. Nelson, editors. 2000. *Habitat limiting factors and reconnaissance assessment report, Green/Duwamish and Central Puget Sound Watersheds (WRIA 9 and Vashon Island)*. Washington Conservation Commission and the King County Department of Natural Resources.
- Lake, P. S. 2000. Disturbance, patchiness, and diversity in streams. *Journal of the North American Benthological Society* **19**:573-592.
- Lisle, T. E. 2002. How much dead wood in stream channels is enough? Pages 85-93 *in* P. J. Shea, W. F. Laudenslayer, B. Valentine, C. P. Weatherspoon, and T. E. Lisle, editors. *Symposium on the Ecology and Management of Dead Wood in Western Forests*. Pacific Southwest Research Station, Albany, California, USA.
- Martin, D. J., L. Benda, and D. Shreffler. 2004. *Core Areas: A framework for identifying critical habitat for salmon*. Presented to King County Department of Natural Resources and Parks, Seattle, WA.
- Meleason, M. A., S. V. Gregory, and J. P. Bolte. 2003. Implications of riparian management strategies on wood in streams of the Pacific Northwest. *Ecological Applications* **13**:1212-1221.

- Menge, B. A., and A. M. Olson. 1990. Role of scale and environmental factors in regulation of community structure. *Ecology* **71**:52-57.
- Miller, D., C. Luce, and L. E. Benda. 2003. Time, space, and episodicity of physical disturbance in streams. *Forest Ecology and Management* **178**:121-140.
- Naiman, R. J., J. S. Bechtold, T. J. Beechie, J. J. Latterell, and R. Van Pelt. 2010. A process-based view of floodplain forest patterns in coastal river valleys of the Pacific Northwest. *Ecosystems*.
- Naiman, R. J., J. S. Bechtold, D. C. Drake, J. J. Latterell, T. C. O'Keefe, and E. V. Balian. 2005a. Origins, patterns, and importance of heterogeneity in riparian systems. Pages 279-309 in G. Lovett, C. G. Jones, M. G. Turner, and K. C. Weathers, editors. *Ecosystem Function in Heterogeneous Landscapes*. Springer-Verlag, New York.
- Naiman, R. J., and R. E. Bilby. 1998. River ecology and management in the Pacific Coastal Ecoregion. Pages 1-8 in R. J. Naiman and R. E. Bilby, editors. *River Ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag New York, Inc., New York, New York.
- Naiman, R. J., H. Decamp, and M. E. McClain. 2005b. *Riparia*. Academic Press, San Diego.
- Naiman, R. J., and H. Decamps. 1997. The ecology of interfaces: Riparian zones. *Annual Reviews of Ecological Systems* **28**:621-658.
- Naiman, R. J., and J. J. Latterell. 2005. Principles for linking fish habitat to fisheries management and conservation. *Journal of Fish Biology* **67 (Supplement B)**:166-185.
- Nakamura, F., F. J. Swanson, and S. M. Wondzell. 2000. Disturbance regimes of stream and riparian systems- a disturbance-cascade perspective. *Hydrological Processes* **14**:2849-2860.
- Palmer, M. A., and J. D. Allan. 2006. Restoring rivers. *Issues in Science and Technology* **Winter**:40-48.
- Palmer, M. A., E. S. Bernhardt, J. D. Allan, P. S. Lake, G. Alexander, S. Brooks, J. Carr, S. Clayton, C. N. Dahm, J. Follstad Shah, D. L. Galat, S. G. Loss, P. Goodwin, D. D. Hard, B. Hassett, R. Jenkinson, G. M. Kondolf, R. Lave, J. L. Meyer, T. K. O'Donnell, L. Pagano, and E. Sudduth. 2005. Standards for ecologically successful river restoration. *Journal of Applied Ecology* **42**:208-217.
- Piegay, H., G. Bornette, A. Citterio, E. Herouin, B. Moulin, and C. Statiotus. 2000. Channel instability as a control on silting dynamics and vegetation patterns within perifluvial aquatic zones. *Hydrological Processes* **14**:3011-3029.
- Pence, W. R. 1946. *The White River Valley of Washington*. Master's Thesis. University of Washington, Seattle, Washington.
- Roni, P., K. Hanson, and T. J. Beechie. 2008. Global review of the physical and biological effectiveness of stream habitat rehabilitation techniques. *North American Journal of Fisheries Management* **28**:856-890.
- Roni, P., T. J. Beechie, R. E. Bilby, F. E. Leonetti, M. M. Pollock, and G. R. Pess. 2002. A review of stream restoration techniques and a hierarchical strategy for prioritizing restoration in Pacific Northwest watersheds. *North American Journal of Fisheries Management* **22**:1-20.
- Stanford, J. 2006. Landscapes and riverscapes. Pages 3-22 in F. R. Hauer and G. A. Lamberti, editors. *Methods in Stream Ecology*. Elsevier, New York.
- Suding, K. N., and K. L. Gross. 2006. The dynamic nature of ecological systems: Multiple states and restoration trajectories. Pages 190-209 in D. A. Falk, M. A. Palmer, and J. B. Zedler, editors. *Foundations of Restoration Ecology*. Island Press, Washington.
- Tabacchi, E., L. Lambs, H. Guillo, A.-M. Planty-Tabacchi, E. Muller, and H. Decamp. 2000. Impacts of riparian vegetation on hydrological processes. *Hydrological Processes* **16-17**.
- Thorp, J. H., M. C. Thoms, and M. D. DeLong. 2006. The riverine ecosystem synthesis: biocomplexity in river networks across space and time. *River Research and Applications* **22**:123-147.
- Tockner, K. 1999. The Danube restoration project: species diversity patterns across connectivity gradients in the floodplain system. *Regulated Rivers: Research & Management* **15**:245-258.
- Van Pelt, R., T. C. O'Keefe, J. J. Latterell, and R. J. Naiman. 2006. Riparian forest stand development along the Queets River in Olympic National Park, Washington. *Ecological Applications* **76**:277-298.
- Vannote, R. L., G. W. Minshall, K. W. Cummins, J. R. Sedell, and C. E. Cushing. 1980. The river continuum concept. *Canadian Journal of Fisheries and Aquatic Sciences* **37**:130-137.
- Walker, B. 1995. Conserving biological diversity through ecosystem resilience. *Conservation Biology* **9**:747-752.
- Walker, B. H. 1992. Biological diversity and ecological redundancy. *Conservation Biology* **6**:18-23.
- Ward, J. V., F. Malard, and K. Tockner. 2002a. Landscape ecology: a framework for integrating pattern and process in river corridors. *Landscape Ecology* **17**:35-45.
- Ward, J. V., K. Tockner, D. B. Arscott, and C. Claret. 2002b. Riverine landscape diversity. *Freshwater Biology* **47**:517-539.

- White, P. S., and J. L. Walker. 1997. Approximating nature's variation: selecting and using reference information in restoration ecology. *Restoration Ecology* **5**:338-349.
- Wiens, J. A. 2002. Riverine landscapes: taking landscape ecology into the water. *Freshwater Biology* **47**:501-515.
- Wissmar, R. C., and R. L. Beschta. 2002. Restoration and management of riparian ecosystems: a catchment perspective. *Freshwater Biology* **40**:571-585.
- Wu, J., and O. L. Loucks. 1995. From balance of nature to hierarchical patch dynamics: a paradigm shift in ecology. *Quarterly Review of Biology* **70**:439-466.