

Attachment H. Bibliography

Preliminary Literature References

- Adger, W.N., T. P. Hughes, C. Folke, S.R. Carpenter, and J. Rockstro. 2005. Social-Ecological Resilience to Coastal Disasters. *Science* 309: 1036-1039.
- Anchor Environmental L.L.C. 2004. Marine Shoreline Inventory Report: WRIA 9. Prepared for Seattle Public Utilities and WRIA 9
- Anchor Environmental, 2006. Draft, Water Resource Inventory Area 9 Nearshore Habitat Assessment. Prepared for Seattle Public Utilities, Seattle WA.
- Anchor Environmental. 2000. *Phase 1 final biological and habitat survey data report*. Prepared for Washington State Ferries by Rich Passage Wave Action Study Team.
- Aznar, J.-C., A. Dervieux and P. Grillas. 2003. Association between aquatic vegetation and landscape indicators of human pressure. *Wetlands* 23:149-160.
- Beechie, T.J., G. Pess, E. Beamer, G. Lucchetti, and R. Bilby. 2003. Restoration of Puget Sound Rivers. pp. 194-225 in D.R. Montgomery, S. Bolton, D.B. Booth, and L. Wall, editors. *Restoration of Puget Sound Rivers*. Center for Water and Watershed Studies, Univ. of Washington, Seattle, and University of Washington Press, Seattle, WA.
- Booth, D.B. 2005. Challenges and prospects for restoring urban streams: a perspective from the Pacific Northwest of North America. *J. N. A. Benthol. Soc.* 24(3): 724-737.
- Booth, D.B., R.A. Haugerud, and K. Goetz Troost. 2003. The geology of Puget lowland rivers. Eds: D.R. Montgomery, S. Bolton, D.B. Booth, and L. Wall. University of Washington Press. 194-225.
- Booth, D.B., D.Hartley, and R. Jackson. 2002. Forest cover, impervious-surface area, and the mitigation of stormwater impacts. *Journal of the American Water Resources Association*. 38(3):835-845.
- Brunengo, M.J., S.D. Smith, and S.C. Bernath. 1992. Screening for Watershed Analysis –A GIS-based method of Modeling the Water Input from Rain-on-Snow Storms, for Management and Regulation of Clearcut Forest Harvest. WA DNR, Forest Practices Division, Open-File Report 92-2.
- Burns, R. (1985). *The Shape and Form of Puget Sound*. Puget Sound Books. Washington Sea Grant Publication. University of Washington Press. 100p.
- Casola, J.H., J.E. Kay, A.K. Snover, R.A. Norheim, L.C. Whitely Binder, and Climate Impacts Group. 2005. *Climate Impacts on Washington's Hydropower, Water Supply, Forests, Fish, and Agriculture*. A report prepared for King County (Washington) by the Climate Impacts Group (Center for Science in the Earth System, Joint Institute for the Study of the Atmosphere and Ocean, University of Washington, Seattle).
- Chapin, D.M., R.L. Beschta, and H.W. Shen. 2002. Relationships between flood frequencies and riparian plant communities in the upper Klamath Basin, Oregon. *Journal of the American Water Resources Association*. Vol. 38(3): 603–617.
- Chasen, D.J. 1981. *The water link: a history of Puget Sound as a resource*. Puget Sound Books, Washington Sea Grant Publication, University of Washington Press, Seattle, WA. 179 pp.

- Collins, B.D. and A.J. Sheikh. 2005a. Historical reconstruction, classification, and change analysis of Puget Sound tidal marshes. Final project report to Washington Department of Natural Resources Aquatic Resources Division, Olympia, WA 98504-7027.
- Collins, B.D., and A.J. Sheikh. 2005b. Historical aquatic habitats in the Green and Duwamish river valleys, and the Elliott Bay nearshore, King County, Washington. August 17, 2005. Final project report to King County Department of Natural Resources and Parks, 201 S. Jackson St., Seattle, Washington 98104
- Collins, B.D., and A.J. Sheikh. 2004a. Historical channel locations of the White River, RM 5 - RM 28, King County, Washington. October 19, 2004. Final project report to King County Department of Natural Resources and Parks, Flood Hazard Reduction Services Section, 201 South Jackson Street, Seattle, WA 98104-3855.
- Collins, B.D., and A.J. Sheikh. 2004b. Historical aquatic habitats in the White River Valley, RM 5 - RM 28, King County, Washington. December 1, 2004. Final project report to King County Department of Natural Resources and Parks, 201 South Jackson Street, Seattle, WA 98104-3855.
- Collins, B.D., A.J. Sheikh, and C. Kiblinger. 2003. Historical river channel location data for the Cedar River, RM 0 - RM 22, King County, Washington. June 24, 2003. Final project report to King County Department of Natural Resources and Parks, 201 South Jackson Street, Seattle, WA 98104-3855.
- Collins, B.D., and A.J. Sheikh. 2002. Mapping historical conditions in the Snoqualmie River valley, RM 0 - RM 40, King County, Washington, February 21, 2002. Final project report to King County Department of Natural Resources, 201 South Jackson Street, Seattle, WA 98104.
- Dale, V.H., A.E. Lugo, J.A. MacMahon, and S.T.A. Pickett. 1998. Ecosystem management in the context of large, infrequent disturbances. *Ecosystems* 1:1-14.
- Douglass, S.L. and Pickel, B.H. 1999. The tide doesn't go out anymore - the effect of bulkheads on urban bay shorelines. *Shore & Beach* 67(2 & 3), 1999.
- Dubé, K. 2003. The Effects of Large Dams on Salmon Spawning Habitat in the Pacific Northwest. Presentation at the Geological Society of America meeting in Seattle, November 2-5, 2003.
- Edwards, R.T. 1998. Chap 16: The hyporheic zone. In: *River Ecology and Management*. Eds: R.J. Naiman and R.E. Bilby. Springer-Verlag Press, New York, Inc.
- Fahrig, L. 2003. Effects of habitat fragmentation in biodiversity. *Annu. Rev. Ecol. Evol. Syst.* 34:487-515.
- Forman, R.T.T., and M. Godorn. 1986. *Landscape ecology*. Wiley, New York.
- Forman, R.T.T. et al. *Road ecology: science and solutions*. Island Press., Washington. 481 pp.
- Forman, R.T.T. 1995 *Land mosaics: the ecology of landscapes and regions*. Cambridge University Press. 632 pp.
- Fox, Martin J. *Spatial Organization, Position and Source Characteristics of Large Woody Debris In Natural Systems*; University of Washington, PhD Dissertation, August 2003.

- Fox, Marin J. A New Look at the Quantities and Volumes of Instream Wood in Forested Basins Within Washington State; University of Washington, Master's thesis, August 2001.
- Frissell, C.A. 1997. Ecological principles. pp. 96-115 in J. E. Williams, C. A. Wood, and M. P. Dombeck, editors. Watershed restoration: principles and practices. American Fisheries Society, Bethesda, Maryland.
- Gomi, T., R.C. Sidle, and J.S. Johnson. 2002. Understanding processes and downstream linkages of headwater systems. *BioScience* 52(10): 905-916.
- Haddad, N.M., D.R. Bowne, A. Cunningham, B.J. Danielson, D.J. Levey, S. Sargent and T. Spira. 2003. Corridor use by diverse taxa. *Ecology* 84:609-615.
- Johannessen, J.W., MacLennan, A., and McBride, A, 2005. Inventory and Assessment of Current and Historic Beach Feeding Sources/Erosion and Accretion Areas for the Marine Shorelines of Water Resource Inventory Areas 8 & 9, Prepared by Coastal Geologic Services, Prepared for King County Department of Natural Resources and Parks, Seattle, WA.
- Kadlec, R.H. and R.L. Knight. 1996. Treatment Wetlands. Boca Raton: CRC Lewis Publishers. 893 pp.
- Karr, J.R. and E.W. Chu, 1999. Restoring Life in Running Waters – Better Biological Monitoring, Island Press, Washington, D.C..
- King County 2004A. King County Comprehensive Plan. Seattle, WA.
- King County. 2004B. Noxious Weed Control Board: 2004 Annual Report. King County Department of Parks and Natural Resources, Seattle, WA.
- King County. 2004C. Critical areas companion paper: Approach for developing basin and shoreline conditions map. King County Department of Natural Resources and Parks, Seattle WA, 28pp.
- King County. 2003. Salmonid distribution Vashon. Metadata available at: http://dnr-web.metrokc.gov/dnrtech/dnrpgislib/dnrplib_detail.cfm?DS_PID=398
- King County. 2002. Salmonid distribution Watershed Resource Inventory Area 7. Metadata available at: http://dnr-web.metrokc.gov/dnrtech/dnrpgislib/dnrplib_detail.cfm?DS_PID=515
- King County. 2001. Salmonid distribution Watershed Resource Inventory Area 8. Metadata available at : http://dnr-web.metrokc.gov/dnrtech/dnrpgislib/dnrplib_detail.cfm?DS_PID=396
- King County. 2000. Salmonid distribution Watershed Resource Inventory Area 9. Metadata available at: http://dnr-web.metrokc.gov/dnrtech/dnrpgislib/dnrplib_detail.cfm?DS_PID=397
- King County. 1996. Wildlife habitat network. Metadata available at: <http://www.metrokc.gov/gis/sdc/Content/internal/enviro/wildnet1996.htm>
- King County. 1993. Cedar River Current and Future Conditions Report. Prepared by King County Surface Water Management Division.
- King County. 1978. Goals, Policies, Objectives – King County Shoreline Master Program, King County Code Title 25 and King County Shoreline Management Plan

Supplement available at: <http://www.metrokc.gov/shorelines/original-shoreline-plan.aspx>.

- Ligon, F.K., W.E. Dietrich, and W.J. Trush. 1995. Downstream ecological effects of dams. *BioScience* 45(3): 183-192.
- Lindenmeyer, D.B., and C.R. Tambah. 2005. 2004 Tsunami cleanup. *Conservation biology* 19(4): 991.
- Longcore, T., and C. Rich. Eds. 2005. *Ecological Consequences of Artificial Night Lighting*. Island Press, Washington, D.C.
- Macdonald K.B. and B. Witek. 1994. *Management options for unstable bluffs in Puget Sound, Washington. Coastal Erosion Management Studies, Volume 8*. Shorelands and Coastal Zone Management Program, Washington Department of Ecology, Olympia, Washington.
- Macdonald, K.B., D. Simpson, B. Paulsen, J. Cox, and J. Gendron. 1994. Shoreline armoring effects on the physical coastal processes in Puget Sound, Washington. *Coastal Erosion Management Studies, Volume 5*. Shorelands and Coastal Zone Management Program, Washington State Department of Ecology, Olympia, Washington.
- Marburg, A.E., M.G. Turner and T.K. Kratz. 2006. Natural and anthropogenic variation in coarse wood among and within lakes. *Journal of Ecology* 94: 558-568.
- May, C.L. and R.E. Gresswell. 2003. Large wood recruitment and redistribution in headwater streams in the southern Oregon Coast Range, USA. *Canadian Journal of Forest Research* 33:1352 -1362.
- May, C.W., E.B. Welch, R.R. Horner, J.R. Karr and B.W. Mar. 1997. Quality indices for urbanization effects in Puget Sound lowland streams. *Water Resources Series Technical Report no. 154*, Univ. of Washington, Dept. Civil Engr. (WA State Dept. Ecology Publ. No. 98-04).
- Meyer, J. 1997. Conserving ecosystem function. pp. 136-145 in S.T.A. Pickett, R.S. Ostfeld, M. Shachak and G.E. Likens, editors. *The ecological basis of conservation: heterogeneity, ecosystems, and biodiversity*. Chapman and Hall, New York.
- Moore, J.W., Schnidler D.E., Scheuerell M.D., Smith D., Frodge, J. 2003. Lake eutrophication at the urban fringe, Seattle region, USA. *Ambio* 32 (1): 13-18.
- Montgomery, D.R., and S.M. Bolton. 2003. Hydrogeomorphic variability and river restoration. pp. 39-80 in R.C. Wissmar and P.A. Bisson, editors, *Strategies for restoring river ecosystems: sources of variability and uncertainty in natural and managed systems*. American Fisheries Society, Bethesda, Maryland
- Montgomery, D.R. and J.M. Buffington. 1998. Channel processes, classification, and response. pp. 13 to 68 *in* R. J. Naimen and R. E. Bilby, editors. *River ecology and management: lessons from the Pacific Coastal Ecoregion*. Springer-Verlag, New York, New York.
- Mortberg, U.M. 2001. Resident bird species in urban forest remnants; landscape and habitat perspectives. *Landscape Ecology* 16:193-203.
- Myers, J.H., and D. Bazely. 2003. *Ecology and control of introduced plants*. Cambridge Press. 313 pp.

- Noss, R.F., and A.Y. Cooperrider. 1994. Saving nature's legacy: protecting and restoring biodiversity. Island Press. 416 pp.
- NRC. 2002. Riparian areas: functions and strategies for management. Committee on Riparian Zone Functioning and Strategies for Management, Water Science and Technology Board, Division on Earth and Life Studies, National Research Council. National Academy Press, Washington, D.C. 322 pp.
- NRC. 2001. Compensating for wetland losses under the Clean Water Act. Committee on Mitigating Losses, Board on Environmental Studies and Toxicology, Water Science and Technology Board, Division on Earth and Life Studies, National Research Council. National Academy Press, Washington, D.C. 322 pp.
- National Research Council (1992). The Restoration of Aquatic Ecosystems. National Academy Press, Washington, D.C.
- Pess, G.R., T.J. Beechie, J.E. Williams, D.R. Whittall, J.I. Lange, and J.R. Klochak. 2003. Watershed assessment techniques and the success of aquatic restoration activities. pp. 185-202 in R.C. Wissmar and P.A. Bisson, editors. Strategies for restoring river ecosystems: sources of variability and uncertainty in natural and managed ecosystems. American Fisheries Society, Bethesda, MD.
- Perkins, S.J. 1994. The Shrinking Cedar River – Channel Changes following flow regulation and bank armoring. From: Effects of human-induced changes on hydrologic systems. American Water Resources Association pp 649-659.
- Pimentel, D., Lach, L., Zuniga, R., and Morrison, D. 2000. Environmental and economic costs of nonindigenous species in the United States. *BioScience* 50:53-66.
- Poff, N.L., J.D. Allan, M.B. Bain, J.R. Karr, K.L. Prestegard, B.D. Richter, R.E. Sparks, and J.C. Stromberg. 1997. The natural flow regime: a paradigm for conservation and restoration of river ecosystems. *BioScience* 52: 659-668.
- Porter, E.E., B.R. Forschner and R.B. Blair. 2001. Woody vegetation and canopy fragmentation along a forest-to-urban gradient. *Urban Ecosystems* 5:131-151.
- Puget Sound Action Team. 2005. Spatial Relationships between Beneficial and Detrimental Nearshore Habitat Parameters in WRIA 9 and the City of Seattle. Proceedings of the 2005 Puget Sound Research Conference. T. Droscher, editor. Puget Sound Action Team. Olympia, Washington.
- Reeves, G.H., K.M. Burnett, and E.V. McGarry. 2003. Sources of large wood in the main stem of a fourth order watershed in coastal Oregon. *Canadian Journal of Forest Research* 33 1363-1370.
- Redman, S., D. Meyers, D. Averill, K. Fresh, and B. Graeber. 2005. Regional nearshore and marine aspects of salmon recovery in Puget Sound. Draft Puget Sound Salmon Recovery plan: Volume II. June 30, 2005, draft submitted by the Shared Strategy Development Committee, Seattle, WA.
- Reinelt, L.E. and B.L. Taylor. 1997. Effects of watershed development on hydrology. In: A.L. Azous and R.R. Horner, Eds. Wetlands and Urbanization: Implications for the Future. Report of the Puget Sound Wetlands and Stormwater Management Research Program. Available at: <http://splash.metrokc.gov/wlr/basins/weturban.htm>
- Roni, P. 2005. Overview and background. pp. 1-12 in P. Roni, editor. Monitoring stream and watershed restoration. American Fisheries Society, Bethesda, Maryland.

- Schlesinger, W.H. 1997. Biogeochemistry: An analysis of global change. San Diego: Academic Press. 588 pp.
- Sheldon, D.T., T. Hruby, P. Johnson, K. Harper, A. McMillan, T. Granger, S. Stanley, E. Stockdale. 2005. Freshwater Wetlands in Washington State Volume I: A Synthesis of the Science. Washington State Department of Ecology Publication #05-06-006. http://www.ecy.wa.gov/programs/sea/bas_wetlands/volume1final.html
- Shipman, H., -. Beach Nourishment on Puget Sound: A Review of Existing Projects and Potential Applications. Washington State Department of Ecology, Olympia, WA.
- Shipman, H. 2004. Coastal Bluffs and Sea Cliffs on Puget Sound, Washington. U.S. Geological Survey Professional Paper 1693, Denver, CO. 123 pp.
- Sobocinski, K.L. 2003. The impact of shoreline armoring on upper beach fauna of central Puget Sound. MS Thesis. School of Aquatic and Fishery Sciences. University of Washington. Seattle.
- Simenstad, C., D.R. Reed, and M. Ford. 2006. When is restoration not? Incorporating landscape-scale processes to restore self-sustaining ecosystems in coastal wetland restoration. *Ecological Engineering* 26:27-39.
- Shreffler, D.K., and R.M. Thom. 1993. Restoration of Urban Estuaries: New Approaches for Site Location and Design, Washington Department of Natural Resources, Battelle Pacific Northwest Laboratories, PNL-10784.
- Stanley, S., J. Brown, and S. Grigsby. 2005. Protecting aquatic ecosystems: A guide for Puget Sound Planners to understand watershed processes. Washington State Department of Ecology. Publication #05-06-027. Olympia, WA.
- Tabor, R.A., G.S. Brown and V.T. Luiting. 2004. The Effect of Light Intensity on Sockeye Salmon Fry Migratory Behavior and predation in the Cedar River, Washington. *North American Journal of Fisheries Management*. 24(1):128-145
- Terich T.A. 1987. *Living with the shore of Puget Sound and the Georgia Strait*. Duke University Press, Durham, South Carolina.
- Tewksbury, J.J., D.J. Levey, N.M. Haddad, S. Sargent, J.L. Orrock, A. Weldon, B.J. Danielson, J. Brinkerhoff, E.I. Damschen and P. Townsen. 2002b. Corridors affect plants, animals, and their interactions in fragmented landscapes. *Proc. Nat. Acad. Sci.* 99:12923-12926.
- Thom, R.M. 2004. [Conceptual Models as a Tool for Assessing, Restoring, and Managing Puget Sound Habitats and Resources](#). In T.W. Droscher and D.A. Fraser (eds). Proceedings of the 2003 Georgia Basin/Puget Sound Research Conference. Puget Sound Action Team: Olympia, WA.
- Thorson, R.M. 1980. Ice sheet glaciation of the Puget lowland, Washington, during the Vashon stade (late Pleistocene). *Quaternary Research* 13: 303-321.
- Tiebout, H.M. I. and R.A. Anderson. 1997. A comparison of corridors and intrinsic connectivity to promote dispersal in transient successional landscapes. *Conservation Biology* 11:620-627.
- Toft, J. 2005. Benthic Macroinvertebrate Monitoring at Seahurst Park 2004, Pre-Construction of Seawall Removal. Technical Report SAFS-UW-0502, School of Aquatic and Fishery Sciences, University of Washington. Prepared for the City of Burien. 18 pp.

- Toft, J.D., J. Cordell, C. Simenstad, and L. Stamatou. 2004. Fish distribution, abundance, and behavior at nearshore habitats along City of Seattle marine shorelines, with an emphasis on juvenile salmonids. Technical Report SAFS-UW-0401, School of Aquatic and Fishery Sciences, University of Washington. Prepared for Seattle Public Utilities, City of Seattle. 51 pp.
- U.S. Global Change Research Program, National Assessment Synthesis Team. 2000. Climate Change Impacts on the United States. The potential consequences of climate variability and change. Overview: Pacific Northwest. Published on line at: <http://www.usgcrp.gov/usgcrp/Library/nationalassessment/overviewpnw.htm>
- U.S. Army Corps of Engineers. 2002. Coastal Engineering Manual, Part II, Chapter 3. Estimation of nearshore waves. EC 1110-2-1100.
- U.S. Environmental Protection Agency, 1988. <http://www.epa.gov/owow/estuaries/programs/ps.htm>.
- Vannote, R.L., G.W. Minshall, et al., 1980. "The river continuum concept." Canadian Journal of Fisheries and Aquatic Sciences 37(130-137).
- Walbridge, M.R. and J.P. Struthers. 1993. Phosphorous retention in non-tidal palustrine forested wetlands of the mid-Atlantic region. Wetlands, 13:84-94
- Ward, J.V., and J.A. Stanford. 1979. The ecology of regulated streams. Plenum Publishing, New York.
- WA Dept of Fish and Wildlife. 2004. Priority habitats and species database: Herring spawning areas. Metadata available at: http://gisdw/intranet/sdc/nonkcgis/content/enviro_ext/sph_herrspwn.htm
- WA Dept of Fish and Wildlife. 2004. Priority habitats and species database: Surfsmelt spawning areas. Metadata available at: http://gisdw/intranet/sdc/nonkcgis/content/enviro_ext/sph_smelt.htm
- WA Dept of Fish and Wildlife. 2004. Priority habitats and species database: Pacific sand lance spawning areas. Metadata available at: http://gisdw/intranet/sdc/nonkcgis/content/enviro_ext/sph_sandlanz.htmhttp://gisdw/intranet/sdc/nonkcgis/content/enviro_ext/sph_sandlanz.htm
- WA Dept of Fish and Wildlife. 2004. Priority habitats and species database: terrestrial and aquatic species and habitat. Metadata available at: http://gisdw/intranet/sdc/nonkcgis/content/enviro_ext/sph_hrtgpts.htm
- WA Dept of Natural Resources. 2003. Washington Natural Heritage program, rare plant species/ associations. Metadata available at: http://gisdw/intranet/sdc/nonkcgis/content/enviro_ext/snr_wnhpcurr.htm
- WA Dept of Natural Resources. 2001. Shorezone Inventory: eelgrass beds. Metadata available at: http://gisdw/intranet/sdc/nonkcgis/content/enviro_ext/ssz_eelline.htm
- WA Dept of Natural Resources. 2001. Shorezone Inventory: kelp beds. Metadata available at: http://gisdw/intranet/sdc/nonkcgis/content/enviro_ext/ssz_kelpline.htm
- Williams, G.D, R.M. Thom, and N.R. Evans. 2004. [Bainbridge Island Nearshore Habitat Characterization and Assessment, Management Strategy Prioritization, and Monitoring Recommendations](#). PNWD-3391. Prepared for the City of Bainbridge Island: Bainbridge Island, WA; by Battelle Marine Sciences Laboratory: Sequim, WA.

- Williams, G.D., R.M. Thom, M.C. Miller, D.L. Woodruff, N.R. Evans, and P.N. Best. 2003. Bainbridge Island Nearshore Assessment: [Summary of Best Available Science](#). PNWD-3233. Prepared for the City of Bainbridge Island: Bainbridge Island, WA; by Battelle Marine Sciences Laboratory: Sequim, WA.
- Williams G.D. and RM Thom. 2001. Marine and estuarine shoreline modification issues. PNWD-3087. Prepared for Washington Department of Fish and Wildlife, Washington Department of Ecology and Washington State Department of Transportation by Battelle Marine Sciences Laboratory, Sequim, Washington.
- Williams G.D., R.M. Thom, J.E. Starks, J.S. Brennan, J.P. Houghton, D. Woodruff, P.L. Striplin, M. Miller, M. Pedersen, A. Skillman, R. Kropp, A. Borde, C. Freeland, K. McArthur, V. Fagerness, S. Blanton, and L. Blackmore. 2001. Reconnaissance assessment of the State of the Nearshore Ecosystem: Eastern shore of central Puget Sound, including Vashion and Maury Islands (WRIAs 8 and 9). Prepared for King County Department of Natural Resources by Battelle Marine Sciences Laboratory, Pentec Environmental, Striplin Environmental Associates, Shapiro Associates, and King County Department of Natural Resources, Seattle, Washington. 353 pp.
- Williams, J.E., C.A. Wood, and M.P. Dombeck. 1997. Understanding watershed-scale restoration. pp. 1-16 in J.E. Williams, C.A. Wood, and M.P. Dombeck, editors. *Watershed restoration: principles and practices*. American Fisheries Society, Bethesda, Maryland.
- Wissmar, R.C. 1997. Historical perspectives. pp. 66-70 in J.E. Williams, C.A. Wood, and M.P. Dombeck, editors. *Watershed restoration: principles and practices*. American Fisheries Society, Bethesda, Maryland.
- Wolcott, Ernest E. 1965. *Lakes of Washington: Volume 1 Western Washington*. Washington State Department of Conservation, Olympia, WA.
- WRIA 8 (Lake Washington/Cedar/Sammamish Lake Washington/Cedar/Sammamish Watershed Steering Committee). 2005. *Lake Washington/Cedar/Sammamish Watershed (WRIA 8) Chinook Salmon Conservation Plan*. (<http://dnr.metrokc.gov/Wrias/8/Chinook-conservation-plan.htm>)

Other Reviewed Literature

- Abbe, T.R., and D.R. Montgomery, 1996. Large woody debris jams, channel hydraulics and habitat formation in large rivers. *Regulated Rivers: Research and Management*, Vol. 12. 201-221.
- Abbe, T.R., and D.R. Montgomery, 2003. Patterns and processes of wood debris accumulation in the Queets river basin, Washington. *Geomorphology* 51: 81-107.
- Acker, S.A., S.V. Gregory, G.W. Lienkaemper, W.A. McKee, F.J. Swanson, and S.D. Miller. 2003. Composition, complexity, and tree mortality in riparian forests in the central Western Cascades of Oregon. *Forest Ecology and Management* 173:293-308.
- Adamus, P., T.J. Danielson, and A. Gonyaw. 2001. Indicators for Monitoring Biological Integrity of Inland Freshwater Wetlands: A survey of North America Technical Literature (1990-2000). EPA843-R-01, US Environmental Protection, Washington, D.C.
- Adamus, P. 2003. National Database of Wetland Plant Sensitivities to Enrichment and Hydrologic Alteration. USEPA/Oregon State University.
- Adamus, P.R. 2001. Methods for evaluating wetland condition: Biological assessment methods for birds. pp 1-16 in. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. EPA 822-R-01-0071.
- Adamus, P.R. 2000. Terrestrial vertebrate species of the Willamette River Basin: A species habitat relationships matrix and spatial modelling approach. Report to USEPA Environmental Research Laboratory, Corvallis, OR.
- Adamus, P.R. 1995. Validating a habitat evaluation method for predicting avian richness. *Wildlife Society Bulletin* 23:743-749.
- Adamus, P. R. 1983. A method for wetland functional assessment, volume II. FHWA Assessment Method. Federal Highway Administration, U.S. Department of Transportation, Washington, D.C. Rep. No. FHWA-IP-82-24.
- Adamus, P.R. and L.T. Stockwell. 1983. A method for wetland functional assessment, vol.1. FHWA, U.S. Department of Transportation, FHWA-IP-82-23.
- Addiscott, T.M. 1997. A critical review of the value of buffer zone environments as pollution control tool. pp. 236-243 in N. Haycock, T. Burt, K. Goulding, and G. Pinay, editors. *Buffer Zones: Their Processes and Potential in Water Protection*. The Proceedings of the International Conference on Buffer Zones. Quest Environmental, Harpenden, Hertfordshire, UK, Oxford, UK.
- Agee, J.K., 1997. Fire management for the 21st century, in Kohm, K.A., and J.F. Franklin, eds., *Creating a Forestry for the 21st Century*. Island Press, Washington, D.C.
- Alberti, M. 2005. The effects of urban patterns on ecosystem function. *International Regional Science Review* 28: 168-192.
- Alberti, M., D. Booth, K. Hill, B. Coburn, C. Avolio, S. Coe, and D. Spirandelli. n.d. The impacts of urban patterns on watershed quality in Puget Sound Lowland.
- Allen, A.W. 1983. Habitat Suitability Index Models: Mink. Fish and Wildlife Service, Department of the Interior, FWA/OBS-82/10.61

- Aller, L., T. Bennet, , J.H. Lehr, and R.J. Petty. 1987. DRASTIC: a standardized system for evaluating groundwater pollution potential using hydrogeologic settings. U.S. EPA Report 600-2-85-018.
- Alley, W.M., T.E. Reilly, and O.L. Franke. 1999. Sustainability of Ground-Water Resources. (U.S. Geologic Survey: Circular 1186).
- Andrus, C.W., B.A. Long, et al., 1988. "Woody debris and its contribution to pool formation in a coastal stream 50 years after logging." *Canadian Journal of Fisheries and Aquatic Sciences*, 45: 2080-2086.
- Angermeier, P.L., and J.R. Karr. 1984. Relationships between woody debris and fish habitat in a small warmwater stream. *Transactions of the American Fisheries Society* 113:716-726.
- Arnold C.L. Jr. and C.J. Gibbons. 1996. Impervious surface coverage: the emergence of a key environmental indicator. *American Planning Association Journal* 62:243-258.
- Arora. K., S.K. Mickelson, J.L. Baker, D.P. Tierney, and C.J. Peters. 1996. Herbicide retention by vegetative buffer strips from runoff under natural rainfall. *Trans. ASAE* 39:2155-2162.
- Askins, R.A. 2000. *Restoring North America's Birds: Lessons from Landscape Ecology*. Yale University Press, New Haven, CN.
- Atwater, B.F., 1988, Geologic studies for seismic zonation of the Puget lowland. In *National Earthquake Hazards Reduction Program, Summaries of Technical Reports*, v. 25: U.S. Geological Survey Open-File Report 88-16, pp. 120-133.
- Atwater, B.F.; Grant, Wendy 1987 *Holocene subduction earthquakes in coastal Washington*.
- Atwater, B.F., Moore, 1992 *Science*, V. 258.
- Aubry, K.B. 1997. Influence of Stand Structure and Landscape Composition on Terrestrial Amphibians. p. 1-43. *In* Aubry, K.B., S.D. West, D.A. Manuwal, A.B. Stringer, J.L. Erickson and S. Pearson (eds.) *Wildlife Use of Managed Forests: A Landscape Perspective*. Timber, Fish, and Wildlife,
- Aubry, K. 2000. Amphibians in managed, second-growth Douglas-fir forests. *J. Wildl. Manage.* 64:1041-1052.
- Azous, L., L.E. Reinelt and J. Burkey. 2001. Managing wetland hydroperiod: Issues and concerns. pp. 287-298. *In* Azous, A. and L. L. Horner (eds.) *Wetlands and urbanization: Implications for the future*. Lewis Publishers, Boca Raton, FL.
- Azous, A.L. and S.S. Cooke. 2001. Wetland plant communities in relation to watershed development. pp. 255-263 in A. L. Azous and R. R. Horner, editors. *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, FL.
- Azous, A.L. and R.R. Horner (eds.) 2001. *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, FL, USA.
- Azous, A.L., L.E. Reinelt, and J. Burkey. 1997. Managing wetland hydroperiod: Issues and Concerns. Chapter 13. pp. 187-197 in A. L.A. a. R.R. Horner, editor. *Wetlands and Urbanization: Implications for the Future*. Washington State Department of Ecology, Olympia, WA. King County Water and Land Resources Division and the University of Washington, Seattle, WA. Olympia and Seattle, WA.

- Azous, A.L. and K.O. Richter. 1995. Amphibian and plant community responses to changing hydrology in urban wetlands. pp. 156-162 in E. Robichaud, editor. Puget Sound Research 1995 Proceedings. Puget Sound Water Quality Authority, Olympia, WA, USA.
- Balda, R.P. 1975. Vegetation structure and breeding bird diversity. pp. 59-80 in D.R. Smith, editor. Management of forest and range habitats for nongame birds: proceedings of the symposium. USDA Forest Service Gen. Tech. Rep. WO-1, Washington, D.C.
- Baker, C., and H. Haemmerle, 1990. Native growth protection easements: survival and effectiveness. Technical report. King County Department of Development and Environmental Services, Renton, Washington.
- Batzer, D.P. and V.H. Resh. 1992. Macroinvertebrates of California seasonal wetlands and responses to experimental habitat manipulation. *Wetlands* 12:1-7. Beier, P., and R. F. Noss. 1998. Do habitat corridors provide connectivity? *Conservation Biology* 12:1241-1252.
- Beauchamp, D.A., C.M. Baldwin, J.L. Vogel, and C.P. Gubala. 1999. Estimating diel, depth-specific foraging with a visual encounter rate model for pelagic piscivores. *Canadian Journal of Fisheries and Aquatic Science* 56(Supplement 1): 128-139.
- Beechie, T.J., G. Pess, P. Kennard, R. E. Bilby, and S. Bolton. 2000. Modeling recovery rates and pathways for woody debris recruitment in northwestern Washington streams. *North American Journal of Fisheries Management* 20:436-452.
- Beechie, T.J. and T.H. Sibley, 1997. "Relationships between channel characteristics, woody debris, and fish habitat in northwestern Washington streams." *Transactions of the American Fisheries Society* 126: 217-229.
- Beechie, T., E. Beamer, and L. Wasserman, 1994. Estimating coho salmon rearing habitat and smolt production losses in a large river basin, and implications for habitat restoration. *N. Am. J. Fish. Management*. 14(4) 797-811.
- Beget, J.E., 1983, Glacier Peak, Washington – A potentially hazardous Cascade volcano: *Environmental Geology*, v.5, no. 2, pp. 83-92.
- Bell, J.M. 2002. An assessment of selected Sphagnum-dominated peatlands of King County, Washington and their decline. M.Sc. Olympia, WA.
- Benda, L., and T. Dunne, Stochastic forcing of sediment supply to channel networks from landsliding and debris flow, *Water Resources Research*, 33 (12), 2849-2863, 1997
- Benke, A.C., T.C. Van Arsdall, Jr., D.M. Gillespie, and F.K. Parrish. 1984a. Invertebrate production in a subtropical blackwater river: the importance of habitat and life history. *Ecological Monographs* 54:25-63.
- Benke, A.C., T.C. Van Arsdall, Jr., D.M. Gillespie, and F.K. Parrish. 1984b. Invertebrate productivity in a subtropical blackwater river: the importance of habitat and life history. *Ecological Monographs* 54:25-63.
- Benke, A.C., and J.B. Wallace. 2003. Influence of wood on invertebrate communities in streams and rivers. pp. 149-177 in S.V. Gregory, K. Boyer, and A.M. Gurnell, editors. *The ecology and management of wood in world rivers*. American Fisheries Society, Bethesda, Maryland.

- Bennett, A.F. 1990. Habitat corridors and the conservation of small mammals in a fragmented forest environment. *Landscape Ecology* 4:109-122
- Bennett, A.F. 1991. Roads, roadsides and wildlife conservation: a review. pp. 99-118 in D. A. Saunders and R. J. Hobbs, editors. *Nature Conservation 2:the role of corridors*. Beatty & Sons, Chipping Norton, New South Wales, Australia.
- Bennett, E.M., T. Reed-Andersen, J. N. Houser, J. R. Gabriel and S.R. Carpenter. 1999. A phosphorus budget for the Lake Mendota watershed. *Ecosystems* 2:69-75.
- Beschta, R.L., R.E. Bilby, et al., 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. pp. 191-232 *in*. O. E. Salo and T. W. Cundy, Eds. *Streamside management: forestry and fishery interactions* Institute of Forest Resources, University of Washington, Seattle.
- Bilby, R.E. and P.A. Bisson, 1998. Function and Distribution of Large Woody Debris, 324-346 in R.J. Naiman and R.E. Bilby editors: *River Ecology and Management; Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag, New York NY.
- Bilby, R.E. and J.W. Ward, 1991. "Characteristics and function of large woody debris in streams draining old-growth, clear-cut, and second-growth forests in southwestern Washington." *Canadian Journal of Fisheries and Aquatic Sciences* 48: 2499-2508
- Bilby, R.E. and J.W. Ward 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. *Transactions of American Fisheries Society* 118: 368-378.
- Bilby, R.E., 1984. "Removal of woody debris may affect stream channel stability." *Journal of Forestry* 82: 609-613.
- Bilby, R.E., 1981. "Role of organic debris dams in regulating the export of dissolved and particulate matter from a forested watershed." *Ecology* 62: 1234-1243.
- Bilby, R.E. and G.E. Likens, 1980. "Importance of organic dams in the structure and function of stream ecosystems." *Ecology* 61: 1107-1113.
- Bisson, P.A., R.E. Bilby, et al., 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. pp. 143-190 *in*. O. E. Salo and T. W. Cundy, Eds. *Streamside management: forestry and fish interactions* College of Forest Resources, University of Washington. Seattle, WA.
- Bisson, P.A. and J.R. Sedell, 1984. Salmonid populations in streams in clearcut vs. old-growth forests of western Washington. pp. 121-129 *in* W. R. Meehan, T. R. Merrell, Jr and T. A. Hanley, Eds. *Fish and wildlife relationships in old-growth forests* American Institute of Fishery Research Biologists, Juneau, AK.
- Blaustein, A., J.M. Romansic, J.M. Kiesecker, and A.C. Hatch. 2003. Ultraviolet radiation, toxic chemicals and amphibian population declines. *Diversity and Distributions* 9:123-140.
- Blaustein, A.R., P.D. Hoffman, D.G. Hokit, J.M. Kiesecker, S.C. Walls, and J.B. Hays. 1994b. UV repair and resistance to solar UV-B in amphibian eggs: A link to population declines? *Proceedings National Academy of Sciences* 9:1791-1795.
- Blaustein, A.R., J.J. Beatty, D.H. Olson, and R.M. Storm. 1995. *The Biology of Amphibians and Reptiles in Old-Growth Forests in the Pacific Northwest*. PNW-GTR-337, US Forest Service, Pacific Northwest Research Station, Corvallis, OR, USA.

- Boles, M. 2001. Wetland Hydrology Guidelines - Draft. King County Department of Development and Environmental Services, Renton, WA.
- Bolton S. and J. Shellberg. 2001. Ecological issues in floodplains and riparian corridors. White paper prepared for Washington Department of Fish and Wildlife, Washington Department of Ecology and Washington Department of Transportation. University of Washington, Center for Streamside Studies.
- Booth, D.B. and P.C. Henshaw. 2002. Rates of channel erosion in small urban streams. pp. 17-38. *In* Wigmosta, M. S. and S. J. Burges (eds.) Land Use and Watersheds: Human Influence on Hydrology and Geomorphology in Urban and Forest Areas. Water Science and Application Volume 2. American Geophysical Union, Washington, D.C.
- Booth, D.B., D. Hartley, R. Jackson, 2002. Forest cover, impervious surface area, and the mitigation of stormwater impacts. *J. Amer. Water Res. Assoc.* 38(3): 835-845.
- Booth, D.B., and P.C. Henshaw, 2001. Rates of channel erosion in small urban streams. pp. 17-38 in M.S. Wigmosta and S.J. Burges, editors. Land Use and Watersheds: human influences on hydrology and geomorphology in urban and forestry areas. Water and Science Application Volume 2. Amer. Geophysical Union, Washington, D.C.
- Booth, D.B., 2000. Forest Cover, Impervious surface area, and the mitigation of urbanization impacts in King County, Washington. Technical report prepared for King County Dept. Natural Resources, Seattle, WA.
- Booth, D.B. and C.R. Jackson. 1994. Urbanization of aquatic systems - degradation thresholds and limits of mitigation. 425-434. *Effects of Human-Induced Changes on Hydrologic Systems, Proceedings; Annual Summer Symposium of the American Water Resources Association, Jackson Hole, WY, USA.*
- Booth, D.B., and L.E. Reinelt, 1993. Consequences of urbanization aquatic systems—measured effects, degradation thresholds, and corrective strategies.
- Booth, D.B., 1991. Urbanization and the natural drainage system – impacts, solutions and prognosis. *The Northwest Environmental Journal* 7:93-118
- Booth, D.B., 1989. Runoff and stream channel changes following urbanization in King County, *in*, Engineering Geology in Washington, Richard W. Galster, ed.: Washington Division of Geology and Earth Resources Bulletin 78, v. II, pp. 639-649.
- Booth, D.B., 1978. Timing and processes of deglaciation along the southern margin of the Cordilleran ice sheet, *in* Ruddiman, W.F. and Wright, H.E. Jr., eds. *The Geology of North America*, vol. K-3, pp. 71-90.
- Borde, A.B., L.K. O'Rourke, R.M. Thom, G.W. Williams, H.L. Diefenderfer. 2004. National Review of Innovative and Successful Coastal Habitat and Restoration. Prepared for National Oceanic and Atmospheric Administration Coastal Services Center.
- Bortelson, G.C., M.J. Chrzastowski, and A.K. Helgerson, 1980. Historical changes of shoreline and wetland and eleven major deltas in the Puget Sound region, Washington. Atlas HA-617. Dept. of the Interior, U.S. Geological Survey.
- Bowen, K. L., N. K. Kaushik, and A. M. Gordon. 1998. Macroinvertebrate communities and biofilm chlorophyll on woody debris in two Canadian oligotrophic lakes. *Archiv fur Hydrobiologie* 141:257-281.

- Bragg, D.C. 1997. Simulating catastrophic disturbance effects on coarse woody debris production and delivery. In: Proceedings: Forest Vegetation Simulator Conference, USDA Intermountain Research Station, General Technical Report INT-GTR-373, Ogden, Utah.:148-156.
- Brennan, J.S. K.F. Higgins, J.R. Cordell, and V.A. Stamatou. 2004. Juvenile salmon composition, timing, distribution, and diet in marine nearshore waters of central Puget Sound in 2001-2002. King County Department of Natural Resources and Parks, Seattle, WA. 164pp.
- Brennan, J. 2001. Reconnaissance assessment of the state of the nearshore ecosystem: Eastern Shore of Central Puget Sound, including Vashon and Maury Islands (WRIAs 8 and 9). Battelle Marine Sciences Laboratory, Pentec Environmental, Striplin Environmental Associates, Shapiro Associates Inc., King County Department of Natural Resources, Seattle, WA.
- Brinson, M.M. 1993a. A Hydrogeomorphic Classification for Wetlands. Final Technical Report WRP-DE-4, U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- Brinson, M.M. 1993b. Changes in the functioning of wetlands along environmental gradients. *Wetlands* 13:65-74.
- Brooks, R.P., and M.J. Croonquist. 1990. Wetland, habitat, and trophic response guilds for wildlife species in Pennsylvania. *Journal of the Pennsylvania Academy of Science* 64:93-102.
- Brosofske, K.D., J. Chen, et al., 1997. "Harvesting effects on microclimatic gradients from small streams to uplands in western Washington." *Ecological Applications* 7: 1888-1200.
- Brown, C.J. and B. Blossey. 2002. Plant invasions and amphibian declines: are they linked? In *Society for Conservation Biology 16th Annual Meeting*, editor. (Co hosted by DICE and the British Ecological Society), Canterbury, UK.
- Brown, E.R. 1985a. Management of wildlife and fish habitats in forests of western Oregon and Washington. Part 1-Chapter narratives. USDA Forest Service, USFS Pub. No. R6-F&WL-192-1985, Portland, OR.
- Brown, E.R. 1985b. Management of wildlife and fish habitats in forests of western Oregon and Washington. Part 2-Appendices. USDA Forest Service, USFS Pub. No. R6-F&WL-192-1985, Portland, OR.
- Brown, G.W. and J.T. Krygier, 1970. "Effects of clear-cutting on stream temperature." *Water Resources Research* 6: 1133-1139.
- Brown, M. and J.J. Dinsmore. 1986. Implications of marsh size and isolation for marsh bird management. *J. Wildl. Manage.* 50:392-397.
- Brown, M.T., J.M. Schaefer, and K.H. Brandt. 1990. Buffer zones for water, wetlands and wildlife in East Central Florida. Prepared for the East Central Florida Regional Planning Council, Winter Park, Florida. Center for Wetlands, University of Florida, Gainesville, Florida.
- Brown, T.G. and G.F. Hartman, 1988. "Contribution of seasonally flooded lands and minor tributaries to the production of coho salmon in Carnation Creek, British Columbia." *Transactions of the American Fisheries Society* 117: 546-551.

- Bryant, M.D., 1983. "The role and management of woody debris in west coast salmonid nursery streams." *North American Journal of Fisheries Management* 3: 322-330.
- Burke, V.J. and G.J. Whitfield. 1995. Terrestrial buffer zones and wetland conservation: A case study of freshwater turtles in Carolina bay. *Conservation Biology* 9:1365-1369.
- Burkey, Jeff, "Hydrology for Land and Water Stewardship," October 3, 2003 talk for Washington State University (WSU) Cooperative Extension.
- Bury, R.B. 1988. Habitat Relationships and Ecological Importance of Amphibians and Reptiles. pp. 61-76. *In* Raedeke, K. J. (eds.) *Streamside Management: Riparian Wildlife and Forestry Interactions*.
- Bustard, D.R. and D.W. Narver, 1975. "Aspects of the winter ecology of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*)." *Journal of the Fisheries Research Board of Canada* 32: 667-680.
- Canning, D.J., 2001. Geologically hazardous Areas. Washington Department of Ecology, Shoreland and Environmental Assistance Program, Olympia, WA.
- Canning, D.J. and H. Shipman, 1995. The cumulative effects of shoreline erosion control and associated land clearing processes, Puget Sound, Washington. *Coastal Management Studies*, volume 10. Washington Department of Ecology, Shorelands and Water Resources Program, Olympia, WA.
- Carlton, D.K., Barker, B, Nelson, R. and J. Stypula, 1989. Effect of lost floodplain storage on flood peaks. *In* *Partnerships: Effective Flood Hazard Management. Proceedings of the 13th Annual Conference of the Association of State Floodplain Managers, May 22–27, Scottsdale, Arizona.*
- Carr, L.W. and L.L. Fahrig. 2001. Effect of road traffic on two amphibian species of differing vagility. *Conservation Biology* 15:1071-1078. Castelle, A.J. and A.W. Johnson. 2000. Riparian vegetation effectiveness. National Council for Air and Stream Improvement, Research Triangle Park, NC, USA. Tech. Bull. No. 799.
- Castelle, A.J., C. Conolly, M. Emers, E.D. Metz, S. Meyer, M. Witter, S. Mauermann, T. Erickson, and S. S. Cooke. 1992a. *Wetland Buffers: Use and Effectiveness. Publication #92-10, Adolphson Associates, Inc., Shorelands and Coastal Zone Management Program, Olympia, WA, USA.*
- Castelle, A.J., A.W. Johnson, and C. Conolly. 1994. Wetland and stream buffer size requirements - a review. *Journal of Environmental Quality* 23:878-882.
- Cederholm, C.J., D.B. Houston, D.L. Cole, and W.J. Scarlett, 1989. Fate of coho salmon (*Oncorhynchus kisutch*) carcasses in spawning streams. *Can. J. Fish. Aquat. Sci.*, Vol 46:1347-1355.
- Cederholm, C.J., Kunze, M.D., Murota, T., and A. Sibatani, 1999. Pacific salmon carcasses: essential contributions of nutrients and energy for aquatic and terrestrial ecosystems. *Fisheries* 24(10): 6-16.
- Cederholm, C.J., D.H. Johnson, et al., 2000. Pacific salmon and wildlife: ecological contexts, relationships, and implications for management, Washington Department of Fish and Wildlife, Habitat Program, Olympia, WA.
- Cederholm, C.J. and W.J. Scarlett, 1982. Seasonal immigrations of juvenile salmonids into four small tributaries of the Clearwater River, Washington, 1977-1978. pp. 98-

- 110 in E. L. Brannon and E. O. Salo, Eds. Proceedings of the salmon and trout migratory behavior symposium, June 3-5, 1981, University of Washington, School of Fisheries, Seattle.
- Chaubey, I., D.R. Edwards, T.C. Daniel, P.A. Moore Jr., and D.I. Nichols. 1994. Effectiveness of vegetative filter strips in retaining surface-applied swine manure constituents. *Trans. ASAE* 37:845-850.
- Chase, V.P., L.S. Deming, F. Latawiec, 1995 (Revised 1997). *Buffers for wetlands and surface waters: a guidebook for New Hampshire Municipalities*. Audubon Society of New Hampshire, 80 pp.
- Christensen, D. L., B. R. Herwig, D. E. Schindler, and S. R. Carpenter. 1996. Impacts of lakeshore residential development on coarse woody debris in North Temperate lakes. *Ecological Applications* 6:1143-1149.
- Church, M. 1983. Patterns of instability in a wandering gravel bed channel. *Special Publications of the International Association of Sedimentologists*. 6: 169-180.
- Clawson, R.G., B.G. Lockable, R.H. Jones, J.A. Stanturf, and M. Messina. 1997. Amphibian responses to helicopter harvesting in forested floodplains of low order, backwater streams. *Forest Ecology and Management* 90:225-235.
- Coastal Engineering – Coastal Hazards – Sea Grant Program – various publications, University of Wisconsin, 2002
- Colborn, T. and K. Thayer. 2000. Aquatic ecosystems: harbingers of endocrine disruption. *Ecological Applications* 10:949-957.
- Collins, B.D., D.R. Montgomery, and A.J. Sheikh, 2003. Reconstructing the historic river landscape of the Puget Lowland. In: *Restoration of Puget Sound Rivers*, D.R. Montgomery, S. Bolton, D.B. Booth, and L. Wall, editors. University of Washington Press, 505 pp.
- Collins, B.D. and D.R. Montgomery, 2002. Forest development, wood jams, and restoration of floodplain rivers in the Puget Lowland, Washington. *Restoration Ecology* Vol. 10 No. 2, 237-247.
- Collins, B.D., D.R. Montgomery, and A.D. Haas, 2002. Historical changes in the distribution and functions of large wood in Puget lowland rivers. *Canadian Journal of Fisheries and Aquatic Sciences*, 59:66-76.
- Colorado State University Cooperative Education. *Best Management Practices for Nitrogen Fertilization*. 1994. Bulletin #XMC-172
- Conrad, D.R., B. McNitt, and M. Stout. 1998. *Higher Ground: A report on voluntary property buyouts in the nation's floodplains, a common ground solution serving people at risk, taxpayers and the environment*, National Wildlife Federation, Washington, D.C.
- Cooper, J.R., J.W. Gilliam, R. B. Daniels, and W. P. Robarge. 1987. Riparian areas as filters for agricultural sediment. *J. Soil Sci. Soc. Am.* 51:416-420.
- Correll, D.L. 1997. Buffer zones and water quality protection: general principles. pp. 7-20 in N. Haycock, T. Burt, K. Goulding, and G. Pinay, editors. *Buffer Zones: Their Processes and Potential in Water Protection*. The Proceedings of the International Conference on Buffer Zones, September 1996. Quest Environmental, Harpenden, Hertfordshire, UK, Oxford, UK.

- Cowardin, L.M., V. Carter, F.C. Goulet, and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitat of the United States. FWS/OBS-79/31, U.S. Fish and Wildlife Service, Washington D.C., USA.
- Cronk, J.K. and M.S. Fennessy. 2001. Wetland plants biology and ecology. Lewis Publishers, Boca Raton, FL.
- Crook, D.A., and A.I. Robertson. 1999. Relationships between riverine fish and woody debris: implications for lowland rivers. *Marine and Freshwater Research* 50:941-953.
- Croonquist, M.J. 1990. Avian and mammalian community comparisons between protected and altered watersheds- a landscape approach. MS. Pennsylvania State University, University Park, PA.
- Croonquist, M.J., and R. Brooks. 1993. Effects of habitat disturbance on bird communities in riparian corridors. *Journal of Soil and Water Conservation* 48:65-70.
- Crosson, R.S., 1983, Review of seismicity in the Puget Sound region from 1970 through 1978. In Yount, J.C.; Crosson, R.S., editors, 1983, Proceedings of Conference XIV, Earthquake hazards of the Puget Sound region, Washington: U.S. Geological Survey Open- File Report 83-19, pp. 6-18.
- Crosson, R.S.; Frank, D.G., 1975, The Mt. Rainier earthquake of July 18, 1973, and its tectonic significance: *Seismological Society of America Bulletin*, v. 65, no. 2, pp. 393-401.
- Crowell, D. L., 1995, The hazards of mine subsidence: Ohio Division of Geological Survey, Ohio Geology,
- Cummins, K., D. Botkin, et.al., 1994. Status and future of salmon of western Oregon and northern California: management of the riparian zone for the conservation and production of salmon, Center for the Study of the Environment, Santa Barbara, CA.
- Cummins, K.W., M.A. Wilzbach, D.M. Gates, J.B. Perry, and W.B. Taliaferro. 1989. Shredders and Riparian Vegetation. *Bioscience* 39:24-30.
- Dai, F.C., C.F. Lee, and X.H. Zhang. 2001. GIS-based geo-environmental evaluation for urban land-use planning: a case study. *Engineering Geology* 61 (4): 257-271.
- Daniels, M.B. and J.W. Gilliam. 1996. Sediment and chemical load reduction by grass and riparian filters. *Soil Sci. Soc. Amer. J.* 60:246-251.
- Dawson, D. 1994. Are habitat corridors conduits for animals and plants in a fragmented landscape: a review of the scientific evidence. Number 94, English Nature Research Reports, Peterborough, England.
- deMaynadier, P.G., and M.L. Hunter Jr. 1999. Forest canopy closure and juvenile emigration by pool-breeding amphibians in Maine. *Journal of Wildlife Management* 63:441-450.
- Dennison, M.S., and J.F. Berry. 1993. Wetlands: Guide to science, law, and technology. Noyes Publications, Park Ridge, New Jersey, U.S.A.
- DesBonnet, A., P. Pogue, V. Lee, and N. Wolff, 1994. Vegetated buffers in the coastal zone—a summary review and bibliography. Coastal Resources Center Technical Report No. 2064, University of Rhode Island Graduate School of Oceanography, Narragansett, Rhode Island, 72 pp.

- DeVries, J.J. 1980. Effects of Flood Plain Encroachments on Peak Flow, The Hydrologic Engineering Center, U.S. Army Corps of Engineers, Davis, California.
- Dietrich, W.E., Wilson, C.J., Montgomery, D.R., McKean, J. and Bauer, R. (1992): Erosion thresholds and land surface morphology. *Geology*, 20: 675-679.
- Dickson, B.C., and D.J. Schaeffer. 1997. Eco restoration of riparian forests for non-point source pollution control: Policy and ecological considerations in agroecosystem watersheds. pp. 221-227 in N. Haycock, T. Burt, K. Goulding, and G. Pinay, editors. *Buffer Zones: Their Processes and Potential in Water Protection. The Proceedings of the International Conference on Buffer Zones*. Quest Environmental, Harpenden, Hertfordshire, UK, Oxford, UK.
- Dillaha, T.A., III, and S.P. Inamdar. 1997. Buffer zones as sediment traps or sources. pp. 33-42 in N. Haycock, T. Burt, K. Goulding, and G. Pinay, editors. *Buffer Zones: Their Processes and Potential in Water Protection. The Proceedings of the International Conference on Buffer Zones*. Quest Environmental, Harpenden, Hertfordshire, UK, Oxford, UK.
- District of Muskoka Planning and Economic Development Department. 2003. *Shoreline Vegetative Buffers*. District of Muskoka, Canada.
- Dodd, C.K. Jr. 1996. Use of terrestrial habitats by amphibians in the sandhill uplands of north-central Florida. *Alytes* 14:42-52.
- Dodd, C.K. Jr., and B.S. Cade. 1998. Movement patterns and the conservation of amphibians breeding in small, temporary wetlands. *Conservation Biology* 12:331-339.
- Dodd C.K. Jr., and L.L. Smith. 2003. Habitat destruction and alteration: historical trends and future prospects for amphibians. pp. 94-112. In Semlitsch, R.D. (eds.) *Amphibian Conservation*. Smithsonian Books, Washington, D.C.
- Dolloff, C.A., 1986. "Effects of stream cleaning on juvenile coho salmon and Dolly Varden in southeast Alaska." *Transactions of the American Fisheries Society* 115: 743-755.
- Downing, J., 1983. *The Coast of Puget Sound: its processes and development*. University of Washington Press, Seattle, WA. 126 pp.
- Doyle, R.C., G.C. Stanton, and D.C. Wolf. 1977. Effectiveness of forest and grass buffer filters in improving water quality of manure polluted runoff. *American Society of Agricultural Engineers*. Paper 77-2501,
- Ducci, D., 1999. GIS techniques for mapping groundwater contamination risk. *Natural Hazards* 20(2-3): 279-294.
- Dudley, T., and N. H. Anderson. 1982. A survey of invertebrates associated with woody debris in aquatic habitats. *Melandria* 39:1-21.
- Duffy E.J., D.A. Beauchamp, R.M. Buckley. 2005. Early marine life history of juvenile Pacific salmon in two regions of Puget Sound. *Estuarine, Coastal and Shelf Science*. 64:94-107.
- Duffy E.J., D.A. Beauchamp, N.C. Overman, Washington Cooperative Fisheries and Wildlife Research Unit and R.L. Buckley. 2005. *Marine Distribution and Trophic Interactions of Juvenile Salmon in Puget Sound: A Synthesis of Trends among*

- Basins. Interagency Committee for Outdoor Recreation. Olympia, WA. Contract # 04-1017.
- Dumas, P.C. 1966. Studies of the Rana species complex in the Pacific Northwest. *Copeia* 1966:60-73.
- Dunne, T. and L.B. Leopold, 1978. *Water in Environmental Planning*. WH Freeman and Company, USA.
- Dury, G.H., 1969. Relation of Morphometry to Runoff Frequency. pp. 177-188 in R.J. Chorley, Ed. *Introduction to Fluvial Processes*, Methuen & Co., New York.
- Endangered Species Act Listing Documents and Rules: www.nwr.noaa.gov , www.fws.gov , www.salmoninfo.org/tricounty.htm .
- Ebbert, J.C., S.S. Embrey, B.R.W, A J. Tesoriero, and A.L. Haggland. 2000. *Water Quality in the Puget Sound Basin, Washington and British Columbia 1996098*. USGS, Denver, CO. U.S. Geological Survey Circular 1216.
- Elliot, S.T., 1986. "Reduction of a Dolly Varden population and macrobenthos after removal of logging debris." *Transactions of the American Fisheries Society* 115: 392-400.
- Emers, M. 1990. *Community patterns along a water level gradient in freshwater wetlands*. M.SC. Thesis, University of Washington.
- Engel, S. and J.L. Pederson. 1998. *The construction, aesthetics and effects of lakeshore development: a literature review*. Wisconsin Department of Natural Resources, Report 177. Woodruff.
- Erman, D.C., J.D. Newbold, and K.B. Roby. 1977. *Evaluation of streamside bufferstrips for protecting aquatic organisms*. California Water Resources Center, Davis, CA, USA. Contribution No. 165, ISSN 0575-4941.
- Erwin, M.L. and A.J. Tesoriero. 1997. *Predicting Ground-Water Vulnerability to Nitrate in the Puget Sound Basin*, USGS Fact Sheet 061-97, June 1997.
- Euliss, N.H., Jr., and D.M. Mushet. 1996. Water-level fluctuation in wetlands as a function of landscape condition in the prairie pothole region. *Wetlands* 16:587-593.
- Evans, S.G., 1986, *Landslide damming in the Cordillera of western Canada*. In Schuster, R. L., editor, 1986, *Landslide dams-Processes, risk and mitigation: American Society of Civil Engineers Geotechnical Special Publication 3*, p. 1 1 1- 1 30.
- Everett, R.A., and G.M. Ruiz,1993. Coarse woody debris as a refuge from predation in aquatic communities: an experiment test. *Oecologia* 93: 475-486.
- Ewing, K. 1996. Tolerance of four wetland plant species to flooding and sediment deposition. *Environmental and Experimental Botany* 36:131-146.
- Fahrig, L. 1997. Relative effects of habitat loss and fragmentation on population extinction. *Journal of Wildlife Management* 61:603-610.
- Fahrig, L., J.H. Pedlar, S. E. Pope, P. D. Taylor, and J. F. Wegner. 1995. Effect of road traffic on amphibian density. *Biological Conservation* 73:177-182.
- Fahrig, L. and G. Merriam. 1985. Habitat patch connectivity and population survival. *Ecology* 66:1762-1768.

- Fairbairn, S.E. and J.J. Dinsmore. 2001. Local and landscape-level influences on wetland bird communities of the prairie pothole region of Iowa, USA. *Wetlands* 21:41-47.
- Fausch, K.D., 1984. "Profitable stream positions for salmonids: relating specific growth rate to net energy gain." *Canadian Journal of Zoology* 62: 441-451.
- Fausch, K.D. and T. G. Northcote, 1992. "Large woody debris and salmonid habitat in a small coastal British Columbia stream." *Canadian Journal of Fisheries and Aquatic Sciences* 49: 682-693.
- Fausch, T.D., and T.G. Northcote. 1992. Large woody debris and salmonid habitat in a small coastal British Columbia stream. *Canadian Journal of Fisheries and Aquatic Sciences* 49:682-693.
- Federal Emergency Management Agency, 2002a. CRS Coordinator's Manual. Federal Insurance and Mitigation Administration. 2002 Edition.
- Federal Emergency Management Agency. 2002b. Guidelines and Specifications for Flood Hazard Mapping Partners. Executive Summary. February Edition.
- Federal Emergency Management Agency, 2002c. Floodplain Management: Higher Regulatory Standards. Region 10. 2nd Edition. February.
- Federal Emergency Management Agency. 2001a. Flood Insurance Study, King County, Washington and Incorporated Areas. December 6.
- Federal Emergency Management Agency. 2001b. Modernizing FEMA's flood hazard mapping program: Recommendations for using future-conditions hydrology for the National Flood Insurance Program. Final Report. November. Hazards Study Branch, Federal Insurance and Mitigation Administration.
- Federal Emergency Management Agency, 2001c. Floodplain and fisheries resource management: Incorporating fish habitat measures into the FEMA region 10 model flood damage prevention ordinance. Supporting information: FEMA model ordinance for flood loss reduction and fish habitat enhancement. Region 10. March 31.
- Federal Interagency Committee for Wetland Delineation, (U.S. Army Corps of Engineers, U.S. Environmental Protection Agency, U.S. Fish and Wildlife Service and U.S. D.A. Soil Conservation Service). 1989. Cooperative Tech. Pub. Federal Manual for Identifying and Delineating Jurisdictional Wetlands.
- FEMAT, 1993. Forest ecosystem management: an ecological, economic, and social assessment, U.S. Government Printing Office, Washington, D.C..
- Findlay, C.S. and J. Houlihan. 1997. Human correlates of species richness in Southeastern Ontario wetlands. *Conservation Biology* 11:1000-1009.
- Foppen, R. and R. Reijnen. 1994. The effects of car traffic on breeding bird populations in woodland. II. Breeding dispersal of male yellow warblers (*Phylloscopus trochilus*) in relation to the proximity of a highway. *Journal of Applied Ecology* 31:95-101.
- Foppen, R.P.B., J.P. Chadron, and W. Liefveld. 2000. Understanding the role of sink patches in source-sink metapopulations: reed warbler in an agricultural landscape. *Conservation Biology* 14:1881-1891.
- "Forest Vegetation Removal and Slope Stability in the Idaho Batholith," USDA Research Paper INT-271, May 1981, (D. Gray and W. Megahan).

- Forest Ecosystem Management Assessment Team, F. 1993. Forest Ecosystem Management: An Ecological, Economic, and Social Assessment. United States Department of Agriculture, Forest Service
- Foster, S., R. Hirata, D. Gomes, M. D'Elia, and M. Paris. 2002. Groundwater Quality Protection. The World Bank. Washington, D.C.
- France, R. 1997. Macroinvertebrate colonization of woody debris in Canadian Shield lakes following riparian clear cutting. *Conservation Biology* 11:513-521.
- Franklin, J.F. 1988. Pacific Northwest forests. pp. 103-130 in M.G. Barbour and W.D. Billings, editors. *North American terrestrial vegetation*. Cambridge University Press, Cambridge.
- Franklin, J.F. and R.T.T. Forman. 1987. Creating landscape patterns by forest cutting: Ecological consequences and principles. *Landscape Ecology* 1:5-18.
- Frissell, C.A., 1991. Topology of extinction and endangerment of native fishes in the Pacific Northwest and California (U.S.A.). *Conservation Biology* 7(2): 342-354.
- Frissell, C.A., and Nawa, R.K., 1992. Incidence and causes of physical failure of artificial habitat structures in streams of western Oregon and Washington. *North American Journal of Fisheries Management*, 12: 182-187.
- Fritch, T.G, C.L. McKnight, J.C. Yelderman Jr, S.I. Dworkin and J.G. Arnold. 1999. A predictive modeling approach to assessing the groundwater pollution susceptibility of the Paluxy Aquifer, Central Texas, using a Geographic Information System. *Environmental Geology* 39 (9): 1063-1069.
- Fritch, T.G, C.L. McKnight, J.C. Yelderman Jr, et al. 2000. An aquifer vulnerability assessment of the Paluxy aquifer, central Texas, USA, using GIS and a modified DRASTIC approach. *Environmental Management* 25(3): 337-345.
- Galatowitsch, S.M. and A. van der Valk. 1994. *Restoring Prairie Wetlands: An Ecological Approach*. Iowa State University Press, Ames, IO, USA.
- Galli, F.J. 1991. Thermal impacts associated with urbanization and stormwater management best management practices. Metropolitan Washington Council of Governments/Maryland Department of Environment, Washington, D.C.
- Galster, Richard W. et al., *Engineering Geology in Washington, Volume I*, 1989, Washington State Department of Natural Resources, Division of Geology and Earth Resources, Bulletin 78.
- Gende, S.M., R.T. Edwards, M.F. Willson, and M.S. Wipfli, 2002. Pacific salmon in aquatic and terrestrial ecosystems. *BioScience* 52(10): 917-928.
- GeoEngineers, 2003. Geomorphic evaluation and channel migration zone analysis, Puyallup, Carbon and White Rivers. Report prepared for Pierce County Public Works and Utilities Environmental Services, Water Programs Division, June 2003.
- Gerstel, W.J., M.J. Brunengo, W.S. Lingley, Jr., R.L. Logan, H. Shipman, and T. Walsh. 1997. Puget Sound bluffs: the where, why, and when of landslides following the holiday 1996/97 storms. *Washington Geology* 25(1): 17 – 31.
- Ghaffarzadeh, M., C.A. Robinson, and R.M. Cruse. 1992. Vegetative filter strip effects on sediment deposition from overland flow. Madison, WI: Agronomy Abstracts, ASA. 324 pp.

- Gibbs, J.P. 2000. Wetland loss and biodiversity conservation. *Conservation Biology* 14:314-317.
- Gibbs, J.P. 1998a. Amphibian movements in response to forest edges, roads, and streambeds in southern New England. *Journal of Wildlife Management* 62:584-589.
- Gibbs, J.P. 1998b. Distribution of woodland amphibians along a forest fragmentation gradient. *Landscape Ecology* 13:263-268.
- Gibbs, J.P. 1993. Importance of small wetlands for the persistence of local populations of wetland-associated animals. *Wetlands* 13:25-31.
- Gibson, R.J. and M.H.A. Keenleyside, 1966. "Responses to light of young Atlantic salmon (*Salmo salar*) and brook trout (*Salvelinus fontinalis*)." *Journal of the Fisheries Research Board of Canada* 23: 1007-1023.
- Gilbert, F.F. and R. Allwine. 1991. Terrestrial amphibian communities in the Oregon Cascade Range. pp.319-324. *In* Aubry, K.B. and M.H. Brookes (eds.) *Wildlife and vegetation of unmanaged Douglas-Fir forests*. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR, USA.
- Gippel, C.J., I.C. O'Neill, B.L. Finlayson, and I. Schnatz. 1996. Hydraulic guidelines for the reintroduction and management of large woody debris in lowland systems. *Regulated Rivers Research and Management* 12: 223-236.
- Gippel, C.J., I.C. O'Neill. and B.L. Finlayson. 1992. The hydraulic basis of snag management. Centre for Environmental Applied Hydrology, Department of Civil and Agricultural Engineering, University of Melbourne, Parkville.
- Gordon, N.D., T.A. McMahon, and B.L. Finlayson, 1992. *Stream hydrology: and introduction for ecologists*. John Wiley & sons Ltd., New York.
- Gosselink, J.G. and L.C. Lee. 1989. Cumulative impact assessment in bottomless hardwood forests. *Wetlands* 9:Special Issue.
- Gosselink, J.G., G.P. Shaffer, L.C. Lee, D.M. Burdick, D.L. Childers, N.C. Leibowitz, S.C. Hamilton, R. Boumans, D. Cushman, S. Fields, M. Koch and J.M. Visser. 1990. Landscape conservation in a forested wetland watershed: Can we manage cumulative impacts? *BioScience* 40:588-600.
- Gower, H.D.; Yount, J.C.; Crosson, R.S., 1985, Seismotectonic map of the Puget Sound region, Washington: U.S. Geological Survey Miscellaneous Investigations Series Map 1-1613
- Gregory, S.V., F.J. Swanson, W.A. McKee, and K.W. Cummins, 1991. An ecosystem perspective of riparian zones: focus on links between land and water. *BioScience*. 41(8): 540-551.
- Gregory, S.V. and P.A. Bisson, 1997. Degradation and loss of anadromous salmonid habitat in the Pacific Northwest. pp. 277-314 *in* D.J. Stouder, P.A. Bisson and R.J. Naiman, Eds. *Pacific salmon and their ecosystems: status and future options*. Chapman and Hall, New York.
- Gregory, S.V., F.J. Swanson, et al., 1991. "An ecosystem perspective of riparian zones: focus on links between land and water." *Bioscience* 41: 540-551.
- Grette, G.B., 1985. The role of large organic debris in juvenile salmonid rearing habitat in small streams. Master's thesis, University of Washington, Seattle.

- Gulve, P.S. 1994. Distribution and extinction patterns within a northern metapopulation of the pool frog, *Rana lessonae*. *Ecology* 75:1357-1367
- Gurnell, A.M., H. Piegay, F. J. Swanson, and S.V. Gregory. 2002. Large wood and fluvial processes. *Freshwater Biology* 47:601-619.
- Gustafson, E.J., and G.R. Parker. 1994. Using an index of habitat patch proximity for landscape design. *Landscape and Urban Planning* 29:117-130.
- Guyette, R.P., and W.G. Cole. 1999. Age characteristics of coarse woody debris (*Pinus strobus*) in a lake littoral zone. *Canadian Journal of Fisheries and Aquatic Sciences* 56:496-505.
- Haberstock, A.E., H.G. Nichols, M.P. DesMeules, J. Wright, J.M. Christensen, and D.H. Hudnut, 2000. Method to identify effective riparian buffer widths for Atlantic salmon habitat protection. *J. Amer. Water Res. Assoc.* 36(6): 1271-1286.
- Hagar, J.C. 1999. Influence of riparian buffer width on bird assemblages in western Oregon. *J. of Wildlife Management* 63:484-496.
- Haila, Y., I. Hanski and S. Raivio. 1993. Turnover of breeding birds in small forest fragments: the "sampling" colonization hypothesis corroborated. *Ecology* 74:714-725.
- Hall, J.D. and R.L. Lantz, 1969. Effects of logging on the habitat of coho salmon and cutthroat trout in coastal streams. pp. 355-375 in T.G. Northcote, Ed. *Salmon and Trout in Streams*, University of British Columbia, Vancouver.
- Hammer, D.A. 1989. *Constructed Wetlands for Wastewater Treatment: Municipal, Industrial and Agricultural*. Lewis Publishers, Inc., Chelsea, MI.
- Hammer 2002. *Creating freshwater wetlands*. Lewis Publishers, Boca Raton, FL
- Hansen, W.R., 1966, Effects of the earthquake of March 27, 1964, at Anchorage, Alaska: U.S. Geological Survey Professional Paper 542-A, 68 p
- Hanson, J.M. and W.C. Leggett. 1982. Empirical prediction of fish biomass and yield. *Canadian Journal of Fisheries and Aquatic Science* 39: 257-263.
- Harmon, M.E., J.F. Franklin, et al., 1986. "Ecology of coarse woody debris in temperate ecosystems." *Advances in Ecological Research* 15: 133-302.
- Harr, R.D., W.C. Harper, and J.T. Kygier, 1975. Changes in hydrographs after road building and clear-cutting in the Oregon Coast Range. *Water Resources research* 11(3): 436-444.
- Harris, L.D. and J. Eisenberg. 1989. Enhanced linkages: Necessary steps for success in conservation of faunal diversity. pp. 166-181 in M. C. Pearl and D. Western, editors. *Conservation for the 21st century*. Oxford University Press, New York, NY.
- Harris, L.D. and P.B. Gallagher. 1989. New initiatives for wildlife conservation: the need for movement corridors. pp. 11-34 in G. Mackintosh, editor. *In defense of wildlife: Preserving communities and corridors*. Defenders of Wildlife, Washington D.C.
- Harris, R.A. 1986. Vegetative barriers: An alternative highway noise abatement measure. *Noise Control Engineering Journal* 27:4-8.
- Harris, L.D. 1984. Travel corridors and connectivity of islands. pp. 141-144 in *The Fragmented Forest: Island Biogeography Theory and the Preservation of Biotic Diversity*. University of Chicago Press, Chicago, IL.

- Hartman, G.F. and J.C. Scrivener, 1990. "Impacts of forestry practices on a coastal stream ecosystem, Carnation Creek, British Columbia." *Canadian Bulletin of Fisheries and Aquatic Sciences* 223.
- Hawkins, C.P., M.L. Murphy, N.H. Anderson, and M. Wilzbach. 1983. Density of fish and salamanders in relation to riparian canopy and physical habitat in streams of the northwestern United States. *Canadian Journal of Fisheries and Aquatic Sciences* 40:1173-1185.
- Hawkes, V.C., G.F. Searing, and M.W. Demarchi. 2003. Effectiveness of riparian management zones in providing habitat for wildlife: Resampling at extended post-treatment interval. State of Washington Department of Natural Resources, Olympia, WA. Year 1 Annual Report.
- Hayes, M.P., C.A. Pearl, and C.J. Rombough. 2001. *Rana aurora aurora* (Northern Red-legged frog) movement. *Herpetological Review* 32:35-38.
- Heede, B.H., 1972. "Influences of a forest on the hydraulic geometry of two mountain streams." *Water Resources Bulletin* 8: 523-530.
- Heede, B.H., 1985. Channel adjustments to the removal of log steps: an experiment in a mountain stream. *Environmental Management* 9(5): 427-432.
- Heifetz, J., M.L. Murphy, et al., 1986. "Effects of logging on winter habitat of juvenile salmonids in Alaskan streams." *North American Journal of Fisheries Management* 6: 52-58.
- Hely, C., Y. Bergeron and M.D. Flannigan. 2000. Coarse woody debris in the southeastern Canadian boreal forest: composition and load variations in relation to stand replacement. *Canadian Journal of Forest Research* 30:674-687.
- Hensel, B.R. and M.V. Miller. 1991. Effects of wetlands creation on groundwater flow. *Journal Of Hydrology* 126:293-314.
- Herricks, E.E. 1995. *Stormwater Runoff and Receiving Systems: Impact, Monitoring, and Assessment*. CRC Lewis Publishers, New York.
- Hicks, A.L. 1995. Impervious surface area and benthic macroinvertebrate response as an index of impact from urbanization on freshwater wetlands. M.S. University of Massachusetts, Amherst, MA, USA.
- Hicks, B.J., R.L. Beschta and R. D. Harr, 1991. Long-term changes in streamflow following logging in western Oregon and associated fisheries implications. *Water Resources Bulletin* 27(2): 217-226.
- Hinsley, S.A., P.E. Bellamy, and I. Newton. 1995. Bird species turnover and stochastic extinction in woodland fragments. *Ecography* 18:41-50.
- Hodkinson, I.D. 1975. Dry weight loss and chemical changes in vascular plant litter of terrestrial origin, occurring in a beaver pond ecosystem. *Journal of Ecology* 63:131-142.
- Holling, C.S. (eds.) 1978. *Adaptive Environmental Assessment and Management*. Wiley, New York, NY.
- Holman-Dodds, J.K., A.A. Bradley, and K.W. Potter. 2003. Evaluation of hydrologic benefits of infiltration based urban storm water management. *Journal of the American Water Resources Association* 39(1): 205-215.

- Holtby, L.B., 1988. "Effects of logging on stream temperatures in Carnation Creek, British Columbia, and associated impacts on the coho salmon (*Oncorhynchus kisutch*)." *Canadian Journal of Fisheries and Aquatic Sciences*, 45: 502-515.
- Horner, R.R., A.L. Azous, K.O. Richter, S.S. Cooke, L.E. Reinelt, and K. Ewing. 2001. Wetlands and stormwater management guidelines. pp. 299-323. *In* Azous, A.L. and R.R. Horner (eds.) *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, FL.
- Horner, R.R. 1995. Toward ecologically based urban runoff management. pp. 365-377. *In* Herricks, E.E. (eds.) *Stormwater Runoff and Receiving Systems: Impact, Monitoring, and Assessment*. CRC Lewis Publishers, New York.
- Horner, R.R. and B.W. Mar. 1982. Guide for water quality impact assessment of highway operations on maintenance. Washington Department of Transportation, Olympia, WA. Report No. WA-RD-39.14.
- Houck, C.A. 1996. The distribution and abundance of invasive plant species in freshwater wetlands of the Puget Sound Lowlands, King County, Washington. M.Sc., University of Washington, Seattle, WA.
- Hruby, T., T. Granger, K. Brunner, S. Cooke, K. Dublonica, R. Gersib, L. Reinelt, K. Richter, D. Sheldon, E. Teachout, A. Wald, and F. Weinmann. 1999. Methods for Assessing Wetland Functions Volume 1: Riverine and Depressional Wetlands in the Lowlands of Western Washington. No. 99-115, Washington State Department of Ecology, Olympia, WA.
- Hruby, T., W.E. Cesanek, and K.E. Miller. 1995. Estimating relative wetland values for regional planning. *Wetlands* 15:93-107.
- Hynes, H.B.N., 1972. *The ecology of running waters*. University of Toronto Press, Toronto, Ontario, Canada.
- Ihnen, S.; Hadley, D.M., 1986, Prediction of strong ground motion in the Puget Sound region-The 1965 Seattle earthquake: *Seismological Society of America Bulletin*, v. 76, no. 4
- Independent Multidisciplinary Science Team., 2002. Recovery of wild salmonids in western Oregon lowlands. Technical report 2002-1 to the Oregon plan for salmon and watersheds, Governor's Natural Resources Office, Salem, Oregon.
- Jackson, C.R., and C.A. Sturm, 2002. Woody debris and channel morphology in first- and second-order forested channels in Washington's coast ranges. *Water Resources Research* 38(9): 1-14.
- Jackson, C.R., S.J. Burges, X. Liang, K. M. Laytham, K.R. Whiting, D.M. Hartley, C.W. Crawford, B.N. Johnson, and R.R. Horner, 2001. Development and application of simplified continuous hydrologic modeling for drainage design and analysis. pp. 39-58 in M.S. Wigmosta and S.J. Burges, editors. *Land Use and Watersheds: human influences on hydrology and geomorphology in urban and forestry areas*. *Water and Science Application Volume 2*, American Geophysical Union, Washington, D.C.
- Janzen, D.H. 1983. No park is an island: Increase in interference from outside as park size decreases. *Oikos* 41:402-410.
- Janzen, D.H. 1996. No park is an island: Increase in interference from outside as park size decreases. pp. 192-202 in F.B. Samson and F.L. Knopf, editors. *Ecosystem Management: Selected Readings*. Springer-Verlag, New York.

- Jennings, M.J., M.A. Bozek, G.R. Hatzenbeler, E.E. Emmons, and M. D. Staggs. 1999. Cumulative effects of incremental shoreline habitat modification on fish assemblages in North Temperate lakes. *North American Journal of Fisheries Management* 19:18-27.
- Johnson, A.W. and J.M. Stypula. 1993. Guidelines for Bank Stabilization Projects in the Riverine Environments of King County. King County Department of Public Works, Surface Water Management Division, Seattle, Washington.
- Johnson, A.W. and D.M. Ryba. 1992. A Literature Review of Recommended Buffer Widths to Maintain Various Functions of Stream Riparian Areas. King County Surface Water Management Division, Seattle, WA USA.
- Johnson, P.A., D.L. Mock, E.J. Teachout, and A. McMillan. 2000. Washington State Wetland Mitigation Evaluation Study Phase 1: Compliance. WSDOE Washington State Department of Ecology, DOE, Olympia, WA. 00-06-016
- Johnson, P.A., D.L. Mock, A. McMillan, L. Driscoll, and T. Hruby. 2002. Washington State Wetland Mitigation Evaluation Study Phase 2: Evaluating Success. Washington State Department of Ecology, DOE, Olympia, WA. 02-06-009.
- Kahler, Tom, M. Grassley, and D. Beauchamp. 2000. A Summary Effects of Bulkheads, Piers, and Other Artificial Structures and Shorezone Development on ESA Listed Salmonids in Lakes. Prepared for the City of Bellevue.
- Kauffman, J.B., M. Mahrt, L.A. Mahrt, and W. D. Edge. 2001. Wildlife of riparian habitats. P.361-388: book 736. *In* Johnson, D.H. and T.A. O'Neil (eds.) *Wildlife-Habitat Relationships in Oregon and Washington*. Oregon State University Press, Corvallis, OR, USA.
- Keddy, P.A. 2000. *Wetland Ecology Principles and Conservation*. Cambridge University Press, Cambridge, UK.
- Keefer, D. K., 1983, Landslides, soil liquefaction, and related ground failures in Puget Sound earthquakes. In Yount J. C.; Crosson, R. S., editors, 1983, *Proceedings of Conference XIV, Earthquake hazards of the Puget Sound region*, Washington: U.S. Geological Survey Open-File Report 83-19, pp. 280-299.
- Keller, C.M.E., C.S. Robbins, and J.S. Hatfield. 1993. Avian communities in riparian forests of different widths in Maryland and Delaware. *Wetlands* 13:137-144.
- Keller, E.A. and F.J. Swanson, 1979. Effects of large organic material on channel form and fluvial processes. *Earth Surface Processes*, Vol. 4, 361-380.
- King County, 2005. Final Inventory and Assessment of Current and Historic Beach Feeding Sources/Erosion and Accretion Areas of the Marine Shorelines of Water Resource Inventory Areas 8 & 9. King County, Water and Land Resources Division, Seattle, WA.
- King County, 2004. Volunteer Lake Monitoring Results for the Water Year 2003. King County Water and Land Resources Division, Seattle, WA.
- King County, 2004. Pipe and Lucerne Lakes Integrated Aquatic Vegetation Management Plan. King County, Water and Land Resources Division, Seattle, WA.
- King County, 2004. North Lake Integrated Aquatic Vegetation Management Plan. King County, Water and Land Resources Division, Seattle, WA.

King County, 2003. Spring Lake Integrated Aquatic Vegetation Management Plan. King County, Water and Land Resources Division, Seattle, WA.

King County, 2003. Lake Twelve Integrated Aquatic Vegetation Management Plan Final Report. King County, Water and Land Resources Division, Seattle, WA.

King County, 2003. Volunteer lake Monitoring Results for the Water Year 2002. King County Water and Land Resources Division, Seattle, WA.

King County, The 2002 King County Annual Growth Report, <http://www.metrokc.gov/budget/agr/agr02/>

King County, 2002 Benchmarks Report, 2002a

King County Comprehensive Plan, update 2002b <http://www.metrokc.gov/ddes/compplan>

King County, 2002. Volunteer Lake Monitoring Results for the Water Year 2001. King County Water and Land Resources Division, Seattle, WA.

King County, 2002. Volunteer Lake Monitoring Results for Water Year 1999-2000. King County Water and Land Resources Division, Seattle, WA.

King County, 2001. King County Lake Water Quality: A Trend Report on King County Small Lakes. Department of Natural Resources and Parks, Lake Stewardship Program.

King County, 2001. King County Lake Monitoring Report: A Report on 1999 Volunteer Lake Monitoring in King County, Washington. King County Water and Land Resources Division, Seattle, WA.

King County, 1999. King County Lake Monitoring Report: A Report on 1998 Volunteer Lake Monitoring in King County, Washington. King County Water and Land Resources Division, Seattle, WA.

King County, 1998. King County Lake Monitoring Report: A Report on 1997 Volunteer Lake Monitoring in King County, Washington. King County Water and Land Resources Division, Seattle, WA.

King County. 1998. King County Surface Water Design Manual. Department of Natural Resources, Seattle, WA.

King County, 1997. King County Lake Monitoring Report 1995-1996. King County Water and Land Resources Division, Seattle, WA.

King County, 1996. Draft Marine Water Quality Assessment. King County Department of Natural Resources, Seattle, WA.

King County Surface Water Management Division, Washington State Department of Ecology, and City of Issaquah. 1996. Final Issaquah Creek Basin and Nonpoint Action Plan. King County Department of Natural Resources, Seattle, WA.

King County, 1996. Cottage Lake Management Plan. King County, Surface Water Division, Seattle, WA.

King County, 1996. King County Lake Monitoring Report 1993-1995. King County Surface Water Management Division, Seattle, WA.

King County. 1995. Mapping Aquifer Susceptibility to Contamination in King County. King County Dept. of Development and Environmental Services, Seattle, WA.

- King County 2000. Surface Water Management Division, Lake Sawyer Management Plant. King County, Surface Water Management Division, Seattle, WA.
- King County 1994. Surface Water Management Division, Final East Lake Sammamish Basin and Nonpoint Action Plan. King County, Surface Water Management Division, Seattle, WA.
- King County. 1993. Best Management Practices for Golf Course Development and Operation. King County Environmental Division, Seattle, WA.
- King County, 1993. Beaver Lake Management Plan. Department of Public Works, Surface Water Management Division. 130 pp.
- King County. 1993. King County Flood Hazard Reduction Plan. Final. King County Department of Public Works, Surface Water Management Division, Seattle, Washington.
- King County. 1991. King County Wetlands Inventory. King County Environmental Division, Parks, Planning and Resources Department, Seattle, WA, USA.
- King County Surface Water Management Division, Snohomish County Surface Water Management, and City of Redmond Stormwater Division. 1990. Bear Creek Basin Plan. King County Surface Water Management Division, Seattle, WA.
- King County, 1990. King County Wetlands Inventory: Volume 1. King County Dept. Public Works, Seattle, WA.
- King County, 1990. Sensitive Areas Map Folio;
- King County, 1987. Basin Reconnaissance Program: Program Summary – Volume 3 technical appendix. King County Dept. of Public Works, Seattle, WA.
- Klein, R.D. 1979. Urbanization and stream quality impairment. *Wat. Res. Bull.* 15:948-963.
- Knighton, D. 1998. *Fluvial form and processes*. Wiley and sons, New York.
- Knopf, F.L. and F.B. Samson. 1988. Ecological patterning of riparian avifaunas. pp. 77-78. *In* Raedeke, K.J. (eds.) *Streamside management: Riparian wildlife and forestry interactions*. University of Washington, Institute of Forest Resources, Seattle, WA.
- Knutson, K.L., and V.L. Neaf. 1997. Management recommendations for Washington's priority habitats: Riparian. Washington Department of Fish and Wildlife, Olympia, WA.
- Koehler, M.E., K.L. Fresh, D.A. Beauchamp, J.R. Cordell, C.A. Simenstad. (In press). Diet and bioenergetics of lake-rearing juvenile Chinook salmon in Lake Washington. *Transactions of the American Fisheries Society*.
- Kondolf, G.M., 2000. Some suggested guidelines for geomorphic aspects of anadromous salmonid habitat restoration proposals. *Restoration Ecology* 8(1): 48-56.
- Konrad, C.P. and D.B. Booth. 2002. Hydrologic trends associated with urban development for selected streams in the Puget Sound Basin, Western Washington. U.S. Geological Survey, Tacoma, WA. Water-Resources Investigations Report 02-4040.

- Konrad, C.P. and S.J. Burges. 2001. Hydrologic Mitigation using On-Site Residential Storm-Water Detention. *Journal of Water Resources Planning and Management* 127(2): 99-107.
- Kostadinov, S.C. and S.S. Mitrovic 1994. Effect of forest cover on the stream flow from small watersheds. *Journal of Soil and Water Conservation* 382-385.
- Kulzer, L., S. Luchessa, A.S. Cooke, R. Errington, and F. Weinmann. 2001. Characteristics of low-elevation Sphagnum-dominated peatlands of western Washington: a community profile. USEPA, Region 10, Seattle, WA, USA.
- Kusler, J.A. 1983. *Our National Wetland Heritage: A Protection Guidebook*. Environmental Law Institute, Washington, DC, USA.
- Kusler, J.A. and T. Opheim. 1996. *Our National Wetland Heritage: A Protection Guidebook*. Second Edition. Environmental Law Institute, Washington, DC, USA.
- La Polla, V.N. and G.W. Barrett. 1993. Effects of corridor width and presence on the population dynamics of the meadow vole (*Microtus pennsylvanicus*). *Landscape Ecology* 8:25-38.
- Laiho, R., and C.E. Prescott. 2004. Decay and nutrient dynamics of coarse woody debris in northern coniferous forests: a synthesis. *Canadian Journal of Forest Research* 34:763-777.
- Langston, C.A., 1981, A study of Puget Sound strong ground motion: *Seismological Society of America Bulletin*, v. 71, no. 3
- Langston, C.A.; Lee, J.-J., 1983, Effect of structure geometry on strong ground motions- The Duwamish River Valley, Seattle, Washington: *Seismological Society of America Bulletin*, v. 73, no. 6
- Larson, L.L. and D. Plasencia. 2001. No adverse impact: a new direction in floodplain management policy. *Natural Hazards Review*, November, Vol. 2, No 4. ISSN 1527-6988, Natural Hazards Center, University of Colorado, Boulder, Colorado.
- Laudenslayer, W.F. 1986. Summary: predicting effects of habitat patchiness and fragmentation - the manager's viewpoint. pp. 331-333 in J. Verner, M.L. Morrison, and C.J. Ralph, editors. *Wildlife 2000: Modeling habitat relationships of terrestrial vertebrates*. University of Wisconsin Press, Madison, WI.
- Lee, D., T.A. Dillaha, and J.H. Sherrard. 1999. Modeling phosphorous transport in grass buffer strips. *J. Environ. Eng. ASCE* 115:409-427.
- Lee, K.E., R.M. Goldstein, and P.E. Hanson, 2001. Relation between fish communities and riparian zone conditions at two spatial scales. *Journal of American Water Resources Association*, 37(6): 1465-1473.
- Lee, K.H., T.M. Isenhardt, R.C. Schultz, and S.K. Mickelson. 2000. *J. Environmental Quality* 29: 1200-1205. Lehmkuhl, J.F., L.F. Ruggiero, and P.A. Hall. 1991. Landscape-scale patterns of forest fragmentation and wildlife richness and abundance in the southern Washington Cascade Range. pp. 425-442 in L.F. Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff, editors. *Wildlife and vegetation of unmanaged Douglas-fir forests*. U.S. Forest Service Gen. Tech. Rep. PNW-GTR-285, Portland, OR.

- Lehmkuhl, J.F., B.G. Marcot, and T. Quinn. 2001. Characterizing species at risk. pp. 474-500. *In* Johnson, D.H. and T.A. O'Neil (eds.) Wildlife-habitat relationships in Oregon and Washington. Oregon State University Press, Corvallis, OR.
- Leinkaemper, G.W. and F.J. Swanson, 1987. "Dynamics of large woody debris in streams in old-growth Douglas-fir forests." *Canadian Journal of Forest Research* 17: 150-156.
- Leonard, W.P., H.A. Brown, L.L.C. Jones, K. R. McAllister, and R. M. Storm. 1993. *Amphibians of Washington and Oregon*. Seattle Audubon Society, Seattle, WA.
- Leopold, L.B, M.G. Wolman, and J.P. Miller, 1964. *Fluvial processes in geomorphology*. Dover publications, New York.
- Lestelle, L.C., 1978. The effects of forest debris removal on a population of resident cutthroat trout in a small headwater stream. Master's thesis, University of Washington, Seattle.
- Lewin, W.-C., N. Okun, and T. Mehner. 2004. Determinants of the distribution of juvenile fish in the the littoral area of a shallow lake. *Freshwater Biology* 49:410-424.
- Levings, C.D. and G. Jamieson, 2001. Marine and estuarine riparian habitats and their role in coastal ecosystems, Pacific Region. Canadian Science Advisory Secretariat, Research document 2001/109.
- Levings, C.D., K. Conlin, and B. Raymond. 1991. Intertidal habitats used by juvenile Chinook salmon (*Oncorhynchus tshawytscha*) rearing in the north arm of the Fraser River estuary. *Marine Pollution Bulletin* 22:20-26.
- Livingston, E.H. 1995. Lessons learned from a decade of stormwater treatment in Florida. pp. 339-363. *In* Herricks, E.E. (eds.) *Stormwater runoff and reviving systems*. Lewis Publishers, Boca Raton, FL.
- Liddle, M.J. and H.R.A. Scorgie. 1980. The Effects of Recreation on Freshwater Plants and Animals: A Review. *Biological Conservation* 17:183-206.
- Lincoln, R.J., G.A. Boxhall, et al., 1993. *A dictionary of ecology, evolution and systematics*. Cambridge University Press, Cambridge, U.K.
- Lipton, Douglas W., Katharine F. Wellman, Isobel C. Sheifer and Rodney F. Weiher, 1995. *Economic Valuation of Natural Resources—A Handbook for Coastal Resource Policymakers*. NOAA Coastal Ocean Program Decision Analysis Series No. 5. NOAA Coastal Ocean Office, Silver Spring MD.
- Lisle, T.E., 1986. "Stabilization of a gravel channel by large streamside obstructions and bedrock bends, Jacoby Creek, northwestern California." *Geological Society of America Bulletin* 8: 999-1011.
- Lisle, T.E. and H.M. Kelsey, 1982. Effects of large roughness elements on the thalweg course and pool spacing. pp. 134-135 *in* L. B. Leopold, Ed. *American geomorphological field group field trip guidebook, 1982 conference*, Pinedale, Wyoming American Geophysical Union, Berkeley, CA.
- Livingston, E.H. 1995. Lessons learned from a decade of stormwater treatment in Florida. pp.339-363. *In* Herricks, E.E. (eds.) *Stormwater runoff and reviving systems*. Lewis Publishers, Boca Raton, FL.
- Lobo-Ferreira J.P. and M.M. Oliveira. 1997. Drastic Groundwater Vulnerability Mapping of Portugal. "Groundwater: An Endangered Resource," *Proceedings of Theme C*

27th Congress of the International Association for Hydraulic Research, San Francisco, USA, Aug. 10-15. pp. 132-137.

- Lovejoy, T.E., R.O.J. Biorregaard, A.B. Ryklands, J.R. Malcolm, C.E. Quintela, L.H. Harper, K.S.J. Brown, A.H. Powell, G.V.N. Powell, H.O.R. Schubart, and M.B. Hays. 1986. Edge and other effects of isolation on Amazon forest fragments. pp. 257-285 in M. E. Soulé, editor. *Conservation Biology: The science of scarcity and diversity*. Sinauer Associates, Sunderland, MA.
- Lowrance, R.R. 1992. Groundwater nitrate and denitrification in a Coastal Plain riparian forest. *J. Environ. Qual.* 21:401-405.
- Lowrance, R., R. Leonard, and J. Sheridan. 1985. Managing riparian ecosystems to control nonpoint source pollution. *J. of Water and Soil Conservation* 40:87-97.
- Lowrance, R., R. Todd, et al., 1984. "Riparian forests as nutrient filters in agricultural watersheds." *Bioscience* 34: 374-377.
- Lucchetti, G., and R. Fuerstenberg, 1993. Management of coho salmon habitat in urbanizing landscapes of King County, Washington, USA. pp. 308-317 in L. Berg and P. Delaney, editors. *Proc. of the 1992 coho workshop*, Nanaimo, British Columbia. North Pacific International Chapter, American Fisheries Society, and Association of Professional Biologists of British Columbia, Vancouver, British Columbia.
- Ludwa, K., G. Lucchetti, K. Fresh, and K. Walter, 1997. Assessing stream-dwelling fish in basins of the Lake Washington watershed, summer 1996. King County Department of Natural Resources, Washington Department of Fish and Wildlife and Muckleshoot Indian Tribe.
- Lynch, J.A., E.S. Corbett, and K. Mussallem. 1985. Best management practices for controlling non-point source pollution on forested watersheds. *Journal of Soil and Water Conservation* 40:164-167.
- Lynch, S.D., A.G. Reynders, and R.R. Schulz. 1993. Preparing input data for a national-scale groundwater vulnerability map of Southern Africa, in 6th National Hydrological Symposium, SANCIAHS, Sept. 1993 and *Water S.A.* 20: 239-246, Pietermaritzburg, South Africa. 1994.
- MacMillan, P. C. 1981. Log decomposition in Donaldson's Woods, Spring Mill State Park, Indiana. *American Midland Naturalist* 106:335-344.
- Maddock. 1976. A primer on floodplain dynamics. *Journal of Soil and Water Conservation.* 31: 44-47.
- Mader, H.J. 1984. Animal habitat isolation by roads and agricultural fields. *Biological Conservation* 29:81-96.
- Madison, C.E., R.L. Blevins, W.W. Frye, and B.J. Barfield. 1992. Tillage and grass filter strip effects upon sediment and chemical losses. Madison, WI: *Agronomy Abstracts*, ASA. p. 331.
- Magette, W.L., R.B. Brinsfield, R.E. Palmer, and J.D. Wood. 1989. Nutrient and sediment removal by vegetated buffer strips. *Trans. of the ASAE* 32:663-667
- Mahler, R.L., H.W. Homan, and G.P. Carpenter. 2002. Pesticides and their Movement in Soil and Water. *Quality Water for Idaho Current Information Series No. 865*. University of Idaho Cooperative Extension System.

- Maitland, P.S. and N.C. Morgan. 1997. Conservation Management of Freshwater Habitats: Lakes, Rivers and Wetlands. Chapman & Hall, New York, NY, USA.
- Mallory, E.C., M.S. Ridgway, A.M. Gordon, and N.K. Kaushik. 2000. Distribution of woody debris in a small headwater lake, central Ontario, Canada. *Archiv fur Hydrobiologie* 148:587-606.
- Martin-Yanny, E. 1992. The impacts of urbanization on wetland bird communities. M.S. University of Washington, Seattle, WA, USA.
- Maryland Department of Natural Resources. 2001. Maryland's GreenPrint Program: Summary of Methods to Identify and Evaluate Maryland's Green Infrastructure-Draft. Chesapeake and Coastal Watershed Services, Annapolis, Maryland.
- Maryland Department of Natural Resources. 2002. GreenPrint Program Implementation.
- Marzluff, J.M. and K. Ewing. 2001. Restoration of fragmented landscapes for the conservation of birds: a general framework and specific recommendations for urbanizing landscapes. *Restoration Ecology* 9:280-292.
- Marzluff, J.M. and R. Sallabanks, (eds.) 1998. Avian Conservation: Research and Management. Island Press, Washington, D.C., USA.
- Marzluff, J.M., R. Bowman, and R. Donnelly, editors. 2001. Avian Ecology and Conservation in an Urbanizing World. Kluwer Academic Publishers, Norwell, MA, USA.
- Maser, C. and Sedell, J.R. 1994. From the forest to the Sea. The ecology of wood in streams, rivers, estuaries, and oceans. St Lucie Press, Florida.
- Maser, C., R. Tarrant, J.M. Trappe, and J.F. Franklin, 1988. From the forest to the sea: a story of fallen trees. General Technical Report, PNW-GTR-299. Pacific Northwest Research Station, U.S. Dept. of Agriculture, Forest Service, Portland, OR.
- May, C.W., 2002. Protection of stream-riparian ecosystems: a review of best available science. Prepared for Kitsap County Natural Resources Coordinator.
- May, C.W., R.R. Horner, J.R. Karr, B.W. Marr, and E.B. Welch, 1997. Effects of urbanization on small streams in the Puget Sound Lowland Ecoregion. *Watershed Protection Techniques* 2(4): 483-494.
- Mazur, M.M., and D.A. Beauchamp. 2006. Linking piscivory to spatial-temporal distributions of pelagic prey fish with a visual foraging model. *Journal of Fish Biology* 69:151-175.
- McCafferty, W.P., and A.V. Provonsha. 1981. Aquatic Entomology. Jones and Bartlett Publishers, Boston, MA, USA.
- McDade, M.H., F.J. Swanson, et al., 1990. "Source distances for coarse woody debris entering small streams in western Oregon and Washington." *Canadian Journal of Forest Sciences* 20: 326-330.
- McGarigal, K. and W.C. McComb. 1992. Streamside versus upslope breeding bird communities in the central Oregon coast range. *Journal Of Wildlife Management* 56:10-22
- McIntyre, J.K., D.A. Beauchamp, M.M. Mazur, and N.C. Overman. 2006. Ontogenetic trophic interactions and benthic-pelagic coupling in Lake Washington: evidence from stable isotopes and diet analysis. *Transactions of the American Fisheries Society* 135:13xx-13xx

- McIntyre, J.K., D.A. Beauchamp, M.M. Mazur, N.C. Overman. Manuscript. Ontogenetic trophic interactions and benthic-pelagic coupling in Lake Washington: evidence from stable isotopes and diet analysis. Washington Cooperative Fisheries and Wildlife Research Unit. University of Washington, Seattle, WA.
- McKinney, M.L., 2002. Urbanization, biodiversity, and conservation. *BioScience* 52(10): 883-890.
- McLachlan, A. J. 1970. Submerged trees as a substrate for benthic fauna in the recently created Lake Kariba (Central Africa). *Journal of Applied Ecology* 7:253-266.
- McMahon, T.E. and G.F. Hartman, 1989. "Influence of cover complexity and current velocity in winter habitat use by juvenile coho salmon (*Oncorhynchus kisutch*)."
Canadian Journal of Fisheries and Aquatic Sciences, 46:1551-1557.
- McMillan, A. 2000. The science of wetland buffers and its implications for the management of wetlands. MS. Evergreen State College, Olympia, WA.
- Mech, S.G. and J.G. Hallett. 2001. Evaluating the effectiveness of corridors: a genetic approach. *Conservation Biology* 15:467-474.
- Medin, D.E. and W.P. Clary. 1990. Bird population in and adjacent to beaver pond ecosystems in Idaho. USDA Forest Service, Intermountain research Station, Ogden, UT. Res. Pap. INT-432.
- Megahan, W., 1982. Channel sediment storage behind obstructions in forested drainage basins draining the granitic bedrock of the Idaho batholith. *In* Sediment budgets and routing by forested drainage basins. U.S. Department of Agriculture, Forest Service, Portland, OR.
- Megahan, W.F., 1982. Channel sediment storage behind obstructions in forested drainage basins draining the granite bedrock of the Idaho batholith. pp. 114-121 *in* F. J. Swanson, R. J. Janda, T. Dunne and D. N. Swanson, Eds. Sediment budgets and routing in forested drainage basins U.S. Department of Agriculture, Forest Service Research Paper.
- Menani, M.R., 2001. Evaluating and mapping the groundwater pollution susceptibility of the El Madher alluvial aquifer, Eastern Algeria, using the Drastic method. *Science et changements planétaires / Sécheresse*. 12(2): 95-101.
- Merchant, J.W. 1994. GIS-Based Groundwater Pollution Hazard Assessment - A Critical-Review of The Drastic Model. *Photogrammetric Engineering & Remote Sensing* 60 (9): 1117-1128.
- Merriam, G. and A. Lanoue. 1990. Corridor use by small mammals: field measurement for three experimental types of *Peromyscus leucopus*. *Landscape Ecology* 4:123-131.
- Merritt, R.W. and K.W. Cummins. 1996. Introduction (to the aquatic insects of North America). pp. 1-4 *in* R. W. Merritt and K. W. Cummins, editors. *An Introduction to the Aquatic Insects of North America*. Kendall/Hunt Publishing Company, Dubuque, IO, USA.
- METRO. 2002. METRO's Technical Report for Goal 5: Revised Draft. Portland, OR.
- Meybeck, M. 1998. Man and river interface: multiple impacts on water and particulates chemistry illustrated in the Seine River Basin. *Hydrobiologia* 373-4: 1-20.

- Meyers, J.L. and others. 2003. Where rivers are born: The scientific imperative for defending small streams and wetlands. American Rivers/Sierra Club,
- Mickelson, S.K., I.L. Baker, K. Arora, and A. Misra. 1995. A summary report: the effectiveness of buffer strips in reducing herbicide losses. Proc. 50th Annual Mtg. Soil and Water Conservation Society.
- Middleton, B. 1999. Wetland restoration, flood pulsing, and disturbance dynamics. John Wiley & Sons, Inc., New York.
- Miller, R.D., 1973, Map showing relative slope stability in part of west-central King County, Washington: U.S. Geological Survey Miscellaneous Investigations Series Map, I-852-A, 1:48,000.
- Milligan, D.A. 1985. The ecology of avian use of urban freshwater wetlands in King County, Washington. M.S. University of Washington, Seattle, WA.
- Mitsch, W.J. and J.G. Gosselink. 1993. Wetlands; Second Edition, Second Edition. Van Nostrand Reinhold, New York, NY.
- Mitchell, J.C., S.C. Reinehart, J.F. Pagels, K.A. Buhlmann, and C.A. Pague. 1997. Factors influencing amphibian and small mammal assemblages in central Appalachian forests. *Forest Ecology and Management* 96:65-16.
- Mitsch, W.J. and J.G. Gosselink. 1993. Wetlands, 2nd edition. Van Nostrand Reinhold, New York, NY, USA.
- Mockler, A., L. Casey, M. Bowles, N. Gillen, and J. Hansen. 1998. Results of monitoring King County wetland and stream mitigations. King County Department of Development and Environmental Services, Renton, WA.
- Montgomery, D.R. and J. Buffington. 1993. Channel classification: prediction of channel response and assessment of channel condition. Washington Department of Natural Resources. Report TFW-SH10-93-002.
- Moscip, A.L., and D.R. Montgomery. Urbanization, flood frequency, and salmon abundance in Puget lowland streams. *Journal American Water Resources Association* 33(6): 1289-1297.
- Montgomery, D.R., T.B. Abbe, et al., 1996. "Distribution of bedrock and alluvial channels in forested mountain drainages." *Nature* 381: 587-589.
- Montgomery, D.R. and J.M. Buffington, 1997. "Channel-reach morphology in mountain drainage basins." *GSA Bulletin* 109: 596-611.
- Montgomery, D.R., J.M. Buffington, et al., 1995. "Pool spacing in forest channels." *Water Resources Research* 31: 1097-1105.
- Mote, P.W., A.K. Snover, L.C. Whitely Binder, A.F. Hamlet, and N.J. Mantua. 2005. Uncertain Future: Climate Change and Its Effects on Puget Sound - Foundation Document. Climate Impacts Group, Center for Science in the Earth System, Joint Institute for the Study of the Atmosphere and Oceans, University of Washington.
- Mullineaux, D.R., Waldron, H.H., and Rubin, Meyer, 1965, Stratigraphy and chronology of late interglacial and early Vashon glacial time in the Seattle area, Washington: U.S. Geological Survey Bulletin 1194-O, 10 pp.
- Murkin, H.R. 1991. Effects of prolonged flooding on nektonic invertebrates in small diked marshes. *Can. J. Fish. Aquat. Sci.* 48:2355-2364.

- Murkin, E.J., H.R. Murkin, and R.D. Titman. 1992. Nektonic invertebrate abundance and distribution at the emergent vegetation - open water interface in The Delta Marsh, Manitoba Canada. *Wetlands* 12:45-52.
- Murkin, H.R., R.M. Kaminski, and R.D. Titman. 1982. Responses by dabbling ducks and aquatic invertebrates to an experimentally manipulated cattail marsh. *Can. J. Zool.* 60:2324-2332.
- Murkin, H.R. and D.A. Wrubleski. 1988. Aquatic invertebrates of freshwater wetlands: function and ecology. pp. 239-249 in D.D. Hook, W.H.M. Jr., H.K. Smith, J. Gregory, V.B. Jr., M.R. DeVoe, R.E. Sojka, S. Gilbert, R. Bani, L.H. Stolzy, C. Brooks, T.D. Matthews, and T.H. She, editors. *The Ecology and Management of Wetlands. Volume 1: Ecology of Wetlands.* Timber Press, Portland, OR USA.
- Murphy, M.L. and W.R. Meehan, 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society, Bethesda, MD.
- Murphy, M.L., J. Heifitz, et al., 1989. "Habitat utilization by juvenile Pacific salmon in the glacial Taku River, southeast Alaska." *Canadian Journal of Fisheries and Aquatic Sciences* 46:1677-1685.
- Murphy, M.L., and K.V. Koski. 1989. Input and depletion of woody debris in Alaska streams and implications for streamside management. *North American Journal of Fisheries Management* 9:427-436.
- Murphy, M.L., C.P. Hawkins, and N.H. Anderson. 1981. Effects of canopy modification and accumulated sediment on stream communities. *Transactions of the American Fisheries Society* 110:469-478.
- Myers, M.J. and V.H. Resh, 2000. "Undercut banks: a habitat for more than just trout." *Transactions of the American Fisheries Society* 129: 594-597.
- Naiman, R.J., T.J. Beechie, L.E. Benda, D.R. Berg, P.A. Bisson, L.H. MacDonald, M.D. O'Connor, P.L. Olson, E.A. Steel, 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. 127-188 in R.J. Naiman, editor. *Watershed Management: Balancing sustainability and environmental change.* Springer-Verlag, New York NY.
- Naiman, R.J., T.J. Beechie, et al., 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. pp. 127-188 in R.J. Naiman, Ed. *Watershed management: balancing sustainability and environmental change* Springer-Verlag, New York.
- Naiman, R.J. and R.E. Bilby, Eds., 1998. *River ecology and management: lessons from the Pacific Coastal Ecoregion.* Springer-Verlag, New York.
- Naiman, R.J., H. Décamps, et al., 1993. "The role of riparian corridors in maintaining regional biodiversity." *Ecological Applications* 3: 209-212.
- Naiman, R.J. and K.H. Rogers, 1997. "Large animals and system-level characteristics in river corridors." *Bioscience* 47: 521-529.
- Naiman, R.J., and H. Decamps. 1997. The ecology of interfaces: riparian zones. *Annual Review of Ecology and Systematics* 28:621-658.
- Naiman, R.J., R.E. Bilby, and P. A. Bisson. 2000. Riparian ecology and management in the Pacific Coastal rain forest. *BioScience* 50:996-1011.

- National Marine Fisheries Service, 2000. CMZ definition in Federal Register, p. 42462, 2000.
- National Research Council (NRC). 2002. Riparian Areas: Functions and Strategies for Management. National Academy Press, Washington, D.C.
- National Research Council: (NRC) 2001. Compensating for wetland losses under the Clean Water Act. National Academy Press, Washington D.C.
- National Research Council, 1995. Upstream: salmon and people in the Pacific Northwest. Committee on Protection and management of Pacific Northwest anadromous salmonids, Board on Environmental Studies and Toxicology, Commission on Life Sciences, National Research Council, Washington, D.C.
- National Research Council, 1995. Wetlands: Characteristics and boundaries (Prepublication Draft). National Academy Press, Washington, D.C.
- National Research Council, 1992. Restoration of aquatic ecosystems. National Academy Press, Washington D.C.
- Naugle, D.E., R.R. Johnson, and M.E. Estey. 2001. A landscape approach to conserving wetland bird habitat in the prairie pothole region of eastern South Dakota. *Wetlands* 21:1-17.
- Newbold, J.D., D.C. Erman, et al., 1980. "Effects of logging on macroinvertebrates in stream with and without buffer strips." *Canadian Journal of Fisheries and Aquatic Sciences* 37: 1076-1085.
- Nichols, D.I., T.C. Daniel, D.R. Edwards, P.A. Moore, and D.H. Pote. 1998. Use of grass filter strips to reduce 17-beta-estradiol in runoff from fescue applied poultry litter. *J. Soil and Water Conservation* 53:71-77.
- Nordstrom, N. and R. Milner. 1997. Western Pond Turtle: *Clemmys marmorata*. pp. 7-1 to 7-7 in E.M.T. Larson, editor. Management Recommendations for Washington's Priority Species, Volume III: Amphibians and Reptiles. Wash. Dept. Fish and Wildlife, Olympia, WA, USA.
- Noss, R.F., M.A. O'Connell and D.D. Murphy. 1997. The Science of Conservation Planning, Habitat Conservation under the Endangered Species Act. Washington, D.C., Island Press.
- Noss and Harris. 1989 *
- Nussbaum, R.A., D.B. Edmond, Jr, and R.M. Storm. 1983. Amphibians & Reptiles of the Pacific Northwest. University of Idaho Press, Moscow, Idaho, USA.
- Oakley, A.L., J.A. Collins, L.B. Everson, D.A. Heller, J.C. Howerton and R.E. Vincent. 1985. Riparian zones and freshwater wetlands. pp. 57-80. *In* Brown, E. R. (eds.) Management of Wildlife and Fish Habitats in Forests of Western Oregon and Washington. USDA Forest Service.
- O'Connell, M.A., J.G. Hallett, S.D. and S.D. West. 1993. Wildlife use of riparian habitats: A literature review. Timber, Fish and Wildlife, Cheney, WA. TFW-WL1-93-001. Oxley, D.J., M.B. Fenton and G.R. Carmody. 1974. The effects of roads on populations of small mammals. *The Journal of Applied Ecology* 11:51-59.
- O'Connell, M.A., J.G. Hallett, S.D. West, K.A. Kelsey, D.A. Manuwal, and S.F. Pearson. 2000. Effectiveness of Riparian Management Zones in Providing Habitat for Wildlife.

- Final Report submitted to LWAG, TFW Program. LWAD, Timber Fish and Wildlife Program, None. TFW-LWAGI-00-001.
- O'Connor, J.E., M.A. Jones, T.L. Haluska, 2003. Flood plain and channel dynamics of the Quinalt and Queets Rivers, Washington, USA. *Geomorphology* 51: 31-59.
- O'Connor, M. and D.R. Harr, 1994. Bedload transport and large organic debris in steep mountain streams in forested watersheds on the Olympic Peninsula. Report TFW-SH7-94-001. Washington Department of Natural Resources, Olympia, WA.
- Office of Community Development (OCD), "Model Code Recommendations for Designating and Protecting Critical Areas" (1st ed., 2nd draft, May 2002b).
- Omernik, J.M. 1976. The influence of land use on stream nutrient levels. EPA-600/3-76-014. Washington, D.C.: U.S. Environmental Protection Agency.
- Osenberg C.W., E.E. Werner, and G.G. Mittelbach. 1988. Growth patterns in bluegill (*Lepomis macrochirus*) and pumpkinseed (*Lepomis gibbosus*) sunfish: environmental variation and the importance of ontogenetic niche shifts. *Canadian Journal of Fisheries and Aquatic Sciences* 45: 17-26.
- Ostergaard, E.C. 2001b. Pond-breeding amphibian use of stormwater ponds in King County, Washington. MS. University of Washington, Seattle, WA.
- Otto, C.J., L.E. Bates, G. Bartle, C. Johnston and T. Power. 2000. Development of a hydrogeological database and groundwater vulnerability assessment using GIS and integrated modeling, Garden Island, WA. Progress Report: Hydrogeological Investigation. CSIRO Land and Water.
- Palmer, L., 1998. Puget Sound coastal bluff landsliding: magnitude, mechanism and management. ASCE Geotechnical Symposium, April, 1998.
- Palone, R.S., and A.H. Todd (eds), 1997. Chesapeake Bay riparian handbook: a guide for establishing and maintaining riparian forest buffers. USDA Forest Service. NA-TP-02-97 Radnor, PA.
- Parametrix, Inc, 2002. Biological Review Tri-County Model 4(d) Rule Response Proposal. Prepared for Tri-County Salmon Conservation Coalition.
- Paton, P.W.C., and W.B.I. Crouch. 2002. Using the phenology of pond-breeding amphibians to develop conservation strategies. *Conserv. Biol.* 16:194-204.
- Pearsell, W.G. and G. Mulamoottil. 1996. Toward the integration of wetland functional boundaries into suburban landscapes. pp. 139-151. *In* Mulamoottil, G., B.G. Warner and E.A. McBean (eds.) *Wetlands: environmental gradients, boundaries, and buffers*. Lewis Publishers, Boca Eaton, FL.
- Pearson, S.F. and D.A. Manuwal. 2001. Breeding bird response to riparian buffer width in managed Pacific Northwest Douglas-Fir Forests. *Ecological Applications* 3:840-853.
- Pearson, S.M. 1994. Landscape-level processes and wetland conservation in the southern Appalachian Mountains. *Water, Air and Soil Pollution* 77:321-332.
- Pearson, T.N. and C.W. Hopley. 1999. A Practical Approach for Assessing Ecological Risks Associated with Fish Stocking Programs. *Fisheries* 24 (9): 16-23.
- Pedersen, E.R. and M.A. Perkins. 1986. The use of benthic invertebrate data for evaluating impacts of urban runoff. *Hydrobiologia* 139:13-22.

- Peppers, B.M. 1995. Distribution of in-lake coarse woody debris within old-growth and second-growth forest settings. Master of Science. Michigan State University.
- Pentilla, D.E. 2001. Effects of shading upland vegetation on egg survival for summer spawning surf smelt on upper intertidal beaches in Puget Sound. *In Proc. Puget Sound Research 2001.*
- Perkins, M.A. 1982. An evaluation of instream ecological effects associated with urban runoff to a lowland stream in western Washington. USEPA Report.
- Perkins, S.J., 1996. Channel migration in the three forks area of the Snoqualmie River. King County Department of Natural Resources, Surface Water Management Division, Seattle, Washington.
- Perkins, S.J., 1993. Green River channel migration study. King County Dept of Public Works, Surface Water Management Division, Seattle, WA.
- Perkins, S.J., 1989. Interactions of landslide supplied sediment in forested watersheds. Master's thesis, University of Washington, Seattle.
- Pess, G.R., D.R. Montgomery, E.A. Steel, R.E. Bilby, B.E. Feist, and H.M. Greenberg, 2002. Landscape characteristics, land use, and coho salmon (*Oncorhynchus kisutch*) abundance, Snohomish River, Washington State, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 59: 613-623.
- Peterjohn, W.T. and D.L. Correll. 1984. Nutrient dynamics in an agricultural watershed: observations on the role of a riparian forest. *Ecology* 65: 1466-1475. Perison, D., J.
- Phelps, C. Pavel, R. Kellison, J.A. Stanturf, and M. G. Messina. 1997. The effects of timber harvest in a South Carolina blackwater bottomland. *Forest Ecology and Management*. *Forest Ecology and Management* 90:171-185.
- Peterson, N.P. and L.M. Reid, 1984. Wall-base channels: their evolution, distribution, and use by juvenile coho salmon in the Clearwater River, Washington. pp 215-225 *in* J. M. Walton and D. B. Houston, Eds. *Proceedings of the Olympic Wild Fish Conference, Port Angeles, Washington, USA, March 23-25, 1983, Peninsula College, Port Angeles, WA.*
- Phelps, J.P. and R.A. Lancia. 1993. Effect of timber harvest on the herpetofauna community of a bottomland hardwood ecosystem: preliminary results. pp. 151-154 *In* Seventh Biennial Southern Silvicultural Research Conference. USDA General Tech Report S0-93, Mobile, AL, USA.
- Phipps, R.G. and W.G. Crumpton. 1994. Factors affecting nitrogen loss in experimental wetlands with different hydrologic loads. *Ecological Engineering* 3:399-408
- Pieczynska, E. 1990. Lentic aquatic-terrestrial ecotones: their structure, functions and importance. pp. 103-140. *The Ecology and Management of Aquatic-Terrestrial Ecotones*. Naiman, R J. and H. Decamps (eds). Paris.
- Pollock, M.M. and P.M. Kennard. 1999. A Low Risk Strategy for Preserving Riparian Buffers Needed to Protect and Restore Salmonid Habitat in Forested Watersheds of Washington State. 10,000 Years Institute, Bainbridge Island, Washington.
- Pollock, M.M. and P. Kennard. 1998. A low-risk strategy for preserving riparian buffers needed to protect and restore salmonid habitat in forested watersheds of the Pacific Northwest. 10,000 Years Institute, Seattle, WA.

- Portland Metro, 1999. Development of measures to conserve, protect and restore riparian corridors in the Metro Region: "Streamside CPR". Metro Growth Management Services, Portland, OR. 113 pp.
- Pough, F.H., E.M. Smith, D.H. Rhodes, and A. Collazo. 1987. The Abundance of Salamanders in Forest Stands with Different Histories of Disturbance. *Forest Ecology and Management* 20:1-9.
- Pusey, B.J., and A.H. Arthington. 2003. Importance of the riparian zone to the conservation and management of freshwater fish: a review. *Marine and Freshwater Research* 54:1-16.
- Quinn, T.P., and N.P. Peterson, 1994. The effect of forest practices on fish populations. Final Report, Washington Department of Natural Resources and the Cooperative Monitoring and Resource Commercial Timber-Fish-Wildlife Program, May, 1994. 155 pp.
- Raedeke, K.J. (ed.) 1988a. Forest Management and Wildlife in the Pacific Northwest. *Northwest Environmental Journal* 4:263-278.
- Raedeke, K.J. 1988b. Introduction. in K. J. Raedeke, editor. *Streamside Management: Riparian Wildlife and Forestry Interactions*. University of Washington, Institute of Forest Resources, Contribution No. 59, Seattle, WA.
- Raedeke, K.J. and J.F. Lehmkuhl. 1986. A simulation procedure for modeling the relationships between wildlife and forest management. pp. 377-381 in J. Verner, M. L. Morrison, and C. J. Ralph, editors. *Wildlife 2000: Modeling Habitat Relationships of Terrestrial Vertebrates*. University of Wisconsin Press, Madison, WI.
- Ralph, S.C., G.C. Poole, L.L. Conquest, and R.J. Naiman, 1994. Stream channel morphology and woody debris in logged and unlogged basins of western Washington. *Canadian Journal of Fisheries and Aquatic Sciences* 51:37-51.
- Rapp, C.F. and T.B. Abbe, 2003. A Framework for Delineating Channel Migration Zones. Washington State Department of Ecology and Washington State Department of Transportation. Final draft report.
- Rasmussen, N.H.; Millard, R.C.; Smith, S.W., 1974, Earthquake hazard evaluation of the Puget Sound region Washington State: University of Washington Dept. of Earth and Space Sciences.
- Redmond – Bear Creek Valley Ground Water Management Committee. 1999. Redmond-Bear Creek Valley Groundwater Management Plan: Management Strategies.
- Reese, K.P. and J.T. Ratti. 1988. Edge Effect: A Concept under Scrutiny. pp. 127-136 *In* Special Session 2. Emerging Concepts in Wildlife and Wildland Management.
- Reeves, G.H., L.E. Benda, et al, (1995). "A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest." *American Fisheries Society Symposium* 17: 334-349.
- Reeves, G.H., L.E. Benda, K.M. Burnett, P.A. Bisson, and J.R. Sedell, 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitat of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. pp. 334-349 in J.L. Nielsen, editor. *Evolution and the aquatic ecosystem:*

- defining unique units in population conservation. American Fisheries Society Symposium 17, Bethesda, Maryland.
- Reice, S.R., R.C. Wissmar, and R.J. Naiman, 1990. Disturbance regimes, resilience, and recovery of animal communities and habitats in lotic ecosystems. *Environmental*
- Reijnen, R., R. Foppen, C.T. Braak, and J. Thissen. 1995. The effects of car traffic on breeding bird populations in woodland. III. Reduction of density in relation to the proximity of main roads. *Journal of Applied Ecology* 32:187-202.
- Reijnen, R. and R. Foppen. 1994. The effects of car traffic on breeding bird populations in woodland. I. Evidence of reduced habitat quality for willow warblers (*Phylloscopus trochillus*) breeding close to a highway. *Journal of Applied Ecology* 31:85-94.
- Reinelt, L., R. Horner and A. Azous. 1998. Impacts of urbanization on palustrine (depressional freshwater) wetlands-research and management in the Puget Sound region. *Urban Ecosystems* 2:219-236.
- Reinelt, L.E., and R.R. Horner. 1993. Pollutant removal from stormwater runoff by palustrine wetlands based on comprehensive budgets. *Ecological Engineering* 4:77-97.
- Reinelt, L., R. Horner and A. Azous. 1998. Impacts of urbanization on palustrine (depressional freshwater) wetlands-research and management in the Puget Sound region. *Urban Ecosystems* 2:219-236.
- Reinhart, M. A.; Bourgeois, Joanne, 1987, Distribution of anomalous sand at Willapa Bay, Washington- Evidence for large-scale landward-directed processes [abstract]: EOS (American Geophysical Union Transactions), v. 68, no. 44.
- Revised Code of Washington (RCW) 36.70A.172 <http://www.leg.wa.gov/rcw/index.cfm>
- Richards, K. 1982. Rivers: form and process in alluvial channels. Methuen & Co., Ltd., New York, USA. 361 pp.
- Richey, J.S. 1982. Effects of urbanization on a lowland stream in Western Washington. Ph.D. Dissertaion, Dept. of Civil Engineering, University of Washington.
- Richter, K.O. 2001. Macroinvertebrate distribution, abundance, and habitat use. pp. 97-141. *In* Azous, A.L. and R.R. Horner (eds.) *Wetlands and urbanization: Implications for the future*. Lewis Publishers, Boca Raton, FL.
- Richter, K.O., and A.L. Azous. 2001a. Amphibian distribution, abundance, and habitat use. pp. 143-165 in A.L.A. a. R.R. Horner, editor. *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, FL.
- Richter, K.O. and A.L. Azous. 2001b. Bird distribution, abundance, and habitat use. pp 167-199 in A.L. Azous and R.R. Horner, editors. *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, FL.
- Richter, K.O. and A.L. Azous. 2001c. Terrestrial small mammal distribution, abundance and habitat use. pp. 201-218. *In* Azous, A.L. and R.R. Horner (eds.) *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, FL.
- Richter, K.O. and A.L. Azous. 2001d. Bird communities in relation to watershed development. pp. 275-284 *in* A. L. A. a. R.R. Horner, editor. *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, FL.

- Richter, K.O. 1997. Criteria for the restoration and creation of wetland habitats of lentic-breeding amphibians of the Pacific Northwest. pp. 72-94 in K. B. Macdonald and F. Weinmann, editors. *Wetland and Riparian Restoration: Taking a Broader View*. USEPA, Region 10, Seattle, WA, USA.
- Richter, K.O. in prep. *Wetland Habitats*. In Jones, L.L.C., W.P. Leonard and D.H. Olson (eds.) *Amphibians of Northwestern North America*. Seattle Audubon Society. Seattle Audubon Society, Seattle, WA.
- Robison, E.G. and R.L. Beschta, 1990. "Coarse woody debris and channel morphology interactions for undisturbed streams in southeast Alaska, U.S.A." *Earth Surface Processes and Landforms* 15: 149-156.
- Roni, P., T.J. Beechie, R.E. Bilby, F.E. Leonetti, M.M. Pollock, and G.R. Pess, 2002. A review of stream restoration techniques and a hierarchical strategy for prioritizing restoration in the Pacific Northwest watersheds. *North American Journal of Fisheries Management* 22:1-20.
- Roni, P., and T.P. Quinn, 2001. Density and size of juvenile salmonids in response to placement of large woody debris in western Oregon and Washington streams. *Canadian Journal of Fisheries and Aquatic Sciences* Canadian. 58:282-292.
- Roper, B., D. Kondolf, D. Heller, and K. Wieman, 1998. Durability of Pacific Northwest instream structures following floods. *North American Journal of Fisheries Management*, 18:686-693.
- Rosenberg, D.K., B.R. Noon, and E.C. Meslow. 1997. Biological corridors: form, function, and efficacy. *BioScience* 47:677-687
- Rotella and Ratti 1992 *
- Rothermel, B.B. and R.D. Semlitsch. 2002. Experimental Investigation of landscape resistance of forest versus old-field habitats to emigrating juvenile amphibians. *Conservation Biology* 16:1324-1332.
- Rudolph D.C., and J.G. Dickson. 1990. Streamside zone width and amphibian and reptile abundance. *The Southwestern Naturalist* 35:472-476.
- San Diego County. 1998. County of San Diego Multiple Species Conservation Program North County Sub Area Plan.
- Saunders, D.A., R.J. Hobbs, and C.R. Margules. 1991. Biological consequences of ecosystem fragmentation: a review. *Conservation biology* 5:18-32.
- Schellinger, G.R., and J.C. Clausen. 1992. Vegetative filter treatment of dairy barnyard runoff in cold regions. *J. Environ. Qual.* 21:40-45.
- Schindler, D.E., and M.D. Scheuerell, 2002. Habitat coupling in lakes. *Oikos* 98: 177-189.
- Scholz, N.L., N.K. Truelove, B.L. French, B.A. Berijikian, T.P. Quinn, E. Castillas, and T.K. Collier, 2000. Diazinon disrupts antipredator and homing behaviors in chinook salmon (*Oncorhynchus tshawytscha*). *Canadian Journal of Fisheries and Aquatic Sciences*, 57:1911-1918.
- Schueler, T. 1994. The importance of imperviousness. *Watershed Protection Techniques* 1:100-111.
- Schumm, S. 1977. *The fluvial system*. Wiley, New York.

- Schwer, C.B. and J.C. Clausen. 1989. Vegetated filter treatment of dairy milkhouse wastewater. *J. Environmental Water Quality* 18:446-451.
- Semlitsch, R.D. 2000. Size does matter: The value of small isolated wetlands. *National Wetlands Newsletter*: 5-13, non-inclusive.
- Scott, J.B., C.R. Steward and Q.J. Stober. 1986. Effects of urban development on fish population dynamics in Kelsey Creek, Washington. *Trans. Am. Fish Soc.* 115:555-567.
- Sedell, J.R., P.A. Bisson, F. J. Swanson, and S.V. Gregory. What we know about large trees that fall into streams and rivers. pp. 47–82 *in* Maser et al. editors. *From the forest to the sea: a story of fallen trees*. General Technical Report, PNW-GTR-299. Pacific Northwest Research Station, U.S. Dept. of Agriculture, Forest Service, Portland, OR
- Sedell, J.R., and R.L. Beschta, 1991. Bringing back the “bio” in bioengineering. *American Fisheries Society Symposium* 10:160-175
- Sedell, J.R., P.A. Bisson, et al., 1989. What we know about large trees that fall into streams and rivers. pp. 47-81 *in*. C. Maser, R.F. Tarrant, J.M. Trappe and J.F. Franklin, Eds. *From the forest to the sea*. U.S. Department of Agriculture, Forest Service, Portland, OR.
- Sedell, J. R. and J. L. Froggart, 1984. “Importance of streamside forests to large rivers: the isolation of the Willamette River, Oregon, USA from its floodplain by snagging and streamside forest removal.” *Verhandlungen Internationale Vereinigung Limnologie* 22:1828-1834.
- Sedell, J.R. and K.J. Luchessa, 1981. Using the historical record as an aid to salmon habitat enhancement. pp. 210-223 *in* N. B. Armantrout, Ed. *Symposium on acquisition and utilization of aquatic habitat inventory information*. American Fisheries Society, Western Division, Bethesda, MD.
- Semlitsch, R.D. 2003. Conservation of pond-breeding amphibians. p. 8-23. *In* Semlitsch, R. D. (eds.) *Amphibian conservation*. Smithsonian Books, Washington, D.C.
- Semlitsch, R.D. 2002. Critical elements for biologically based recovery plans of aquatic-breeding amphibians. *Conserv. Biol.* 16:619-629.
- Semlitsch, R.D. 2000. Size does matter: The value of small isolated wetlands. *National Wetlands Newsletter* 5-13.
- Semlitsch, R.D. 1998. Biological delineation of terrestrial buffer zones for pond-breeding salamanders. *Conservation Biology* 12:1113-1119.
- Semlitsch, R.D., and J.R. Bodie. 1998. Are small, isolated wetlands expendable? *Conservation Biology* 12:1129-1133.
- Sergeant, C.J., and D.A. Beauchamp. 2006. Effects of physical habitat and ontogeny on lentic habitat preferences of juvenile Chinook salmon. *Transactions of the American Fisheries Society* 135:1191–1204.
- Sergeant, C.J. 2004. Effects of slope, substrate, cover, predators, and ontogeny on lentic habitat preferences of juvenile Chinook salmon *Oncorhynchus tshawytscha* in experimental arenas. Unpublished Master’s thesis, University of Washington, Seattle Washington.

- Shahid, S., 2000. A study of groundwater pollution vulnerability using DRASTIC/GIS, West Bengal, India. *Journal of Environmental Hydrology* 8(1).
- Shannon and Wilson, 1991. Tolt and Raging Rivers channel migration study, King County, Washington, with maps. Prepared for Surface Water Management Division, King County Department of Public Works, Seattle, WA by Shannon & Wilson, Inc., Seattle, WA.
- Shields Jr., F.D. and N.R. Nunnally. 1984. Environmental aspects of clearing and snagging. *Journal of Environmental Engineering*. 110: 152-165.
- Shisler, J.K., R.A. Jordan, and R.N. Wargo. 1987. Coastal wetland buffer delineation. New Jersey Department of Environmental Protection, Trenton, NJ.
- Short, H.L. and R.J. Cooper. 1985. Habitat Suitability Index Models: Great Blue Heron. 82(10.99), U.S. Department of Interior, Fish and Wildlife Service, Washington, DC, USA.
- Shreffler, D.K., C. Simenstad and R.M. Thom. 1990. Temporary residence by juvenile salmon in a restored estuarine wetland. *Can. J. Fish. Aquat. Sci.* 47:2079-2084.
- Shukla S., S. Mostaghimi, and V.O. Shanholtz. 1998. A GIS-based modeling approach for evaluating groundwater vulnerability to pesticides. *Journal of the American Water Resources Association* 34(6): 1275-1293.
- Shoop, C.R. 1968. Migratory orientation of *Ambystoma maculatum*: Movements near breeding ponds and displacements of migrating individuals. *Biological Bulletin* 135:230-238.
- Simberloff, D. 1998. Flagships, umbrellas, and keystones: Is single species management passé in the landscape era? *Biological Conservation* 83:247-257.
- Simberloff, D. 1993. How forest fragmentation hurts species and what to do about it. pp. 85-90 in *Sustainable ecological systems: Implementing an ecological approach to land management*. United States Department of Agriculture, Flagstaff, Arizona.
- Simenstad, C.A., S.B. Brandt, A. Chalmers, R. Dame, L.A. Deegan, R. Hodson, and E.D. Houde, 2000. Habitat-biotic interactions. pp. 427-455 in J.E. Hobbie, editor, *Estuarine Science: a synthetic approach to research and practice*. Island Press, Covelo, California.
- Simenstad, C.A., K.L. Fresh, and E.O. Salo. 1982. The role of Puget Sound and Washington coastal estuaries in the life history of Pacific salmon: An unappreciated function. pp. 343-364. *In* Kennedy, V.S. (eds.) *Estuarine comparisons*. Academic Press, New York.
- Sjögren, P. 1991. Extinction and isolation gradients in metapopulations: The case of the pool frog (*Rana lessonae*). *Biological Journal of the Linnean Society* 42:135-148.
- Skelly, D.K., E.E. Werner, and S.A. Cortwright. 1999. Long-term distributional dynamics of a Michigan amphibian assemblage. *Ecology* 80:2326-2337.
- Skidmore, P.B., P. Cooper, and K.F. Boyd. 1999. Methodology for determining meander corridor limits. In: *Proceedings of the American Water Resources Association Annual Water Resources Conference*, Seattle, WA, December, 1999.
- Soil Survey – King County Area, Washington, United States Department of Agriculture, Soil Conservation Service, Issued November 1973.

- Sollins, P. 1982. Input and decay of coarse woody debris in coniferous stands in western Oregon and Washington. *Canadian Journal of Forest Research* 12:18-28.
- Smith, R.D., A. Amman, C. Bartoldus, and M.M. Brinson. 1995. An approach for assessing wetland functions using hydrogeomorphic classification, reference wetlands, and functional indices. US Army Engineers Waterways Experiment Station, Vicksburg MS, USA. Technical Report TR WRP-DE-10.
- Snodgrass, J.W., M. Komoroski, L. Byran, Jr., and J. Burger. 2000. Relationships among isolated wetland size, hydroperiod, and amphibian species richness: implications for wetland regulations. *Conservation Biology* 14:414-419.
- Snover A.K., E.L. Miles, and the Climate Impacts Group, *Rhythms of Change: An Integrated Assessment of Climate Impacts on the Pacific Northwest*, Cambridge, Massachusetts: MIT Press.
- Snover, A.K., A.F. Hamlet, and D.P. Lettenmaier. 2003. Climate change scenarios for water planning studies: Pilot applications in the Pacific Northwest. *Bulletin of the American Meteorological Society* 84(11):1513-1518.
- Spackman, S.C. and J.W. Hughes. 1995. Assessment of minimum stream corridor width for biological conservation: Species richness and distribution along mid-order streams in Vermont, USA. *Biological Conservation* 71:325-332.
- Spaling, H. 1995. Analyzing cumulative environmental effects of agricultural land drainage in southern Ontario, Canada. *Agriculture, Ecosystems and Environment* 53:279-292.
- Sparling, D.W., G.M. Fellers, and L.L. McConnell. 2001a. Pesticides and amphibian population declines in California, USA. *Environmental Toxicology and Chemistry* 20:1591-1595.
- Spanhoff, B., C. Alecke, and E.I. Meyer. 2000. Colonization of submerged twigs and branches of different wood general by aquatic macroinvertebrates. *International Review of Hydrobiology* 85:49-66.
- Sparling, D.W., G.M. Fellers, and L.L. McConnell. 2001. Pesticides and amphibian population declines in California, USA. *Environmental Toxicology and Chemistry* 20:1591-1595.
- Sparling, D.W., K.O. Richter, A. Calhoun, and M. Micacchion. 2001. Methods for evaluating wetland condition: Using amphibians in bioassessments of wetlands. EPA 822-R-01-0071, U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmon conservation. *Management Technology*, TR-4501-96-6057.
- St. John, A.D. 2002. *Reptiles of the Northwest: Alaska to California: Rockies to the Coast*. Lone Pine Publishing, Renton, WA.
- Standard Industrial Classification Manual. 1987. URL: <http://www.osha.gov/cqi-bin/sic/sicser5>
- Stanford, J.A. and J.V. Ward, 1988. "The hyporheic habitat of riverine ecosystems." *Nature* 335: 64-66.
- Stanley, Villaseñor, Benz, 1999. "Subduction Zone and Crustal Dynamics of Western Washington: A Tectonic Model for Earthquake Hazards Evaluation"

- Stark S.L., J.R. Nuckols, and J. Rada. 1999. Using GIS to investigate septic system sites and nitrate pollution potential. *Journal of Environmental Health* 61(8):15-22.
- Stearns, F. 1951. The composition of the sugar maple-hemlock-yellow birch association in northern Wisconsin. *Ecology* 32:245-265.
- Steeger, T. and J. Tietge. 2003. White Paper on Potential Developmental Effects of Atrazine on Amphibians. U.S. Environmental Protection Agency: Office of Prevention, Pesticides and Toxic Substances, Office of Pesticide Program, Environmental Fate and Effects Division. Electronic Publication.
- Stenhouse, S.L. 1985. Migratory orientation and homing in *Ambystoma maculatum* and *Ambystoma opacum*. *Copeia* 3: 631-637.
- Stempvoort, V., D., L. Ewert, and L. Wassenaar. 1992. AVI: A method for groundwater protection mapping in the Prairie Provinces of Canada. Prairie Provinces Water Board, Regina, Saskatchewan.
- Stewart, J.S., L. Wang, J. Lyons, J.A. Horwath, and R. Bannerman, 2001. Influences of watershed, riparian-corridor, and reach-scale characteristics on aquatic biota in agricultural watersheds. *J. Amer. Water Resources Assoc.* 37(6): 1475-1487.
- Storm, R.M. and W.P. Leonard. 1995. Reptiles of Washington and Oregon. Seattle Audubon Society, Seattle, WA, USA.
- Stouder, D.J., P.A. Bisson, et al., Eds., 1997. Pacific salmon and their ecosystems: status and future options. Chapman and Hall, New York.
- Stratus Consulting Inc, 2005. Creosote-treated wood in aquatic environments: technical review and use recommendations. Prepared for NOAA Fisheries, Santa Rosa, CA.
- Sullivan, K., T.E. Lisle, et al., 1987. Stream channels: the link between forests and fishes. pp. 39-97 in E. O. Salo and T. W. Cundy, Eds. *Streamside management: forestry and fishery interactions*. College of Forest Resources, University of Washington, Seattle, WA.
- Swanson, F.J., Gregory, S.V., J.R. Sedell and A.G. Campbell, 1982. Land-water interactions: The riparian zone, pp. 267-291. In: Edmonds, R.L. (ed.) *Analysis of coniferous forest ecosystems in the western United States*. U.S. Int. Biol. Prog. Synthesis Series 14. Hutchinson Ross, Stoudsburg, PA.
- Swanson, F.J. and G.W. Lienkaemper, 1978. Physical consequences of large organic debris in Pacific Northwest streams. Report PNW-69, U.S. Department of Agriculture, Forest Service, Portland, OR.
- Swanson, F.J., G.W. Lienkaemper, et al., 1976. History, physical effects, and management implications of large organic debris in western Oregon streams. Report PNW-56, U.S. Department of Agriculture, Forest Service, Portland, OR.
- Swanson, R.D. 1992. Methods to determine wellhead protection areas for public supply wells in Clark County, Washington, Intergovernmental Resource Center, p. 37.
- Taylor, B.L., K.A. Ludwa, and R.R. Horner. 1995. Urbanization effects on wetland hydrology and water quality. pp. 146-154 in E. Robichaud, editor. *Puget Sound Research '95 Proceedings*. Puget Sound Water Quality Authority, Olympia, WA, USA.

- Taylor, B.L. 1993. The influence of wetland and watershed morphological characteristics on wetland hydrology and relationships to wetland vegetation communities. M.S. University of Washington, Seattle, WA, USA.
- Temple, S.A. and J.R. Carey. 1988. Modeling dynamics of habitat-interior bird populations in fragmented landscapes. *Conservation Biology* 2:340-347.
- Thom, R.M., G.W. Williams and H.L. Diefenderfer. 2005. Balancing the Need to Develop Coastal Areas with the Desire for an Ecologically Functioning Coastal Environment: Is Net Ecosystem Improvement Possible? *Restoration Ecology*, 13, pp 193-203.
- Thom, R.M., A.B. Borde, K.O. Richter, and L.F. Hibler. 2001. Influence of Urbanization on Ecological Processes in Wetlands. pp. 5-16 in M.S. Wigmosta and S.J. Burges, editors. "Land Use and Watersheds: Human Influence on Hydrology and Geomorphology in Urban and Forest Areas." American Geophysical Union, Washington, D.C.
- Thomas, J.W., R.G. Anderson, C. Maser, and E.L. Bull. 1979. Snags. pp. 60-77 in J.W. Thomas, tech., editor. *Wildlife Habitats in Managed Forests the Blue Mountains of Oregon and Washington*. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR.
- Thorsen, G.W., 1989, Landslide provinces in Washington, *in* *Engineering Geology in Washington*, Richard W. Galster, ed.: Washington Division of Geology and Earth Resources Bulletin 78, v. I, pp. 71-89.
- Thurston Co. Public Health, 1995 "The Direct & Cumulative Effects of Gravel Mining on Ground Water Within Thurston County, Washington."
- Tilling, R.I., 1989, *Volcanic Hazards, short course in geology: v. 1*, Washington, D.C., American Geophysical Union, 123 pp.
- Tilling, R.I., 1991, Reducing volcanic risk: Are we winning some battles but losing the war?, *Earthquakes and Volcanoes*, 22 (3), pp. 133-137.
- Tilling, R.I. and P.W. Lipman, 1993, Lessons in reducing volcano risk, *Nature*, 364, pp. 277-280.
- Tindall, J.A., and J.R. Kunkel. *Unsaturated zone hydrology for scientists and engineers*. Prentice-Hall, Inc. Upper Saddle River New Jersey. p. 331.
- Trettin, C.C., M.F. Jurgensen, D.F. Grigal, M.R. Gale, and J.K. Jeglum (eds.) 1996. *Northern forested wetlands*. Lewis Publishers, Boca Raton, FL.
- Tschaplinski, P.J. and G.F. Hartman, 1983. "Winter distribution of juvenile coho salmon (*Oncorhynchus kisutch*) before and after logging in Carnation Creek, British Columbia, and some implication for overwinter survival." *Canadian Journal of Fisheries and Aquatic Sciences* 40: 452-461.
- Tubbs, D.W., 1974a, *Landslides in Seattle*, Washington Division of Mines and Geology Information Circular 52, 15 pp., scale 1:31,680.
- Tubbs, D.W., 1974b, *Landslides and associated damage during early 1972 in art of west central King County, Washington*: U.S. Geological Survey Miscellaneous Investigations Series Map, I-852-B, 1:48,000.
- Tucker M.A., D.L. Thomas, D.D. Bosch, et al., 2000. GIS-based coupling of GLEAMS and REMM. Hydrology: I. Development and sensitivity, *T ASAE* 43 (6): 1525-1534.

- Tyrrell, L.E., and T.R. Crow. 1994. Dynamics of dead wood in old growth hemlock-hardwood forests of northern Wisconsin and northern Michigan. *Canadian Journal of Forest Research* 24:1672-1683
- Ulrike, Z, and A. Peter, 2002. The introduction of woody debris into a channelized stream: effect on trout populations and habitat. *River Research and Applications* 18: 355-366.
- U.S. Army Corps of Engineers. 1987. Corps of Engineers wetland delineation manual. U.S. Department of Defense.
- U.S. Department of Agriculture. 1998. Stream corridor restoration: principles, processes, and practices. National Engineering Handbook 210-VI, Natural Resources Conservation Service, Washington, D.C.
- U.S. Department of Transportation. 2003. Pipeline Safety Statistics. Research and Special Programs Administration - Office of Pipeline Safety. URL: <http://www.pipeline101.rspa.dot.gov/pipelineInfo/statistics.htm>
- U.S. Environmental Protection Agency. 1986. Methodology for analysis of detention basins for control of urban runoff quality, EPA 440-5-87-001.
- U.S. Environmental Protection Agency. 1993. Guidelines for delineation of wellhead protection areas, EPA 440-5-93-001; update of same document produced in 1987 (EPA 440/6-87-010).
- U.S. Environmental Protection Agency. 1995a. Fact sheets and the citizen's guide to pest control and pesticide safety, EPA 730-K-95-001.
- U.S. Environmental Protection Agency. 1995b. Sole Source Aquifer Designation, EPA 440-9-95-001; update of same document produced in 1987 (EPA 440/6-87-003).
- U.S. Environmental Protection Agency. 1997. State Source Water Assessment and Protection Programs, EPA 816-R-97-009.
- U.S. Environmental Protection Agency. 2000. Low impact development (LID) – A literature review, EPA 841-B-00-005.
- U.S. Environmental Protection Agency. 2001a. Source Water Protection Practices Bulletin – Managing above ground storage tanks to prevent contamination of drinking water, EPA 916-F-01-022.
- U.S. Environmental Protection Agency. 2001b. Source Water Protection Practices Bulletin – Managing storm water runoff to prevent contamination of drinking water, EPA 816-F-01-020.
- U.S. Environmental Protection Agency. 2001c. Source Water Protection Practices Bulletin – Managing turfgrass and garden fertilizer application to prevent contamination of drinking water, EPA 816-F-01-029.
- U.S. Environmental Protection Agency. 2001d. Source Water Protection Practices Bulletin – Managing Underground Storage Tanks to Prevent Contamination of Drinking Water, EPA 816-F-01-023.
- U.S. Environmental Protection Agency. 2003a. "Pesticides – about pesticides." Downloaded from the web on July 24, 2003. URL: <http://www.epa.gov/pesticides/about/index.htm>

- U.S. Environmental Protection Agency. 2003b. Potential sources of drinking water contamination index, documentation from webpage: <http://www.epa.gov/safewater/swp/sources1.html#COMM>
- U.S. Fish and Wildlife Service and seven other "organization-authors", 1999. Forests and Fish Report. Presented to the State of Washington Forest Practices Board and the Governor's Salmon Recovery Office, Olympia, Washington.
- U.S. Geological Survey. 1999. Sustainability of ground-water resources. U.S. Geological Survey Circular 1186.
- U.S. Geological Survey. 2002. Assessing Ground-Water Vulnerability to Contamination: Providing Scientifically Defensible Information for Decision Makers. U.S. Geological Survey Circular 1224.
- United States. 2002. Code of Federal Regulations. Title 44 Emergency Management and Assistance, Parts 59-78, National Flood Insurance Program, Washington, D.C.
- United States. 1994. Riegle Community Development Act. Public Law 103-325, Section 511, Title V – National Flood Insurance Reform.
- Van Sickle, J. and S. Gregory, 1990. "Modeling inputs of large woody debris to streams from falling trees." Canadian Journal of Forest Research 20: 1593-1601.
- Vander Zanden, M.J. and Y. Vadeboncoeur. 2002. Fishes as integrators of benthic and pelagic food webs in lakes. Ecology. 83: 2152-2161.
- Verner, J.M., M.L. Morrison, and C.J. Ralph (eds.) 1986. Wildlife 2000: Modeling habitat relationships of terrestrial vertebrates. The University of Wisconsin Press, Madison, WI.
- Vesely, D.G. 1996. Terrestrial amphibian abundance and species richness in headwater riparian buffer strips, Oregon Coast Range. MS. Oregon State University,
- Voigts, D.K. 1976. Aquatic invertebrate abundance in relation to changing marsh vegetation. American Midland Naturalist 95:313-322.
- Vos, C.C. and A.H.P. Stumpel. 1995. Comparison of habitat-isolation parameters in relation to fragmented distribution patterns in the tree frog (*Hyla arborea*). Landscape Ecology 11:203-214.
- Vymazal, J. 1995. Algae and element cycling in wetlands. Lewis, Boca Raton, FL
- Waldick, R.C., B. Freedman, and R.J. Wassersug. 1999. The consequences for amphibians of the conversion of a natural, mixed-species forests to conifer plantations in southern New Brunswick. Canadian-Field-Naturalist 113:408-418.
- Walters, C. and R. Hilborn. 1978. Ecological optimization and adaptive management. Annual Review of Ecology and Systematics 9:157-188. Washington State Office of Community Development. 2002. Model code recommendations for designating and protecting critical areas: First edition (2nd Draft). Growth Management Services, Olympia, WA.
- Ward, G.W., K.W. Cummins, et al., 1982. Habitat and food resources for invertebrate communities in South Fork Hoh River, Olympic National Park, Washington. In E.E. Starkey, J.F. Franklin and J.W. Matthews, Eds. Ecological research in national parks of the Pacific Northwest: proceedings. Oregon State University Forest Research Laboratory, Corvallis.

- Washington Administrative Code (WAC) 365-195-900 to 925.
- Washington Department of Wildlife (WDFW). 1993. Status of the Western Pond Turtle (*Clemmys marmorata*). Wash. Dept. Wildl., Olympia, WA, USA.
- Washington State Department of Ecology (WSDOE). 2001. Section 2.5.8 Minimum Requirement #8: Wetlands Protection. pp.2-33 to 2-35. *In* (eds.) Stormwater Management Manual for Western Washington. WSDOE Washington State Department of Ecology, Olympia, WA.
- Washington State Dept. of Ecology. 2000a. Guidance Document for the Establishment of Critical Aquifer Recharge Area Ordinances (Pub #97-30, K. Cook, revised July 2000).
- Washington State Dept. of Ecology. 2000c. Maury Island Gravel Mining Impact Studies – Final Fact Sheet. (Pub #00-09-005).
- Washington State Dept. of Ecology. 1997. Oil Spills in Washington State: A Historical Analysis (Pub #97-253).
- Washington State Department of Ecology (WSDOE). 1993. Washington State Wetlands Rating System: Western Washington, Second Edition. Pub. No. 93-74, Washington State Department of Ecology, Olympia, WA.
- Washington Dept of Natural Resources, 2001. State Forest Practice Board Manual: Channel migration zones and bankfull channel features.
- Washington State Office of Community Development (WSOCD). 2002. Model code recommendations for designating and protecting critical areas: First edition (2nd Draft). Growth Management Services, Olympia, WA.
- Waters, T.F. 1995. Sediment in streams: sources, biological effects, and control. American fisheries Monograph 7, American fisheries Society, Bethesda, Maryland, 251 pp.
- Watson, J.W., K.R. McAllister, D.J. Pierce, and A. Alvarado. 2000. Ecology of a remnant population of Oregon Spotted Frogs (*Rana pretiosa*) in Thurston County, Washington. Final Report. Washington Department of Fish and Wildlife, Olympia, Washington.
- Watson, J.W., K.R. McAllister, D.J. Pierce and A. Alvarado. 1998. Movements, habitat selection, and population characteristics of a remnant population of Oregon Spotted Frogs (*Rana pretiosa*) in Thurston County, Washington. Washington Department of Fish and Wildlife, Olympia, WA.
- Welch, E.B., J.M. Jacoby, C.W. May, 1998. Stream quality. pp. 69-96 *in* R.J. Naiman and R.E. Bilby, editors. River ecology and management: lessons from the Pacific coastal ecoregion. Springer-Verlag, New York.
- Weller, M. W. 1999. Wetland Birds: Habitat Resources and Conservation Implications. Cambridge University Press, Weller, M.W., and L.H. Fredrickson. 1974. Avian ecology of a managed glacial marsh. *The Living Bird* 12:269-291.
- Weller, M.W. 1994. Freshwater Marshes: Ecology and Wildlife Management, 3rd ed., edition. University of Minnesota Press, Minneapolis, MN, USA.
- Weller, M.W. and L.H. Fredrickson. 1974. Avian ecology of a managed glacial marsh. *The Living Bird* 12:269-291.

- Werner, E.E. and J.F. Gilliam. 1984. The ontogenetic niche and species interactions in size structured populations. *Annual Review of Ecology and Systematics* 15: 393-425.
- Werner, E.E. and D.J. Hall. 1988. Ontogenetic habitat shifts in bluegill: the foraging rate - predation risk trade-off. *Ecology* 69:1352-1366.
- Wernick, B.G., K.E. Cook and H. Schreier. 1998. Land use and streamwater nitrate-N dynamics in an urban-rural fringe watershed. *Journal of the American Water Resources Association* 34: 639-650.
- Werschkul, D.F., E. McMahon, and M. Leitschuh. 1976. Some effects of human activities on the Great Blue Heron in Oregon. *The Wilson Bulletin* 88:661-662.
- White, R.J., 1991. Resisted lateral scour in streams—its special importance to salmonid habitat and management. *American Fisheries Society Symposium* 10:200-203.
- Whiting, K. 2001. Analysis of wetland-water-level fluctuations. King County Surface Water Management Division, Seattle, WA.
- Wiggins, G.B., R.J. Mackay, and I.M. Smith. 1980. Evolutionary and ecological strategies of animals in annual temporary pools. *Arch. Hydrobiol.* 58:97-206.
- Wilcove, D. 1985a. Forest fragmentation and the decline of migratory songbirds. Ph.D. thesis. Yale University.
- Wilcove, D.S. 1985b. Nest predation in forest tracts and the decline of migratory songbirds. *Ecology* 66:1211-1214.
- Williams, G.D., R.M. Thom, J.E. Starks, J.S. Brennan, J.P. Houghton, D. Woodruff, P.L. Striplin, M. Miller, M. Pederson, A. Skillman, R. Kropp, A. Borde, C. Freeland, K. McArthur, V. Fagerness, S. Blanton, and L. Blackmore, 2001. Reconnaissance assessment of the state of the nearshore ecosystem: eastern shore of central Puget Sound, including Vashon and Maury islands (WRIAs 8 and 9). J.S. Brennan, editor. Report prepared for King County Dept. Natural Resources, Seattle, WA.
- Williams, G.L. 1985. Classifying wetlands according to relative wildlife value: application to water impoundments. pp. 110-119 in D. K. M, compiler, editor. *Water impoundments for wildlife: a habitat management workshop*. U.S. For. Serv.,
- Willson, M.F. 1974. Avian community organization and habitat structure. *Ecology* 55:1017-1029.
- With, K.A., 2001. The landscape ecology of invasive spread. *Conservation Biology* 16(5): 1192-1203.
- World Wildlife Fund. 1992. *Statewide Wetlands Strategies: A Guide to Protecting and Managing the Resource*. Island Press, Washington, D.C.
- Yahner, R. H. 1989. Changes in wildlife communities near edges. *Conservation Biology* 2:333-339.
- Yahner, R.H., T.E. Morrell, and J.S. Rachael. 1989. Effects of edge contrast on depredation of artificial avian nests. *Journal of Wildlife Management* 53:1135-1139.
- Yahner, R.H. and D.P. Scott. 1988. Effects of forest fragmentation on depredation of artificial nests. *Wildlife Management* 52.
- Yanes, M., J.M. Velasco, and F. Suarez. 1995. Permeability of roads and railways to vertebrates: the importance of culverts. *Biological Conservation* 71:217-222.

- Young, R.A., T. Huntrods, and W. Anderson. 1980. Effectiveness of riparian buffer strips in controlling pollution from feedlot runoff. *J. Environ. Qual.* 9:483-487.
- Zeigler, R. 2003. Critical Areas/Stormwater Ordinance Review letter. Habitat Biologist, Washington Department of Fish and Wildlife.
- Zimmerman, R.C., J.C. Goodlet, et.al. 1967. The influence of vegetation on channel form of small streams. pp. 255-275 in *Symposium on River Morphology*. International Association of Scientific Hydrology Publication, Wallingford, England.