

## Number of Noxious Weed Sites in King County: Cumulative 1996 to 2009

<b>Class A Weeds</b>	<b># Sites</b>	<b>% Dormant</b>
Bighead Knapweed	39	59%
Buffalobur	8	25%
Clary Sage	5	60%
Common Cordgrass	3	33%
Dyer's Woad	1	0%
European Hawkweed	18	0%
Floating Primrose-willow	1	0%
Garlic Mustard	191	4%
Giant Hogweed	1698	66%
Goatsrue	39	8%
Milk Thistle	79	15%
Spanish Broom	65	55%
Velvetleaf	9	11%
<b>A Subtotal</b>	<b>2,159</b>	<b>56%</b>
<b>Class B and C Weeds</b>		
Annual Bugloss	1	100%
Brazilian Elodea	2	0%
Brown Knapweed	1	100%
Common Bugloss	2	0%
Common Hawkweed	88	2%
Common Reed	49	2%
Dalmatian Toadflax	456	21%
Diffuse Knapweed	352	19%
Garden Loosestrife	179	2%
Gorse	60	35%
Hairy Willowherb	3	33%
Hawkweeds, invasive and non-native	37	5%
Houndstounge	1	0%
Kochia	29	10%
Leafy Spurge	7	71%
Meadow Knapweed	177	20%
Mouseeear Hawkweed	2	0%
Musk Thistle	1	100%
Orange Hawkweed	451	9%
Parrotfeather	7	57%
Perennial Pepperweed	71	13%
Perennial Sowthistle	28	4%
Policeman's Helmet	372	27%
Purple Loosestrife	1319	16%
Rush Skeletonweed	25	0%
Scotch Thistle	16	44%
Smooth Hawkweed	13	8%
Spotted Knapweed	1024	27%
Sulfur Cinquefoil	373	15%
Tansy Ragwort	5453	22%
Viper's Bugloss	18	53%
Water Primrose	1	0%
Yellow Floating Heart	2	0%

Yellow Hawkweed	251	2%
Yellow Nutsedge	10	0%
Yellow Starthistle	11	9%
<b>B and C Subtotal</b>	<b>10,891</b>	<b>20%</b>
<b>TOTAL</b>	<b>13,050</b>	<b>26%</b>

\*Percent dormant is the percent of sites where no plants have been observed for at least three years at that location.