

APPENDIX 1

SPECIES LIST

KING COUNTY WETLANDS INVENTORY

Species found on this list were observed during wetland field visits. Their Latin and common names have been cross-referenced with Flora of the Pacific Northwest, Hitchcock and Cronquist, 1973, Natural Vegetation of Oregon and Washington, Franklin and Dyrness, 1973, Mammals of the Pacific States, Lloyd G. Ingles, 1973, and Grzimek's Animal Life Encyclopedia Series, Grzimek et.al., 1984.

NOTE: Species observed are categorized into eight groups: Trees; Shrubs; Herbs; Sedges, Grasses, and Ferns; Birds; Mammals; Fish; and Other species. Each group of species has been alphabetized by their respective symbol. Some symbols are repeated between groups of species. Look to the group first, then the symbol. Although species names have been edited and updated, their symbols remain unchanged from the list in the 1983 Wetlands Inventory Notebooks.

TREES

AA	<i>Abies amabilis</i> (Pacific Silver Fir)
AM	<i>Acer macrophyllum</i> (Big Leaf Maple)
AR	<i>Alnus rubra</i> (Red Alder)
AT	<i>Arbutus menziesii</i> (Madrone)
BP	<i>Betula papyrifera</i> (Paper Birch)
BZ	<i>Betula</i> spp. (Birch)
FL	<i>Fraxinus latifolia</i> (Oregon Ash)
PL	<i>Pinus contorta</i> (Lodgepole Pine)
PM	<i>Pseudotsuga menziesii</i> (Douglas Fir)
PS	<i>Picea sitchensis</i> (Sitka Spruce)
PT	<i>Populus tremuloides</i> (Quaking Aspen)
PQ	<i>Populus trichocarpa</i> (Black Cottonwood)
PR	<i>Prunus</i> spp. (Cherry)
PY	<i>Pinus contorta</i> (Lodgepole Pine)
RP	<i>Robinia pseudo-acacia</i> (Black Locust)
SO	<i>Sorbus</i> spp. (Mountain Ash)
SX	<i>Salix</i> spp. (Willow)
TP	<i>Thuja plicata</i> (Western Red Cedar)
TS	<i>Tsuga heterophylla</i> (Western Hemlock)

SHRUBS

AC	<i>Acer circinatum</i> (Vine Maple)
AM	<i>Amelanchier alnifolia</i> (Serviceberry)
BG	<i>Betula glandulosa</i> (Bog Birch)
BN	<i>Berberis nervosa</i> (Oregon Grape)
CC	<i>Corylus cornuta</i> (Hazlenut)
CR	<i>Crataegus</i> spp. (Hawthorn)
CS	<i>Cornus stolonifera</i> (Red-osier Dogwood)
CY	<i>Cytisus scoparius</i> (Scot's Broom)
GS	<i>Gaultheria shallon</i> (Salal)
HD	<i>Holodiscus discolor</i> (Oceanspray)
IS	<i>Ilex</i> spp. (Holly)
KO	<i>Kalmia occidentalis</i> (Bog Laurel)
LC	<i>Ledum columbianum</i> (Trapper's Tea)
LI	<i>Lonicera involucrata</i> (Twinberry)
LL	<i>Ledum groenlandicum</i> (Labrador Tea)

SHRUBS (Continued)

MD	<i>Pyrus fusca</i> (Wild Crabapple)
MF	<i>Menziesia gerryginea</i> (False Azelea)
OC	<i>Oemleria cerasiformis</i> (Indian Plum)
OH	<i>Oplopanax horridum</i> (Devil's Club)
PC	<i>Physocarpus capitatus</i> (Ninebark)
PE	<i>Prunus emarginata</i> (Bitter Cherry)
PY	<i>Pyrus fusca</i> (Wild Crabapple)
PZ	<i>Prunus</i> spp. (Cherry)
RD	<i>Rubus discolor</i> (Himalayan Blackberry)
RL	<i>Rubus laciniatus</i> (Evergreen Blackberry)
RP	<i>Rhamnus purshiana</i> (Cascara)
RS	<i>Rubus spectabilis</i> (Salmonberry)
RT	<i>Rubus parviflorus</i> (Thimbleberry)
RU	<i>Rubus ursinus</i> (Trailing Blackberry)
RX	<i>Rosa</i> spp. (Rose)
RZ	<i>Ribes</i> spp. (Current/Gooseberry)
SA	<i>Sorbus aucuparia</i> (European Mountain Ash)
SA	<i>Symphoricarpos albus</i> (Common Snowberry) ¹
SC	<i>Sorbus sitchensis</i> (Sitka Mountain Ash)
SD	<i>Spirea douglassii</i> (Hardhack)
SR	<i>Sambucus racemosa</i> (Red Elderberry)
SW	<i>Symphoricarpos albus</i> (Snowberry)
SX	<i>Salix</i> spp. (Willow)
TO	<i>Taraxacum officinale</i> (Dandelion)
VO	<i>Vaccinium oxycoccos</i> (Cranberry)
VP	<i>Vaccinium parvifolium</i> (Red Huckleberry)
VU	<i>Vaccinium uliginosum</i> (Bog Blueberry)
VX	<i>Vaccinium</i> spp. (Billberry/Blueberry/ Huckleberry/Cranberry)

¹ This species is also assigned to the Sedges/Rushes/Grasses/Ferns category. This error was brought to our attention after the 1990 Wetlands Inventory data sheets were printed.

HERBS

AG	<i>Alisma gramineum</i> (Narrow-leaved Water Plantain)	MY	<i>Myosotis</i> spp. (Forget-me-not)
AM	<i>Anaphalis margaritacea</i> (Pearly Everlasting)	MX	<i>Myriophyllum</i> spp. (Water Milfoil)
AM	<i>Achillea millefolium</i> (Western Yarrow) ²	NC	<i>Nasturtium officinale</i> (Water Cress)
AP	<i>Alisma plantago-aquatica</i> (Water Plantain)	NO	<i>Nymphaea odorata</i> (White Pond Lily)
AS	<i>Aruncus sylvestris</i> (Goatsbeard)	NP	<i>Nuphar polysepala</i> (Yellow Pond Lily)
AU	<i>Arctostaphylos uva-ursi</i> (Bearberry/Kinnikinnick)	OS	<i>Oenanthe sarmentosa</i> (Water Parsley)
BS	<i>Brassenia schruberi</i> (Water Shield)	PE	<i>Pyrola elliptica</i> (White Parsley)
CB	<i>Caltha biflora</i> (Twin-flower Marshmarigold)	PH	<i>Polygonum hydropiper</i> (Marsh Pepper)
CC	<i>Cornus canadensis</i> (Bunchberry Dogwood)	PL	<i>Plantago</i> spp. (Plantain)
CD	<i>Cicuta douglasii</i> (Western Waterhemlock)	PN	<i>Potamogeton natans</i> (Pond Weed)
CG	<i>Corallorhiza maculata</i> (Spotted Coral-root)	PO	<i>Potentilla pacifica</i> (Pacific Cinquefoil)
CH	<i>Cuscuta salina</i> (Saltmarsh Dodder)	PP	<i>Potentilla palustris</i> (Marsh Cinquefoil)
CI	<i>Cirsium vulgare</i> (Common Thistle)	PV	<i>Prunella vulgaris</i> (Self-heal/Heal-all)
CM	<i>Conium maculatum</i> (Poison Hemlock)	PX	<i>Polygonum</i> spp. (Knotweed/Fleece Flower)
CT	<i>Coptis trifolia</i> (Gold Thread)	PZ	<i>Parnetucellia ciscosa</i> (Yellow Scrophularia)
CU	<i>Clintonia uniflora</i> (Queencup Beadlilly)	RA	<i>Ranunculus aquatilis</i> (Water Crowfoot)
CV	<i>Convolvulus soldenella</i> (Coast Morning Glory)	RD	<i>Rumex</i> spp. (Dock)
DF	<i>Dicentra formosa</i> (Bleeding Heart)	RO	<i>Ranunculus orthorhynchus</i> (Aquatic Buttercup)
DR	<i>Drosera rotundifolia</i> (Sundew)	RR	<i>Ranunculus repens</i> (Creeping Buttercup)
DS	<i>Distichlis spicata</i> (Seashore Saltgrass)	RS	<i>Ranunculus</i> spp. (Buttercup)
EA	<i>Epilobium angustifolium</i> (Fire Weed)	RX	<i>Rorippa</i> spp. (Cress)
EF	<i>Epilobium</i> spp. (Willow Weed)	SA	<i>Stellaria</i> spp. (Chickweed)
EL	<i>Echinocystis lobata</i> (Wild Cucumber)	SD	<i>Solanum dulcamara</i> (Bittersweet Nightshade)
EN	<i>Elodea nuttallii</i> (Nuttall's Waterweed)	SH	<i>Spiranthes romanoffiana</i> (Ladies Tresses)
ES	<i>Erythronium montanum</i> (Avalanche Fawnlily)	SK	<i>Salicornia virginica</i> (Virginia Glasswort/Pickleweed)
EW	<i>Epilobium watsonii</i> (Marsh Fireweed)	SL	<i>Sagittaria latifolia</i> (Wapato/Arrowhead)
GD	<i>Gentiana douglasiana</i> (Swamp Gentian)	SN	<i>Solanum dulcamara</i> (Bittersweet Nightshade)
GB	<i>Galium</i> spp. (Bedstraw)	SS	<i>Sium suave</i> (Water Parsnip)
GM	<i>Geum macrophyllum</i> (Large-leaved Avens)	ST	<i>Streptopus</i> spp. (Twisted Stalk)
GN	<i>Gnaphalium</i> spp. (Cudweed)	SZ	<i>Stachys cooleyae</i> (Cooley's Hedge Nettle)
GO	<i>Goodyera oblongifolia</i> (Rattlesnake Plantain)	TA	<i>Trientalis arctica</i> (Northern Starflower)
HF	<i>Hakelia floribunda</i> (Many-flowered stickseed/Tickweed)	TL	<i>Typha latifolia</i> (Broad-leaved Cattail)
HL	<i>Heracleum lanatum</i> (Cow-parsnip)	TM	<i>Tolmiea menziesii</i> (Youth-on-age)
HX	<i>Hieracium</i> spp. (Hawkweed)	TO	<i>Taraxacum officinale</i> (Dandelion)
IX	<i>Impatiens</i> spp. (Touch-me-not)	TR	<i>Triglochin maritimum</i> (Seaside Arrow Grass)
KP	<i>Kindbergia praelonga</i> (Moss)	TT	<i>Tiarella trifoliata</i> (Three-leaved Coolwort)
LA	<i>Lysichiton americanum</i> (Skunk Cabbage)	TX	<i>Tanacetum</i> spp. (Tansy)
LB	<i>Linnaea borealis</i> (Twin Flower)	TX	<i>Trifolium</i> spp. (Clover)
LD	<i>Lobelia dortmanna</i> (Water Lobelia)	UD	<i>Urtica dioica</i> (Bigsting Nettle)
LP	<i>Ludwigia palustris</i> (Water Purslane)	UM	<i>Utricularia minor</i> (Bladderwort)
LS	<i>Lythrum salicaria</i> (Purple Loosestrife)	VA	<i>Veronica americana</i> (American Speedwell)
MA	<i>Mentha arvensis</i> (Field Mint)	VC	<i>Veratrum californicum</i> (California False Hellebore)
MG	<i>Mimulus</i> spp. (Monkey Flower)	VS	<i>Veronica scutellata</i> (Marsh Speedwell)
MN	<i>Montia</i> spp. (Spring Beauty/Miner's Lettuce)	VP	<i>Viola palustris</i> (Marsh Violet)
MP	<i>Montropa uniflora</i> (Indian Pipe)	VZ	<i>Vallisneria americana</i> (Wild Celery)
MS	<i>Mentha</i> spp. (Mint)	YP	<i>Parentucellia viscosa</i> (Yellow Schrophularia)
MT	<i>Meyanthes meyanthes</i> (Buckbean/Bogbean)	ZM	<i>Zostera marina</i> (Eel Grass)
MU	<i>Maianthemum dilatatum</i> (False Lily of the Valley)	ZP	<i>Zannichellia palustris</i> (Horned Pondweed)

2 The symbol AM was inadvertently assigned to two separate herb species. This error was brought to our attention after the 1990 Wetlands Inventory data sheets were printed.

SEDGES/RUSHES/GRASSES/FERNS

AD	<i>Adiantum pedatum</i> (Western Maidenhair Fern)	LM	<i>Lemna minor</i> (Duckweed)
AF	<i>Athyrium felix-femina</i> (Lady Fern)	LP	<i>Luzula parviflora</i> (Small-flowered Wood Rush)
AG	<i>Agrostis</i> spp. (Bent Grass)	LX	<i>Luzula</i> spp. (Wood Rush)
AX	<i>Alopecurus geniculatus</i> (Marsh Foxtail)	LY	<i>Lycopodium inundatum</i> (Clubmoss)
AZ	<i>Azolla</i> spp. (Water fern/Mosquito Fern)	ML	<i>Marchantia</i> spp. (Liverwort)
BD	<i>Blechnum spicant</i> (Deer Fern)	MU	<i>Muscaria</i> spp. (Saxifrage)
BX	<i>Pteridium aquilinum</i> (Bracken Fern)	PA	<i>Phalaris arundinacea</i> (Reed Canary Grass)
CA	<i>Carex aquatilis</i> (Water Sedge)	PL	<i>Phleum pratense</i> (Common Timothy)
CC	<i>Carex comosa</i> (Bristly Sedge)	PO	<i>Poa</i> spp. (Blue Grass)
CO	<i>Carex obnupta</i> (Slough Sedge)	PP	<i>Phleum pratense</i> (Common Timothy)
CP	<i>Carex pauciflora</i> (Few-flowered Sedge)	PS	<i>Polystichum munitum</i> (Sword Fern)
CR	<i>Carex arcta</i> (Spike)	PT	<i>Pteridium aquilinum</i> (Bracken Fern)
CT	<i>Carex rostrata</i> (Beaked Sedge)	PU	<i>Puccinellia pauciflora</i> (Alkali Grass)
CX	<i>Carex</i> spp. (Sedge)	PX	<i>Sphagnum</i> spp. (Peat Moss)
DA	<i>Dulichium arundinaceum</i> (Dulichium)	QP	<i>Isoetes</i> spp. (Quiltwort)
DR	<i>Dryopteris austriaca</i> (Mountain Woodfern)	RN	<i>Ricciocarpus natans</i> (Aquatic Liverwort)
DG	<i>Dactylis glomerata</i> (Orchard Grass)	SA	<i>Symphoricarpos albus</i> (Common Snowberry)
EA	<i>Equisetum arvense</i> (Common Horsetail)	SB	<i>Scirpus</i> spp. (Bulrush)
EC	<i>Eriophorum chamissonis</i> (Cottongrass)	SE	<i>Sparganium emursum</i> (Simplestem bur-reed)
EL	<i>Elymus</i> spp. (Wildrye)	SF	<i>Scirpus fluviatilis</i> (River Bulrush)
EH	<i>Equisetum</i> spp. (Horsetail)	SG	<i>Sparganium eurycarpum</i> (Broad-fruited Bur-reed)
EX	<i>Eleocharis</i> spp. (Spike Sedge)	SI	<i>Sparganium minimum</i> (Submersed Bur-reed)
FA	<i>Festuca arundinacea</i> (Alta Fescue)	SJ	<i>Scirpus maritimus</i> (Seacoast Bulrush)
FS	<i>Festuca</i> spp. (Fesue)	SM	<i>Scirpus microcarpus</i> (Small-fruited Bulrush)
FX	<i>Fucus distichus</i> (Rockweed)	SP	<i>Sparganium</i> spp. (Bur-reed)
GX	<i>Glyceria</i> spp. (Mannagrass)	SV	<i>Scirpus validus</i> (American great Bulrush)
GZ	<i>Graminea</i> spp. (Grass)	SX	<i>Scirpus</i> spp. (Bulrush)
HX	<i>Holcus ranatus</i> (Velvet Grass)	SY	<i>Scirpus cyperinus</i> (Woolgrass Bulrush)
JA	<i>Juncus acuminatus</i> (Rush)	UV	<i>Ulva</i> spp. (Sea Lettuce)
JB	<i>Juncus bufonius</i> (Toad Rush)		
JE	<i>Juncus effusus</i> (Common Rush)		
JF	<i>Juncus ensifolius</i> (Dagger-leaved Rush)		
JO	<i>Juncus oxymeris</i> (Pointed Rush)		
JS	<i>Juncus supiniformis</i> (Spreading Rush)		
JT	<i>Juncus tenuis</i> (Slender Rush)		
JX	<i>Juncus</i> spp. (Rush)		

BIRDS

AB	<i>Botaurus lentiginosus</i> (American Bittern)	CT	<i>Sterna Caspia</i> (Caspian Tern)
AK	<i>Falco sparverius</i> (American Kestrel)	CH	<i>Accipiter cooperi</i> (Cooper's Hawk)
AR	<i>Turdus migratorius</i> (American Robin)	CM	<i>Mergus merganser</i> (Common Merganser)
AT	<i>Sterna Pradisaea</i> (Arctic Tern)	CO	<i>Fulica americana</i> (Common Coot)
AW	<i>Anas americana</i> (American Widgeon)	CS	<i>Parvus</i> spp. (Chickadee)
BB	<i>Branta Bernicla</i> (Black Brant)	CV	<i>Corvus brachyrhynchos</i> (Common Crow)
BC	<i>Parus atricapilus</i> (Black-capped Chickadee)	CW	<i>Bombycilla cedrorum</i> (Cedar Waxwing)
BD	Bay Ducks (Redhead, Canvasback, Ring-necked, Greater and Lesser scaup, Comon and Borrowes goldeneye, Bufflehead, Ruddy duck, and Common, Red-breasted, and Hooded Mergansers)	CQ	<i>Lophortyx californicas</i> (California Quail)
BE	<i>Haliaeetus Leucocephalus</i> (Bald Eagle)	DD	Dabbling Ducks (Mallard, Pintail, Widgeon, Shoveler, Blue and Green-winged and Cinnamon teal, Wood Duck, Gadwell)
BI	<i>Botarus</i> spp. (Bittern)	DJ	<i>Junco hyrmlid</i> (Dark-eyed Junco)
BM	<i>Falconidea columbarius</i> (Black Marlin)	DP	<i>Cinclus mexicanus</i> (Dipper)
BP	<i>Columbia fasciata</i> (Band-tailed Pidgeon)	DW	<i>Picoides pubescens</i> (Downey Woodpecker)
BR	<i>Molothrus ater</i> (Brown-headed Cowbird)	EG	<i>Egretta</i> spp. (Egret)
BS	<i>Hirundo rustica</i> (Barn Swallow)	FK	<i>Colaptes</i> spp. (Flicker)
BT	<i>Anas discors</i> (Blue-winged Teal)	FL	<i>Muscicapinae</i> spp. (Flycatcher)
BU	<i>Psaltiriparus minimus</i> (Bushtit)	FS	<i>Fringilidae</i> spp. (Finch)
BW	<i>Thryomanes bewickii</i> (Bewicks Wren)	FT	<i>Sterna Fosteri</i> (Forester's Tern)
CG	<i>Branta canadensis</i> (Canada Goose)	GB	<i>Ardea herodias</i> (Great Blue Heron)
		GC	<i>Zonotrichia atricapilla</i> (Golden-crowned Sparrow)

Birds (Continued)

GF	<i>Carduelis tristis</i> (American Goldfinch)
GH	<i>Butorides straitus</i> (Green-backed Heron)
GK	<i>Regulus atrapa</i> (Golden-crowned Owl)
GO	<i>Bubo virginianus</i> (Great-horned Owl)
GR	<i>Podiceps Grisegena</i> (Red-necked Grebe)
GS	<i>Aythya marila</i> (Greater Scaup)
HF	<i>Carpodacus mexicanus</i> (House Finch)
HG	<i>Podiceps auritus</i> (Horned Grebe)
HM	<i>Lophodytes cucullatus</i> (Hooded Merganser)
HS	<i>Passer domesticus</i> (House Sparrow)
HU	<i>Selasphorus</i> spp. (Hummingbird)
KB	<i>Megaceryle alcyon</i> (Belted Kingfisher)
KD	<i>Charadrius vociferus</i> (Killdeer)
KI	<i>Regulinea</i> spp. (Kinglet)
LS	<i>Aythya affinis</i> (Lesser Scaup)
LY	<i>Tringa flayipes</i> (Lesser Yellowlegs)
MA	<i>Anas platyrhynchos</i> (Mallard)
MH	<i>Circus cyaneus</i> (Marsh Hawk)
MW	<i>Cistothorus palustris</i> (Marsh Wren)
NH	<i>Nycticorax Nycticorax</i> (Black-growned Night Heron)
OS	<i>Pandion haliaetus</i> (Osprey)
OW	<i>Vermiuora celata</i> (Orange-crowned Warbler)
PF	<i>Falco peregrinus</i> (Peregrine Falcon)
PG	<i>Podilymbus podiceps</i> (Pied-billed Grebe)
PH	<i>Phasianus colchicus</i> (Ring-necked Pheasant)
PP	<i>Phalacrocoral Penicillatus</i> (Brandt's Cormorant)
PR	<i>Carpodacus purpureus</i> (Purple Finch)
PS	<i>Carduelis pinus</i> (Pine Siskin)
PW	<i>Dryocopus pileatus</i> (Pileated Woodpecker)
RB	<i>Agelaius phoeniceus</i> (Red-winged Blackbird)
RD	<i>Oxyura jamaicensis</i> (Ruddy Duck)
RG	<i>Bonasa umbellus</i> (Ruffed Grouse)
RH	<i>Buteo jamaicensis</i> (Red-tailed Hawk)
RN	<i>Sitta canadensis</i> (Red-breasted Nuthatch)
RS	<i>Pipilo erythrophthalmus</i> (Rufous-sided Towhee)
RU	<i>Selasphorus rufus</i> (Rufous Hummingbird)
SH	<i>Accipiter striatus</i> (Sharp-shinned Hawk)
SJ	<i>Cuanoatta stelleri</i> (Stellar's Jay)
SN	<i>Capella gallinago</i> (Common Snipe)
SO	<i>Asio flammeus</i> (Short-eared Owl)
SP	<i>Actitis mocularia</i> (Spotted Sandpiper)
SR	<i>Porzana carolina</i> (Sora)
SS	<i>Melospiza melodia</i> (Song Sparrow)
ST	<i>Catharus guttatus</i> (Swainson's Thrush)
TS	<i>Iridoprocne bicolor</i> (Tree Swallow)
VR	<i>Rallus limicola</i> (Virginia Rail)
VS	<i>Tachycineta thalassina</i> (Violet-green Swallow)
VT	<i>Ixoreus naevius</i> (Varied Thrush)
WB	<i>Dendroica</i> spp. (Warbler)
WC	<i>Zonotrichia leucophrys</i> (White-crowned Sparrow)
WD	<i>Aix sponsa</i> (Wood Duck)
WG	<i>Aechmophorus occidentalis</i> (Western Grebe)
WI	<i>Troglodytes troglodytes</i> (Winter Wren)
WS	<i>Picinae</i> spp. (Woodpecker)
WW	<i>Wilsonia pusilla</i> (Wilson's Warbler)
YT	<i>Geothypis trichas</i> (Yellow Throat)
YW	<i>Dendroica petechia</i> (Yellow Warbler)

MAMMALS

AP	<i>Aplodontia rufa</i> (Mountain Beaver)
BB	<i>Ursus americanus</i> (Black Bear)
BE	<i>Castor canadensis</i> (Beaver)
BF	<i>Bipedus giganticus</i> (Sasquatch)
BO	<i>Lynx rufus</i> (Bobcat)
CT	<i>Sylvilagus</i> spp. (Cottontail Rabbit)
CY	<i>Canis latrans</i> (Coyote)
DE	<i>Odocoileus hemionus columbianus</i> (Black-tailed Deer)
DS	<i>Tamiasciurus douglassii</i> (Douglas Squirrel)
EL	<i>Cervus elaphas</i> (Elk)
FI	<i>Martes pennanti</i> (Fisher)
JM	<i>Zapus princeps</i> (Western Jumping Mouse)
LW	<i>Mustela frenata</i> (Long-tailed Weasel)
MA	<i>Martes americana</i> (Marten)
MI	<i>Mustela vison</i> (Mink)
ML	<i>Felis concolor</i> (Mountain Lion)
MS	<i>Sorex bendirii</i> (Marsh Shrew)
MU	<i>Ondatra zibethica</i> (Muskrat)
PP	<i>Erithizon dorsatum</i> (Porcupine)
RA	<i>Procyon lotor</i> (Raccoon)
RF	<i>Vulpes fulva</i> (Red Fox)
RO	<i>Lutra canadensis</i> (River Otter)
SM	<i>Neurotrichus gibbsii</i> (Shrew-Mole)
SO	<i>Enhydra lutris</i> (Sea Otter)
SS	<i>Spilogale putorius</i> (Spotted Skunk)
SW	<i>Mustela erminea</i> (Short-tailed Weasel)
TM	<i>Scapanus townsendii</i> (Townsend's Mole)

FISH

A	<i>Oncorhynchus clarkii</i> (Sea-run and Coastal Cutthroat Trout)
B	<i>Onchornynchus mykiss</i> (Rainbow and Steelhead Trout)
G	<i>Phoxinus phoxinus</i> (Minnow)
H	<i>Oncorhynchus nerka</i> (Kokanee Salmon)
L	<i>Pomoxis nigromaculatus</i> (Black Crappie)
M	<i>Perca flavescens</i> (Yellow Perch)
N	<i>Micropterus salmoides or dolomieu</i> (Large or Smallmouth Bass)
O	<i>Lepomis macrochirus or cyanellus</i> (Bluegill or Sunfish)
P	<i>Ictalurus nebulosus</i> (Brown Bullhead)
Q	<i>Gasterosteus aculeatus</i> (Three-spined Stickleback)
R	<i>Prosopium williamsoni</i> (Mountain Whitefish)
S	<i>Salvelinus malma</i> (Dolly Varden)
T	<i>Salvelinus fontinalis</i> (Eastern Brook Trout)
U	<i>Oncorhynchus kisutch</i> (Coho Salmon)
V	<i>Oncorhynchus keta</i> (Chum Salmon)
W	<i>Oncorhynchus gorbuscha</i> (Pink Salmon)
X	<i>Oncorhynchus tshawytscha</i> (Chinook Salmon)
Y	<i>Oncorhynchus nerka</i> (Sockeye Salmon)
Z	<i>Richardsonius balteatus</i> (Redside Shinner)

OTHER SPECIES

<i>A</i>	<i>Anthopleura</i> spp. (Sea Anemone)
<i>B</i>	<i>Clinocardium nuttallii</i> (Heart Cockle)
<i>C</i>	<i>Venerupis japonica</i> (Japanese Littleneck Clam)
<i>D</i>	<i>Saxidomus fiftanteus</i> (Butter Clam)
<i>E</i>	<i>Arenicola marina</i> (Lugworm)
<i>F</i>	<i>Pennatulacea</i> (Sea Pen)
<i>G</i>	<i>Protothaca staminea</i> (Steamer Clam)
<i>H</i>	<i>Dendraster excentricus</i> (Sand Dollar)
<i>I</i>	<i>Hemigrapsus nudus</i> (Small Crab)
<i>J</i>	<i>Mytilus edulis</i> (Edible Mussel)
<i>K</i>	<i>Collisella</i> spp. (Limpets)
<i>L</i>	<i>Balanus glandula</i> (Barnacle)
<i>M</i>	<i>Assiminea californica</i> (Small Land Snail)
<i>N</i>	<i>Tresus capax</i> (Horse Clam)
<i>AB</i>	<i>Agonum belleri</i> (Beller's Ground Beetle)
<i>BF</i>	<i>Rana catesbiana</i> (Bullfrogs/Treefrogs/Tadpole)
<i>CA</i>	<i>Caretta caretta</i> (Loggerhead Sea Turtle)
<i>CF</i>	<i>Rana cascadea</i> (Cascade Frog)
<i>CH</i>	<i>Cheloniia mydas</i> (Green Sea Turtle)
<i>DF</i>	<i>Aeschna</i> spp. (Dragonflies)
<i>GF</i>	<i>Rana clamitans latrelle</i> (Green Frog)
<i>GS</i>	<i>Thamnophis sirtalis</i> (Garter Snake)
<i>NS</i>	<i>Ambystoma gracile</i> (Northwestern Salamander)
<i>PF</i>	<i>Hyla regilla</i> (Pacific Treefrog)
<i>PT</i>	<i>Clemmy's marmorata</i> (Western Pond Turtle)
<i>TS</i>	<i>Ascaphus tui</i> (Tailed Frog)
<i>SF</i>	<i>Rana pretiosa</i> (Spotted Frog)

